

CHAPTER 4

BIBLIOGRAPHY / REFERENCES

- Abele, S.C., V.A. Saab, and E.O. Garton. 2004. Lewis's Woodpecker (*Melanerpes lewis*): a technical conservation assessment. USFS, Rocky Mountain Region. Available: <http://www.fs.fed.us/r2/projects/scp/assessments/lewiswoodpecker.pdf>
- ACGIH. 2001. *Threshold limit values for chemical substances and physical agents*, ISBN 1-88-2417-23-2.
- Aldridge, C.L., and M.S. Boyce. 2007. Linking occurrence and fitness to persistence: habitat based approach for endangered Greater Sage-grouse. *Ecological Applications* 17:508–526.
- Altman, Bob and Rex Sallabanks. 2000. Olive-sided Flycatcher (*Contopus cooperi*), *The Birds of North America Online* (A. Poole, Ed.). Ithaca: Cornell Lab of Ornithology; Retrieved from the *Birds of North America Online*: <http://bna.birds.cornell.edu/bna/species/502doi:10.2173/bna.502>
- American Museum of Natural History. 2012. New York, New York, September 22, 2012. <http://research.amnh.org/paleontology/collections/search-database>.
- Anderson, H.E. 1982. Aids to Determining Fuel Models for Estimating Fire Behavior. USDA, Forest Service Gen. Tech. Rep. INT-122, Intermountain Forest and Range Experiment Station, Ogden, Utah. 22 p.
- Anderson, S.H., and B.J. Crompton. 2002. The effects of shelterwood logging on bird community composition in the Black Hills, Wyoming. *Forest Science*. 48:365-372.
- Anderson, T. 2002. Conservation assessment for the American Dipper in the Black Hills National Forest, South Dakota and Wyoming. US Forest Service, Rocky Mountain Region, Black Hills National Forest. Custer, South Dakota. http://www.fs.fed.us/r2/blackhills/projects/planning/assessments/american_dipper.pdf
- Anderson, T. 2003. Conservation assessment for the woodpeckers in the Black Hills National Forest South Dakota and Wyoming. USDA Forest Service, Custer, SD. <http://www.fs.fed.us/Region2/blackhills/projects/planning/assessments/woodpeckers.pdf>.
- Anderson, T. 2004. Callused vertigo (*Vertigo authuri*): A technical conservation assessment. USDA Forest Service, Rocky Mountain Region. <http://www.fs.fed.us/r2/projects/scp/assessments/callusedvertigo.pdf> (Accessed June 27, 2005)
- Anderson, T. 2004. Mystery vertigo (*Vertigo paradoxa*): A technical conservation assessment. USDA Forest Service, Rocky Mountain Region. <http://www.fs.fed.us/r2/projects/scp/assessments/mysteryvertigo.pdf> (Accessed June 28, 2005)

Anderson, T. 2005. *Oreohelix strigosa cooperi* (Cooper's Rocky Mountain Snail): a technical conservation assessment. [Online]. USDA Forest Service, Rocky Mountain Region. Available: <http://www.fs.fed.us/r2/projects/scp/assessments/coopersrockymountainsnail.pdf> (accessed June 14, 2005).

Arcese, P., M.K. Sogge, A.B. Marr, and M.A. Patten. 2002. Song Sparrow (*Melospiza melodia*). In: The Birds of North America, No. 704. A. Poole and F. Gill, eds. The Birds of North America, Inc. Philadelphia, PA.

Arroyo-Cabrales, J. and T. A. Castaneda. 2008. *Corynorhinus townsendii*. In: IUCN 2012. IUCN Red List of Threatened Species. Version 2012.1. www.iucnredlist.org. Downloaded on 21 June 2012.

Arroyo-Cabrales, J. and T. A. Castaneda. 2008. *Myotis evotis*. In: IUCN 2012. IUCN Red List of Threatened Species. Version 2012.1. www.iucnredlist.org. Downloaded on 20 June 2012.

Arroyo-Cabrales, J. and T. A. Castaneda. 2008. *Myotis septentrionalis*. In: IUCN 2012. IUCN Red List of Threatened Species. Version 2012.1. www.iucnredlist.org. Downloaded on 21 June 2012.

Arroyo-Cabrales, J. and T. A. Castaneda. 2008. *Myotis volans*. In: IUCN 2012. IUCN Red List of Threatened Species. Version 2012.1. www.iucnredlist.org. Downloaded on 21 June 2012.

Arroyo-Cabrales, J. and T. A. Castaneda. 2008. *Myotis ciliolabrum*. In: IUCN 2012. IUCN Red List of Threatened Species. Version 2012.1. www.iucnredlist.org. Downloaded on 21 June 2012.

Atwood, T.C., H.P. Weeks, and T.M Gehring. 2004. Spatial ecology of coyotes along a suburban-to-rural gradient. *Journal of Wildlife Management*. 68:1000-1009.

Avian Power Line Interaction Committee (APLIC). 2006. *Suggested Practices for Avian Protection on Power Lines: State of the Art 2006*. Electric Institute, APLIC, and the California Energy Commission. Washington, D.C. and Sacramento, CA.

Avian Power Line Interaction Committee (APLIC). 2012. *Reducing Avian Collisions with Power Lines; The State of the in Art: 2012*. Edison Electric Institute, APLIC, and the California Energy Commission. Washington, D.C. and Sacramento, CA

Backlund, D. 2001. The American Dipper, *Cinclus mexicanus*, in the Black Hills of South Dakota: Past and present. South Dakota Department of Game, Fish and Parks. <http://www.sdqfp.info/Wildlife/Diversity/dipper/index.htm>.

Backlund, D. 2003. Results of spring 2003 nesting survey. South Dakota Department of Game, Fish and Parks. <http://www.sdqfp.info/Wildlife/Diversity/dipper/Spring2003.htm>.

Backlund, D. 2007. The American dipper, *Cinclus mexicanus*, in the Black Hills of South Dakota: Past and present. South Dakota Dept. Game, Fish, and Parks. [Online] <http://www.sdgfp.info/Wildlife/Diversity/dipper/index.htm>.

Bailey, R.M. and M.O. Allum. 1962. Fishes of South Dakota. Miscellaneous publications, Museum of Zoology, University of Michigan, Ann Arbor, No. 119.

Balch, Jennifer K., Bradley, Bethany A., D'Antonio, Carla M., Gómez-Dans, José . Introduced annual grass increases regional fire activity across the arid western USA (1980-2009). *Global Change Biology*, 2012; DOI: [10.1111/gcb.12046](https://doi.org/10.1111/gcb.12046)

Baldwin, P.H. and P.D. Creighton. 1972. Feeding ecology and nesting behavior of grassland birds at the Pawnee site, 1971. US International Biological Program Grassland Biome, Technical Report No. 185.

Balster, C.A. (editor). 1971. Catalog of Stratigraphic Names for Montana, Special Publication 54. Montana Bureau of Mines and Geology, Butte, Montana.

Bamforth, D. B. 2011. "Origin Stories, Archaeological Evidence, and Post-Clovis Paleoindian Bison Hunting on the Great Plains." *American Antiquity* 76(1), 2011: Pp. 24-40.

Bartlett, R.D. and A. Tennant. 2000. Snakes of North America, Western Region. Gulf Publishing, Houston, TX.

Baxter, G.T. and M.D. Stone. 1995. Fishes of Wyoming. Wyoming Game and Fish Department, Cheyenne, Wyoming. 290 pages.

Beasley, B. 2012. USFS Regional Paleontologist, personal communication, July 20, 2012.

Bechard, Marc J. and Josef K. Schmutz. 1995. Ferruginous Hawk (*Buteo regalis*), The Birds of North America Online (A. Poole, Ed.). Ithaca: Cornell Lab of Ornithology; Retrieved from the Birds of North America Online: <http://bna.birds.cornell.edu/bna/species/172doi:10.2173/bna.172>

Beck, J.L., D.L. Mitchell, and B.D. Maxfield. 2003. Changes in the distribution and status of Sage-grouse in Utah. *Western North American Naturalist* 63:203–214.

Beck, J.L., K.P. Reese, J.W. Connelly, and M.B. Lucia. 2006. Movements and Survival of Juvenile Greater Sage-grouse in Southeastern Idaho. *Wildlife Society Bulletin* 34: 1070-1078.

Beecham, J. J., C. P. Collins, and T. D. Reynolds. 2007. Rocky mountain bighorn sheep (*Ovis canadensis*): a technical conservation assessment. Technical report prepared for USDA Forest Service, Rocky Mountain Region, Species Conservation Project.

Belica, L.T., and N. P. Nibbelink. 2006. Mountain Sucker (*Catostomus platyrhynchus*): a technical conservation assessment. [Online]. USDA Forest Service, Rocky Mountain Region. Available: <http://www.fs.fed.us/r2/projects/scp/assessments/mountainsucker.pdf> (accessed March 11, 2013).

Bennett, A.F. 1991. Roads, roadsides, and wildlife conservation: a review. *In* Nature Conservation 2: The Role of Corridors. ed. by D.A. Saunders and R.J. Hobbes. Surry Beatry and Sons. 1991. Pp: 99-118.

Benzon, T.A. and R. Halseth. 1999. Reintroduction of Rocky Mountain bighorn sheep in the Black Hills, South Dakota, 1986-1994. Completion report no. 99-12. South Dakota Department of Game, Fish and Parks. Pierre, South Dakota. July 1999.

Bevanger, K. 1998. Biological and Conservation Aspects of Bird Mortality Caused by Electrical Power Lines: a Review. *Biological Conservation* 86: 67-76.

Bildstein, K. L. and K. Meyer. 2000. Sharp-shinned Hawk (*Accipiter striatus*), *The Birds of North America Online* (A. Poole, Editor). Ithaca: Cornell Lab of Ornithology. <http://bna.birds.cornell.edu/bna/>.

Biodiversity Conservation Alliance, Center for Native Ecosystems, Native Ecosystems Council, Prairie Hills Audubon Society of Western South Dakota, and Jeremy Nichols. 2003. Petition to list the American Dipper as a distinct population segment under the Endangered Species Act. http://www.biodiversityassociates.org/bhnf/pubs/final_dipper_petition.pdf

BirdLife International 2012. *Accipiter striatus*. In: IUCN 2012. IUCN Red List of Threatened Species. Version 2012.1. www.iucnredlist.org. Downloaded on 26 June 2012.

BirdLife International 2012. *Accipiter cooperii*. In: IUCN 2012. IUCN Red List of Threatened Species. Version 2012.1. www.iucnredlist.org. Downloaded on 26 June 2012.

BirdLife International 2012. *Buteo platypterus*. In: IUCN 2012. IUCN Red List of Threatened Species. Version 2012.1. www.iucnredlist.org. Downloaded on 26 June 2012.

BirdLife International 2012. *Aegolius acadicus*. In: IUCN 2012. IUCN Red List of Threatened Species. Version 2012.1. www.iucnredlist.org. Downloaded on 26 June 2012.

BirdLife International 2012. *Sitta pygmaea*. In: IUCN 2012. IUCN Red List of Threatened Species. Version 2012.1. www.iucnredlist.org. Downloaded on 26 June 2012.

Bjork, P. and Tallman, J.E. 1995. *Dinosaurs of South Dakota*, Museum of Geology. S.D. School of Mines and Technology, Rapid City, SD.

Boldt, C., R. Alexander, and M. J. Larson. 1983. Interior Ponderosa Pine in the Black Hills. Rocky Mountain Forest and Range Experiment Station.
<http://www.treesearch.fs.fed.us/pubs/22460>. Accessed July 2012.

Black Hills Forest Resource Association. 2012. Mountain Pine Beetle in the Black Hills. Available online at: http://www.bhfra.org/mountain_pine_beetle.asp (accessed 13 July 2012).

Black Hills Land Analysis. 2010. Pennington County Community Wildfire Protection Plan. Prepared for Pennington County Fire Administrator. Black Hills Land Analysis, Deadwood, South Dakota. 32 p.

Blakesly, J. A., G. Girior, and C. White. 2008. Population densities and trend detection of avian species on the Black Hills National Forest. Tech. Rep. M-MBBH07-02. Rocky Mountain Bird Observatory, Brighton, CO, 45 p.

Blomberg, E.J., M.T. Atamian, and J.S. Sedinger. 2007. Greater Sage-grouse (*Centrocercus urophasianus*) Nest Success Following Transmission Line Construction in Northern Nevada [Abstract]. In: Proceedings of the 26th Western Agencies Sage and Columbian Sharp-tailed Grouse Workshop, Mammoth Lakes, California, June 23-26.

Blomberg, E. and J. Sedinger. 2008. Dynamics of Greater Sage-grouse (*Centrocercus urophasianus*) Populations in Response to Transmission Lines in Central Nevada. Progress Report: Year 6. Department of Natural Resources and Environmental Sciences, University of Nevada - Reno.

Bock, C.E., V.A. Saab, T.D. Rich, and D.S. Dobkin. 1993. Effects of livestock grazing on Neotropical migratory landbirds western North America. Pages 296-309 in D.M. Finch and P.W. Stangel, editors. Status and management of Neotropical migratory birds. USFS, General Technical Report RM-229.

Boldt, C., R. Alexander, and M. J. Larson. 1983. Interior Ponderosa Pine in the Black Hills. Rocky Mountain Forest and Range Experiment Station.
<http://www.treesearch.fs.fed.us/pubs/22460>. Accessed July 2012.

Boyle, S., and S. Owens. 2007. North American Beaver (*Castor canadensis*): a technical conservation assessment. [Online]. USDA Forest Service, Rocky Mountain Region. Available: <http://www.fs.fed.us/r2/projects/scp/assessments/northamericanbeaver.pdf>.

Bradley, B. A., J. F. Mustard. 2006. Characterizing the Landscape Dynamics of an Invasive Plant and Risk of Invasion Using Remote Sensing. Ecological Applications, 16(3), pp1132-1147.

Braun, C. E. 1987. Current issues in sage grouse management. Proceedings of the Western Association of Fish and Wildlife Agencies 67:134–144.

Braun, C. E. 1998. Sage grouse declines in western North America: what are the problems? *Proceedings of the Western Association of State Fish and Wildlife Agencies* 78:139–156.

Braun, C. E., O. O. Oedekoven, and C. L. Aldridge. 2002. Oil and gas development in western North America: effects on sagebrush steppe avifauna with particular emphasis on Sage-grouse. *Transactions of the North American Wildlife and Natural Resources Conference* 67:337–349.

Breithaupt, B.H., 2001. Passport-In-Time Microvertebrate Fossil Project at the University of Wyoming Geological Museum: Late Cretaceous Paleontological Resources in the Public Eye, *Proceedings of the 6th Fossil Resources Conference*. Santucci and McClelland (eds.). United States Department of Interior- National Park Service- Geological Resources Division, p. 107-112.

Breithaupt, B. 2012. BLM Regional Paleontologist. Personal communication August 7, 2012.

Brown, J.K. 2000. Chapter 9: Ecological Principles, Shifting Fire Regimes and Management Considerations. *In: Wildland Fire in Ecosystems: Effects of Fire on Flora*. USDA Forest Service Gen. Tech. Rep. RMRS-GTR-42-vol. 2. 2000.

Brown, J.K., E.D. Reinhardt, and K.A. Kramer. 2003. Coarse Woody Debris: Managing Benefits and Fire Hazard in the Recovering Forest. USDA, Forest Service Gen. Tech. Rep. RMRS-GTR-105, Rocky Mountain Research Station, Ogden, Utah.

Brown, P.M. and C.H. Sieg. 1996. Fire History in Interior Ponderosa Pine Communities of the Black Hills, South Dakota, USA. *International Journal of Wildland Fire* 6(3): 97-105.

Brown, P.M. and C. H. Seig. 1996. *Fire History in Interior Ponderosa Pine Communities of the Black Hills, South Dakota, USA*. Rocky Mountain Forest and Range Experiment Station, South Dakota School of Mines and Technology. Rapid City, South Dakota.

Brunette, J. 1994. IMACS site form for 48CA1473/48CK446 “Texas Trail.” Archaeological Energy Consulting.

Buehler, DA. 2000. Bald Eagle (*Haliaeetus leucocephalus*). *In: Poole A, Gill F, eds. The Birds of North America*. Nr 506. Philadelphia: Academy of Natural Sciences; Washington: American Ornithologists' Union.

Bull, E. L., A. L. Wright, and M. G. Henjum. 1990. Nesting habitat of Flammulated Owls in Oregon. *J. Raptor Res.* 24:52-55.

Bureau of Land Management (BLM). 2005. Statewide Programmatic Black-tailed Prairie Dog (*Cynomys ludovicianus*) Biological Evaluation. Cheyenne, WY. Pp 54.

Burns, K.A., D.J. Reyher, and S.R. Hirtzel. 2005. Phase II Amendment Black Hills National Forest Land and Resource Management Plan Biological Evaluation. Black Hills National Forest. Custer, SD.

Busek, R.S., D.A. Keinath, M.H. McGee. 2004. Species assessment for Sage Thrasher (*Oreoscoptes montanus*) in Wyoming. Prepared for Bureau of Land Management Wyoming State Office. Cheyenne, WY.

Buskirk. 2002. Conservation assessment for the American marten in the Black Hills National Forest, South Dakota and Wyoming. US Forest Service, Custer, SD.

Butts, K.O. and J.C. Lewis. 1982. The importance of prairie dog towns to Burrowing Owls in Oklahoma. *Proceedings of the Oklahoma Academy of Science*. 62:46-52.

Call, M.W., and C. Maser. 1985. Wildlife habitats in managed rangelands—the great basin of southeastern Oregon. Sage-grouse. United States Department of Agriculture, USFS, General Technical Report PNW-187, Portland, Oregon, USA.

Campbell County. 2007. “Section 3.01 Physical Environment.” Campbell County Natural Resource and Land Use Plan. Adopted August 21, 2007.

Carlson, P. H. 1998. The Plains Indians. Number 19 Elma Dill Russell Spencer Series in the West and Southwest. College Station, Texas: Texas A&M University Press.

Carpenter, K., Chure, D., and Kirkland, J.I. (eds.). 1998. The Morrison Formation: An Interdisciplinary Study. *Modern Geology*, Volume 22, Numbers 1 – 4, ISBN 90-5699-183-3. Taylor and Francis Group, London, England.

Carter, J., D. Driscoll, and J. Williamson. 2002. The Black Hills Hydrology Study, Fact Sheet. Prepared in cooperation with the South Dakota Department of Environment and Natural Resources and the West Dakota Water Development Board. <http://pubs.usgs.gov/fs/fs04602/>. Accessed June 2012.

Cassiliano, M. 2012. Collections Manager, Department of Geology and Geophysics, University of Wyoming, Laramie, WY. Personal communication, September 7, 2012.

Cassity, M. 2007. Stock-Raising, Ranching, and Homesteading in the Powder River Basin Historic Context Study. Historical Research and Photography. Broken Arrow, Oklahoma. <http://wyoshpo.state.wy.us/pdf/powderriverhc2007.pdf>. Accessed August 2012.

Chambers, J.C. and J.R. Miller. 2004. Great Basin Riparian Ecosystems: Ecology, Management, and Restoration. Island Press, Washing, D.C. 303 p.

Chaney, E., W. Elmore, and W. Platts. 1990. Livestock grazing in Western riparian areas. Rep. US EPA, Reg. 8, Denver, CO. Available at:
http://www.blm.gov/pgdata/etc/medialib/blm/id/ublications/livestock_grazing.Par.83235.File.dat/entiredoc.pdf.

Christiansen, T. 2007. Chapter 12: Sage-grouse (*Centrocercus urophasianus*). Pages 12-1 to 12-51 in S.A. Tessmann (ed). Handbook of Biological Techniques: third edition. Wyoming Game and Fish Department. Cheyenne, WY.

Christy, R.E., and S.D. West. 1993. Biology of bats in Douglas-fir forests. Gen. Tech. Rep. PNW-GTR-308. Portland, OR: US Department of Agriculture, Forest Service, Pacific Northwest Research Station. 28 p. (Huff, Mark H.; Holthausen, Richard M.; Aubry, Keith B., Tech. coords. Biology and management of old-growth forests).

Chure, D.J., Carpenter, K., Litwin, R., Hasiotis, S., and E. Evanoff, E. 1998. Appendix - The fauna and flora of the Morrison Formation. *Modern Geology* 23:507-537.

Clark, T. W. and M.R. Stromberg. 1987. Mammals in Wyoming. Museum of Natural History, University of Kansas. Lawrence, Kansas.

Coates, P. S. 2007. Greater Sage-grouse (*Centrocercus urophasianus*) nest predation and incubation behavior. Ph.D. Diss. Idaho State Univ. Pocatello, ID.

Collins, C.P. and T.D. Reynolds. 2005. Ferruginous Hawk (*Buteo regalis*): a technical conservation assessment. [Online]. USFS, Rocky Mountain Region. Available:
<http://www.fs.fed.us/r2/projects/scp/assessments/ferruginoushawk.pdf>

Connelly, J.W., W.L. Wakkinen, A. P. Apa, and K. P. Reese. 1991. Sage Grouse use of nest sites in southeastern Idaho. *J. Wildl. Manage.* 55:521-524.

Connelly, J.W. and C.E. Braun. 1997. Long-term changes in Sage Grouse *Centrocercus urophasianus* populations in western North America. *Wildlife Biology* 3:229–234.

Connelly, J.W., M.W. Gratson and K. P. Reese. 1998. Sharp-tailed Grouse (*Tympanuchus phasianellus*), *The Birds of North America Online* (A. Poole, Ed.). Ithaca: Cornell Lab of Ornithology; Retrieved from the Birds of North America Online:
<http://bna.birds.cornell.edu/bna/species/354doi:10.2173/bna.354>

Connelly, J.W., K.P. Reese, R.A. Fischer, and W.L. Wakkinen. 2000. Response of a Sage Grouse breeding population to fire in southeastern Idaho. *Wildlife Society Bulletin* 28:90–96.

Connelly, J.W., K.P. Reese, and M.A. Schroeder. 2003. Monitoring sage grouse habitats and populations. University of Idaho. Moscow, ID.

Connelly, J.W., S.T. Knick, M.A. Schroeder, and S.J. Stiver. 2004. Conservation assessment of Greater Sage-grouse and sagebrush habitats. Western Association of Fish and Wildlife Agencies. Unpublished Report. Cheyenne, Wyoming.

Cowardin, L.M., V. Carter, F.C. Golet, and E.T. LaRoe. 1979. *Classification of Wetlands and Deepwater Habitats of the United States*. United States Fish and Wildlife Service Pub. USFWS/OBS-79/31, Washington, DC, 103p.

Crompton, B.J. 1994. Songbird and small mammal diversity in relation to timber management practices in the northwestern Black Hills. M.S. Thesis, Univ. of Wyoming, 202 p.

Cryan, P.M. 2004. Synthesis of existing information on meadow jumping mice (*Zapus hudsonius*) in the northern Great Plains. Information Review Compiled for the USDI Fish and Wildlife Service, Region 6, Denver, CO. 27p.

Cryan, P. M., and L. E. Ellison. 2005. Distributional survey of the meadow jumping mouse (*Zapus hudsonius*) in the northern Great Plains: Trapping Report, summer 2005. Administrative report compiled for the US Fish and Wildlife Service, Region 6, Denver CO.

Culver, T. 2012. Collections Manager, Paleontology, University of Colorado Museum of Natural History, Boulder, CO. Personal communication, September 12, 2012.

Currit, R. L. 2012. Senior Archaeologist, Wyoming State Historic Preservation Office. Personal communication." July 27, 2012.

Curtis, O. E., R. N. Rosenfield, and J. Bielefeldt. 2006. Cooper's Hawk (*Accipiter cooperii*), The Birds of North America Online (A. Poole, Editor). Ithaca: Cornell Lab of Ornithology. <http://bna.birds.cornell.edu/bna>.

Dahl, T.E. 1990. Wetlands Losses in the United States 1780's to 1980's. US Department of the Interior, Fish and Wildlife Service, Washington, D.C. 13 p. Available at: http://wetlandsfws.er.usgs.gov/status_trends/national_reports/1990_Status_1780s_1980s.pdf.

Darton, N.H. 1909. Geology and water resources of the northern portion of the Black Hills and adjoining regions in South Dakota and Wyoming. US Geological Survey Professional Paper 65.

DeBlander, L. T. 2002. Forest Resources of the Black Hills National Forest. US Forest Service, Rocky Mountain Research Station. August 2002.

Dechant, J.A., M.L. Sondreal, D.H. Johnson, L.D. Igl, C.M. Goldade, M.P. Nenneman, and B.R. Euliss. 2003. Effects of management practices on grassland birds: Baird's Sparrow. Northern Prairie Wildlife Research Center, Jamestown, ND. Northern Prairie Wildlife Research Center Online. <http://www.npwrc.usgs.gov/resource/literatr/grasbird/bais/bais.htm>

- Decker, L.M. 1989. Coexistence of two species of sucker, *Catostomus*, in Sagehen Creek, California, and notes on their status in the western Lahontan Basin. *Great Basin Naturalist* 49(4):540-551.
- Decker, K. 2006. *Salix candida* Flueggé ex Wild. (sageleaf willow): a technical conservation assessment. USDA Forest Service, Rocky Mountain Region. Available online: <http://www.fs.fed.us/r2/projects/scp/assessments/salixcandida.pdf> [accessed 6 March 2013].
- Decker, K. 2006. *Salix serissima* (Bailey) Fern. (autumn willow): a technical conservation assessment. USDA Forest Service, Rocky Mountain Region. Available online: <http://www.fs.fed.us/r2/projects/scp/assessments/salixserissima.pdf> [accessed 6 March 2013].
- Decker, L.M. and D.C. Erman. 1992. Short-term seasonal changes in composition and abundance of fish in Sagehen Creek, California. *Transactions of the American Fisheries Society* 121:297-306.
- DeGraaf, R.M., V.E. Scott, R.H. Hamre, L. Ernst, and S.H. Anderson. 1991. Forest and rangeland birds of the United States: Natural history and habitat use. *Agric. Handb.* 688. <http://www.npwrc.usgs.gov/resource/birds/forest/index.htm>
- Denson, N.M. and Horn, G.H. 1975. Geologic and structure map of the southern part of the Powder River basin, Converse, Niobrara, and Natrona Counties, Wyoming. U.S. Geological Survey, Miscellaneous Investigations Series Map I-877, scale 1:125000.
- Department of Natural Resources and Conservation (DNRC). 2006. Best Management Practices for Forestry in Montana. Forestry Division, Missoula, Montana. January 2006.
- DePerno, C.S., J.A. Jenks, S.L. Griffin, L.A. Rice, and K.F. Higgins. 2002. White-tailed deer habitats in the central Black Hills. *Journal of Range Management* 55: 242–252.
- Dinsmore, S.J. 2003. Mountain Plover (*Charadrius montanus*): a technical conservation assessment. USFS, Rocky Mountain Region. Available: <http://www.fs.fed.us/r2/projects/scp/assessments/mountainplover.pdf>
- Dinsmore, S.J., G.C. White, F.L.Knopf. 2005. Mountain Plover population responses to black-tailed prairie dogs in Montana. *Journal of Wildlife Management*. 69:1546-1553.
- Dixon, R.D., and V.A. Saab. 2000. Black-backed Woodpecker (*Picoides arcticus*). In: *The birds of North America*. (A. Poole and F. Gill, editors.) No. 509. The Academy of Natural Sciences, Philadelphia, PA., and The American Ornithologists' Union, Washington, D.C.
- Doherty, K.E., D.E. Naugle, B.L. Walker, and J.M. Graham. 2008. Sage-grouse wintering habitat use and energy development. *Journal of Wildlife Management* 72:187-195.

Dondanville, R.F. 1963. The Fall River Formation, northwestern Black Hills; lithology and geologic history, *in* Northern Powder River Basin, Wyoming and Montana. Wyoming Geological Association Field Conference Guidebook. 1st Joint Annual Field Conference of Wyoming Geological Association, 18th, and Billings Geological Society, 14th. August 8-10, 1963, no. 18, p. 87-99.

Dorn, R.D. 2001. Vascular Plants of Wyoming. Third edition. Mountain West Publishing: Cheyenne, Wyoming. 412 p.

Dowd S.E. 2011. Conservation assessment and conservation strategy for swift fox in the United States – 2011 Update. South Dakota Department of Game, Fish and Parks, Pierre, South Dakota.

Doyle, S. 1998. "Bozeman Trail." *Annals of Wyoming: The Wyoming History Journal*. Spring 1998: 1-12.

Drilling, N.E. 2010. 2009 Black Hills Owl Surveys. Tech. Rep. M-SDBBA2-03. Rocky Mountain Bird Observatory, Brighton, CO, 13p.

Dumbrill, L. 2012. Chair, Weston County Historic Preservation Board. Personal communication. July 11, 2012.

Duniway, M.C. J. E. Herrick, D. A. Pyke, and D. P. Toledo. 2010. Assessing Transportation Infrastructure Impacts on Rangelands: Test of a Standard Rangeland Assessment Protocol. *Rangeland Ecol Manage* 63:524-536.

Ehrlich, P.R., D.S. Dobkin, and D. Wheye. 1988. *The Birder's Handbook: A Field Guide to the Natural History of North American Birds*. Simon and Schuster, Inc., New York, NY.

Elliott, L., Gerhardt, C. and C. Davidson. 2009. *The Frogs and Toads of North America: A Comprehensive Guide to their Identification, Behavior, and Calls*. Houghton Mifflin Harcourt; New York, New York.

Ellis, K.L. 1985. Effects of a New Transmission Line on Distribution and Aerial Predation of Breeding Male Sage-grouse. Final report, Deseret Generation and Transmission Cooperative, Sandy, Utah. 26 p.

Elmore, W., and R. Beschta. 1987. Riparian areas: perceptions in management. *Rangelands* 9(6):260-265.

ENSR. 2005. Task 1D Report for the Powder River Basin Coal Review Current Environmental Conditions. Document 09090-048. Prepared for the Casper Field Office and Wyoming State Office.

EPRI. 1999. Electric and Magnetic Field Management Reference Book: First Edition, TR-114200, EPRI, Palo Alto, CA.

Evans, J.E., and Welzenbach, L.C. 1998. Episodes of carbonate deposition in a siliciclastic-dominated fluvial sequence, Eocene-Oligocene White River Group, South Dakota and Nebraska, *in* Terry, D.O. Jr., LaGarry, H.E., and Hunt, R.M. Jr., eds. Depositional Environments, Lithostratigraphy and Biostratigraphy of the White River and Arikaree Groups (Late Eocene to early Miocene, North America). Boulder, CO, Geological Society of America Special Paper 325.

Evermann, B.W. and U.O. Cox. 1896. A report upon the fishes of the Missouri River basin. Report to the US commission on Fish and Fisheries 20 (1894):325-429.

Feck, J., and R.O. Hall Jr. 2004. Response of American dipper (*Cinclus mexicanus*) to variation in stream water quality. *Freshwater Biology*. 49, 1123-1137.

Fecske, D.M., J.A. Jenks, C. Kopplin, and T.L. Serfass. 2003. A landscape analysis for American martens (*Martes americana*) in the Black Hills, South Dakota. Draft publication dated October 10, 2003.

Fellers, G.M. and E.D. Pierson. 2002. Habitat use and foraging behavior of Townsend's big-eared bat (*Corynorhinus townsendii*) in coastal California. *Journal of Mammalogy* 83:167-177.

Fenneman, N.M. 1931. *Physiography of the Western United States*. New York and London: McGraw Hill, Book Company Inc.

Ferguson, D. 1993. Site form for 48CA2792. 1993 Powder River Coal Company Class III CRI (Tract B). GCM Services, Inc., Butte, Montana.

Ferguson, D. 1994. Site form for 48CA2870. 1994 Powder River Coal Company Class III CRI (Tract C). GCM Services, Inc., Butte, Montana.

Festa-Bianchet, M. 2008. *Oreamnos americanus*. In: IUCN 2012. IUCN Red List of Threatened Species. Version 2012.1. www.iucnredlist.org. Downloaded on 22 June 2012.

Fischer, R.A., K.P. Reese and J.W. Connelly. 1997. Effects of prescribed fire on movements of female sage grouse from breeding to summer ranges. *Wilson Bulletin* 109:82-91.

Fitzgerald, S.A. 2005. Fire Ecology of Ponderosa Pine and the Rebuilding of Fire-resilient Ponderosa Pine Ecosystems. In: Ritchie, M.W. D.A. Maguire, and A. Youngblood, tech. coords. 2005. Proceedings of the Symposium on Ponderosa Pine: Issues, Trends, and Management, 2004 October 18-21, Klamath Falls, OR. Gen. Tech. Rep PSW-GTR-198. Albany, CA: Pacific Southwest Research Station, Forest Service, U.S. Department of Agriculture. 281 p.

Flora of North America Editorial Committee, eds. (FNA). 1993+. Flora of North America North of Mexico. 16+ vols. New York and Oxford. Available online:
http://www.efloras.org/flora_page.aspx?flora_id=1 [accessed 6 March 2013].

Forman, R.T.T., and L.E. Alexander. 1998. Roads and their major ecological effects. *Annual Review of Ecology and Systematics*. 29:207-231.

Franzreb, K.E. and R.D. Ohmart. 1978. The effects of timber harvesting on breeding birds in a mixed-coniferous forest. *Condor* 80:431-441.

Fraser Design. 2006. Powder River Historic Context for Transportation Routes and Sites in the Powder River Basin, Wyoming. Submitted to the Bureau of Land Management. Cheyenne, Wyoming.

Frest, T.J. and E.J. Johannes. 2002. Land snail survey of the Black Hills National Forest, South Dakota and Wyoming, Summary report, 1991-2001. Final report contract # 43-67TO-8-1085. USDA, Forest Service, Black Hills National Forest. 127 p. + appendices.

Frid, A., and L. M. Dill. 2002. Human-caused disturbance stimuli as a form of predation risk. *Conservation Ecology* 6(1):11. 16p.

Frison, G. 1991. *Prehistoric Hunters of the High Plains*, Second Edition. Academic Press, San Diego, California.

Frison, G. 1998. "The Northwestern and Northern Plains Archaic." In *Archaeology of the Great Plains*. Raymond W. Wood (editor). Lawrence, Kansas: University Press of Kansas.

Frison, G., D. Schwab, L. A. Hannus, P. Winham, D. Walter, and R. C. Mainfort. 1996. "Archeology of the Northwestern Plains." In *Archeological and Bioarcheological Resources of the Northern Plains: A Volume in the Central and Northern Plains Archeological Overview*. Fayetteville, Arkansas: Arkansas Archeological Survey.

Froiland, S. 1999. *Natural History of the Black Hills and Badlands*. The Center for Western Studies. Augustana College. Sioux Falls, South Dakota.

Ganguli, A. C., Hauger, J. B., Mehl, C. A., and Yeats, S. D. 2008. "Ecological Assessment of Sagebrush Grasslands in Eastern Wyoming, Proceedings – Shrublands: Wildlands and Wildlife Habitats," June 17-19. Bozeman, Montana. *Natural Resources and Environmental Issues*, Vol. XVI.

Gard, R. and G.A. Flittner. 1974. Distribution and abundance of fishes in Sagehen Creek, California. *Journal of Wildlife Management* 38(2):347-358.

Gelbard, J.L., and J. Belnap. 2003. Roads as conduits for exotic plant invasions in a semiarid landscape. *Conservation Biology* 17:420-432.

General Accounting Office (GAO). 1988. Public rangelands: some riparian areas restored but widespread improvement will be slow. GAO/RCED88105. US GAO, Resources, Community, and Economic Development Division, Washington, DC. Available at: <http://archive.gao.gov/dl6t6/136218.pdf>.

Ghalambor, C. K., and R. C. Dobbs. 2006. Pygmy Nuthatch (*Sitta pygmaea*): a technical conservation assessment. [Online]. USDA Forest Service, Rocky Mountain Region. Available: http://www.fs.fed.us/r2/projects/scp/assessments/pygmy_nuthatch.pdf.

Gibson, R.M. and G.C. Bachman. 1992. The Costs of Female Choice in a Lekking Bird. *Behavioral Ecology* 3(4): 300-309.

Giesen, K.M. and J.W. Connelly. 1993. Guidelines for management of Columbian Sharp-tailed Grouse habitats. *Wildl. Soc. Bull.* 21:325-333.

Goodrich, L. J., S. C. Crocoll and S. E. Senner. 1996. Broad-winged Hawk (*Buteo platypterus*), *The Birds of North America Online* (A. Poole, Editor). Ithaca: Cornell Lab of Ornithology. <http://bna.birds.cornell.edu/bna/>.

Goody, P.C. 1970. The Cretaceous Teleostean Fish *Cimolichthys* from the Niobrara Formation of Kansas and the Pierre Shale of Wyoming. *The American Museum of Natural History*. Central Park West at 79th Street, New York NY, Number 2434.

Graham, J. 2008. Badlands National Park Geologic Resource Evaluation Report. Natural Resource Report NPS/NRPC/GRD/NRR-2008/036. National Park Service, Denver, Colorado.

Graham, R.T., McCaffrey, S., and T.B. Jain (tech. eds). 2004. Science Basis for Changing Forest Structure to Modify Wildfire Behavior and Severity. Gen. Tech. Rep. RMRS-GTR-120. USDA, Forest Service, Rocky Mountain Research Station. Fort Collins, Colorado. 43 p.

Graham, R.T. and T.B. Jain. 2005. Ponderosa Pine Ecosystems. In: Ritchie, M.W., D.A. Maguire, and A. Youngblood, tech. coords. 2005. Proceedings of the Symposium on Ponderosa Pine: Issues, Trends, and Management, 2004 October 18-21, Klamath Falls, OR. Gen. Tech. Rep PSW-GTR-198. Albany, CA: Pacific Southwest Research Station, Forest Service, U.S. Department of Agriculture. 281 p.

Green, G.A. 1983. Ecology of breeding Burrowing Owls in the Columbia Basin, Oregon. Corvallis, OR: Oregon State University. M.S. Thesis. 51 p.

Green, M. T., P. E. Lowther, S. L. Jones, S. K. Davis and B. C. Dale. 2002. Baird's Sparrow (*Ammodramus bairdii*), The Birds of North America Online (A. Poole, Ed.). Ithaca: Cornell Lab of Ornithology; Retrieved from the Birds of North America Online: <http://bna.birds.cornell.edu/bna/species/638doi:10.2173/bna.638>

Greenwald, D. N., D. C. Crocker-Bedford, L. Broberg, K. F. Kieran, and T. Tibbitts. 2005. A Review of Northern Goshawk Habitat Selection in the Home Range and Implications for Forest Management in the Western United States. *Wildlife Society Bulletin* 33(1):120- 129.

Greer Archaeological Consultants. 1991. Letter to the Wyoming State Historic Preservation Office regarding the Texas Trail segment at Flagg Butte. May 2, 1991.

Gregg, M.A., J.A. Crawford, M. S. Drut, and A. K. DeLong. 1994. Vegetative cover and predation of Sage Grouse nests in Oregon. *J. Wildl. Manage.* 58:162-166.

Gruver, J.C. and D.A. Keinath. 2006. Townsend's Big-eared Bat (*Corynorhinus townsendii*): a technical conservation assessment. USDA Forest Service, Rocky Mountain Region. Available: <http://www.fs.fed.us/r2/projects/scp/assessments/townsendsbigearedbat.pdf>

Gustafson, E.P. 1986. Preliminary Biostratigraphy of the White River Group (Oligocene, Chadron and Brule Formations) in the Vicinity of Chadron, Nebraska. *Nebraska Academy of Sciences and Affiliated Societies*, Paper 209.

Haas, S. 2012. Personal communication. Dated December 4, 2012.

Hagen, C.A., Connelly, J.W. and Schroeder, M.A. 2007. A meta-analysis of Greater Sage-grouse *Centrocercus urophasianus* nesting and brood-rearing habitats. *Wildlife Biology*, 13:43–50.

Hansen, C., J. Millspaugh, and M. A. Rumble. 2008. Factors affecting the probability of detecting ruffed grouse in the Black Hills National Forest. Progress Report 1. January 24, 2008. FS Agreement Number: 05-JV-11221609-239.

Hanson, J. R. 1998. "The Late High Plains Hunters." In *Archaeology of the Great Plains*. W. Raymond Wood (editor). Lawrence, Kansas: University Press of Kansas. Pp. 456-480.

Harmon, W. H. 1944. Notes on mountain goats in the Black Hills. *Journal of Mammalogy* 25:149-151.

Harris, J.D., and Lacovara, K.J. 2004. Enigmatic Fossil Footprints from the Sundance Formation (Upper Jurassic) of Bighorn Canyon National Recreation Area, Wyoming. *Ichnos*, 11:151–166, 2004.

Haug, J., 2012. Director, South Dakota Archaeological Research Center and State Archaeologist. Personal Communication. Email dated June 27, 2012.

Hauser, W.J. 1969. Life history of the mountain sucker, *Catostomus platyrhynchus*, in Montana. Transactions of the American Fisheries Society 1969(2):209-215.

Hays, D.W., M.J. Tirhi, and D.W. Stinson. 1998. Washington State status report for the Sage Grouse. Wash. Dept. Fish and Wildlife. Olympia.

Hayward, G.D., and R.E. Escano. 1989. Goshawk Nest-Site Characteristics in Western Montana and Northern Idaho. Condor 91: 476-479.

Hayward, G. D., and J. Verner, eds. 1994. Flammulated, boreal, and great gray owls in the United States: a technical conservation assessment. Gen. Tech. Rpt. RM-253. USDA Forest Service, Rocky Mountain Forest, and Range Experiment Station. Fort Collins, CO. 214 p. and maps.

HCN. 2001. Health Council of the Netherlands (HCN). 2001. ELF Electromagnetic Fields Committee. Electromagnetic fields: Annual Update 2001. No. 2001/14.

HCN. 2004. ELF Electromagnetic Fields Committee. Electromagnetic fields: Annual Update 2003. The Hague: Health Council of the Netherlands. Publication No. 2004/1.

Healthy Forest Restoration Act of 2003 16 United States Code Chapter 84 § 6501-6502. January 7, 2003.

Herkert, J.R., S.A. Simpson, R.L. Westemeier, T.L. Esker, and J.W. Walk. 1999. Response of Northern Harriers and Short-eared Owls to grassland management in Illinois. Journal of Wildlife Management 63:517-523.

Hejl, S.J., K.R. Newlon, M.E. McFadzen, J.S. Young, and C.K. Ghalambor. 2002. Brown Creeper. In: A. Poole and F. Gill, editors. The Birds of North America, No. 669. The Birds of North America, Inc., Philadelphia, PA.

Hendricks, P. 2003. Status and conservation management of terrestrial mollusks of special concern in Montana. Report to Region I, US Forest Service. Montana Natural Heritage Program, Helena. 67 p. + appendices.

Hester S.G., and M.B. Grenier. 2005. A conservation plan for bats in Wyoming. Wyoming Game and Fish Department, Nongame Program, Lander, WY.

Higgins, K.E., E. D. Stukel, J.M. Goulet, and D.C. Backlund. 2000. Wild mammals of South Dakota. South Dakota Department of Game, Fish and Parks. Pierre, SD.

Hilman, R. 2012. Archaeologist, GIS Specialist, Wyoming Cultural Records Office. Personal communication. June 2012.

Hilton, M. 2012. Heritage Program Manager, Black Hills National Forest Supervisors Office. Personal Communication. July and August 2012.

Hodge, F. W. (Editor). 1912. *Handbook of American Indians North of Mexico*. Smithsonian Institute, Bureau of American Ethnology, Bulletin 31, Part 1. Washington Government Printing Office, Fourth Impression, September. Hanson, J. R. 1998. "The Late High Plains Hunters." In *Archaeology of the Great Plains*. W. Raymond Wood (editor). Lawrence, Kansas: University Press of Kansas. Pp. 456-480.

Hoffman, J., and R. Graham. 1998. The Paleo-Indian Cultures of the Great Plains. In *Archaeology of the Great Plains*. Ed. Raymond Wood. University Press of Kansas. Lawrence, Kansas.

Holbrook, J., and Ethridge, F.G. 1996. Sequence Stratigraphy of the Dakota Group and Equivalents: A Field Trip Guide, in *Geologic Excursions to the Rocky Mountains and Beyond*, 1996 GSA Guidebook. Colorado Geological Survey Special Publication 44.

Holloran, M.J. 2005. Greater Sage-grouse (*Centrocercus urophasianus*) Population Response to Natural Gas Field Development in Western Wyoming. Ph.D. Dissertation. University of Wyoming, Laramie, Wyoming. 211 p.

Holmes, J.A. and M.J. Johnson. 2005. Sage Sparrow (*Amphispiza belli*): a technical conservation assessment. USFS, Rocky Mountain Region. Available: <http://www.fs.fed.us/r2/projects/scp/assessments/sagesparrow.pdf>.

Holmes, J.A. and M.J. Johnson. 2005. Brewer's Sparrow (*Spizella breweri*): a technical conservation assessment. USFS, Rocky Mountain Region. Available: <http://www.fs.fed.us/r2/projects/scp/assessments/brewerssparrow.pdf>

Hough, M. 2008. Research techniques, habitat use, and ecology of northern flying squirrels, and research techniques and distribution of red squirrels in the Black Hills National Forest and Northeastern South Dakota. Master of Science Thesis, South Dakota State University. 132p.

Howe. K.B. 2012. Selection for anthropogenic structures and vegetation characteristics by common ravens (*Corvus corax*) within a sagebrush-steppe ecosystem. Master's Thesis. Idaho State University. Moscow, ID.

Hruby, Thomas, PhD. 2004. *Washington State Wetland Rating System for Western Washington, Revised*. Washington State Department of Ecology Publication #04-06-025.

- Hufstetler, M. and M. Bedeau. 2007. South Dakota's Railroads: An Historic Context. South Dakota State Historic Preservation Office. Pierre, South Dakota.
- Hunter, M.E., Shepperd, W.D., Lentile, L.B., Lundquist, J.E., Andreu, M.G., Butler, J.L., and F.W. Smith. 2007. A Comprehensive Guide to Fuels Treatment Practices for Ponderosa Pine in the Black Hills, Colorado Front Range, and Southwest. Gen. Tech. Rep. RMRS-GTR-198. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. 93p.
- Hurley, K. 2004. North American Wild Sheep and Goat Council Position Statement on Helicopter-supported recreation and mountain goats. Bienn. Symp. North. Wild Sheep and Goat Council. 14:131-136.
- Hutto, R.L. 1995. Composition of bird communities following stand-replacement fires in northern Rocky Mountain (U.S.A.) conifer forests. *Conservation Biology* 9: 1,041-1,058.
- IARC. 2002. *IARC monographs on the evaluation of carcinogenic risks to humans*. Volume 80: Static and Extremely Low-Frequency (ELF) Electric and Magnetic Fields. IARC Press. Lyon, France.
- ICES. 2002. *IEEE standard for safety levels with respect to human exposure to electromagnetic fields 0 to 3 kHz C95. 6-2002*. Piscataway, NJ: IEEE.
- ICNIRP. 1998. *Guidelines for limiting exposure to time-varying electric, magnetic, and electromagnetic fields (up to 300 GHz)*, *Health Physics*, 74: 494-522.
- IEEE. 2002. *IEEE standard for safety levels with respect to human exposure to electromagnetic fields, 0-3 kHz*. IEEE Std C95.6, New York, NY.
- Isaak, D.J., W.A. Hubert, and C.R. Berry. 2003. Conservation assessment for lake chub, mountain sucker, and finescale dace in the Black Hills National Forest, South Dakota and Wyoming. USFS, Rocky Mountain Region.
- ITIS. 2012. Data regarding the *Oreohelix strigosa*, retrieved \ from the Integrated Taxonomic Information System on-line database, <http://www.itis.gov>.
- Iverson, E. 2011. "They Call It Johnson Siding: A History of a Black Hills Sawmill". Available on-line at [www.http://lawrencecountyhistory.blogspot.com/2011/21/johnson-siding.html](http://lawrencecountyhistory.blogspot.com/2011/21/johnson-siding.html). Accessed August 8, 2012.
- Jackson, Thomas, Ph.D. 2010. Electric Transmission Lines: is there an impact on rural land values? Right of Way, November/December 2010. Retrieved from: <http://www.real-analytics.com/Transmission%20Lines%20and%20Rural%20Land.pdf>.

Jenkins, M.J., Hebertson, E., Page, W., and C.A. Jorgenson. 2008. Bark Beetles, Fuels, Fire and Implications for Forest Management in the Intermountain West. *Forest Ecology and Management*: 254 (2008): 16-34.

Johnson, A. M. and A. E. Johnson. 1998. "The Plains Woodland." In *Archaeology of the Great Plains*. W. Raymond Wood (editor). Lawrence, Kansas: University Press of Kansas. Pp. 201-234.

Johnson, A. S., and S. H. Anderson. 2002. Conservation assessment for the western burrowing owl in the Black Hills National Forest, South Dakota and Wyoming. [Online]. USDA Forest Service, Black Hills National Forest. Custer, SD. 24p.

http://fs.usda.gov/Internet/FSE_DOCUMENTS/fsm9_012149.pdf.

Johnson, A. S., and S. H. Anderson. 2003. Conservation Assessment for the Northern Saw-whet owl in the Black Hills National Forest, South Dakota and Wyoming [Online]. USDA Forest Service, Custer, South Dakota. Available:

http://fs.usda.gov/Internet/FSE_DOCUMENTS/fsm9_012447.pdf.

Johnson, D. and L.D. Igl. 2001. Area Requirements of grassland birds: A regional perspective. *Auk* 118(1):24-34.

Johnson, R.G. and S.A. Temple. 1990. Nest predation and brood parasitism of tallgrass prairie birds. *Journal of Wildlife Management* 54:106-111.

Johnson, D.H., M.J. Holloran, J.W. Connelly, S.E. Hanser, C.L. Amundson, and S.T. Knick. 2010. Influences of environmental and anthropogenic features on Greater Sage-grouse populations, 1997-2007. In S. T. Knick and J. W. Connelly (editors). *Greater Sage-grouse: Ecology and conservation of a landscape species and its habitats*. Studies in Avian Biology Series (vol. 38), University of California Press, Berkeley, CA.

Jones and Jones. 1976. *Measuring the Visibility of High Voltage Transmission Facilities in the Pacific Northwest*, Seattle: Jones & Jones.

Junge, M. 1976. National Register Nomination Form, Cambria Casino-Park Memorial (Flying V Guest Ranch). Wyoming Recreation Commission: Cheyenne.

Kay, M. 1998. "The Great Plains Setting." In *Archaeology of the Great Plains*. W. Raymond Wood (editor). Lawrence, Kansas: University Press of Kansas. Pp. 16-47.

Keinath, D.A. 2004. Fringed Myotis (*Myotis thysanodes*): a technical conservation assessment. USFS, Rocky Mountain Region. Available:

<http://www.fs.fed.us/r2/projects/scp/assessments/fringedmyotis.pdf>

- Keinath, D.A. and D. Ehle. 2001. Survey for Mountain Plover (*Charadrius montanus*) on federal lands in the Powder River Basin. Prepared for J. Carrol. Bureau of Land Management. Cheyenne, WY.
- Keller, M.E. and S.H. Anderson. 1992. Avian use of habitat configurations created by forest cutting in southeastern Wyoming. *Condor* 94:55-65.
- Kennedy. P.L. 2003. Northern Goshawk (*Accipiter gentiles atricapillus*): a technical conservation assessment.[Online].USDA-Forest Service, Rocky Mountain Region. www.fs.fed.us/Region2/projects/scp/assessments/northernGoshawk.pdf
- King, T. L., J. F. Switzer, C. L. Morrison, M. S. Eackles, C. C. Young, B. A. Lubinski and P. M. Cryan. 2006. Comprehensive genetic analysis reveal evolutionary distinction of a mouse (*Zapus hudsonius prebleii*) proposed for delisting from the US Endangered Species Act. *Molecular Ecology* (2006) 15, 4331-4359.
- Kingery, H.E. 1996. American Dipper. In: *The Birds of North America*, No. 229. A. Poole and F. Gill, eds. The Birds of North America, Inc., Philadelphia, Pennsylvania.
- Kingery, H. E., editor. 1998. Colorado breeding bird atlas. Colorado Bird Atlas Partnership and Colorado Division of Wildlife, Denver, xi + 636 p.
- Kingery, H. E. and C. K. Ghalambor. 2001. Pygmy Nuthatch (*Sitta pygmaea*), *The Birds of North America Online* (A. Poole, Editor). Ithaca: Cornell Lab of Ornithology. <http://bna.birds.cornell.edu/bna/>.
- Klapper, G. 1966. Upper Devonian and Lower Mississippian Conodont Zones in Montana, Wyoming and South Dakota. *The University of Kansas Paleontological Contributions*, Paper 3.
- Knick, S.T. and J.T. Rotenberry. 1995. Landscape characteristics of fragmented shrubsteppe habitats and breeding passerine birds. *Conservation Biology*. 9: 1059-1071.
- Knick, S.T. and J.T. Rotenberry. 2002. Effects of habitat fragmentation on passerine birds breeding in Intermountain shrubsteppe. *Studies in Avian Biology* 25:131-141.
- Knick, S.T., D.S. Dobkin, J.T. Rotenberry, M.A. Schroeder, W.M Vander Hagen, and C. van Ripper III. 2003. Teetering on the edge or too late? Conservation and research issues for avifauna of sagebrush habitats. *The Condor*. 105:611-634.
- Knick, S.T., S.E. Hanser, R.F. Miller, D.A. Pyke, M.J. Wisdom, S.P. Finn, E.T. Rinkes, and C. J. Henny. 2010. Ecological influence and pathways of land use in sagebrush. Chapter 13, *Studies in Avian Biology*. No. 38.

- Knight, R. and D. N. Cole. 1995. Factors that influence wildlife responses to recreations, In: *Wildlife and Recreationist, coexistence through management and research*. Edited by R. J. Knight and K. J. Gutswiller. Island Press. 371p.
- Knight, R.L., F.W. Smith, S.W. Buskirk, W.H. Romme, and W.L. Baker. 2000. *Forest Fragmentation in the Southern Rocky Mountains*. University Press of Colorado, Boulder, CO, USA.
- Kochert, M. N., K. Steenhof, C. L. McIntyre, and E. H. Craig. 2002. Golden Eagle (*Aquila chrysaetos*). In *The Birds of North America*, No. 684 (A. Poole and F. Gill, eds.). The Birds of North America, Inc., Philadelphia, PA.
- Koenig, O. 2012. Archaeologist, Douglas Ranger District, Thunder Basin National Grasslands. Personal communication. 11 July 2012.
- Kornfeld, M., G. C. Frison, and M. L. Larson. 2010. *Prehistoric Hunter-Gatherers of the High Plains and Rockies*. Third Edition. Walnut Creek, California: Left Coast Press Inc.
- Kotliar, N. B. 2007. Olive-sided Flycatcher (*Contopus cooperi*) a technical conservation assessment. [Online]. USDA Forest Service, Rocky Mountain Region. Available: <http://www.fs.fed.us/r2/projects/scp/assessments/olivesidedflycatcher.pdf>.
- Kramlich, T.J. 1985. Evaluation of seasonal habitat use by white-tailed deer in eastern South Dakota: Brookings, South Dakota State University, Master's thesis, 36 p.
- Krause, R. 1998. A History of Great Plains Prehistory. In *Archaeology of the Great Plains*. Ed. Raymond Wood. University Press of Kansas. Lawrence, Kansas.
- Kricher, J. C. 1995. Black-and-white Warbler (*Mniotilta varia*). In: *The Birds of North America*, No. 540. A. Poole and F. Gill, eds. The Birds of North America, Inc., Philadelphia, Pennsylvania.
- Lang, J.W. 1969. Hibernation and movements of *Storeria occipitomaculata* in northern Minnesota. *Journal of Herpetology*. 3:196-197.
- Larson, T. A. 1978. *History of Wyoming*. Second Edition, Revised. Lincoln, Nebraska: University of Nebraska Press.
- Lavin, S. J., F. M. Shelley, and J. C. Archer. 2011. *Atlas of the Great Plains*. Lincoln, Nebraska: University of Nebraska Press.
- Leonard, M.L. and M.B. Fenton. 1983. Habitat use by spotted bat (*Euderma maculatum*, *Chiroptera: Vespertilionidae*): roosting and foraging behavior. *Canadian Journal of Zoology* 61:1487-1491.

- Levine, J.M., M. Vila, C.M. D Antonio, J.S. Dukes, K. Grigulis, and S. Lavorel. 2003. Mechanisms underlying the impacts of exotic plant invasions. *Proceedings of the Royal Society of London Biological Sciences*. 270:775-781.
- Lewis, B.D., and Roberts, R.S. 1977. Geology and water yielding characteristics of rocks of the northern Powder River Basin, southeastern Montana. U.S. Geological Survey Open File Report 77-75, 40 p., 2 pls.
- Liggett, G., 2012. BLM Paleontologist, personal communication, June 29, 2012.
- Lincoln, R. G. Boxshall, and P. Clark. 1998. *A Dictionary of Ecology, Evolution, and Systematics*. Second edition. Cambridge University Press: New York, New York. 361 p.
- Linder, K.A. and S.H. Anderson. 1998. Nesting habitat of Lewis' Woodpeckers in southeastern Wyoming. *Journal of Field Ornithology* 69:109-116.
- Linzey, A.V. and G. Hammerson. 2008. *Glaucomys sabrinus*. In: IUCN 2012. IUCN Red List of Threatened Species. Version 2012.1. www.iucnredlist.org. Downloaded on 21 June 2012.
- Lovett, K. 2010. The American Dipper (*Cinclus mexicanus*) in the Black Hills of South Dakota. Prepared for South Dakota Game, Fish, and Parks. Pierre, SD.
- Lowie, R. H. 1963. *Indians of the Plains*. American Museum Science Books Special Members' Edition. Garden City, New York. The Natural History Press.
- Lowther, Peter E. 1993. Brown-headed Cowbird (*Molothrus ater*), *The Birds of North America Online* (A. Poole, Ed.). Ithaca: Cornell Lab of Ornithology; Retrieved from the Birds of North America Online: <http://bna.birds.cornell.edu/bna/species/047doi:10.2173/bna.47>
- Luce, R.J. and D. Keinath. 2007. Spotted Bat (*Euderma maculatum*): a technical conservation assessment. USFS, Rocky Mountain Region. Available: <http://www.fs.fed.us/r2/projects/scp/assessments/spottedbat.pdf>
- Luce, B., A. Cerovski, B. Oakleaf, J. Priday, and L. Van Fleet. 1999. Atlas of birds, mammals, reptiles, and amphibians in Wyoming. Wyoming Game and Fish Department, Wildlife Division, Biological Services Section. Lander, Wyoming.
- Lyon, A.G. and S.H. Anderson. 2003. Potential Gas Development Impacts on Sage Grouse Nest Initiation and Movement. *Wildlife Society Bulletin*. 31:486-491.
- Manning, A.E. and C.M. White. 2001. Breeding biology of Mountain Plovers (*Charadrius montanus*) in the Uinta Basin. *Western North American Naturalist*. 61:223-228.
- Manning, R.W., Jones J.K. 1989. *Myotis evotis*. *Mammalian Species* 329:1-5.

Marchand, K. 2012. Personal communication. Dated July 11 and 24, 2012.

Marriott, H.J., D. Faber-Langendoen, A. McAdams, D. Stutzman, and B. Burkhart. 1999. Black Hills Community Inventory. Final Report. The Nature Conservancy Midwest Conservation Science Center. Minneapolis, Minnesota. 173p.

Marriott, H.J. and D. Faber-Langendoen. 2000. Black Hills Community Inventory. Volume 2: Plant Community Descriptions. The Nature Conservancy Midwest Conservation Science Center and Association for Biodiversity Information. Minneapolis, Minnesota. 325p.

Marrone, G.M. 2002. Field guide to the butterflies of South Dakota. South Dakota Department of Game, Fish and Parks. Pierre, South Dakota.

Marrone, G.M. 2005. A Butterfly Survey of the Northern Black Hills and Adjacent Areas with Emphasis on Species Monitored by the South Dakota Natural Heritage Program. South Dakota Dept. of Game, Fish and Parks. Pierre, South Dakota.

Marrone, G.M. 2006. A Butterfly Survey of the Southern Black Hills and Adjacent Areas with Emphasis on Species Monitored by the South Dakota Natural Heritage Program. South Dakota Dept. of Game, Fish and Parks. Pierre, South Dakota.

Martin, John W. and Barbara A. Carlson. 1998. Sage Sparrow (*Amphispiza belli*), The Birds of North America Online (A. Poole, Ed.). Ithaca: Cornell Lab of Ornithology; Retrieved from the Birds of North America Online: <http://bna.birds.cornell.edu/bna/species/326doi:10.2173/bna.326>.

Marzluff, J.M., S.T. Knick, M.S. Vekasy, L.S. Schuek, and T.J. Zarriello. Spatial use and habitat selection of Golden Eagles in southwestern Idaho. *The Auk*. 114:673-687

McAllister, K.R. 2005. Northern Leopard Frog (*Rana pipiens*). In: Jones, L.L.C., Leonard, W.P., and D.H. Olson, editors. Amphibians of the Pacific Northwest. Seattle Audubon Society; Seattle, WA. p. 206-209.

McCaffery, K.R., J.E. Ashbrenner, W.A. Creed, B.E. Kohn. 1997. The aspen-Ruffed Grouse connection. Aspen Bibliography. Paper 1447.

McCallum, D. A. 1994. Flammulated Owl (*Otus flammeolus*), The Birds of North America Online (A. Poole, Ed.). Ithaca: Cornell Lab of Ornithology; Retrieved from the Birds of North America Online: <http://bna.birds.cornell.edu/bna/species/093doi:10.2173/bna.93>.

McCallum, D. A. 1994. Review of technical knowledge: Flammulated Owls. Chapter 4 in Hayward, G.D. and J. Verner. 1994. Flammulated, boreal, and great grey owls in the United States: a technical assessment. General Technical Report RM-253. Fort Collins, CO. US Department of Agriculture, USFS, Rocky Mountain Forest and Range Experiment Station.

McConkey, J. 2012. Personal communication. Dated March 13, 2012.

McDermott, J. 2001. *Gold Rush: The Black Hills Story*. South Dakota Historical Society Press. Pierre, South Dakota.

McDonald, D., N.M. Korfanta, and S.J. Lantz. 2004. The Burrowing Owl (*Athene cunicularia*): a technical conservation assessment. [Online]. USFS, Rocky Mountain Region. Available: <http://www.fs.fed.us/r2/projects/scp/assessments/burrowingowl.pdf>.

McDowell, Bob. 2004. Personal communication from Bob McDowell, Wyoming Game and Fish Department to Steve Hirtzel, Black Hills National Forest. E-mail dated April 4, 2004. 3 pages.

McLaughlin, J. F. and Ver Ploeg, A. J. 2006. Geologic Map of the Newcastle 30' x 60' Quadrangle, Weston and Niobrara Counties, Wyoming, and Pennington and Custer Counties, South Dakota. US Geological Survey Map Series 71, 1:100,000 scale.

Menakis, J.P., Miller, M., and T. Thompson. 2004. Mapping Relative Fire Regime Condition Class for the Western United States. In: Proceedings of the Tenth Forest Service Remote Sensing Applications Conference. Salt Lake City, Utah. April 5-9, 2004.

Merewether, E.A., Cobban, W.A., and Obradovich, J.D. 2011. Biostratigraphic data from Upper Cretaceous formations—eastern Wyoming, central Colorado, and northeastern New Mexico. U.S. Geological Survey Scientific Investigations Map 3175, 2 sheets, pamphlet, 10 p.

Mergen, D.E. 2006. *Cypripedium parviflorum* Salisb. (lesser yellow lady's slipper): a technical conservation assessment. USDA Forest Service, Rocky Mountain Region. Available online: <http://www.fs.fed.us/r2/projects/scp/assessments/cypripediumparviflorum.pdf> [accessed 6 March 2013].

Merwin, D. S. 2000. Comparing levels and factors of lambing mortality between two herds of Rocky Mountain bighorn sheep in the Black Hills, South Dakota. Masters of Science Thesis. Univ. of Washington. 125p.

Metz, W. M. 1986. The Historical Archaeology of the Oil and Gas Industry in Wyoming. MA Thesis. Ball State University, Muncie, Indiana.

Milner, J. and Associates. 2006. Chapter 3: Prehistoric and Protohistoric Overview of the White River Badlands. In *Badland Historic Resource Survey*. Prepared for the National Park Service.

Mohren, S.R. 2002. Habitat evaluation and density estimates for the Black-backed Woodpecker (*Picoides arcticus*) and northern three-toed woodpecker (*Picoides tridactylus*) in the Black Hills National Forest. Master's Thesis, University of Wyoming. Laramie.

- Moyle, P.B. 1976. Inland Fishes of California. University of California Press, Berkeley. 405p.
- Mule Deer Working Group. 2013. Range-wide Status of Mule Deer and Black-tailed Deer – 2013. Mule Deer Working Group, Western Association of Fish and Wildlife Agencies, USA. Available on the internet at:
http://www.muledeerworkinggroup.com/Docs/2013_Mule_Deer_and_BTD_Status.pdf. Accessed on Nov 15, 2013.
- Munn, L.C. and C.S. Arneson. 1998. Soils of Wyoming: A Digital Statewide Map at 1:500,000-Scale. Agricultural Experiment Station Report B-1069. University of Wyoming, College of Agriculture, Laramie, Wyoming.
- National Interagency Fuels, Fire, & Vegetation Technology Transfer (NIFTT). 2010. Interagency Fire Regime Condition Class (FRCC) Guidebook. Version 3.0. Available at:
http://www.fire.org/nifft/released/FRCC_Guidebook_2010_final.pdf (accessed 9 July 2012).
- National Electric Reliability Council/Western Electrical Coordinating Council (NERC/WECC). 2007. Section XI Planning and Operating Criteria.
<http://www.wecc.biz/library/Library/Planning%20Committee%20Handbook/WECC-NEERC%20Planning%20Standards.pdf>.
- National Register of Historic Places (NRHP). 2012. Cambria Casino.
<http://nrhp.focus.nps.gov/natregsearchresult.do?fullresult=true&recordid=0>. Accessed August 20, 2012.
- Natural Resources Conservation Service (NRCS). 1990. Soil Survey of Custer and Pennington Counties, Black Hills Parts, South Dakota. Available online at
http://soils.usda.gov/survey/printed_surveys [accessed 20 July 2012].
- Natural Resource Information System (NRIS). 2012. <http://www.fs.fed.us/nrm/index.shtml>. Accessed 04-2012
- NatureServe. 2012. NatureServe Explorer: An online encyclopedia of life [web application]. Version 7.1. NatureServe, Arlington, Virginia. Available <http://www.natureserve.org/explorer>. (Accessed: June 14 and 21, 2012).
- NatureServe. 2013. NatureServe Explorer. An online encyclopedia of life. Version 7.1. Arlington, VA. Available online: <http://www.natureserve.org/explorer/> [accessed 6 March 2013].
- Nekola, J.C. 2003. Large-scale terrestrial gastropod community composition patterns in the Great Lakes region of North America. *Diversity and Distributions* 9: 55-71.

- Nelle, P. J., K. P. Reese, and J.W. Connelly. 2000. The long-term effect of fire on sage grouse nesting and brood-rearing habitats on the Upper Snake River Plain. *Journal of Range Management* 53:586–591.
- Nellessen, J.E. 2006. *Viburnum opulus L. var. americanum* (Mill.) Ait. (American cranberrybush): a technical conservation assessment. USDA Forest Service, Rocky Mountain Region. Available online: <http://www.fs.fed.us/r2/projects/scp/assessments/viburnumopulusvamericanum.pdf> [accessed 6 March 2013].
- Nicole, F., E. Brzosko, and I. Till-Bottraud. 2005. Population viability analysis of *Cypripedium calceolus* in a protected area: longevity, stability and persistence. *Journal of Ecology*. 93: 716-726.
- Nicholoff, S. H., compiler. 2003. Wyoming Bird Conservation Plan, Version 2.0. Wyoming Partners in Flight. Wyoming Game and Fish Department, Lander, WY.
- NIEHS. 1998. *Assessment of health effects from exposure to power-line frequency electric and magnetic fields: working group report*. NIH Publication No. 98-3981. Research Triangle Park, NC: National Institute of Environmental Health Sciences of the U.S. National Institutes of Health.
- NIEHS. 1999. *Health effects from exposure to power line frequency electric and magnetic fields*. NIH; National Institute of Health; NIH No. 99-4493; Research Triangle Park, NC.
- NIEHS. 2002. *EMF questions & answers: electric and magnetic fields associated with the use of electric power*, DOE EMF Rapid Program, Research Triangle Park, NC.
- North Dakota Government. 2012. http://www.ndstudies.org/resources/IndianStudies/standingrock/historical_gs_reservation.html. Accessed July 2012.
- NRPB. 2001. *Response statement of the NRPB: ELF electromagnetic fields and the risk of cancer*. National Radiological Protection Board, Chilton, Dicot, Oxon, Volume 12, No.1, ISBN 0-859951-456-0. Electromagnetic fields and the risk of cancer. National Radiological Protection Board, Chilton, Dicot, Oxon, Volume 12, No.1, ISBN 0-859951-456-0.
- NRPB. 2004. *Advice on limiting exposure to electromagnetic fields (0-300 GHz)*. National Radiological Protection Board, Volume 15, No 2.
- NRPB. 2004. *Review of the scientific evidence for limiting exposure to electromagnetic fields (0-300 GHz)*. National Radiological Protection Board, Volume 15, No 3.
- O'Dell, K. 2004. Electronic mail to Steven Sutter, State Historic Preservation Office regarding Cheyenne-Deadwood Road from ARC Consultants, Inc. July 20, 2004.

O'Keefe, R.F., Street, H.P., Cavigelli, J.P., Socha, J.J., and O'Keefe, R.D. 2009. A Plesiosaur Containing an Ichthyosaur Embryo as Stomach Contents from the Sundance Formation of the Bighorn Basin. *Wyoming Journal of Vertebrate Paleontology* 29(4):1306-1310.

Olson, P. 2012. Review and Compliance Coordinator, South Dakota Historical Society. Personal Communication. July 2012, August 2012.

Olson, R. and W.A. Hubert. 1994. Beaver: Water resources and riparian habitat manager. University of Wyoming. Laramie.

Owens, K. 2012. Personal communication. Dated April 13, 2012.

Paige, C. and S.A. Ritter. 1999. Birds in a sagebrush sea: managing sagebrush habitats for bird communities. Partners in Flight Western Working Group, Boise, ID.

Paleontology Portal. 2012. Can be found at: http://www.paleoportal.org/index.php?globalnav=time_space§ionnav=state&state_id=40&period_id=11. Accessed September 3, 2012.

Paleontology Portal. 2012. Can be found at: http://www.paleoportal.org/index.php?globalnav=time_space§ionnav=state&state_id=40&period_id=12. Accessed September 3, 2012.

Panjabi, A. 2001. Monitoring the birds of the Black Hills: Year 1, final report. Rocky Mountain Bird Observatory (RMBO 2009), Fort Collins, CO.

Panjabi, A. 2003. Monitoring the birds of the Black Hills: Year 2, final report. Rocky Mountain Bird Observatory (RMBO 2009), Brighton, CO.

Panjabi, A. 2004. Monitoring birds of the Black Hills: Year 3, Annual report submitted to the Black Hills National Forest. Rocky Mountain Bird Observatory (RMBO 2009), Brighton, CO.

Panjabi, A. 2005. Monitoring the birds of the Black Hills: Year 4, Annual Report. Rocky Mountain Bird Observatory (RMBO 2009), Brighton, CO. Available: <http://www.fs.fed.us/r2/blackhills/projects/wildlife/index.shtml>.

Parker, P. and T. King. 1998. Guidelines for Evaluating and Documenting Traditional Cultural Properties. National Register Bulletin 38. US Department of the Interior, National Park Service, Washington D.C.

Parrish, J.B., D.J. Herman and D.J. Reyher, and Black Hills National Forest. 1996. A Century of Change in the Black Hills Forest and Riparian Ecosystems. US Forest Service Agricultural Experiment Station, United States Department of Agriculture. South Dakota State University.

Patton, T.M. 1997. Distribution and status of fishes in the Missouri River drainage in Wyoming: implications for identifying conservation areas. Ph.D. Dissertation, University of Wyoming.

- Paysen, T.E., Ansley, R.J., Brown, J.K., Gottfried, G.J., Haase, S.M., Harrington, M.G., Narog, M.G., Sackett, S.S., and R.C. Wilson. 2000. Chapter 6: Fire in Western Shrubland, Woodland, and Grassland Ecosystems. *In: Wildland Fire in Ecosystems: Effects of Fire on Flora*. USDA Forest Service Gen. Tech. Rep. RMRS-GTR-42-vol. 2.
- Perry, C., and R. Overly. 1977. Impact of roads on big game distribution in portions of the Blue Mountains of Washington, 1972-1973. Washington Game Department Report, Olympia, WA. 38 pp.
- Perryman, B.L. and W.A. Laycock. 2000. Fire History of the Rochelle Hills Thunder Basin National Grasslands. *Journal of Range Management* 53(6): 660-665.
- Peterson, C.R. 1974. A Preliminary Report on the Amphibians and Reptiles of the Black Hills of South Dakota and Wyoming. Master's Thesis. University of Illinois, Urbana. Champaign, IL.
- Peterson, D.L., Johnson, M.C., Agee, J.K., Jain, T.B., McKenzie, D., and E.D. Reinhardt. 2003. Fuels Planning: Managing Forest Structure to Reduce Fire Hazard. In: 5th Symposium on Fire and Forest Meteorology Joint with 2nd International Wildland Fire Ecology and Fire Management Congress; 2003 November 16-20; Orlando, FL. Boston, MA: American Meteorological Society: n.p.
- Peterson, D.L., Johnson, M.C., Agee, J.K., Jain, T.B., McKenzie, D., and E.D. Reinhardt. 2005. Forest Structure and Fire Hazard in Dry Forests of the Western United States. Gen. Tech. Rep. PNW-GTR-628. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 30 p.
- Peterson, R.A. 1993. A birdwatcher's guide to the Black Hills and adjacent plains. 2nd edition. PC Publishing. Vermillion, South Dakota. 88p.
- Peterson, R.A. 1995. The South Dakota breeding bird atlas. South Dakota Ornithologists' Union. Northern Prairie Wildlife Research Center home page. Jamestown, North Dakota. <http://www.npwrc.usgs.gov/resource/distr/birds/sdatlas/sdatlas.htm> (Version 06JUL2000).
- Pinchot Institute for Conservation. 2002. An Introduction to the National Fire Plan: History, Structure and Relevance to Communities. Washington, D.C. 56 p. Available online at: <http://www.pinchot.org/pubs/c78> (accessed 20 July 2012).
- Pitts, Jennifer M.; Thomas O. Jackson, Ph.D. 2007. Power Lines and Property Values Revisited. *The Appraisal Journal* Fall 2007. Retrieved from Montana Office of Public Instruction at <http://data.opi.mt.gov/legbills/2011/Minutes/House/Exhibits/feh38a02.pdf>.
- Plumb, R.E., S.H. Anderson, and F.L. Knopf. 2005. Habitat and nesting biology of Mountain Plover in Wyoming. *Western North American Naturalist*. 65:223-228.

Powers, W. K. 1969. Indians of the Northern Plains. Earl Schenck Miers, General Editor. Indians Then and Now Series. American New York: G.P. Putnam's Sons.

Pruett, C.L., M.A. Patten, and D.H. Wolfe. 2009. Avoidance behavior by prairie grouse: implications for development of wind energy. *Conservation Biology* 23:1253-1259.

Pruitt, L. 2000. Loggerhead Shrike Status Assessment. US Fish and Wildlife Service, Fort Snelling, MN.

Pyle, W.H. and J.A. Crawford. 1996. Availability of foods of Sage Grouse chicks following prescribed burning in sagebrush-bitterbrush. *J. Range Manage.* 49:320-324.

Pyne, S.J., Andrews, P.L., and R.D. Laven. 1996. *Introduction to Wildland Fire*. Second edition. New York: John Wiley & Sons, Inc.

Raphael, M.G. and M. White. 1984. Use of snags by cavity-nesting birds in the Sierra Nevada. *Wildlife Monograph* 86:1-66.

Rasmussen, J. L., S. G. Sealy and R.J. Cannings. 2008. Northern Saw-whet Owl (*Aegolius acadicus*), The Birds of North America Online (A. Poole, Editor). Ithaca: Cornell Lab of Ornithology. <http://bna.birds.cornell.edu/bna/>.

Redden, J. A., and DeWitt, E. 2008. Maps Showing the Geology, Structure and Geophysics of the Central Black Hills, South Dakota. US Geological Survey Scientific Investigations Map 2777, 1:100,000 scale.

Redmond, R.L. and D.A. Jenni. 1986. Population ecology of the Long-billed Curlew (*Numenius americanus*) in western Idaho. *Auk* 103:755-767.

Reisch, S. and M. E. McWilliams. 2012. Bozeman Trail Corridor. <http://www.bozemantrail.org/bt-corridor.html>. Accessed July 9, 2012.

Reishus, M. 1968. The Newcastle Formation in the Williston Basin. North Dakota Geological Survey, Report of Investigation 47.

Reyher, Deanna. 2012. Forest Soil Scientist, Black Hills National Forest. Personal communication. March 16, 2012.

Reyher, Deanna. 2012. Personal communication. August 14, 2012.

Reynolds R.T., R.T. Graham, M.H. Reiser, R.L. Bassett, P.L. Kennedy, D.A. Boyce Jr., G. Goodwin, R. Smith, and E.L. Fisher. 1992. Management Recommendations for the Northern Goshawk in the Southwestern United States. Rocky Mountain Forest and Range Experiment

Station and Southwestern Region Forest Service, US Department of Agriculture. General Technical Report RM-217.

Reynolds, Timothy D., Terrell D. Rich and Daniel A. Stephens. 1999. Sage Thrasher (*Oreoscoptes montanus*), The Birds of North America Online (A. Poole, Ed.). Ithaca: Cornell Lab of Ornithology; Retrieved from the Birds of North America Online: <http://bna.birds.cornell.edu/bna/species/463doi:10.2173/bna.463>

Rice, P.M. 2012. INVADERS Database System. Division of Biological Sciences, University of Montana, Missoula. Available URL: <http://invader.dbs.umt.edu>. Accessed June 12, 2012.

Rice, P.M., McPherson, G.R., and L.J. Rew. 2008. Chapter 8: Fire and nonnative invasive plants in the interior west bioregion. In: Wildland Fire in Ecosystems. USDA Forest Service Gen. Tech. Rep. RMRS-GTR-42 vol. 6.

Richardson, A. 1971. The Rocky Mountain goat in the Black Hills. South Dakota Department of Game, Fish, and Parks. Bulletin Number 2. 25p.

Rideout, C. B., and R. S. Hoffmann. 1975. *Oreamnos americanus*. Mammalian Species. American Society of Mammalogists. No. 63. Nov. 21, 1975. Pp. 1-6.

Rocchio, J., M. March, and D.G. Anderson. 2006. *Epipactis gigantea* Dougl. ex Hook. (stream orchid): a technical conservation assessment. USDA Forest Service, Rocky Mountain Region. Available online: <http://www.fs.fed.us/r2/projects/scp/assessments/epipactisgigantea.pdf> [accessed 6 March 2013].

Rocky Mountain Bird Observatory (RMBO). 2001-2010. Monitoring birds of the Black Hills: [Online] USDA Forest Service, Black Hills National Forest. Custer, SD. Available: http://fs.usda.gov/Internet/FSE_DOCUMENTS/stelprdb5114243.pdf. Accessed 04-2012.

Rocky Mountain Herbarium (RMH). 2012. Custom Species Checklist for Pennington County, South Dakota and Weston and Campbell Counties, Wyoming. Rocky Mountain Herbarium Database. Available URL: <http://www.rmh.uwyo.edu/data/search.php>. Accessed June 8, 2012.

Rocky Mountain Regional Coordinating Committee. 1989. *Uniform Format for Oil and Gas Lease stipulations*. Available at: <http://www.blm.gov/pgdata/etc/medialib/blm/wy/programs/energy/og/leasing/saleforms.Par.4059.File.dat/uniformformat-stips.pdf> (accessed January 4, 2010).

Roe, K.A., C.M. Roe. 2003. Habitat selection guidelines for black-tailed prairie dog relocations. *Wildlife Society Bulletin*. 31:1246-1253.

Rotenberry, J. T., M. A. Patten and K. L. Preston. 1999. Brewer's Sparrow (*Spizella breweri*), The Birds of North America Online (A. Poole, Ed.). Ithaca: Cornell Lab of Ornithology; Retrieved

from the Birds of North America Online:

<http://bna.birds.cornell.edu/bna/species/390doi:10.2173/bna.390>.

Royer, R.A., and G.M. Marrone. 1992. Conservation status of the tawny crescent (*Phycoides batesii*) in North and South Dakota. USDI Fish and Wildlife Service. Denver, Colorado.

Royer, R.A., and G.M. Marrone. 1992. Conservation Status of the Regal Fritillary (*Speyeria idalia*) in North and South Dakota. A Report to the United States Department of the Interior Fish and Wildlife Service. Denver, CO.

Rumble, M.A. 2002. Evaluation of mountain pine beetle epidemics as habitat for cavity nesting birds. Preliminary findings for ISA 203-02-020. Report to the Black Hills National Forest from the Rocky Mountain Research Station, Rapid City, SD. September 23, 2002.

Saab, V.A., and J.G. Dudley. 1998. Responses of cavity-nesting birds to stand-replacement fire and salvage logging in ponderosa pine-Douglas-fir forests of southwestern Idaho. Res. Pap. RMRS-RP-11. Ogden, UT: US Department of Agriculture, Forest Service, Rocky Mountain Research Station. 17 p.

Santucci, V. L., Hays, D., Staebler, J., and Milstein, M. 1999. A preliminary assessment of paleontological resources at Bighorn Canyon National Recreation Area, Montana and Wyoming. In Santucci, V. L. and McClelland, L. (eds.). National Park Service Paleontological Research. U.S. National Park Service. Geologic Resources Division Technical Paper, NPS/NDGRD/GRDTR-99/03: 18–22.

Sauer, J. R., J.E. Hines and J. Fallon. 2003. The North American breeding bird survey, results and analysis 1966–2002. Version 2003.1. United States Geological Survey. Patuxent Wildlife Research Center, Laurel, Maryland. <http://www.mbr-pwrc.usgs.gov/bbs/bbs.html>.

Sauer, J. R., J. E. Hines, J. E. Fallon, K. L. Pardieck, D. J. Ziolkowski, Jr., and W. A. Link. 2011. *The North American Breeding Bird Survey, Results and Analysis 1966 – 2010; Results for Routes 92049, 92067, 92070, and 92214. Version 12.07.2011*. USGS Patuxent Wildlife Research Center, Laurel, MD. Available at: <http://www.mbr-pwrc.usgs.gov/bbs/>.

Saunders, D.A., R.J. Hobbs, and C.R. Margules. 1991. Biological consequences of ecosystem fragmentation: a review. *Conservation Biology*. 5:18-32.

Savereno, A.J., L.A. Savereno, R. Boettcher, and S.M. Haig. 1996. Avian Behavior and Mortality at Power Lines in Coastal South Carolina. *Wildlife Society Bulletin* 24(4): 636-648.

Schell, H. 2004. History of South Dakota. South Dakota State Historical Society Press. Pierre, South Dakota.

Schmid, J.M., Mata, S.A., Kessler, R.R., and J.B. Popp. 2007. The Influences of Partial Cutting on Mountain Pine Beetle-Caused Tree Mortality in Black Hills Ponderosa Stands. Res. Pap. RMRS-RP-68. Fort Collins, CO: USDA, Forest Service, Rocky Mountain Research Station. 19p.

Schmidt, C. A. 2003. Conservation Assessment for the Fringed Bat in the Black Hills National Forest of South Dakota and Wyoming. USFS, Black Hills National Forest. Custer, SD.
http://www.fs.fed.us/Region2/blackhills/projects/planning/assessments/fringed_bat.pdf

Schmidt, C. A. 2003. Conservation assessment for the northern myotis in the Black Hills National Forest South Dakota and Wyoming. USDA Forest Service, Rocky Mountain Region, Black Hills National Forest, Custer SD. 19p.

Schmidt, C. A. 2003. Conservation assessment for the small-footed myotis in the Black Hills National Forest South Dakota and Wyoming. USDA Forest Service, Rocky Mountain Region, Black Hills National Forest, Custer SD. 16p.

Schmidt, C. A. 2003. Conservation assessment for the long-eared myotis in the Black Hills National Forest South Dakota and Wyoming. USDA Forest Service, Rocky Mountain Region, Black Hills National Forest, Custer SD. 22p.

Schmidt, C. A. 2003. Conservation assessment for the long-legged myotis in the Black Hills National Forest South Dakota and Wyoming. USDA Forest Service, Rocky Mountain Region, Black Hills National Forest, Custer SD. 20p.

Schmidt, C. A. 2003. Conservation assessment for the Townsend's big-eared bat in the Black Hills National Forest, South Dakota and Wyoming. [Online]. USDA Forest Service, Black Hills National Forest. Custer, SD. 23p. Available:
http://fs.usda.gov/Internet/FSE_DOCUMENTS/fsm9_012119.pdf.

Schmidt, K.M., Menakis, J.P., Hardy, C.C., Hann, W.J., and Bunnell, D.L. 2002. Development of Coarse-Scale Spatial Data for Wildland Fire and Fuel Management. Gen. Tech. Rep. RMRS-GTR-87. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. 41p. + CD.

Schoennagel, T., Veblen, T.T., and W.H. Romme. 2004. The Interaction of Fire, Fuels, and Climate Across Rocky Mountain Forests. *BioScience* 54(7): 661-676.

Science Applications International Corporation (SAIC). 2003. A Framework for Revising Deer and Elk Strategic Management Direction on the BBNF. Located on the internet at:
http://www.fs.usda.gov/Internet/FSE_DOCUMENTS/fsm9_012190.pdf. Accessed on Nov 15, 2013.

Scott, M. 2012. Personal communication. Dated April 13, 2012.

Schroeder, M.A., J.R. Young, and C.E. Braun. 1999. Sage-grouse (*Centrocercus urophasianus*). Birds of North America, Life Histories for the 21st Century 5: 1-28.

Schulz, L.D. and K.N. Bertrand. 2012. Long term trends and lookout for the Mountain Sucker in the Black Hills of South Dakota. . The American Midland Naturalist, 167(1)96-110. Published by University of Notre Dame.

Science Applications International Corporation (SAIC). 2001. An Assessment of Sage-grouse and Sharp-Tailed Grouse Habitat in Transmission Line Corridors Associated with the Hells Canyon Hydroelectric Complex. Technical report.

Science Applications International Corporation. 2003. Memorandum. A framework for revising deer and elk strategic management direction on the Black Hills National Forest. Science Application International Corporation, SAIC project number 01-0209-04-4456-106.

Sedgwick, J.A. 2004. McCown's Longspur (*Calcarius mccownii*): a technical conservation assessment. USFS, Rocky Mountain Region. Available:
<http://www.fs.fed.us/r2/projects/scp/assessments/mccownslongspur.pdf>

Sedgwick, J.A. 2004. Chestnut-collared longspur (*Calcarius ornatus*): a technical conservation assessment. USFS, Rocky Mountain Region. Available:
<http://www.fs.fed.us/r2/projects/scp/assessments/chestnutcollaredlongspur.pdf>

Sedgwick, J.A. 2006. Long-billed Curlew (*Numenius americanus*): a technical conservation assessment. USFS, Rocky Mountain Region. Available:
<http://www.fs.fed.us/r2/projects/scp/assessments/longbilledcurlew.pdf>

Selby, G. 2007. Regal Fritillary (*Speyeria idalia* Drury): a technical conservation assessment. [Online]. USDA Forest Service, Rocky Mountain Region. Available:
<http://www.fs.fed.us/r2/projects/scp/assessments/regalfritillary.pdf>.

Shelton, S., 2012. Collections Manager, Museum of Geology. South Dakota School on Mines and Geology. Personal communication, September 25, 2012.

Shepperd, W.D. 2001. Manipulations to Regenerate Aspen Ecosystems. Pages 355–365 in: Shepperd, W.D., D. Binkley, D.L. Bartos, T.J. Stohlgren, L.G. Eskew, compilers. 2001. Sustaining Aspen in Western Landscapes: Symposium Proceedings; 13-15 June 2000; Grand Junction, CO. Proceedings RMRS-P-18. Fort Collins, CO: US Forest Service, Rocky Mountain Research Station. 460p.

Shepperd, W.D. and M.A. Battaglia. 2002. Ecology, Silviculture, and Management of Black Hills Ponderosa Pine. Gen. Tech. Rep. RMRS-GTR-97. Fort Collins, CO: USDA, Forest Service, Rocky Mountain Research Station. 112 p.

- Shump K.A., and A.U. Shump. 1985. *Lasiurus cinereus*. Mammalian Species 185:1-5.
- Sibley, D.A. 2003. The Sibley Field Guide to Birds of Western North America. Alfred A Knopf, Inc. New York, NY.
- Sieg, C.H. 1997. The Role of Fire in Managing for Biological Diversity on Native Rangelands of the Northern Great Plains. In: Uresk, D.W., Schenbeck, G.L., and J.T. O'Rourke, tech coords. Conserving Biodiversity on Native Rangelands: Symposium Proceedings: August 17, 1995; Fort Robinson State Park, Nebraska. General Technical Report RM-GTR-298. Fort Collins, CO: USDA, Forest Service, Rocky Mountain Forest and Range Experiment Station. Pp. 31-38.
- Sigler, W.F. and J.W. Sigler. 1996. Fishes of Utah; a natural history. University of Utah Press, UT.
- Simmons R., and P.C. Smith. 1985. Do Northern Harriers (*Circus cyaneus*) choose nest sites adaptively? Canadian Journal of Zoology. 63:494-498.
- Slater, G.L. 2004. Grasshopper Sparrow (*Ammodramus savannarum*): a technical conservation assessment. USFS, Rocky Mountain Region. Available: <http://www.fs.fed.us/r2/projects/scp/assessments/grasshoppersparrow.pdf>.
- Slater, G.L. and C. Rock. 2005. Northern Harrier (*Circus cyaneus*): a technical conservation assessment. USFS, Rocky Mountain Region. Available: <http://www.fs.fed.us/r2/projects/scp/assessments/northernharrier.pdf>
- Slind, O.L., Andrews, G.D., Murray, D.L., Norford, B.S., and Paterson, D.F. 1994. Middle Cambrian to Lower Ordovician Strata of the Western Canada Sedimentary Basin, in Geological Atlas of the Western Canada Sedimentary Basin. G.D. Mossop and I. Shetsen (comp.). Canadian Society of Petroleum Geologists and Alberta Research Council. http://www.ag.gov.ab.ca/publications/wcsb_atlas/atlas.html. September 3, 2012.
- Smith, G.R. 1966. Distribution and evolution of the North American catostomid fishes of the subgenus *Pantosteus*, genus *Catostomus*. Miscellaneous Publications, Museum of Zoology, University of Michigan, No. 129. Ann Arbor, MI.
- Smith, B. E. 2003. Conservation assessment for the northern leopard frog in the Black Hills National Forest, South Dakota and Wyoming. [Online]. USDA Forest Service, Black Hills National Forest. Custer, SD. 78p. Available: http://fs.usda.gov/Internet/FSE_DOCUMENTS/fsm9_012268.pdf.
- Smith, B. E. and N. T. Stephens. 2003. Conservation Assessment for the Redbelly Snake in the Black Hills National Forest South Dakota and Wyoming. Black Hills National Forest. Custer, SD.

Smith, B. E., and D. A. Keinath. 2007. Northern leopard frog (*Rana pipiens*): a technical conservation assessment. [Online]. USDA Forest Service, Rocky Mountain Region. Available: <http://www.fs.fed.us/r2/projects/scp/assessments/northernleopardfrog.pdf>.

Smith, Kimberly G., Sara Ress Wittenberg, R. Bruce Macwhirter and Keith L. Bildstein. 2011. Northern Harrier (*Circus cyaneus*), The Birds of North America Online (A. Poole, Ed.). Ithaca: Cornell Lab of Ornithology; Retrieved from the Birds of North America Online: <http://bna.birds.cornell.edu/bna/species/210doi:10.2173/bna.210>

Soil Science Society of America (SSSA). 2008. Glossary of Soil Science Terms. Available online at <https://www.soils.org/publications/soils-glossary/> (accessed 8/3/12).

South Dakota Codified Law, Title 49, Chapter 41B governing energy conversion and transmission facilities. No date.

South Dakota Department of Agriculture (SDDA). 2011. State Noxious Weeds. Available URL: http://www.sdda.sd.gov/Ag_Services/Plant-Protection/Weed%20and%20Pest/State-Noxious-Weeds.aspx. Accessed May 12, 2012.

South Dakota Department of Environment and Natural Resources (DENR). 2012. The 2012 South Dakota Integrated Report for Surface Water Quality Assessment. South Dakota Water Quality, water years 2006 – 2011 (streams) and water years 2001 – 2011 (lakes). 225p. Available at: <http://denr.sd.gov/documents/12irfinal.pdf>.

South Dakota Department of Game, Fish and Parks (SDGFP). 2002. Statewide fisheries surveys, 2000. Survey of public waters. Part 1; Lakes – Region 1. Annual Report No. 02-11.

South Dakota Department of Game, Fish and Parks. 2003. 2002 big game harvest projections. South Dakota game report no. 2003-01.

South Dakota Department of Game, Fish and Parks. 2005. South Dakota All Bird Conservation Plan. Prepared by K.K. Baker for South Dakota Game Fish and Parks. Pierre, SD.

South Dakota Department of Game, Fish and Parks. 2011. Prairie Grouse Management Plan for South Dakota 2011 – 2015. South Dakota Game Fish and Parks. Pierre, SD.

South Dakota Department of Game, Fish and Parks. 2012. South Dakota Natural Heritage Program. Request completed April 10, 2012. Pierre, SD. Also accessed June 26, 2012.

South Dakota Department of Game, Fish and Parks. 2013. Draft action plan for management of Bighorn Sheep in South Dakota. South Dakota Game, Fish and Parks Department, Pierre, SD. 23p. <http://gfp.sd.gov/wildlife/management/plans/docs/2013-bighornsheep-draftplan.pdf>

South Dakota Department of Labor and Regulation. 2011. Construction laborer wages for Rapid City. [https://apps.sd.gov/applications/ld54lmicinfo/covered/CWLSTPUBA.asp?Saytitle=Covered Workers Annual Information &SayArea=Rapid City MSA&SayIndustries=AllIndustries](https://apps.sd.gov/applications/ld54lmicinfo/covered/CWLSTPUBA.asp?Saytitle=Covered%20Workers%20Annual%20Information%20&SayArea=Rapid%20City%20MSA&SayIndustries=AllIndustries) (accessed August 5, 2012).

South Dakota Geological Survey. 2012. <http://www.sdgs.usd.edu/geologyofsd/geosd.html>. Accessed 2012.

South Dakota Natural Heritage Program (SDNHP). 2009. Rare, Threatened, or Endangered Plants Tracked By the South Dakota Natural Heritage Program. Available online: <http://gfp.sd.gov/wildlife/threatened-endangered/rare-plant.aspx> [accessed 6 March 2013].

South Dakota Natural Heritage Program (SDNHP). 2012. South Dakota Natural Heritage Database. Pierre, South Dakota. Dated April 10, 2012.

Sovada, Marsha A., Christiane C. Roy, and David J. Telesco. 2001. Seasonal food habits of swift fox (*Vulpes velox*) in cropland and rangeland landscapes in western Kansas. *American Midland Naturalist* 145(1):101-111.

Spring, A. W. 1949. *The Cheyenne and Black Hills Stage and Express Routes*. Glendale, California: The Arthur H. Clark Company. Library of the University of Wyoming. Laramie, Wyoming.

Squires, J.R. and L. F. Ruggieo. 1996. Nest-site Preference of Northern Goshawks in Southcentral Wyoming. *Journal of Wildlife Management*. 60: 170-177.

Stankowich, T. 2008. Ungulate flight responses to human disturbance: a review and meta-analysis. *Biological Conservation* 141 (2008) p. 2159-2173

Stebbins, R.C. 2003. *Western Reptiles and Amphibians*, Third Edition. Houghton Mifflin Company; New York, New York.

Steenhof, K., M.N. Kochert, and J.A. Roppe. 1993. Nesting by Raptors and Common Ravens on Electrical Transmission Line Towers. *Journal of Wildlife Management* 57: 271-281.

Stefanich, M.R. 1995. Movements and habitat use patterns of white-tailed deer in the northwestern Black Hills of Wyoming. Master's thesis, University of Wyoming, Laramie. 46 p.

Stefanich, M.R. 2001. Draft conservation assessment for the tawny crescent in the Black Hills National Forest of South Dakota and Wyoming. Black Hills National Forest. March 2001.

Stephens, R. M., and S. H. Anderson. 2002. Conservation assessment for the Cooper's hawk and sharp-shinned hawk of the Black Hills National Forest, South Dakota and Wyoming.

[Online]. USDA Forest Service. Black Hills National Forest. Custer, SD. 50p. Available: http://fs.usda.gov/Internet/FSE_DOCUMENTS/fsm9_012178.pdf.

Stephens, R. M., and S. H. Anderson. 2003. Conservation assessment for the Broad-winged Hawk in the Black Hills National Forest, South Dakota and Wyoming. Report for the USDA, Forest Service, Rocky Mountain Region, Black Hills National Forest, Custer, South Dakota.

Streubel, D. 1989. Small Mammals of the Yellowstone Ecosystem. Roberts Rinehart, Inc. Boulder, Colorado.

Strobel, M.L., Jarrell, G.J., Sawyer, J.F., Schleicher, J.R., and Fahrenbach, M.D. 1999. Distribution of hydrogeologic units in the Black Hills area, South Dakota. U.S. Geological Survey Hydrologic Investigations Atlas HA-743, 3 sheets, scale 1:100,000.

Stukel, E. D. 2012. Northern flying squirrel. <http://gfp.sd.gov/wildlife/critters/mammals/flyingsqrl.aspx> . Downloaded on 21 June 2012.

Stewart, R. K. and C. A. Thilenius. 1964. Stream and lake inventory and classification in the Black Hills of South Dakota. Dingell-Johnson Project F-1-R-13, Job Numbers 14 and 15. South Dakota Dept. of Game, Fish and Parks, Pierre.

Sundstrom, L. 1996. Mirror of Heaven: Cross-Cultural Transference of the Sacred Geography of the Black Hills. *World Archaeology*. Vol. 28. No. 2. Pp. 177-189.

Tallman, D. A., D. L. Swanson, and J. S. Palmer. 2002. *Birds of South Dakota*. 3rd Edition. Northern State Univ. Press. Aberdeen, SD. 441p.

Taylor R.L., D.E. Naugle, and L.S. Mills. 2010. Viability analyses for conservation of Sage-grouse populations: Miles City Field Office, Montana completion report. Prepared for Bureau of Land Management Miles City Field Office, Miles City Montana, Contract Number 09-3225-0012, Wildlife Biology Program University of Montana-Missoula.

Terry, D.O. 1998. Lithostratigraphic revision and correlation of the lower part of the White River Group: South Dakota and Nebraska, *in* Terry, D.O. Jr., LaGarry, H.E., and Hunt, R.M. Jr., eds., *Depositional Environments, Lithostratigraphy and Biostratigraphy of the White River and Arikaree Groups (Late Eocene to early Miocene, North America)*. Boulder, CO. Geological Society of America Special Paper 325.

Tigner, J., and W. C. Aney. 1994. Report of Black Hills bat survey, October 1993-October 1994. Yearly Report, Nemo/Spearfish Ranger District, Black Hills National Forest, Nov. 25, 1994

Tigner, J. and E. D. Stukel. 2003. Bats of the Black Hills: a description of status and conservation needs. South Dakota Department of Game, Fish and Parks Wildlife Division Report 2003-05.

Tobalske, B.W. 1997. Lewis's Woodpecker (*Melanerpes lewis*), The Birds of North America Online (A. Poole, Ed.). Ithaca: Cornell Lab of Ornithology; Retrieved from the Birds of North America Online: <http://bna.birds.cornell.edu/bna/species/284doi:10.2173/bna.284>

Tokaryk, T., Cumbaa, S.L., and Storer, J.E. 1997. Early Late Cretaceous birds from Saskatchewan, Canada: the oldest diverse avifauna known from North America. *Journal of Vertebrate Paleontology*. 17(1), 172-176.

Tolbert, C. Personal communication. Dated June 20, 2012.

Uchytel, Ronald J. 1991. *Picea glauca*. In: Fire Effects Information System, [Online]. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory (Producer). Available online at: <http://www.fs.fed.us/database/feis/> (accessed 27 July 2012).

US Census Bureau. 2010. Socioeconomic information for the 2000 Census and 2010 Census. <http://www.census.gov/> (accessed July 12, 2012).

US Department of Agriculture (USDA) and US Department of the Interior (USDI). 2001. Urban Wildland Interface Communities within the Vicinity of Federal Lands that are at High Risk from Wildfire. 66 FR 43384-43435.

USDA Forest Service (USFS). 1974. Agricultural Handbook 434. *National Forest Landscape Management, Volume 1*. Washington, DC: U.S. Government Printing Office.

USDA Forest Service. 1992. Forest Service Handbook 2509.18 – Soil Management Handbook, R2 Supplement No. 2509.18-92-1.

USDA Forest Service. 1995. Agricultural Handbook 701. *Landscape Aesthetics: A Handbook for Scenery Management*, and (2000) *Landscape Aesthetics Handbook Revision*. Washington, DC: U.S. Government Printing Office. Available at: <http://www.esf.edu/es/via/>

USDA Forest Service. 1996. Revised Land and Resource Management Plan Final Environmental Impact Statement. United States Department of Agriculture-Forest Service, Black Hills National Forest.

USDA Forest Service. 1997. Black Hills National Forest Land and Resource Management Plan. Available at: <http://www.fs.fed.us/r2/blackhills/projects/planning/97Revision/fp/index.shtml> (accessed December 21, 2009).

USDA Forest Service. 1997b. Revised Land and Resource Management Plan for the Black Hills National Forest. USFS, Black Hills National Forest. Custer, South Dakota.

USDA Forest Service. 2000. Expert Interview Summary for the Black Hills National Forest Land and Resource Management Plan Amendment. United States Department of Agriculture-Forest Service.

USDA Forest Service. 2001. Black Hills National Forest Land And Resource Management Plan Phase I Amendment 2001 environmental assessment. USDA Forest Service, Black Hills National Forest. Custer, South Dakota.

USDA Forest Service. 2001. Thunder Basin National Grassland Forest Plan. USFS. Available at: http://www.fs.usda.gov/detail/mbr/landmanagement/planning/?cid=fsbdev3_025111

USDA Forest Service. 2001. Land and Resource Management Plan for the Thunder Basin National Grassland. USDA Forest Service, Thunder Basin National Grassland, Medicine Bow-Routt National Forest, Rocky Mountain Region. Laramie, Wyoming.

USDA Forest Service. 2001. Land and Resource Management Plan for Thunder Basin National Grassland, Medicine Bow-Routt National Forest, Rocky Mountain Region. Douglass, WY.

USDA Forest Service. 2001. Final Environmental Impact Statement for the Northern Great Plains Management Plans Revision May 2001 for Dakota Prairie Grasslands, Medicine Bow-Routt National Forest, and Nebraska National Forest and Associates Units. Northern Great Plains Planning Team, USFS. Chadron, NE.

USDA Forest Service. 2001. Final Environmental Impact Statement for the Phase I Amendment to the 1997 Revised Land and Resource Management Plan for the Black Hills National Forest. US Forest Service, Black Hills National Forest. Custer, South Dakota. Available online at: http://www.fs.usda.gov/Internet/FSE_DOCUMENTS/fsm9_011960.pdf (accessed 25 July 2012).

USDA Forest Service. 2001. Black Hills National Forest Land and Resource Management Plan Phase I Amendment 2001 Environmental Assessment. USDA Forest Service, Black Hills National Forest. Custer, South Dakota.

USDA Forest Service. 2002. Final Environmental Impact Statement and Land and Resource Management Plan Revision – Record of Decision, Thunder Basin National Grassland. July 31, 2002.

USDA Forest Service. 2002. *Thunder Basin National Grassland Land and Resource Management Plan*. Available at: <http://www.fs.fed.us/r2/mbr/projects/forestplans/thunderbasin/index.shtml> (accessed December 21, 2009).

USDA Forest Service. 2004. Black Hills National Forest 2002 monitoring and five-year evaluation report. Black Hills National Forest, Custer, South Dakota.
<http://www.fs.fed.us/r2/blackhills/projects/planning/2002Monitor/all.pdf>

USDA Forest Service. 2005. Training Guide for Management of Paleontological Resources. National Headquarters, Washington D.C. July 11, 2005 Draft – WO.

USDA Forest Service. 2005. Final Environmental Impact Statement for the Black Hills National Forest Land and Resource Management Plan Phase II Amendment. USDA Forest Service, Black Hills National Forest. Custer, South Dakota. October 2005. Available online: <http://www.fs.usda.gov/main/blackhills/landmanagement/planning> (accessed 13 July 2012).

USDA Forest Service. 2005. Black Hills National Forest 2004 Monitoring and Evaluation Report. United States Department of Agriculture Forest Service. Accessed at: http://www.fs.fed.us/r2/blackhills/projects/planning/2004Monitor/2004_mon_rpt_all.pdf

USDA Forest Service. 2005. Biological Evaluation for the Phase II Amendment to the Forest Plan. Black Hills National Forest. Available: http://www.fs.fed.us/r2/blackhills/projects/planning/amendments/phase_II/feis/10_apend_c_2005_1019_pl-106

USDA Forest Service. 2005. Black Hills National Forest Phase II Amendment: Land Resource Management Plan.

USDA Forest Service. 2006. *1997 Revised Land and Resource Management Plan for the Black Hills National Forest, As Amended by the Phase II Amendment*. US Department of Agriculture-Forest Service, Black Hills National Forest. Custer, South Dakota. March, 2006. Available at: <http://www.fs.usda.gov/detail/blackhills/landmanagement/planning/?cid=STELPRDB5112303>

USDA Forest Service. 2006. FSH 2509.25 – Watershed Conservation Practices Handbook. Chapter 10 – Management Measures and Design Criteria. Available at http://www.fs.fed.us/cgi-bin/Directives/get_dirs/fsh?2509.25.

USDA Forest Service. 2006. Black Hills National Forest Land and Resource Management Plan Phase II Amendment. Black Hills National Forest. Custer, SD.

USDA Forest Service. 2006. Black Hills National Forest Land and Resource Management Plan. Black Hills National Forest, Custer, SD.

USDA Forest Service. 2006. Thunder Basin National Grassland Land and Resource Management Plan.

USDA Forest Service. 2007. Thunder Basin National Grassland 2007 Monitoring Report Five Year Review. Thunder Basin National Grassland. Douglas, WY.

USDA Forest Service. 2007b. Black Hills National Forest FY 2006 Monitoring and Evaluation Report. Black Hills National Forest. Custer, SD.

USDA Forest Service. 2008. Thunder Basin National Grassland 2008 Monitoring Report Five Year Review. Thunder Basin National Grassland. Douglas, WY.

USDA Forest Service. 2009. Existing Vegetation: Shapefile. Black Hills National Forest.

USDA Forest Service. 2009. 2003 Forest Service Manual 2400 Timber Management, as amended. National Headquarters, Washington, DC.

USDA Forest Service. 2009. Thunder Basin National Grassland prairie dog management strategy and land and resource plan amendment #3. Thunder Basin National Grassland. Douglas, WY.

USDA Forest Service. 2009. Region 2Veg Features Joined to Summary Polygon Attribute Data. Black Hills National Forest. Custer, SD.

USDA Forest Service. 2009. Black Hills National Forest FY 2008 Monitoring and Evaluation Report. Black Hills National Forest. Custer, SD.

USDA Forest Service. 2010. Invasive Species Action Plan: Black Hills National Forest, FY2010-2012.

USDA Forest Service. 2010. Medicine Bow-Routt National Forests and Thunder Basin National Grassland; Colorado and Wyoming; Medicine Bow-Routt National Forests and Thunder Basin National Grassland Invasive Plant Management Environmental Impact Statement. Federal Register 75(230): 74678-74681.

USDA Forest Service. 2010. Black Hills National Forest FY 2009 Monitoring and Evaluation Report. Black Hills National Forest. Custer, SD.
<http://www.fs.usda.gov/detail/blackhills/landmanagement/planning/?cid=STELPRDB5112296>. [accessed 6 March 2013].

USDA Forest Service. 2010. Record of Decision – Black Hills National Forest, Travel Management Plan. March 2010.

USDA Forest Service. 2011. Western Bark Beetle Strategy: Human Safety, Recovery and Resiliency. July 2011. Available online at:
http://www.fs.usda.gov/Internet/FSE_DOCUMENTS/stelprdb5337222.pdf (accessed 23 July 2012).

USDA Forest Service. 2011. Thunder Basin National Grassland 2009-2010 Monitoring and Evaluation Report. Laramie, WY.

USDA Forest Service. 2011. *Pactola Facilities and Parking*. A graphic depicting facilities at the Pactola Reservoir.

USDA Forest Service. 2011. FSM 2670 – Threatened, Endangered and Sensitive Plants and Animals. Supplement No. 2600-2011-1. Effective May 25, 2011.

USDA Forest Service. 2011. Prefield Review for Threatened & Endangered, Sensitive, and Local Concern Species. Medicine Bow-Routt National Forests and Thunder Basin National Grassland (MBRTB). Updated May 2011.

USDA Forest Service. 2011. FSM 2670 – Threatened, Endangered and Sensitive Plants and Animals. Supplement No. r2_bh_2600-2011-1. Effective September 6, 2011.

USDA Forest Service. 2012. Black Hills National Forest plants database. Unpublished database information updated in December 2012.

USDA Forest Service. 2012. Rocky Mountain Region Endangered, Threatened, Proposed, and Sensitive Species. February 7, 2012.

USDA Forest Service. 2012. Final Analysis of the Management Situation for the Wyoming Sage-Grouse Land and Resource Management Plan Amendments for National Forest System Lands Administered by the Medicine Bow and Bridger-Teton Forests and Thunder Basin National Grassland. May 2012.

USDA Forest Service. 2012. Personal communication with Amy Ballard, Recreation Specialist at the BHNF's Mystic Ranger Station. July 9, 2012.

USDA Forest Service. 2012. Personal communication with Amy Ballard, Recreation Specialist at the BHNF's Mystic Ranger Station. September 5, 2012.

USDA Natural Resources Conservation Service (NRCS). 1990. Soil Survey of Custer and Pennington Counties, Black Hills Parts, South Dakota. Available online at http://soils.usda.gov/survey/printed_surveys (accessed 7/20/12).

USDA Natural Resources Conservation Service. 1990. Soil Survey of Weston County, Wyoming. Available online at http://soils.usda.gov/survey/printed_surveys (accessed 7/20/12).

USDA Natural Resources Conservation Service. 1996. Soil survey of Black Hills National Forest and Pennington County, South Dakota.

USDA Natural Resources Conservation Service. 2003. Natural Range and Pasture Handbook. Revised December 2003.

USDA Natural Resources Conservation Service. 2004. Natural Resources Conservation Service. 2004. Soil survey of Campbell and Weston counties, Wyoming.

USDA Natural Resources Conservation Service. 2011. Soil Survey Geographic (SSURGO) database for Campbell County, Wyoming, Southern Part. Available online at <http://SoilDataMart.nrcs.usda.gov/> (accessed 7/17/12).

USDA Natural Resources Conservation Service. 2011. Soil Survey Geographic (SSURGO) database for Custer and Pennington Counties Area, Black Hills Parts, South Dakota. Available online at <http://SoilDataMart.nrcs.usda.gov/> (accessed 7/17/12).

USDA Natural Resources Conservation Service. 2011. Soil Survey Geographic (SSURGO) database for Weston County, Wyoming. Available online at <http://SoilDataMart.nrcs.usda.gov/> (accessed 7/17/12).

USDA Natural Resources Conservation Service. 2012. National Soil Survey Handbook, title 430-VI. Available online at <http://soils.usda.gov/technical/handbook/> (accessed 8/2/12).

USDA Natural Resources Conservation Service. 2012. Soil Survey Staff. Web Soil Survey. Available online at <http://websoilsurvey.nrcs.usda.gov> (accessed 7/25/12).

USDA Natural Resources Conservation Service. No date. USDA Geospatial Data Gateway. Available at: <http://datagateway.nrcs.usda.gov/>.

USDA Soil Conservation Service (SCS). 1985. Duck and pheasant use of water bank program agreement areas in east-central South Dakota: Soil Conservation Service, 67p.

USDA Soil Conservation Service. 1990. Soil Survey of Weston County, Wyoming.

USDI Bureau of Land Management (BLM). 1984. United States Department of the Interior, Bureau of Land Management Manual 8400 – Visual Resource Management 4/5/84. Available at: http://www.blm.gov/pgdata/etc/medialib/blm/wo/Information_Resources_Management/policy/blm_manual.Par.34032.File.dat/8400.pdf (accessed March 11, 2013).

USDI Bureau of Land Management. 1986. United States Department of the Interior, Bureau of Land Management Manual H-8410-1 Visual Resource Inventory 11/17/86. Available at: http://www.blm.gov/pgdata/etc/medialib/blm/wo/Information_Resources_Management/policy/blm_handbook.Par.31679.File.dat/H-8410.pdf (accessed March 11, 2013).

USDI Bureau of Land Management. 1986. Record of Decision for South Dakota Resource Management Plan and Final Environmental Impact Statement. Available at: http://www.blm.gov/pgdata/etc/medialib/blm/mt/blm_programs/planning/sd_rmp.Par.80251.File.dat/rod.pdf (accessed March 11, 2013).

USDI Bureau of Land Management. 1998. BLM Manual Section 8270. Paleontological Resource Management, Release 8-68.

USDI Bureau of Land Management. 1998. BLM Manual Section 8270-1. General Procedural Guidance for Paleontological Resource Management, Release 8-69.

USDI Bureau of Land Management. 2000. Record of Decision and Approved Resource Management Plan for Public Lands Administered by the Newcastle Field Office. Available at: <http://www.blm.gov/pgdata/etc/medialib/blm/wy/programs/planning/rmps.Par.32961.File.dat/nfo-rmp.pdf> (accessed March 11, 2013).

USDI Bureau of Land Management. 2000. Newcastle Field Office Resource Management Plan. BLM, Newcastle Field Office. Newcastle, Wyoming.

USDI Bureau of Land Management. 2001. Record of Decision and Approved Resource Management Plan for Public Lands Administered by the Newcastle Field Office. Newcastle, WY.

USDI Bureau of Land Management. 2001. Approved Resource Management Plan for Public Lands Administered by the Bureau of Land Management Buffalo Field Office. Buffalo, WY.

Available at:

http://www.blm.gov/pgdata/etc/medialib/blm/wy/programs/planning/rmps.Par.94672.File.dat/2001rmp_update.pdf (accessed March 11, 2013).

USDI Bureau of Land Management. 2003. Revised Pinedale Resource Management Plan, Table 3.10-1.

USDI Bureau of Land Management. 2005. Report for the Powder River Basin (PRB) Coal Review, document number 09090-048.

USDI Bureau of Land Management. 2005. Statewide Programatic Black-tailed Prairie Dog (*Cynomys ludovicianus*) Biological Evaluation. Cheyenne, WY. Pp. 54.

USDI Bureau of Land Management. 2007. Instructional Manual 2008-009. Potential Fossil Yield Classification (PFYC) System for Paleontological Resources on Public Lands, with two attachments.

USDI Bureau of Land Management. 2008. Instructional Manual 2009-011. Assessment and Mitigation of Potential Impacts to Paleontological Resources.

USDI Bureau of Land Management. 2010. BLM Wyoming Sensitive Species Policy and List. March 31, 2010.

USDI Bureau of Land Management. 2012. Sensitive species which may occur in the Newcastle Field Office. BLM Wyoming, Plant Conservation Program. Updated March 16, 2011. Available URL: <http://www.blm.gov/wy/st/en/programs/pcp/species/sensitive/info.html>. Accessed July 24, 2011.

USDI Bureau of Land Management. n.d. Map entitled: "Wyoming Historic Trails."

U.S. Department of Labor. 2011. May 2011 Construction Laborer Wage Data from the Bureau of Labor Statistics. <http://bls.gov/oes/2011/may/oesrcst.htm> (accessed August 6, 2012).

USDI Fish and Wildlife Service (USFWS). 2000. 50 CFR Part 17, Endangered and Threatened Wildlife and Plants; 12-Month Finding for a Petition to List the Black-tailed Prairie Dog as Threatened. Federal Register, Vol. 65, No. 24. Pages 5476-5488.

USDI Fish and Wildlife Service. 2002. 50 CFR Part 17, Endangered and Threatened Wildlife and Plants; Review of Species that are Candidates or Proposed for Listing as Endangered or Threatened; Annual Notice of Findings on Recycled Petitions; Annual Description of Progress on Listing Actions. Federal Register, Vol. 67, No. 114. Pages 40657-40679.

USDI Fish and Wildlife Service. 2007. Ute ladies'-tresses field survey guidelines. Utah Ecological Services Field Office. March 12, 2007.

USDI Fish and Wildlife Service. 2007. Protection of Eagles and Authorizations Under the Bald and Golden Eagle Protection Act for Take of Eagles; Final Rule and Proposed Rule Protection of Eagles and National Bald Eagle Management Guidelines; Notices. 50 CFR Parts 13 and 22. Federal Register. Vol. 72, No. 107. Tuesday, June 5, p. 31132-31140. Available: http://frwebgate.access.gpo.gov/cgi-bin/getpage.cgi?position=all&page=31131&dbname=2007_register.

USDI Fish and Wildlife Service. 2007. Endangered and Threatened Wildlife and Plants; Removing the Bald Eagle in the Lower 48 States From the List of Endangered and Threatened Wildlife. Federal Register. Vol. 72, No. 130. Monday, July 9, 2007. [Online] <http://www.fws.gov/southdakotafieldoffice/baldeaglefinaldelisting.pdf>.

USDI Fish and Wildlife Service. 2007. National Bald Eagle Guidelines. May 2007. [Online].
USDA Fish and Wildlife Service. Division of Migratory Bird Management, Washington D. C. 25p. Available. <http://www.fws.gov/migratorybirds/CurrentBirdIssues/Management/BaldEagle/NationalBaldEagleManagementGuidelines.pdf>

USDI Fish and Wildlife Service. 2007. Endangered and Threatened Wildlife and Plants; Review of Native Species That Are Candidates for Listing as Endangered or Threatened; Annual Notice of Findings on Resubmitted Petitions; Annual Description of Progress on Listing Actions. Federal Register. 72(234): 69034.

USDI Fish and Wildlife Service. 2008. Birds of conservation concern 2008. Division of Migratory Bird Management, Arlington, Virginia. 99p. [Online] Available: <http://www.fws.gov/migratorybirds/NewReportsPublications/SpecialTopics/BCC2008/BCC2008.pdf>.

USDI Fish and Wildlife Service. 2009. Candidate Notice of Review. [Online]. Vol. 74, No. 215. Federal Register 69034, November 9, 2009. <http://www.fws.gov/endangered/pdfs/CNOR/CNOR%2011-9-09.pdf>.

USDI Fish and Wildlife Service. 2009. 90-day finding on a petition to list the northern leopard frog (*Lithobates pipiens*) in the western United States as threatened. Federal Register. Vol. 74, No. 125 July 1, 2009, p. 31389-31401

USDI Fish and Wildlife Service. 2009. Endangered Species by County List. [Online] Mountain-Prairie Region, South Dakota Ecological Services Field Office, Pierre, SD. Updated March 11, 2013 Available: <http://southdakotafieldoffice.fws.gov/endsppbycounty.htm>. [Accessed March 11, 2013].

USDI Fish and Wildlife Service. 2009. 12-month finding on a petition to list the black-tailed prairie dog (*Cynomys ludovicianus*) as threatened and endangered. Federal Register. Vol. 74, No. 231. December 2, 2009, p. 63343-63366. Available: <http://www.fws.gov/mountain-prairie/species/mammals/btprairiedog/74FR63343.pdf>

USDI Fish and Wildlife Service. 2010. Endangered and Threatened Wildlife and Plants; 12-Month Findings for Petitions to List the Greater Sage-grouse (*Centrocercus urophasianus*) as Threatened or Endangered. Federal Register 75(55):13910-14014.

USDI Fish and Wildlife Service. 2011. A national plan for assisting states, federal agencies, and tribes in Managing White-Nose Syndrome in Bats. May 2010. Available: <http://www.fws.gov/WhiteNoseSyndrome/pdf/WNSnationalplanMay2011.pdf>.

USDI Fish and Wildlife Service. 2011. 90-Day Finding on a Petition To List the Eastern Small-Footed Bat (*Myotis leibii*) and the Northern Long-Eared Bat (*Myotis septentrionalis*) as Threatened or Endangered. Federal Register. Vol. 76, No.125. June 29, 2011, p. 38095-38106.

USDI Fish and Wildlife Service. 2011. 12-Month finding on a petition to list the Frigid Ambersnail as Endangered. Federal Register Vol. 76. No. 143. July 26, 2011. 44566-44569.

USDI Fish and Wildlife Service. 2012. Federal Endangered, Threatened, and Candidate Species and Designated Critical Habitat that occur in or may be affected by projects in Campbell County, Wyoming. Updated May 2012.

USDI Fish and Wildlife Service. 2012. Federal Endangered, Threatened, and Candidate Species and Designated Critical Habitat that occur in or may be affected by projects in Weston County, Wyoming. Updated May 2012.

USDI Fish and Wildlife Service. 2012. South Dakota Listed Species, by County. Updated April 17, 2012.

USDI Fish and Wildlife Service. 2012. Classification of Wetlands and Deepwater Habitats of the United States. US Department of the Interior, Fish and Wildlife Service, Washington, DC.

USDI Fish and Wildlife Service. 2012. Species of Concern: Raptors in Wyoming: *Protections for Raptors*. USFWS Wyoming Ecological Services. Updated February 2, 2012. www.fws.gov/wyominges/Pages/Species/Species_SpeciesConcern/Raptors.html (accessed September 5, 2012).

USDI Geological Survey (USGS). No date. 12-digit Watershed Boundary Dataset. Gallatin Watershed, Gallatin, Montana. Available at: <http://water.usgs.gov/GIS/huc.html>.

USDI Geological Survey. 1901-Deadwood Topographical Map-1:125,000; 1901-Harney Peak Topographical Map-1: 125,000; 1913-Hermosa Topographical Map-1:125,000; 1915-Rapid Topographical Map-1:125,000.

USDI Geological Survey. 1996. National Water Summary of Wetland Resources. Water-Supply Paper 2425.

U.S. Geological Survey (USGS). 2010. The National Map LANDFIRE: LANDFIRE National Existing Vegetation Type layer. (2006, September - last update). Available online: <http://gisdata.usgs.net/website/landfire/> [accessed 12 February 2013]. Van Bruggen. 1985. The Vascular Plants of South Dakota. Second Edition.

USDI Geological Survey. 2010. LandFire 1.1.0 Existing Vegetation Type Layer. U.S. Department of the Interior, Geological Survey. [Online]. Available: <http://landfire.cr.usgs.gov/viewer/> (accessed 20 July 2012).

USDI National Park Service (NPS). 2012. http://www.nps.gov/nr/travel/pierre_fortpierre/credits.html. Accessed July 2012.

University of Wyoming. 2012. Department of Geology and Geophysics. Collection of Vertebrate Fossils, General Collection Description. September 3, 2012. http://paleo.gg.uwyo.edu/Collection_Summary.html.

University of Wyoming. 1990. Wyoming State comprehensive outdoor recreation plan: Cheyenne, Wy., Department of Commerce, 274p.

- Uresk, D.W. and K.E. Severson. 1998. Response of understory species to changes in ponderosa pine stocking levels in the Black Hills. *Great Basin Naturalist* 58 (4): 312–327.
- Van Bruggen. 1985. *The Vascular Plants of South Dakota*. Second Edition. Iowa State University Press. Ames, Iowa.
- Vander Haegen, W.M., M.A. Schroeder, and R.M. DeGraaf. 2002. Predation on real and artificial nests in shrubsteppe landscapes fragmented by agriculture. *The Condor*. 104: 496-506.
- Vander Haegen, W.M. 2007. Fragmentation by agricultural influences reproductive success of birds in a shrubsteppe landscape. *Ecological Applications*. 17: 934-947.
- Vedder, M. 2012. Personal communication. Dated March 13, 2012.
- Ver Ploeg, A.J., and Boyd, C.S. 2003. Geologic Map of the Reno Junction 30' x 60' Quadrangle, Weston and Campbell Counties, Wyoming. Wyoming Geologic Survey Map Series MS-62, 1:100,000 scale.
- Vickery, P. D. 1996. Grasshopper Sparrow (*Ammodramus savannarum*), *The Birds of North America Online* (A. Poole, Ed.). Ithaca: Cornell Lab of Ornithology; Retrieved from the Birds of North America Online: <http://bna.birds.cornell.edu/bna/species/239doi:10.2173/bna.239>
- Vierling, K. 2004. Report on woodpecker breeding in the Jasper Fire. Submitted to the US Forest Service, February 19, 2004. South Dakota School of Mines and Technology, Rapid City. 11p.
- Wakimoto RH, and EE Willard. 2005. Historic fire regimes and change since European settlement on the Northern Mixed Prairie: Effect on ecosystem function and fire behavior. Joint Fire Science Program. University of Montana. Missoula MT. 174 p.
- Waldien, D.L. and J.P. Hayes. 2001. Activity areas of female long-eared myotis in coniferous forests in western Oregon. *Northwest Science* 75:307-314.
- Walker, B. 2004. Effects of management practices on grassland birds: Brewer's Sparrow. Northern Prairie Wildlife Research Center, Jamestown, ND. Northern Prairie Wildlife Research Center Online. <http://www.npwrc.usgs.gov/resource/literatr/grasbird/brsp/brsp.htm>
- Walker, B.L., D.E. Naugle, and K.E. Doherty. 2007. Greater Sage-grouse Population Response to Energy Development and Habitat Loss. *Journal of Wildlife Management* 71(8): 2644-2654.
- Weaver, K.F., T. Anderson, and R. Guralnick. 2006. Combining phylogenetic and ecological niche modeling approaches to determine distribution and historical biogeography of Black Hills mountain snails (*Oreohelicidae*). *Diversity and Distributions*, 12, 756-766.

Webb, M. W. 1998. A Revised Summary of Lancian (Latest Cretaceous) Mammal Localities with Introduction to a New Lancian Locality (Lance Formation) in the Southwest Bighorn Basin, *in* Keefer, W.R., and Goolsby, J.E., (eds). Cretaceous and Lower Tertiary Rocks of the Bighorn Basin. Wyoming and Montana 49th Annual Field Conference Guidebook, Casper, Wyoming.

Weeks, J. B. and E. D. Gutentag. 1988. "Chapter 20, Region 17, High Plains." The Geology of North America Vol. O-2, Hydrogeology. The Geological Society of America.
<http://www.clemson.edu/ces/hydro/murdoch/Courses/Aquifer%20Systems/documents/Heath%20and%20Back%20books/Chapter%2020.pdf>. Accessed May 4, 2012.

Weishampel, David B, Dodson, Peter; and Osmólska, Halszka. 2004. Dinosaur distribution (Late Cretaceous, North America). *In*: Weishampel, David B.; Dodson, Peter; and Osmólska, Halszka (eds.): The Dinosauria, 2nd, Berkeley. University of California Press. Pp. 574-588.

Weller, T.J. and C.J. Zabel. 2001. Characteristics of fringed myotis day roosts in northern California. *Journal of Wildlife Management* 65:489-497.

Weston County. 2005. Weston County Community Wildfire Protection Plan. Prepared by Weston County Fire Protection District Staff. 26p.

Weston County. 2008. Weston County Community Wildfire Protection Plan Amendment A. Prepared by Weston County Fire Protection District Staff. 11p.

Whisenant, S.G. 1990. Changing fire frequencies on Idaho's Snake River Plains: Ecological and management implications. *In*: E.D. McArthur, E.M. Romney, S.D. Smith, and P.T. Tueller (eds.), Proceedings: Symposium on cheatgrass invasion, shrub die-off, and other aspects of shrub biology and management. USDA Forest Service Gen. Tech. Rep. INT-276, 4-10.

Whitaker, J. O. Jr. 1980. National Audubon Society field guide to North American mammals. Alfred A. Knopf, Inc.

White, Clayton M., Nancy J. Clum, Tom J. Cade and W. Grainger Hunt. 2002. Peregrine Falcon (*Falco peregrinus*), The Birds of North America Online (A. Poole, Ed.). Ithaca: Cornell Lab of Ornithology; Retrieved from the Birds of North America Online:
<http://bna.birds.cornell.edu/bna/species/660doi:10.2173/bna.660>

White, C.M., J. A. Blakesley, D. C. Pavlacky, and D. J. Hanni. 2010. Monitoring the Birds of Black Hills National Forest: 2009 Field Season Report. Tech. Rep. SC-RMRUSFS09-01. Rocky Mountain Bird Observatory, Brighton, CO, 54p.

Whitaker, J. O. Jr. 1980. National Audubon Society field guide to North American mammals. Alfred A. Knopf, Inc.

Wienk, C.L., Sieg, C.H., and G.R. McPherson. 2004. Evaluating the Role of Cutting Treatments, Fire and Soil Seed Banks in an Experimental Framework in Ponderosa Pine Forests of the Black Hills, South Dakota. *Forest Ecology and Management* 192 (2004): 375-393.

Wiggins, D.A. 2005. Loggerhead Shrike (*Lanius ludovicianus*): a technical conservation assessment. USFS, Rocky Mountain Region. Available:
<http://www.fs.fed.us/r2/projects/scp/assessments/loggerheadshrike.pdf>

Wiggins, D.A. 2005. Brown Creeper (*Certhia americana*): A technical conservation assessment. USDA Forest Service, Rocky Mountain Region. Available:
<http://www.fs.fed.us/r2/projects/scp/assessments/browncreeper.pdf>

Wiggins, D.A. 2006. Baird's Sparrow (*Ammodramus bairdii*): a technical conservation assessment. USFS, Rocky Mountain Region. Available:
<http://www.fs.fed.us/r2/projects/scp/assessments/bairdssparrow.pdf>

Wiggins, D.A. 2006. Ruffed Grouse (*Bonasa umbellus*): a technical conservation assessment. [Online]. USDA Forest Service, Rocky Mountain Region. Available:
<http://www.fs.fed.us/r2/projects/scp/assessments/ruffedgrouse.pdf>.

Willis, C.K.R., and R. M. Brigham. 2005. Physiological and ecological aspects of roost selection by reproductive female hoary bats (*Lasiurus cinereus*). *Journal of Mammalogy* 86:85-94.

Windell, J.T., B. E. Willard, D. J. Cooper, S. Q. Foster, C. F. Knud-Hansen, L. P. Rink, and G. N. Kiladis. 1986. *An ecological characterization of Rocky Mountain montane and subalpine wetlands*. Biological Report 86(11). Washington, DC: US Fish and Wildlife Service.

Winham, R. and L. A. Hannus. 1990. South Dakota State Plan for Archaeological Resources: Introduction and Overview to Historic Contexts and Archaeological Management Regions for Research and Planning: A Working Draft. Augustana College. Sioux Falls, South Dakota.

Winham, R. P. and F. A. Calabrese. 1998. "The Middle Missouri Tradition." In *Archaeology of the Great Plains*. Raymond W. Wood. Lawrence, Kansas: University Press of Kansas.

Wisdom, M J., C.W. Meinke, S.T. Knick, and M.A. Schroeder. 2010. Factors Associated with extirpation of Sage-grouse. Chapter 19 in *Studies in Avian Biology* No. 38.

Wisdom, M. J., N. J. Cimon, B. K. Johnson, E. O. Garton, and J. W. Thomas. 2005. Spatial Partitioning by Mule Deer and Elk in Relation to Traffic. Pages 53-66 in Wisdom, M. J., technical editor, *The Starkey Project: a synthesis of long-term studies of elk and mule deer*. Reprinted from the 2004 Transactions of the North American Wildlife and Natural Resources Conference, Alliance Communications Group, Lawrence, Kansas, USA. Available on the internet at: http://www.fs.fed.us/pnw/lagrande/starkey_na/PDFs_Preprints/ms-05_Wisdom.pdf. Access on Nov 15, 2013.

Wishart, D. J. (Editor). 2012. *Encyclopedia of the Great Plains*. <http://plainshumanities.unl.edu/encyclopedia/>. Accessed June 8, 2012.

Wisinski, C.L. 2007. Survival and Summer Habitat Selection of Male Greater Sage-grouse (*Centrocercus urophasianus*) in Southwestern Montana. M.S. Thesis. Montana State University, Bozeman.

Wissler, C. 1914. The Influence of the Horse on the Development of Plains Culture. *American Anthropologist* 16:1-25.

Wissler, C. 1941. *Indians of the United States*. Doran, New York: Doubleday.

Wolf, J. (Editor). 2007. *On the Road to Preservation: Wyoming's Comprehensive Statewide Preservation Plan 2007-2015*. Planning and Historic Context Development Program. Wyoming State Parks and Cultural Resources.

Wood, W. R. 1998. *Archaeology of the Great Plains*. Lawrence, Kansas: University Press of Kansas.

Wydoski, R.G. and R.S. Wydoski. 2002. Age, growth, and reproduction of mountain suckers in Lost Creek Reservoir, Utah. *Transactions of the American Fisheries Society* 131:320-328.

Wyoming Department of Environment Quality (Wyoming DEQ). 2012. *Water Quality Assessment and Impaired Waters List (2012 Integrated 305(b) and 303(d) Report)*. Draft. Document #11-1058. 157p. Available at: http://deq.state.wy.us/wqd/watershed/Downloads/305b/2012/WY2012IR_Draft_Doc11-1058.pdf.

Wyoming Game and Fish Department (WGFD). 1996. *Belle Fourche River Basin Plan*. Plan Number FXSN8BF. Sheridan Region Fisheries Management Crew. 27p.

Wyoming Game and Fish Department (WGFD). 2003. *Wyoming Greater Sage Grouse Conservation Plan*. Cheyenne, WY. http://wgfd.wyo.gov/web2011/Departments/Wildlife/pdfs/SG_WGFDFINALPLAN0000653.pdf.

Wyoming Game and Fish Department (WGFD). 2010. State Wildlife Action Plan 2010. Wyoming Game and Fish Department. Cheyenne, WY. Website: http://wgfd.wyo.gov/web2011/Departments/Wildlife/pdfs/SWAP_2012_FULL0002194.pdf

Wyoming Game and Fish Department (WGFD). 2005. A Comprehensive Wildlife Conservation Strategy for Wyoming. Approved by the Wyoming Game and Fish Commission. July 12, 2005.

Wyoming Joint Ventures Steering Committee. 2010. *Wyoming Wetlands Conservation Strategy. Version 1.0.* 108p.

Wyoming Labor Force Trends. 2012. Construction laborer wages for Weston and Campbell counties. <http://doe.state.wy.us/LMI/EDSMarch2012/TOC000.htm> (accessed August 5, 2012).

Wyoming Natural Diversity Database (WYNDD). 2012. Vascular Plants of Concern List. University of Wyoming, Laramie. Available online: <http://www.uwyo.edu/wyndd/species-ofconcern/plants/vascular-plants.html> [accessed 6 March 2013].

Wyoming Natural Diversity Database (WYNDD). 2012. Data compilation for POWER Engineers, completed April 18, 2012. University of Wyoming, Laramie.

Wyoming Natural Diversity Database. 2012. Data compilation for B. Colket, completed April 18, 2012. Unpublished report. Wyoming Natural Diversity Database, University of Wyoming, Laramie, Wyoming.

Wyoming State Historic Preservation Office (SHPO). 2005. Memo regarding changes for recording sites from Claudia Nissley, State Historic Preservation Officer. Dated February 25, 2005

Wyoming Statutes. Title 35, Chapter 11, Article 3 governing water quality. No date.

Wyoming Weed and Pest Council (WWPC). 2012. Wyoming Weed & Pest Control Act Designated List. Available URL: <http://www.wyoweed.org/statelist.html>. Accessed May 21, 2012.

Zarn, M. 1974. Habitat management services for unique or endangered species: Report no. 11 Burrowing Owl (*Speotyto cunicularia hypugaea*). Technical Note. Bureau of Land Management. US Department of the Interior. http://www.fs.fed.us/r2/nebraska/gpng/reports/blm_bowl.pdf