



13231 412 AVE
ANDOVER SD 57422



Commissioners G. Hanson,
S. Kolbeck, & D. Johnson
Public Utilities Commission
Capitol Bldg., 1st Floor
500 East Capitol Ave.
Pierre, SD 57501-5070

57501+5070-30 0012



Dear BDM Water User:

As you may know, TransCanada has proposed a path for their pipeline right though an area in Marshall County that is the surface aquifer which flows directly into BDM's water source aquifer. Experts testified at the recent PUC hearing that this is dangerous and places our BDM water source at risk. WE THE PEOPLE must inform the PUC commissioners that this is unacceptable and that there must be a pipeline reroute around this sensitive water intake area. I have enclosed a preaddressed / stamped envelope along with a sheet of paper you may use to jot down your request to the PUC commissioners to order a route around our sensitive water area. Time is very very short.

Thank You,

Kent Moeckly
Britton, SD

RECEIVED

FEB 26 2008

SOUTH DAKOTA PUBLIC
UTILITIES COMMISSION

DEAR PVC COMMISSIONERS

BUILD THE PIPELINE! SD NEEDS
IT. AMERICA NEEDS IT. THE PIPELINE
SHOULD BE SAFE IF IT DOESN'T LEAK
EVEN THEN IT PROBABLY WON'T BE
TOO BAD. THANK YOU FOR THE
OPPORTUNITY TO EXPRESS MY OPINION.

Sincerely

William A. Rock III

BDM WATER SUBSCRIBE

SINCE 1985 1,500,000 gal

13231 412 AVE

ANDOVER SD 57422

605-397-8319