

Billing Period Degree Days

Month-Year	BPDD60		NORM60	
	SD	Rapid City	SD	Rapid City
Jan-12	934	926	1190	1168
Feb-12	945	931	1084	1062
Mar-12	749	739	855	843
Apr-12	296	295	626	625
May-12	214	216	313	320
Jun-12	107	110	97	101
Jul-12	1	1	17	19
Aug-12	0	0	0	0
Sep-12	8	7	47	49
Oct-12	152	152	182	187
Nov-12	564	559	608	609
Dec-12	777	759	964	954
Jan-13	1163	1144	1146	1124
Feb-13	1037	1010	1124	1101
Mar-13	815	797	806	795
Apr-13	772	759	600	599
May-13	511	512	329	337
Jun-13	98	101	95	99
Jul-13	5	5	16	18
Aug-13	0	0	0	0
Sep-13	6	6	43	45
Oct-13	206	217	188	194
Nov-13	680	679	629	630
Dec-13	1043	1027	957	947
Jan-14	1219	1183	1191	1167
Feb-14	1205	1182	1125	1102
Mar-14	981	961	805	794
Apr-14	660	656	591	590
May-14	386	389	328	336
Jun-14	118	122	91	95
Jul-14	16	18	17	19
Aug-14	1	1	0	0
Sep-14	56	59	40	42
Oct-14	153	157	196	202
Nov-14	594	594	641	642
Dec-14	860	844	856	847

71-1

Month-Year	Dth 1/	BPDD60 2/	Days	DD/Day	Dth/Day	Normalized			Normalized	
						NORM60 2/	Heating Use	Baseload	Total Use	
Jan-12	605.0	926	31	29.87097	19.51613					
Feb-12	530.0	931	29	32.10345	18.27586					
Mar-12	590.6	739	31	23.83871	19.05161					
Apr-12	539.4	295	30	9.83333	17.98000					
May-12	510.5	216	31	6.96774	16.46774					
Jun-12	462.2	110	30	3.66667	15.40667					
Jul-12	444.9	1	31	0.03226	14.35161					
Aug-12	407.9	-	31	-	13.15806					
Sep-12	426.2	7	30	0.23333	14.20667					
Oct-12	487.6	152	31	4.90323	15.72903					
Nov-12	474.2	559	30	18.63333	15.80667					
Dec-12	514.6	759	31	24.48387	16.60000					
Jan-13	604.6	1,144	31	36.90323	19.50323					
Feb-13	515.9	1,010	28	36.07143	18.42500					
Mar-13	509.9	797	31	25.70968	16.44839					
Apr-13	541.1	759	30	25.30000	18.03667					
May-13	513.0	512	31	16.51613	16.54839					
Jun-13	471.2	101	30	3.36667	15.70667					
Jul-13	432.2	5	31	0.16129	13.94194					
Aug-13	390.1	-	31	-	12.58387					
Sep-13	402.5	6	30	0.20000	13.41667					
Oct-13	501.6	217	31	7.00000	16.18065					
Nov-13	422.9	679	30	22.63333	14.09667					
Dec-13	546.1	1,027	31	33.12903	17.61613					
Jan-14	630.0	1,183	31	38.16129	20.32258	1167	154.7	432.9	587.6	
Feb-14	515.2	1,182	28	42.21429	18.40000	1102	146.1	391.0	537.1	
Mar-14	519.8	961	31	31.00000	16.76774	794	105.2	432.9	538.1	
Apr-14	537.7	656	30	21.86667	17.92333	590	78.2	418.9	497.1	
May-14	444.3	389	31	12.54839	14.33226	336	44.5	432.9	477.4	
Jun-14	452.0	122	30	4.06667	15.06667	95	12.6	418.9	431.5	
Jul-14	420.9	18	31	0.58065	13.57742	19	2.5	432.9	435.4	
Aug-14	347.0	1	31	0.03226	11.19355	0	-	432.9	432.9	
Sep-14	417.1	59	30	1.96667	13.90333	42	5.6	418.9	424.5	
Oct-14	446.4	157	31	5.06452	14.40000	202	26.8	432.9	459.7	
Nov-14	427.5	594	30	19.80000	14.25000	642	85.1	418.9	504.0	
Dec-14	574.4	844	31	27.22581	18.52903	847	112.3	432.9	545.2	
						Totals	773.6	5,096.9	5,870.5	

Slope	Intercept	R <sup>2</sup>
0.13254	13.96358	0.66571

1/ Reflects billed dk per month.  
 2/ Reflects billing period degree days.

1-22

71-6

Month-Year	Dth 1/	BPDD60 2/	Days	DD/Day	Dth/Day	Normalized			
						NORM60 2/ Heating Use	Baseload	Total Use	
Jan-12	843.6	926	31	29.87097	27.21290				
Feb-12	865.8	931	29	32.10345	29.85517				
Mar-12	836.3	739	31	23.83871	26.97742				
Apr-12	654.7	295	30	9.83333	21.82333				
May-12	629.6	216	31	6.96774	20.30968				
Jun-12	651.0	110	30	3.66667	21.70000				
Jul-12	424.2	1	31	0.03226	13.68387				
Aug-12	357.1	-	31	-	11.51935				
Sep-12	324.8	7	30	0.23333	10.82667				
Oct-12	270.6	152	31	4.90323	8.72903				
Nov-12	581.3	559	30	18.63333	19.37667				
Dec-12	563.9	759	31	24.48387	18.19032				
Jan-13	809.6	1,144	31	36.90323	26.11613				
Feb-13	837.1	1,010	28	36.07143	29.89643				
Mar-13	656.2	797	31	25.70968	21.16774				
Apr-13	761.4	759	30	25.30000	25.38000				
May-13	853.1	512	31	16.51613	27.51935				
Jun-13	580.3	101	30	3.36667	19.34333				
Jul-13	456.4	5	31	0.16129	14.72258				
Aug-13	454.2	-	31	-	14.65161				
Sep-13	452.1	6	30	0.20000	15.07000				
Oct-13	409.7	217	31	7.00000	13.21613				
Nov-13	584.4	679	30	22.63333	19.48000				
Dec-13	506.7	1,027	31	33.12903	16.34516				
Jan-14	896.3	1,183	31	38.16129	28.91290	1167	464.5	424.1	888.6
Feb-14	822.5	1,182	28	42.21429	29.37500	1102	438.6	383.1	821.7
Mar-14	874.8	961	31	31.00000	28.21935	794	316.0	424.1	740.1
Apr-14	825.0	656	30	21.86667	27.50000	590	234.8	410.5	645.3
May-14	705.1	389	31	12.54839	22.74516	336	133.7	424.1	557.8
Jun-14	459.2	122	30	4.06667	15.30667	95	37.8	410.5	448.3
Jul-14	363.0	18	31	0.58065	11.70968	19	7.6	424.1	431.7
Aug-14	359.7	1	31	0.03226	11.60323	0	-	424.1	424.1
Sep-14	327.6	59	30	1.96667	10.92000	42	16.7	410.5	427.2
Oct-14	404.8	157	31	5.06452	13.05806	202	80.4	424.1	504.5
Nov-14	394.3	594	30	19.80000	13.14333	642	255.5	410.5	666.0
Dec-14	999.7	844	31	27.22581	32.24839	847	337.1	424.1	761.2
<b>Totals</b>							<b>2,322.7</b>	<b>4,993.8</b>	<b>7,316.5</b>

Slope	Intercept	R <sup>2</sup>
0.39799	13.68222	0.62562

1/ Reflects billed dk per month.  
 2/ Reflects billing period degree days.

1-23

71-9

Month-Year	Dth 1/	BPDD60 2/	Days	DD/Day	Dth/Day	Normalized		Normalized		
						NORM60 2/	Heating Use	Baseload	Total Use	
Jan-12	454.4	926	31	29.87097	14.65806					
Feb-12	358.5	931	29	32.10345	12.36207					
Mar-12	483.7	739	31	23.83871	15.60323					
Apr-12	277.2	295	30	9.83333	9.24000					
May-12	307.6	216	31	6.96774	9.92258					
Jun-12	260.5	110	30	3.66667	8.68333					
Jul-12	288.6	1	31	0.03226	9.30968					
Aug-12	265.2	-	31	-	8.55484					
Sep-12	238.1	7	30	0.23333	7.93667					
Oct-12	282.0	152	31	4.90323	9.09677					
Nov-12	277.4	559	30	18.63333	9.24667					
Dec-12	390.7	759	31	24.48387	12.60323					
Jan-13	521.4	1,144	31	36.90323	16.81935					
Feb-13	374.2	1,010	28	36.07143	13.36429					
Mar-13	409.3	797	31	25.70968	13.20323					
Apr-13	375.1	759	30	25.30000	12.50333					
May-13	405.4	512	31	16.51613	13.07742					
Jun-13	271.7	101	30	3.36667	9.05667					
Jul-13	233.3	5	31	0.16129	7.52581					
Aug-13	181.4	-	31	-	5.85161					
Sep-13	195.7	6	30	0.20000	6.52333					
Oct-13	290.0	217	31	7.00000	9.35484					
Nov-13	306.2	679	30	22.63333	10.20667					
Dec-13	374.2	1,027	31	33.12903	12.07097					
Jan-14	493.9	1,183	31	38.16129	15.93226	1167	216.1	243.4	459.5	
Feb-14	354.1	1,182	28	42.21429	12.64643	1102	204.1	219.8	423.9	
Mar-14	377.3	961	31	31.00000	12.17097	794	147.0	243.4	390.4	
Apr-14	334.6	656	30	21.86667	11.15333	590	109.3	235.5	344.8	
May-14	263.7	389	31	12.54839	8.50645	336	62.2	243.4	305.6	
Jun-14	251.7	122	30	4.06667	8.39000	95	17.6	235.5	253.1	
Jul-14	248.8	18	31	0.58065	8.02581	19	3.5	243.4	246.9	
Aug-14	204.5	1	31	0.03226	6.59677	0	-	243.4	243.4	
Sep-14	266.6	59	30	1.96667	8.88667	42	7.8	235.5	243.3	
Oct-14	296.4	157	31	5.06452	9.56129	202	37.4	243.4	280.8	
Nov-14	283.5	594	30	19.80000	9.45000	642	118.9	235.5	354.4	
Dec-14	603.4	860	31	27.74194	19.46452	847	156.9	243.4	400.3	
<b>Totals</b>							<b>1,080.8</b>	<b>2,865.6</b>	<b>3,946.4</b>	

Slope	Intercept	R <sup>2</sup>
0.18519	7.8508	0.67188

1/ Reflects billed dk per month.  
 2/ Reflects billing period degree days.

1-24

85-10

Month-Year	Dth 1/	BPDD60 2/	Days	DD/Day	Dth/Day	Normalized			
						NORM60 2/	Heating Use	Baseload	Total Use
Jan-12	7,757.0	926	31	29.87097	250.22581				
Feb-12	7,315.9	931	29	32.10345	252.27241				
Mar-12	9,029.7	739	31	23.83871	291.28065				
Apr-12	5,287.2	295	30	9.83333	176.24000				
May-12	5,166.4	216	31	6.96774	166.65806				
Jun-12	4,457.4	110	30	3.66667	148.58000				
Jul-12	3,500.6	1	31	0.03226	112.92258				
Aug-12	3,815.7	-	31	-	123.08710				
Sep-12	2,673.4	7	30	0.23333	89.11333				
Oct-12	3,556.3	152	31	4.90323	114.71935				
Nov-12	5,137.5	559	30	18.63333	171.25000				
Dec-12	7,149.5	759	31	24.48387	230.62903				
Jan-13	9,280.4	1,144	31	36.90323	299.36774				
Feb-13	6,828.8	1,010	28	36.07143	243.88571				
Mar-13	7,772.0	797	31	25.70968	250.70968				
Apr-13	7,576.1	759	30	25.30000	252.53667				
May-13	7,514.9	512	31	16.51613	242.41613				
Jun-13	3,783.2	101	30	3.36667	126.10667				
Jul-13	3,644.5	5	31	0.16129	117.56452				
Aug-13	2,887.5	-	31	-	93.14516				
Sep-13	2,813.2	6	30	0.20000	93.77333				
Oct-13	4,336.2	217	31	7.00000	139.87742				
Nov-13	4,668.6	679	30	22.63333	155.62000				
Dec-13	7,179.9	1,027	31	33.12903	231.60968				
Jan-14	9,607.6	1,183	31	38.16129	309.92258	1167	5,278.0	3,543.4	8,821.4
Feb-14	7,376.9	1,182	28	42.21429	263.46071	1102	4,984.0	3,200.5	8,184.5
Mar-14	8,427.5	961	31	31.00000	271.85484	794	3,591.0	3,543.4	7,134.4
Apr-14	6,924.1	656	30	21.86667	230.80333	590	2,668.4	3,429.1	6,097.5
May-14	6,548.1	389	31	12.54839	211.22903	336	1,519.6	3,543.4	5,063.0
Jun-14	4,324.7	122	30	4.06667	144.15667	95	429.7	3,429.1	3,858.8
Jul-14	4,031.3	18	31	0.58065	130.04194	19	85.9	3,543.4	3,629.3
Aug-14	3,099.5	1	31	0.03226	99.98387	0	-	3,543.4	3,543.4
Sep-14	2,974.1	59	30	1.96667	99.13667	42	190.0	3,429.1	3,619.1
Oct-14	4,602.9	157	31	5.06452	148.48065	202	913.6	3,543.4	4,457.0
Nov-14	4,336.1	594	30	19.80000	144.53667	642	2,903.6	3,429.1	6,332.7
Dec-14	7,685.1	844	31	27.22581	247.90645	847	3,830.7	3,543.4	7,374.1
<b>Totals</b>							<b>26,394.5</b>	<b>41,720.7</b>	<b>68,115.2</b>

Slope	Intercept	R <sup>2</sup>
4.52271	114.30192	0.82767

1/ Reflects billed dk per month.  
 2/ Reflects billing period degree days.

1-25

641-1

Month-Year	Customers	Dth 1/	BPDD60 2/	Days	Dth/cust	DD/Day	Dth/Day/Cus	NORM60 2/	Normalized		Normalized	
									Heating Use	Baseload	Total Use	Normalized
									Per Cust	Per Cust	Per Cust	d Use
Jan-12	1	52,145.0	926	31	52,145.0	29.87097	1,682.09677					
Feb-12	1	55,424.5	931	29	55,424.5	32.10345	1,911.18966					
Mar-12	1	55,163.2	739	31	55,163.2	23.83871	1,779.45806					
Apr-12	1	25,775.1	295	30	25,775.1	9.83333	859.17000					
May-12	1	20,166.3	216	31	20,166.3	6.96774	650.52581					
Jun-12	1	12,152.4	110	30	12,152.4	3.66667	405.08000					
Jul-12	1	5,204.4	1	31	5,204.4	0.03226	167.88387					
Aug-12	1	3,681.4	0	31	3,681.4	-	118.75484					
Sep-12	1	3,568.7	7	30	3,568.7	0.23333	118.95667					
Oct-12	1	5,159.3	152	31	5,159.3	4.90323	166.42903					
Nov-12	1	21,611.7	559	30	21,611.7	18.63333	720.39000					
Dec-12	1	31,363.0	759	31	31,363.0	24.48387	1,011.70968					
Jan-13	1	48,579.8	1144	31	48,579.8	36.90323	1,567.09032					
Feb-13	1	52,132.9	1010	28	52,132.9	36.07143	1,861.88929					
Mar-13	1	41,722.1	797	31	41,722.1	25.70968	1,345.87419					
Apr-13	1	39,890.1	759	30	39,890.1	25.30000	1,329.67000					
May-13	1	31,968.8	512	31	31,968.8	16.51613	1,031.25161					
Jun-13	1	12,128.6	101	30	12,128.6	3.36667	404.28667					
Jul-13	1	5,483.8	5	31	5,483.8	0.16129	176.89677					
Aug-13	1	3,522.1	0	31	3,522.1	-	113.61613					
Sep-13	1	3,675.6	6	30	3,675.6	0.20000	122.52000					
Oct-13	1	5,371.0	217	31	5,371.0	7.00000	173.25806					
Nov-13	1	24,612.5	679	30	24,612.5	22.63333	820.41667					
Dec-13	1	34,850.2	1027	31	34,850.2	33.12903	1,124.20000					
Jan-14	1	56,044.3	1183	31	56,044.3	38.16129	1,807.88065	1167	50,912.6	4,720.0	55,632.6	55,632.6
Feb-14	1	50,886.1	1182	28	50,886.1	42.21429	1,817.36071	1102	48,076.9	4,263.2	52,340.1	52,340.1
Mar-14	1	52,243.2	961	31	52,243.2	31.00000	1,685.26452	794	34,639.8	4,720.0	39,359.8	39,359.8
Apr-14	1	38,413.0	656	30	38,413.0	21.86667	1,280.43333	590	25,739.9	4,567.7	30,307.6	30,307.6
May-14	1	26,229.1	389	31	26,229.1	12.54839	846.10000	336	14,658.6	4,720.0	19,378.6	19,378.6
Jun-14	1	15,557.0	122	30	15,557.0	4.06667	518.56667	95	4,144.6	4,567.7	8,712.3	8,712.3
Jul-14	1	5,752.9	18	31	5,752.9	0.58065	185.57742	19	828.9	4,720.0	5,548.9	5,548.9
Aug-14	1	3,563.4	1	31	3,563.4	0.03226	114.94839	0	-	4,720.0	4,720.0	4,720.0
Sep-14	1	3,885.3	59	30	3,885.3	1.96667	129.51000	42	1,832.3	4,567.7	6,400.0	6,400.0
Oct-14	1	7,382.5	157	31	7,382.5	5.06452	238.14516	202	8,812.6	4,720.0	13,532.6	13,532.6
Nov-14	1	15,062.9	594	30	15,062.9	19.80000	502.09667	642	28,008.5	4,567.7	32,576.2	32,576.2
Dec-14	1	43,069.3	844	31	43,069.3	27.22581	1,389.33226	847	36,952.0	4,720.0	41,672.0	41,672.0
<b>Totals</b>									<b>254,606.7</b>	<b>55,574.0</b>	<b>310,180.7</b>	<b>310,180.7</b>

Slope	Intercept	R <sup>2</sup>
43.62692	152.2581	0.87791

1/ Reflects billed dk per month.  
 2/ Reflects billing period degree days.

1-26

81-1

Month-Year	Dth 1/	BPDD60 2/	Days	DD/Day	Dth/Day	Normalized			
						NORM60 2/	Heating Use	Baseload	Normalized Total Use
Jan-12	572.4	926	31	29.87097	18.46452				
Feb-12	548.4	931	29	32.10345	18.91034				
Mar-12	509.9	739	31	23.83871	16.44839				
Apr-12	297.2	295	30	9.83333	9.90667				
May-12	319.0	216	31	6.96774	10.29032				
Jun-12	297.1	110	30	3.66667	9.90333				
Jul-12	235.3	1	31	0.03226	7.59032				
Aug-12	130.2	-	31	-	4.20000				
Sep-12	145.5	7	30	0.23333	4.85000				
Oct-12	167.0	152	31	4.90323	5.38710				
Nov-12	288.6	559	30	18.63333	9.62000				
Dec-12	428.2	759	31	24.48387	13.81290				
Jan-13	583.6	1,144	31	36.90323	18.82581				
Feb-13	645.3	1,010	28	36.07143	23.04643				
Mar-13	556.1	797	31	25.70968	17.93871				
Apr-13	588.4	759	30	25.30000	19.61333				
May-13	549.1	512	31	16.51613	17.71290				
Jun-13	320.9	101	30	3.36667	10.69667				
Jul-13	271.3	5	31	0.16129	8.75161				
Aug-13	300.9	-	31	-	9.70645				
Sep-13	263.5	6	30	0.20000	8.78333				
Oct-13	289.4	217	31	7.00000	9.33548				
Nov-13	409.6	679	30	22.63333	13.65333				
Dec-13	483.8	1,027	31	33.12903	15.60645				
Jan-14	693.5	1,183	31	38.16129	22.37097	1167	433.9	216.6	650.5
Feb-14	628.3	1,182	28	42.21429	22.43929	1102	409.7	195.6	605.3
Mar-14	631.7	961	31	31.00000	20.37742	794	295.2	216.6	511.8
Apr-14	581.0	656	30	21.86667	19.36667	590	219.4	209.6	429.0
May-14	510.4	389	31	12.54839	16.46452	336	124.9	216.6	341.5
Jun-14	331.2	122	30	4.06667	11.04000	95	35.3	209.6	244.9
Jul-14	176.0	18	31	0.58065	5.67742	19	7.1	216.6	223.7
Aug-14	166.3	1	31	0.03226	5.36452	0	-	216.6	216.6
Sep-14	163.1	59	30	1.96667	5.43667	42	15.6	209.6	225.2
Oct-14	251.0	157	31	5.06452	8.09677	202	75.1	216.6	291.7
Nov-14	179.9	594	30	19.80000	5.99667	642	238.7	209.6	448.3
Dec-14	506.3	844	31	27.22581	16.33226	847	314.9	216.6	531.5
						<b>Totals</b>	<b>2,169.8</b>	<b>2,550.2</b>	<b>4,720.0</b>

Slope	Intercept	R <sup>2</sup>
0.37182	6.98717	0.77525

1/ Reflects billed dk per month.  
 2/ Reflects billing period degree days.

1-27

81-2

Month-Year	Dth 1/	BPDD60 2/	Days	DD/Day	Dth/Day	Normalized		Normalized Total Use		
						NORM60 2/	Heating Use			
Jan-12	976.1	926	31	29.87097	31.48710					
Feb-12	1,021.3	931	29	32.10345	35.21724					
Mar-12	989.9	739	31	23.83871	31.93226					
Apr-12	490.6	295	30	9.83333	16.35333					
May-12	426.7	216	31	6.96774	13.76452					
Jun-12	66.3	110	30	3.66667	2.21000					
Jul-12	-	1	31	0.03226	-					
Aug-12	-	-	31	-	-					
Sep-12	0.1	7	30	0.23333	0.00333					
Oct-12	1.6	152	31	4.90323	0.05161					
Nov-12	571.2	559	30	18.63333	19.04000					
Dec-12	666.9	759	31	24.48387	21.51290					
Jan-13	994.0	1,144	31	36.90323	32.06452					
Feb-13	970.7	1,010	28	36.07143	34.66786					
Mar-13	878.2	797	31	25.70968	28.32903					
Apr-13	741.5	759	30	25.30000	24.71667					
May-13	615.9	512	31	16.51613	19.86774					
Jun-13	426.5	101	30	3.36667	14.21667					
Jul-13	36.0	5	31	0.16129	1.16129					
Aug-13	-	-	31	-	-					
Sep-13	-	6	30	0.20000	-					
Oct-13	28.7	217	31	7.00000	0.92581					
Nov-13	650.0	679	30	22.63333	21.66667					
Dec-13	804.5	1,027	31	33.12903	25.95161					
Jan-14	1,019.3	1,183	31	38.16129	32.88065	1167	1,083.5	36.6	1,120.1	
Feb-14	1,005.6	1,182	28	42.21429	35.91429	1102	1,023.1	33.1	1,056.2	
Mar-14	1,035.8	961	31	31.00000	33.41290	794	737.2	36.6	773.8	
Apr-14	728.5	656	30	21.86667	24.28333	590	547.8	35.4	583.2	
May-14	513.1	389	31	12.54839	16.55161	336	311.9	36.6	348.5	
Jun-14	228.2	122	30	4.06667	7.60667	95	88.2	35.4	123.6	
Jul-14	-	18	31	0.58065	-	19	17.6	36.6	54.2	
Aug-14	0.1	1	31	0.03226	0.00323	0	-	36.6	36.6	
Sep-14	-	59	30	1.96667	-	42	39.0	35.4	74.4	
Oct-14	78.5	157	31	5.06452	2.53226	202	187.5	36.6	224.1	
Nov-14	293.0	594	30	19.80000	9.76667	642	596.0	35.4	631.4	
Dec-14	929.9	844	31	27.22581	29.99677	847	786.4	36.6	823.0	
						<b>Totals</b>	<b>5,418.2</b>	<b>430.9</b>		<b>5,849.1</b>

Slope	Intercept	R <sup>2</sup>
0.92841	1.1814	0.89862

1/ Reflects billed dk per month.  
 2/ Reflects billing period degree days.

1-28



**81-3**

Month-Year	Dth 1/	BPDD60 2/	Days	DD/Day	Dth/Day	Normalized			
						NORM60 2/	Heating Use	Baseload	Total Use
Jan-12	667.8	926	31	29.87097	21.54194				
Feb-12	667.0	931	29	32.10345	23.00000				
Mar-12	687.8	739	31	23.83871	22.18710				
Apr-12	422.0	295	30	9.83333	14.06667				
May-12	378.8	216	31	6.96774	12.21935				
Jun-12	394.4	110	30	3.66667	13.14667				
Jul-12	13.3	1	31	0.03226	0.42903				
Aug-12	12.1	-	31	-	0.39032				
Sep-12	12.7	7	30	0.23333	0.42333				
Oct-12	73.0	152	31	4.90323	2.35484				
Nov-12	387.9	559	30	18.63333	12.93000				
Dec-12	506.3	759	31	24.48387	16.33226				
Jan-13	717.6	1,144	31	36.90323	23.14839				
Feb-13	630.9	1,010	28	36.07143	22.53214				
Mar-13	482.5	797	31	25.70968	15.56452				
Apr-13	495.1	759	30	25.30000	16.50333				
May-13	447.3	512	31	16.51613	14.42903				
Jun-13	362.7	101	30	3.36667	12.09000				
Jul-13	187.2	5	31	0.16129	6.03871				
Aug-13	19.6	-	31	-	0.63226				
Sep-13	17.9	6	30	0.20000	0.59667				
Oct-13	-	217	31	7.00000	-				
Nov-13	379.3	679	30	22.63333	12.64333				
Dec-13	466.4	1,027	31	33.12903	15.04516				
Jan-14	657.2	1,183	31	38.16129	21.20000	1167	598.4	99.5	697.9
Feb-14	579.1	1,182	28	42.21429	20.68214	1102	565.1	89.9	655.0
Mar-14	610.8	961	31	31.00000	19.70323	794	407.1	99.5	506.6
Apr-14	458.8	656	30	21.86667	15.29333	590	302.5	96.3	398.8
May-14	318.0	389	31	12.54839	10.25806	336	172.3	99.5	271.8
Jun-14	306.6	122	30	4.06667	10.22000	95	48.7	96.3	145.0
Jul-14	32.5	18	31	0.58065	1.04839	19	9.7	99.5	109.2
Aug-14	18.0	1	31	0.03226	0.58065	0	-	99.5	99.5
Sep-14	18.6	59	30	1.96667	0.62000	42	21.5	96.3	117.8
Oct-14	135.6	157	31	5.06452	4.37419	202	103.6	99.5	203.1
Nov-14	249.5	594	30	19.80000	8.31667	642	329.2	96.3	425.5
Dec-14	473.3	844	31	27.22581	15.26774	847	434.3	99.5	533.8
<b>Totals</b>							<b>2,992.4</b>	<b>1,171.6</b>	<b>4,164.0</b>

Slope	Intercept	R <sup>2</sup>
0.51275	3.20978	0.77978

1/ Reflects billed dk per month.  
 2/ Reflects billing period degree days.

1-29

81-4

Month-Year	Dth 1/	BPDD60 2/	Days	DD/Day	Dth/Day	NORM60 2/	Normalized Heating Use	Baseload	Normalized Total Use
Jan-12	2,062.9	926	31	29.87097	66.54516	1168			
Feb-12	1,731.8	931	29	32.10345	59.71724	1062			
Mar-12	1,942.8	739	31	23.83871	62.67097	843			
Apr-12	781.4	295	30	9.83333	26.04667	625			
May-12	545.8	216	31	6.96774	17.60645	320			
Jun-12	175.8	110	30	3.66667	5.86000	101			
Jul-12	0.2	1	31	0.03226	0.00645	19			
Aug-12	0.1	-	31	-	0.00323	0			
Sep-12	0.2	7	30	0.23333	0.00667	49			
Oct-12	0.5	152	31	4.90323	0.01613	187			
Nov-12	758.5	559	30	18.63333	25.28333	609			
Dec-12	1,318.1	759	31	24.48387	42.51935	954			
Jan-13	2,053.8	1,144	31	36.90323	66.25161	1124			
Feb-13	2,109.4	1,010	28	36.07143	75.33571	1101			
Mar-13	1,540.9	797	31	25.70968	49.70645	795			
Apr-13	1,339.0	759	30	25.30000	44.63333	599			
May-13	1,205.4	512	31	16.51613	38.88387	337			
Jun-13	204.1	101	30	3.36667	6.80333	99			
Jul-13	45.7	5	31	0.16129	1.47419	18			
Aug-13	0.1	-	31	-	0.00323	0			
Sep-13	-	6	30	0.20000	-	45			
Oct-13	49.0	217	31	7.00000	1.58065	194			
Nov-13	1,158.5	679	30	22.63333	38.61667	630			
Dec-13	1,635.6	1,027	31	33.12903	52.76129	947			
Jan-14	2,294.8	1,183	31	38.16129	74.02581	1167	2,269.1	-	2,269.1
Feb-14	2,140.7	1,182	28	42.21429	76.45357	1102	2,142.7	-	2,142.7
Mar-14	2,155.7	961	31	31.00000	69.53871	794	1,543.8	-	1,543.8
Apr-14	1,693.0	656	30	21.86667	56.43333	590	1,147.2	-	1,147.2
May-14	1,090.7	389	31	12.54839	35.18387	336	653.3	-	653.3
Jun-14	505.8	122	30	4.06667	16.86000	95	184.7	-	184.7
Jul-14	4.1	18	31	0.58065	0.13226	19	36.9	-	36.9
Aug-14	-	1	31	0.03226	-	0	-	-	-
Sep-14	1.0	59	30	1.96667	0.03333	42	81.7	-	81.7
Oct-14	155.0	157	31	5.06452	5.00000	202	392.8	-	392.8
Nov-14	498.6	594	30	19.80000	16.62000	642	1,248.3	-	1,248.3
Dec-14	1,788.9	844	31	27.22581	57.70645	847	1,646.9	-	1,646.9
<b>Totals</b>							<b>11,347.4</b>	<b>-</b>	<b>11,347.4</b>

Slope	Intercept	R <sup>2</sup>
1.94436	-0.28767	0.92186

1/ Reflects billed dk per month.  
 2/ Reflects billing period degree days.

1-30

81-6

Month-Year	Dth 1/	BPDD60 2/	Days	DD/Day	Dth/Day	NORM60 2/	Normalized		Normalized Total Use
							Heating Use	Baseload	
Jan-12	5,405.0	926	31	29.87097	174.35484				
Feb-12	5,298.3	931	29	32.10345	182.70000				
Mar-12	5,325.5	739	31	23.83871	171.79032				
Apr-12	2,151.5	295	30	9.83333	71.71667				
May-12	1,746.6	216	31	6.96774	56.34194				
Jun-12	115.1	110	30	3.66667	3.83667				
Jul-12	40.7	1	31	0.03226	1.31290				
Aug-12	25.9	-	31	-	0.83548				
Sep-12	38.1	7	30	0.23333	1.27000				
Oct-12	254.4	152	31	4.90323	8.20645				
Nov-12	3,487.7	559	30	18.63333	116.25667				
Dec-12	4,099.3	759	31	24.48387	132.23548				
Jan-13	5,810.2	1,144	31	36.90323	187.42581				
Feb-13	6,207.3	1,010	28	36.07143	221.68929				
Mar-13	4,784.9	797	31	25.70968	154.35161				
Apr-13	4,929.1	759	30	25.30000	164.30333				
May-13	3,872.5	512	31	16.51613	124.91935				
Jun-13	786.4	101	30	3.36667	26.21333				
Jul-13	410.8	5	31	0.16129	13.25161				
Aug-13	-	-	31	-	-				
Sep-13	-	6	30	0.20000	-				
Oct-13	621.4	217	31	7.00000	20.04516				
Nov-13	3,997.2	679	30	22.63333	133.24000				
Dec-13	4,551.2	1,027	31	33.12903	146.81290				
Jan-14	5,193.1	1,183	31	38.16129	167.51935	1167	6,121.1	168.4	6,289.5
Feb-14	5,535.8	1,182	28	42.21429	197.70714	1102	5,780.2	152.1	5,932.3
Mar-14	5,029.8	961	31	31.00000	162.25161	794	4,164.7	168.4	4,333.1
Apr-14	4,065.1	656	30	21.86667	135.50333	590	3,094.7	163.0	3,257.7
May-14	2,889.4	389	31	12.54839	93.20645	336	1,762.4	168.4	1,930.8
Jun-14	1,567.4	122	30	4.06667	52.24667	95	498.3	163.0	661.3
Jul-14	5.7	18	31	0.58065	0.18387	19	99.7	168.4	268.1
Aug-14	-	1	31	0.03226	-	0	-	168.4	168.4
Sep-14	-	59	30	1.96667	-	42	220.3	163.0	383.3
Oct-14	810.5	157	31	5.06452	26.14516	202	1,059.5	168.4	1,227.9
Nov-14	1,985.6	594	30	19.80000	66.18667	642	3,367.4	163.0	3,530.4
Dec-14	4,673.8	844	31	27.22581	150.76774	847	4,442.7	168.4	4,611.1
<b>Totals</b>							<b>30,611.0</b>	<b>1,982.9</b>	<b>32,593.9</b>

Slope	Intercept	R <sup>2</sup>
5.2452	5.43325	0.92842

1/ Reflects billed dk per month.  
 2/ Reflects billing period degree days.

1-31

81-21

	Dth 1/	BPDD60 2/	Days	DD/Day	Dth/Day	Normalized			
						NORM60 2/	Heating Use	Baseload	Normalized Total Use
Jan-12	3,235.1	926	31	29.87097	104.35806				
Feb-12	3,739.0	931	29	32.10345	128.93103				
Mar-12	3,732.6	739	31	23.83871	120.40645				
Apr-12	1,168.9	295	30	9.83333	38.96333				
May-12	1,088.9	216	31	6.96774	35.12581				
Jun-12	915.2	110	30	3.66667	30.50667				
Jul-12	1,583.4	1	31	0.03226	51.07742				
Aug-12	293.3	-	31	-	9.46129				
Sep-12	504.5	7	30	0.23333	16.81667				
Oct-12	855.9	152	31	4.90323	27.60968				
Nov-12	1,275.3	559	30	18.63333	42.51000				
Dec-12	1,730.5	759	31	24.48387	55.82258				
Jan-13	3,083.8	1,144	31	36.90323	99.47742				
Feb-13	3,892.8	1,010	28	36.07143	139.02857				
Mar-13	3,062.7	797	31	25.70968	98.79677				
Apr-13	2,661.1	759	30	25.30000	88.70333				
May-13	1,920.8	512	31	16.51613	61.96129				
Jun-13	287.7	101	30	3.36667	9.59000				
Jul-13	-	5	31	0.16129	-				
Aug-13	-	-	31	-	-				
Sep-13	1.8	6	30	0.20000	0.06000				
Oct-13	0.9	217	31	7.00000	0.02903				
Nov-13	1,852.9	679	30	22.63333	61.76333				
Dec-13	2,810.0	1,027	31	33.12903	90.64516				
Jan-14	3,684.3	1,183	31	38.16129	118.84839	1167	3,741.1	156.0	3,897.1
Feb-14	3,813.4	1,182	28	42.21429	136.19286	1102	3,532.7	140.9	3,673.6
Mar-14	4,430.8	961	31	31.00000	142.92903	794	2,545.4	156.0	2,701.4
Apr-14	2,848.1	656	30	21.86667	94.93667	590	1,891.4	151.0	2,042.4
May-14	1,426.4	389	31	12.54839	46.01290	336	1,077.1	156.0	1,233.1
Jun-14	509.9	122	30	4.06667	16.99667	95	304.5	151.0	455.5
Jul-14	-	18	31	0.58065	-	19	60.9	156.0	216.9
Aug-14	-	1	31	0.03226	-	0	-	156.0	156.0
Sep-14	-	59	30	1.96667	-	42	134.6	151.0	285.6
Oct-14	224.1	157	31	5.06452	7.22903	202	647.6	156.0	803.6
Nov-14	775.6	594	30	19.80000	25.85333	642	2,058.1	151.0	2,209.1
Dec-14	2,954.1	844	31	27.22581	95.29355	847	2,715.3	156.0	2,871.3
<b>Totals</b>							<b>18,708.7</b>	<b>1,836.9</b>	<b>20,545.6</b>

Slope	Intercept	R <sup>2</sup>
3.20574	5.03372	0.84422

1/ Reflects billed dk per month.  
 2/ Reflects billing period degree days.

1-32

81-22

Month-Year	Dth 1/	BPDD60 2/	Days	DD/Day	Dth/Day	Normalized			
						NORM60 2/ Heating Use	Baseload	Total Use	
Jan-12	2,612.0	926	31	29.87097	84.25806				
Feb-12	2,697.3	931	29	32.10345	93.01034				
Mar-12	2,490.2	739	31	23.83871	80.32903				
Apr-12	1,001.8	295	30	9.83333	33.39333				
May-12	763.0	216	31	6.96774	24.61290				
Jun-12	124.9	110	30	3.66667	4.16333				
Jul-12	-	1	31	0.03226	-				
Aug-12	-	-	31	-	-				
Sep-12	-	7	30	0.23333	-				
Oct-12	-	152	31	4.90323	-				
Nov-12	1,017.4	559	30	18.63333	33.91333				
Dec-12	1,598.2	759	31	24.48387	51.55484				
Jan-13	2,729.3	1,144	31	36.90323	88.04194				
Feb-13	2,649.9	1,010	28	36.07143	94.63929				
Mar-13	2,220.8	797	31	25.70968	71.63871				
Apr-13	2,005.5	759	30	25.30000	66.85000				
May-13	1,645.9	512	31	16.51613	53.09355				
Jun-13	307.2	101	30	3.36667	10.24000				
Jul-13	6.2	5	31	0.16129	0.20000				
Aug-13	3.6	-	31	-	0.11613				
Sep-13	-	6	30	0.20000	-				
Oct-13	-	217	31	7.00000	-				
Nov-13	1,416.9	679	30	22.63333	47.23000				
Dec-13	1,971.5	1,027	31	33.12903	63.59677				
Jan-14	3,251.1	1,183	31	38.16129	104.87419	1167	3,079.3	-	3,079.3
Feb-14	2,859.9	1,182	28	42.21429	102.13929	1102	2,907.8	-	2,907.8
Mar-14	2,922.0	961	31	31.00000	94.25806	794	2,095.1	-	2,095.1
Apr-14	2,105.4	656	30	21.86667	70.18000	590	1,556.8	-	1,556.8
May-14	1,231.7	389	31	12.54839	39.73226	336	886.6	-	886.6
Jun-14	413.5	122	30	4.06667	13.78333	95	250.7	-	250.7
Jul-14	0.9	18	31	0.58065	0.02903	19	50.1	-	50.1
Aug-14	-	1	31	0.03226	-	0	-	-	-
Sep-14	-	59	30	1.96667	-	42	110.8	-	110.8
Oct-14	273.5	157	31	5.06452	8.82258	202	533.0	-	533.0
Nov-14	757.2	594	30	19.80000	25.24000	642	1,694.0	-	1,694.0
Dec-14	2,499.7	844	31	27.22581	80.63548	847	2,234.9	-	2,234.9
<b>Totals</b>							<b>15,399.1</b>	<b>-</b>	<b>15,399.1</b>

Slope	Intercept	R <sup>2</sup>
2.63862	-1.47523	0.92773

- 1/ Reflects billed dk per month.
- 2/ Reflects billing period degree days.
- 3/ Baseload is on the customer's rate 70 meter.

1-33

81-23

Month-Year	Dth 1/	BPDD60 2/	Days	DD/Day	Dth/Day	Normalized		Normalized Total Use	
						NORM60 2/	Heating Use Baseload		
Jan-12	187.4	926	31	29.87097	6.04516				
Feb-12	212.6	931	29	32.10345	7.33103				
Mar-12	226.9	739	31	23.83871	7.31935				
Apr-12	78.4	295	30	9.83333	2.61333				
May-12	50.5	216	31	6.96774	1.62903				
Jun-12	2.8	110	30	3.66667	0.09333				
Jul-12	-	1	31	0.03226	-				
Aug-12	-	-	31	-	-				
Sep-12	-	7	30	0.23333	-				
Oct-12	-	152	31	4.90323	-				
Nov-12	92.6	559	30	18.63333	3.08667				
Dec-12	152.8	759	31	24.48387	4.92903				
Jan-13	230.8	1,144	31	36.90323	7.44516				
Feb-13	261.2	1,010	28	36.07143	9.32857				
Mar-13	214.8	797	31	25.70968	6.92903				
Apr-13	184.7	759	30	25.30000	6.15667				
May-13	141.3	512	31	16.51613	4.55806				
Jun-13	19.7	101	30	3.36667	0.65667				
Jul-13	-	5	31	0.16129	-				
Aug-13	-	-	31	-	-				
Sep-13	-	6	30	0.20000	-				
Oct-13	-	217	31	7.00000	-				
Nov-13	133.2	679	30	22.63333	4.44000				
Dec-13	179.9	1,027	31	33.12903	5.80323				
Jan-14	294.3	1,183	31	38.16129	9.49355	1167	274.5	-	274.5
Feb-14	266.3	1,182	28	42.21429	9.51071	1102	259.2	-	259.2
Mar-14	259.3	961	31	31.00000	8.36452	794	186.7	-	186.7
Apr-14	162.0	656	30	21.86667	5.40000	590	138.8	-	138.8
May-14	95.6	389	31	12.54839	3.08387	336	79.0	-	79.0
Jun-14	31.0	122	30	4.06667	1.03333	95	22.3	-	22.3
Jul-14	-	18	31	0.58065	-	19	4.5	-	4.5
Aug-14	-	1	31	0.03226	-	0	-	-	-
Sep-14	-	59	30	1.96667	-	42	9.9	-	9.9
Oct-14	14.4	157	31	5.06452	0.46452	202	47.5	-	47.5
Nov-14	47.2	594	30	19.80000	1.57333	642	151.0	-	151.0
Dec-14	181.4	844	31	27.22581	5.85161	847	199.2	-	199.2
<b>Totals</b>							<b>1,372.6</b>	<b>-</b>	<b>1,372.6</b>

Slope	Intercept	R <sup>2</sup>
0.2352	-0.27789	0.92734

- 1/ Reflects billed dk per month.
- 2/ Reflects billing period degree days.
- 3/ Baseload is on the customer's rate 70 meter.

1-34

81-24

Month-Year	Dth 1/	BPDD60 2/	Days	DD/Day	Dth/Day	Normalized		Normalized	
						NORM60 2/	Heating Use		Baseload
Jan-12	153.2	926	31	29.87097	4.94194				
Feb-12	201.1	931	29	32.10345	6.93448				
Mar-12	180.8	739	31	23.83871	5.83226				
Apr-12	18.4	295	30	9.83333	0.61333				
May-12	4.1	216	31	6.96774	0.13226				
Jun-12	-	110	30	3.66667	-				
Jul-12	-	1	31	0.03226	-				
Aug-12	-	-	31	-	-				
Sep-12	-	7	30	0.23333	-				
Oct-12	-	152	31	4.90323	-				
Nov-12	20.8	559	30	18.63333	0.69333				
Dec-12	81.1	759	31	24.48387	2.61613				
Jan-13	198.3	1,144	31	36.90323	6.39677				
Feb-13	273.7	1,010	28	36.07143	9.77500				
Mar-13	178.1	797	31	25.70968	5.74516				
Apr-13	178.0	759	30	25.30000	5.93333				
May-13	129.9	512	31	16.51613	4.19032				
Jun-13	11.0	101	30	3.36667	0.36667				
Jul-13	-	5	31	0.16129	-				
Aug-13	-	-	31	-	-				
Sep-13	23.2	6	30	0.20000	0.77333				
Oct-13	-	217	31	7.00000	-				
Nov-13	60.5	679	30	22.63333	2.01667				
Dec-13	99.6	1,027	31	33.12903	3.21290				
Jan-14	317.0	1,183	31	38.16129	10.22581	1167	253.1	-	253.1
Feb-14	243.4	1,182	28	42.21429	8.69286	1102	239.0	-	239.0
Mar-14	270.0	961	31	31.00000	8.70968	794	172.2	-	172.2
Apr-14	140.9	656	30	21.86667	4.69667	590	127.9	-	127.9
May-14	54.3	389	31	12.54839	1.75161	336	72.9	-	72.9
Jun-14	5.2	122	30	4.06667	0.17333	95	20.6	-	20.6
Jul-14	-	18	31	0.58065	-	19	4.1	-	4.1
Aug-14	-	1	31	0.03226	-	0	-	-	-
Sep-14	-	59	30	1.96667	-	42	9.1	-	9.1
Oct-14	1.0	157	31	5.06452	0.03226	202	43.8	-	43.8
Nov-14	1.8	594	30	19.80000	0.06000	642	139.2	-	139.2
Dec-14	188.8	844	31	27.22581	6.09032	847	183.7	-	183.7
						Totals	1,265.6	-	1,265.6

Slope	Intercept	R <sup>2</sup>
0.21686	-0.61534	0.80345

- 1/ Reflects billed dk per month.
- 2/ Reflects billing period degree days.
- 3/ Baseload is on the customer's rate 70 meter.

1-35

82-1

Month-Year	Dth 1/	BPDD60 2/	Days	DD/Day	Dth/Day	Normalized				
						NORM60 2/	Heating Use	Baseload	Normalized Total Use	
Jan-12	8,971.6	926	31	29.87097	289.40645					
Feb-12	9,119.1	931	29	32.10345	314.45172					
Mar-12	8,963.6	739	31	23.83871	289.14839					
Apr-12	7,157.5	295	30	9.83333	238.58333					
May-12	6,238.9	216	31	6.96774	201.25484					
Jun-12	5,730.4	110	30	3.66667	191.01333					
Jul-12	4,644.1	1	31	0.03226	149.80968					
Aug-12	4,391.1	-	31	-	141.64839					
Sep-12	4,982.2	7	30	0.23333	166.07333					
Oct-12	5,356.8	152	31	4.90323	172.80000					
Nov-12	7,018.3	559	30	18.63333	233.94333					
Dec-12	7,604.6	759	31	24.48387	245.30968					
Jan-13	9,438.7	1,144	31	36.90323	304.47419					
Feb-13	9,378.9	1,010	28	36.07143	334.96071					
Mar-13	8,151.0	797	31	25.70968	262.93548					
Apr-13	8,617.3	759	30	25.30000	287.24333					
May-13	7,929.3	512	31	16.51613	255.78387					
Jun-13	6,095.9	101	30	3.36667	203.19667					
Jul-13	4,933.8	5	31	0.16129	159.15484					
Aug-13	4,631.1	-	31	-	149.39032					
Sep-13	4,702.9	6	30	0.20000	156.76333					
Oct-13	5,168.1	217	31	7.00000	166.71290					
Nov-13	7,454.5	679	30	22.63333	248.48333					
Dec-13	8,407.5	1,027	31	33.12903	271.20968					
Jan-14	8,799.6	1,183	31	38.16129	283.85806	1167	4,622.0	5,217.5	9,839.5	
Feb-14	9,434.9	1,182	28	42.21429	336.96071	1102	4,364.6	4,712.6	9,077.2	
Mar-14	8,845.3	961	31	31.00000	285.33226	794	3,144.7	5,217.5	8,362.2	
Apr-14	8,034.5	656	30	21.86667	267.81667	590	2,336.7	5,049.2	7,385.9	
May-14	7,538.0	389	31	12.54839	243.16129	336	1,330.8	5,217.5	6,548.3	
Jun-14	6,632.6	122	30	4.06667	221.08667	95	376.3	5,049.2	5,425.5	
Jul-14	5,808.3	18	31	0.58065	187.36452	19	75.3	5,217.5	5,292.8	
Aug-14	5,297.3	1	31	0.03226	170.88065	0	-	5,217.5	5,217.5	
Sep-14	5,188.2	59	30	1.96667	172.94000	42	166.3	5,049.2	5,215.5	
Oct-14	5,779.5	157	31	5.06452	186.43548	202	800.0	5,217.5	6,017.5	
Nov-14	6,564.8	594	30	19.80000	218.82667	642	2,542.7	5,049.2	7,591.9	
Dec-14	9,070.8	844	31	27.22581	292.60645	847	3,354.6	5,217.5	8,572.1	
						<b>Totals</b>	<b>23,114.0</b>	<b>61,431.9</b>	<b>84,545.9</b>	

Slope	Intercept	R <sup>2</sup>
3.96058	168.30539	0.8885

1/ Reflects billed dk per month.  
 2/ Reflects billing period degree days.

1-36



82-2

Month-Year	Dth 1/	BPDD60 2/	Days	DD/Day	Dth/Day	Normalized			
						NORM60 2/	Heating Use	Baseload	Total Use
Jan-12	7,842.3	926	31	29.87097	252.97742				
Feb-12	8,212.8	931	29	32.10345	283.20000				
Mar-12	7,621.7	739	31	23.83871	245.86129				
Apr-12	4,452.7	295	30	9.83333	148.42333				
May-12	2,058.4	216	31	6.96774	66.40000				
Jun-12	3,335.4	110	30	3.66667	111.18000				
Jul-12	2,373.1	1	31	0.03226	76.55161				
Aug-12	1,846.5	-	31	-	59.56452				
Sep-12	2,133.1	7	30	0.23333	71.10333				
Oct-12	2,734.4	152	31	4.90323	88.20645				
Nov-12	5,362.6	559	30	18.63333	178.75333				
Dec-12	6,900.3	759	31	24.48387	222.59032				
Jan-13	8,340.4	1,144	31	36.90323	269.04516				
Feb-13	8,878.6	1,010	28	36.07143	317.09286				
Mar-13	7,069.0	797	31	25.70968	228.03226				
Apr-13	6,991.0	759	30	25.30000	233.03333				
May-13	6,163.3	512	31	16.51613	198.81613				
Jun-13	3,362.1	101	30	3.36667	112.07000				
Jul-13	2,547.4	5	31	0.16129	82.17419				
Aug-13	2,179.9	-	31	-	70.31935				
Sep-13	2,277.4	6	30	0.20000	75.91333				
Oct-13	2,976.2	217	31	7.00000	96.00645				
Nov-13	5,625.4	679	30	22.63333	187.51333				
Dec-13	6,827.1	1,027	31	33.12903	220.22903				
Jan-14	7,432.9	1,183	31	38.16129	239.77097	1167	6,338.9	2,434.9	8,773.8
Feb-14	7,894.3	1,182	28	42.21429	281.93929	1102	5,985.9	2,199.3	8,185.2
Mar-14	7,775.1	961	31	31.00000	250.80968	794	4,312.9	2,434.9	6,747.8
Apr-14	6,296.4	656	30	21.86667	209.88000	590	3,204.8	2,356.4	5,561.2
May-14	5,449.1	389	31	12.54839	175.77742	336	1,825.1	2,434.9	4,260.0
Jun-14	4,258.9	122	30	4.06667	141.96333	95	516.0	2,356.4	2,872.4
Jul-14	3,153.9	18	31	0.58065	101.73871	19	103.2	2,434.9	2,538.1
Aug-14	2,521.2	1	31	0.03226	81.32903	0	-	2,434.9	2,434.9
Sep-14	2,078.5	59	30	1.96667	69.28333	42	228.1	2,356.4	2,584.5
Oct-14	2,726.2	157	31	5.06452	87.94194	202	1,097.2	2,434.9	3,532.1
Nov-14	4,227.0	594	30	19.80000	140.90000	642	3,487.2	2,356.4	5,843.6
Dec-14	7,008.9	844	31	27.22581	226.09355	847	4,600.7	2,434.9	7,035.6
<b>Totals</b>							<b>31,700.0</b>	<b>28,669.2</b>	<b>60,369.2</b>

Slope	Intercept	R <sup>2</sup>
5.43181	78.54504	0.9048

1/ Reflects billed dk per month.  
 2/ Reflects billing period degree days.

1-37

Rate 710														
Location/Notes	Year Ending	Total	January	February	March	April	May	June	July	August	September	October	November	December
71-12	12/31/2012	1,791.9	187.2	172.9	180.2	159.2	190.5	135.1	124.1	95.8	90.9	106.8	167.3	181.9
	12/31/2013	2,107.1	200.7	228.2	215.7	219.8	225.8	197.6	143.1	145.1	151.1	107.2	129.4	143.4
	12/31/2014	2,145.2	238.5	225.7	232.9	190.5	198.3	162.7	160.0	152.3	147.3	117.1	157.1	162.8
Use 3 year average	Average	2,014.7	208.8	208.9	209.6	189.8	204.9	165.1	142.4	131.1	129.8	110.4	151.3	162.7
	'14 variance	6.48%	14.22%	8.04%	11.12%	0.37%	-3.22%	-1.45%	12.36%	16.17%	13.48%	6.07%	3.83%	0.06%
71-13	12/31/2012	2,781.6	297.0	165.1	228.9	237.0	280.4	274.3	259.5	258.4	152.2	231.8	162.5	234.5
	12/31/2013	2,444.6	90.1	107.9	130.9	156.5	205.8	355.6	273.0	262.3	223.5	262.6	188.0	188.4
	12/31/2014	2,909.6	125.1	134.1	164.1	187.6	239.5	324.7	309.8	256.7	318.4	352.3	317.8	179.5
Use 3 year average	Average	2,711.9	170.7	135.7	174.6	193.7	241.9	318.2	280.8	259.1	231.4	282.2	222.8	200.8
	'14 variance	7.29%	-26.71%	-1.18%	-6.01%	-3.15%	-0.99%	2.04%	10.33%	-0.93%	37.60%	24.84%	42.64%	-10.61%

1-38

Rate 810														
Location/Notes	Year Ending	Total	January	February	March	April	May	June	July	August	September	October	November	December
81-7	12/31/2012	15,874.1	789.0	1,782.8	1,841.7	1,411.4	1,260.8	1,141.1	1,213.5	1,612.3	1,269.2	1,366.1	709.6	1,476.6
	12/31/2013	15,109.7	733.2	1,094.8	1,249.0	706.7	2,061.0	957.8	1,517.0	1,558.5	1,774.5	946.0	1,533.8	977.4
	12/31/2014	16,248.7	1,581.8	936.9	2,079.2	1,527.6	2,048.0	1,665.0	1,640.0	107.9	1,606.1	2,119.0	937.2	-
Use 3 year average	Average	15,744.2	1,034.7	1,271.5	1,723.3	1,215.2	1,789.9	1,254.6	1,456.8	1,092.9	1,549.9	1,477.0	1,060.2	818.0
	'14 variance	3.20%	52.88%	-26.32%	20.65%	25.71%	14.42%	32.71%	12.58%	-90.13%	3.63%	43.47%	-11.60%	-100.00%
81-8	12/31/2012	14,842.3	1,286.2	1,294.5	1,213.1	1,183.8	1,179.1	1,111.7	1,112.6	1,165.1	1,274.5	1,170.4	1,428.5	1,422.8
	12/31/2013	15,610.9	1,487.8	1,650.3	1,252.1	1,332.0	1,324.5	1,226.3	1,155.6	1,268.8	1,232.3	1,187.3	1,282.1	1,211.8
	12/31/2014	14,950.1	1,215.4	1,219.6	1,158.3	1,153.2	1,194.4	1,157.7	1,252.6	1,203.5	1,230.0	1,238.5	1,411.9	1,515.0
Use 3 year average	Average	15,134.4	1,329.8	1,388.1	1,207.8	1,223.0	1,232.7	1,165.2	1,173.6	1,212.5	1,245.6	1,198.7	1,374.2	1,383.2
	'14 variance	-1.22%	-8.60%	-12.14%	-4.10%	-5.71%	-3.11%	-0.64%	6.73%	-0.74%	-1.25%	3.32%	2.74%	9.53%
81-9	12/31/2012	19,426.2	545.1	-	-	-	2,854.0	2,304.5	3,965.3	2,824.6	1,736.6	1,841.1	1,897.5	1,457.5
	12/31/2013	11,082.1	634.1	-	1.9	-	217.3	1,133.7	1,608.3	1,734.4	1,191.5	973.7	1,426.2	2,161.0
	12/31/2014	16,739.5	277.9	-	-	-	629.5	2,302.5	1,604.7	3,102.7	2,459.1	2,418.1	2,838.3	1,106.7
Use 3 year average	Average	15,749.3	485.7	-	0.6	-	1,233.6	1,913.6	2,392.8	2,553.9	1,795.7	1,744.3	2,054.0	1,575.1
	'14 variance	6.29%	-42.78%	0.00%	-100.00%	0.00%	-48.97%	20.32%	-32.94%	21.49%	36.94%	38.63%	38.18%	-29.74%
81-10	12/31/2012	-	-	-	-	-	-	-	-	-	-	-	-	-
	12/31/2013	-	-	-	-	-	-	-	-	-	-	-	-	-
	12/31/2014	5,407.8	-	-	-	-	-	-	-	840.7	886.0	967.8	1,074.4	1,638.9
	Average	1,802.6	-	-	-	-	-	-	-	840.7	886.0	967.8	1,074.4	1,638.9
	'14 variance	200.00%	-	-	-	-	-	-	-	0.00%	0.00%	0.00%	0.00%	0.00%
	12/31/2015	8,588.1	1,856.8	1,876.0	1,711.1	1,691.4	1,452.8	-	-	-	-	-	-	-
	Normalized	16,795.1	1,856.8	1,876.0	1,711.1	1,691.4	1,452.8	1,399.6	1,399.6	840.7	886.0	967.8	1,074.4	1,638.9
81-11	12/31/2012	14,780.4	1,574.5	2,047.2	1,999.2	1,577.4	1,455.9	1,505.5	432.8	190.5	134.5	232.1	1,408.9	2,221.9
	12/31/2013	16,570.3	1,887.7	1,862.0	1,801.2	1,619.8	1,661.6	1,123.0	860.3	463.8	1,092.0	388.1	2,123.5	1,687.3
	12/31/2014	17,258.0	1,053.4	1,805.7	1,664.1	2,117.3	1,957.7	1,759.5	1,420.0	585.9	125.5	882.3	1,845.1	2,041.5
Use 3 year average	Average	16,202.9	1,505.2	1,905.0	1,821.5	1,771.5	1,691.7	1,462.7	904.4	413.4	450.7	500.8	1,792.5	1,983.6
	'14 variance	6.51%	-30.02%	-5.21%	-8.64%	19.52%	15.72%	20.29%	57.01%	41.73%	-72.15%	76.18%	2.93%	2.92%
81-12	12/31/2012	16,413.8	478.0	-	-	-	1,454.2	1,509.9	2,427.8	3,551.1	3,027.1	1,145.6	1,736.8	1,083.3
	12/31/2013	16,022.1	415.0	-	-	-	45.5	2,588.9	2,978.8	2,587.2	1,286.5	1,341.4	1,692.1	3,086.7
	12/31/2014	6,682.3	213.1	-	-	-	358.4	1,238.5	900.6	924.2	364.5	1,132.1	1,074.4	476.5
Use 3 year average	Average	13,039.4	368.7	-	-	-	619.4	1,779.1	2,102.4	2,354.2	1,559.4	1,206.4	1,501.1	1,548.8
	'14 variance	-48.75%	-42.20%	0.00%	0.00%	0.00%	-42.14%	-30.39%	-57.16%	-60.74%	-76.63%	-6.16%	-28.43%	-69.23%
81-13	12/31/2012	46,712.9	3,445.9	4,522.1	4,032.8	3,833.1	3,902.3	3,265.5	2,076.8	2,998.7	4,675.3	4,291.7	5,129.5	4,539.2
	12/31/2013	44,457.7	4,281.7	4,635.1	3,922.1	4,387.6	4,081.4	3,938.7	2,549.0	2,658.7	1,998.8	3,830.3	4,332.3	3,842.0
	12/31/2014	34,762.1	3,755.4	3,561.1	3,467.5	3,565.5	3,755.1	2,549.3	2,251.6	1,788.8	1,532.2	2,730.5	3,382.0	2,423.1
Use 3 year average	Average	41,977.6	3,827.7	4,239.4	3,807.5	3,928.7	3,912.9	3,251.2	2,292.5	2,482.1	2,735.4	3,617.5	4,281.3	3,601.4
	'14 variance	-17.19%	-1.89%	-16.00%	-8.93%	-9.24%	-4.03%	-21.59%	-1.78%	-27.93%	-43.99%	-24.52%	-21.01%	-32.72%

1-39

Rate 810														
Location/Notes	Year Ending	Total	January	February	March	April	May	June	July	August	September	October	November	December
81-14	12/31/2012	25,550.5	1,990.0	2,215.0	2,056.8	2,316.1	2,404.2	2,360.6	2,005.8	2,201.9	2,195.1	1,727.9	2,050.3	2,026.8
	12/31/2013	25,626.9	2,140.1	2,235.2	2,035.1	2,339.8	2,208.6	2,172.9	1,742.5	2,046.7	2,068.4	1,728.7	2,475.3	2,433.6
	12/31/2014	26,103.6	2,179.9	2,455.6	2,062.2	2,218.9	2,402.2	2,564.2	2,035.7	1,764.0	2,050.7	2,000.9	2,306.1	2,063.2
Use 3 year average	Average	25,760.3	2,103.3	2,301.9	2,051.4	2,291.6	2,338.3	2,365.9	1,928.0	2,004.2	2,104.7	1,819.2	2,277.2	2,174.5
	'14 variance	1.33%	3.64%	6.68%	0.53%	-3.17%	2.73%	8.38%	5.59%	-11.98%	-2.57%	9.99%	1.27%	-5.12%
81-15	12/31/2012	9,379.2	-	-	-	36.7	15.6	542.7	1,215.6	512.2	2,725.4	2,097.6	1,720.1	513.3
	12/31/2013	9,627.7	-	-	24.5	-	-	465.6	799.6	2,536.5	2,019.6	1,127.7	415.3	2,238.9
	12/31/2014	10,827.8	11.2	-	-	78.7	296.2	1,504.0	2,253.2	3,167.3	220.0	390.0	2,503.9	403.3
Use 3 year average	Average	9,944.9	3.7	-	8.2	38.5	103.9	837.4	1,422.8	2,072.0	1,655.0	1,205.1	1,546.4	1,051.8
	'14 variance	8.88%	202.70%	-	-100.00%	104.42%	185.08%	79.60%	58.36%	52.86%	-86.71%	-67.64%	61.92%	-61.66%
81-16	12/31/2012	9,721.0	1,330.7	1,251.4	1,264.4	1,042.7	582.8	310.5	281.6	391.6	440.1	518.3	1,061.7	1,245.2
	12/31/2013	11,376.3	1,399.5	1,458.5	1,217.5	1,510.8	1,221.8	526.0	325.0	331.5	332.1	346.5	1,136.2	1,570.9
	12/31/2014	11,931.6	1,422.0	1,518.0	1,302.8	1,427.4	1,232.1	797.5	411.1	403.8	372.1	680.8	919.4	1,444.6
Use 3 year average	Average	11,009.6	1,384.1	1,409.3	1,261.6	1,327.0	1,012.2	544.7	339.2	375.6	381.4	515.2	1,039.1	1,420.2
	'14 variance	8.37%	2.74%	7.71%	3.27%	7.57%	21.72%	46.41%	21.20%	7.51%	-2.44%	32.14%	-11.52%	1.72%
81-17	12/31/2012	32,668.9	3,601.6	3,894.9	3,174.1	3,448.9	2,704.0	1,652.3	658.6	1,244.9	2,723.1	2,858.6	3,577.0	3,130.9
	12/31/2013	27,165.5	2,931.1	3,081.5	2,602.9	2,648.8	3,310.2	2,366.0	881.0	1,022.1	1,277.8	2,090.5	2,535.3	2,418.3
	12/31/2014	27,304.7	2,363.1	2,706.8	2,364.7	2,470.6	3,264.6	2,480.4	1,242.4	1,127.6	1,746.1	2,256.4	2,658.7	2,623.3
Use 3 year average	Average	29,046.4	2,965.3	3,227.7	2,713.9	2,856.1	3,092.9	2,166.2	927.3	1,131.5	1,915.7	2,401.8	2,923.7	2,724.2
	'14 variance	-6.00%	-20.31%	-16.14%	-12.87%	-13.50%	5.55%	14.50%	33.98%	-0.34%	-8.85%	-6.05%	-9.06%	-3.70%
81-18	12/31/2012	13,956.4	-	1,389.1	1,274.4	637.3	872.4	1,275.0	939.6	782.7	410.6	1,938.0	2,163.9	2,273.4
	12/31/2013	18,146.1	2,487.2	1,848.8	1,866.0	2,440.9	883.6	624.8	370.6	330.7	847.9	1,597.4	2,446.4	2,401.8
	12/31/2014	28,163.5	2,936.3	2,356.1	1,654.9	1,813.0	2,080.2	2,529.5	2,390.7	2,398.9	1,607.5	3,119.9	2,541.4	2,735.1
Use 3 year average	Average	20,088.7	1,807.8	1,864.7	1,598.4	1,630.4	1,278.7	1,476.4	1,233.6	1,170.8	955.3	2,218.4	2,383.9	2,470.1
	'14 variance	40.20%	62.42%	26.35%	3.53%	11.20%	62.68%	71.33%	93.80%	104.89%	68.27%	40.64%	6.61%	10.73%

Oh-1

Rate 820

Location/Notes	Year Ending	Total	January	February	March	April	May	June	July	August	September	October	November	December
82-2	12/31/2012	51,165.4	7,493.2	2,492.1	4,469.7	4,165.4	2,194.2	6,761.6	3,483.8	2,195.9	2,754.5	3,276.9	5,010.4	6,867.7
	12/31/2013	63,042.8	6,976.6	6,506.8	5,352.9	6,039.8	5,967.1	4,633.3	4,331.2	3,357.2	3,445.3	3,583.4	5,581.9	7,267.3
	12/31/2014	77,183.0	8,059.1	8,187.5	6,825.7	7,302.5	7,699.6	6,617.2	4,656.5	3,553.3	3,099.9	6,055.0	7,634.0	7,492.7
Use 3 year average	Average	63,797.1	7,509.6	5,728.8	5,549.4	5,835.9	5,287.0	6,004.0	4,157.2	3,035.5	3,099.9	4,305.1	6,075.4	7,209.2
	'12 variance	20.98%	7.32%	42.92%	23.00%	25.13%	45.63%	10.21%	12.01%	17.06%	0.00%	40.65%	25.65%	3.93%
82-4	12/31/2012	53,393.6	6,874.8	5,337.1	7,708.9	1,717.0	3,773.0	4,506.8	4,669.1	2,053.1	3,211.0	2,004.1	5,245.9	6,292.8
	12/31/2013	109,443.6	9,930.9	9,689.6	7,144.1	5,225.9	10,474.1	4,119.7	4,027.0	3,274.9	8,646.7	2,924.1	35,166.5	8,820.1
	12/31/2014	104,027.1	12,032.4	13,031.6	10,242.0	9,004.8	10,443.8	9,141.9	6,126.9	4,789.2	6,107.8	5,399.2	8,835.8	8,871.7
Use 2 year average	Average	88,954.8	9,612.7	9,352.8	8,365.0	5,315.9	8,230.3	5,922.8	4,941.0	3,372.4	5,988.5	3,442.5	16,416.1	7,994.9
	'12 variance	16.94%	25.17%	39.33%	22.44%	69.39%	26.89%	54.35%	24.00%	42.01%	1.99%	56.84%	-46.18%	10.97%
82-5	12/31/2012	1,561.7	182.9	126.1	243.5	76.7	212.1	78.2	130.2	120.9	143.0	65.5	111.8	70.8
- Moved to rate 70 on 12/1/14	12/31/2013	1,160.0	132.7	49.8	6.3	42.8	137.2	148.9	91.2	146.8	29.4	53.3	206.7	114.9
	12/31/2014	2,293.4	216.2	73.2	120.6	138.4	261.2	302.1	81.0	149.7	165.0	262.5	326.7	196.8
	Average	1,671.7	177.3	83.0	123.5	86.0	203.5	176.4	100.8	139.1	112.5	127.1	215.1	127.5
	'12 variance	37.19%	21.94%	-11.81%	-2.35%	60.93%	28.35%	71.26%	-19.64%	7.62%	46.67%	106.53%	51.88%	54.35%
82-7	12/31/2012	32,231.2	793.6	62.4	281.2	499.6	2,210.1	4,819.6	4,326.4	4,409.7	3,681.1	3,730.1	3,999.7	3,417.7
	12/31/2013	38,494.2	50.9	334.0	5.7	-	1,362.5	4,426.1	6,373.2	5,381.0	4,180.8	5,414.4	6,350.1	4,615.5
	12/31/2014	34,321.1	290.1	50.1	212.2	303.5	745.9	5,250.0	5,202.5	7,069.7	3,668.7	2,693.5	6,181.5	2,653.4
Use 3 year average	Average	35,015.5	378.2	148.8	166.4	267.7	1,439.5	4,831.9	5,300.7	5,620.1	3,843.5	3,946.0	5,510.4	3,562.2
	'12 variance	-1.98%	-23.29%	-66.33%	27.52%	13.37%	-48.18%	8.65%	-1.85%	25.79%	-4.55%	-31.74%	12.18%	-25.51%
82-8	12/31/2012	366,291.1	35,965.2	37,582.9	36,150.1	33,312.0	28,449.6	29,160.6	25,414.5	23,168.4	24,742.3	20,474.2	34,030.0	37,841.3
	12/31/2013	446,498.9	37,248.8	42,204.1	41,382.5	42,867.7	41,798.5	38,345.2	33,388.9	28,714.1	32,996.7	27,261.3	36,217.0	44,074.1
	12/31/2014	450,436.0	47,662.3	44,490.0	43,475.4	45,158.5	38,407.1	34,977.5	33,550.4	28,414.5	28,562.6	30,164.1	33,400.4	42,173.2
Use 2 year average	Average	421,075.3	40,292.1	41,425.7	40,336.0	40,446.1	36,218.4	34,161.1	30,784.6	26,765.7	28,767.2	25,966.5	34,549.1	41,362.9
	'12 variance	6.97%	18.29%	7.40%	7.78%	11.65%	6.04%	2.39%	8.98%	6.16%	-0.71%	16.17%	-3.32%	1.96%
82-9	12/31/2012	3,532.8	1,111.6	-	4.5	-	5.3	1,111.5	113.5	150.5	124.8	213.3	403.8	294.0
	12/31/2013	40,026.5	-	-	-	662.2	963.2	3,091.5	553.5	4,668.6	-	22,859.4	7,008.7	219.4
	12/31/2014	8,962.0	983.9	377.3	194.4	1,432.8	928.0	776.4	273.5	776.3	1,485.8	409.4	290.4	1,033.8
Use 3 year average	Average	17,507.1	698.5	125.8	66.3	698.3	632.2	1,659.8	313.5	1,865.1	536.9	7,827.4	2,567.6	515.7
	'12 variance	-48.81%	40.86%	199.92%	193.21%	105.18%	46.79%	-53.22%	-12.76%	-58.38%	176.74%	-94.77%	-88.69%	100.47%
82-10	12/31/2012	114,007.3	11,233.8	10,601.4	11,655.1	11,213.1	8,631.7	8,339.9	8,078.9	5,516.8	7,137.0	10,150.4	11,212.3	10,236.9
	12/31/2013	117,042.2	7,236.6	9,567.8	8,657.1	11,877.2	12,512.7	10,227.2	9,206.3	5,922.0	7,837.1	10,282.2	9,839.8	13,876.2
	12/31/2014	142,898.7	14,889.8	16,252.1	14,515.2	14,490.4	13,077.7	5,592.4	10,488.0	8,462.4	10,218.0	10,835.8	12,097.2	11,979.7
Use 3 year average	Average	124,649.4	11,120.1	12,140.4	11,609.1	12,526.9	11,407.4	8,053.2	9,257.7	6,633.7	8,397.4	10,422.8	11,049.8	12,030.9
	'12 variance	14.64%	33.90%	33.87%	25.03%	15.67%	14.64%	-30.56%	13.29%	27.57%	21.68%	3.96%	9.48%	-0.43%

14-1