



NFIRS-1 Basic

A

02101	SD	11	29	2021	STATION 1 (1)	21-19662	0
FDID	State	Month	Day	Year	Station	Number	Exposure

B Location Type

Census tract:

Street Address
 Intersection
 In Front Of
 Rear Of
 Adjacent To
 Directions
 US National Grid

11		ST / COLUMBUS	ST-Street	
Number	Prefix	Street or Highway	Street Type	Suffix

	Rapid City	SD	57701
Apt./Suite/Room	City	State	Zip Code

Cross Street

<p>C Incident Type</p> <p style="border: 1px solid black; padding: 2px;">111-Building fire</p>	<p>E1 Dates and Times</p> <p>Alarm 11 29 2021 09:37</p> <p>Arrival 11 29 2021 09:43</p> <p>Controlled 11 29 2021 12:30</p> <p>Last Unit Cleared 11 29 2021 14:40</p>	<p>E2 Shifts and Alarms</p> <p style="border: 1px solid black; padding: 2px;">B</p> <p style="border: 1px solid black; padding: 2px;">Pennington</p> <p style="font-size: small;">Shift or Alarms District Platoon</p>								
<p>D Aid Given Or Received</p> <table border="1" style="width: 100%; border-collapse: collapse; margin-top: 10px;"> <tr> <td style="width: 50%; text-align: center;">Their FDID</td> <td style="width: 50%; text-align: center;">Their State</td> </tr> <tr> <td colspan="2" style="text-align: center;">Their Incident Number</td> </tr> </table> <p> <input type="checkbox"/> 1 Mutual Aid Received <input type="checkbox"/> 2 Auto. Aid Received <input type="checkbox"/> 3 Mutual Aid Given <input type="checkbox"/> 4 Auto. Aid Given <input type="checkbox"/> 5 Other Aid Given <input checked="" type="checkbox"/> None </p>	Their FDID	Their State	Their Incident Number		<p>E3 Special Studies</p> <table border="1" style="width: 100%; border-collapse: collapse; margin-top: 10px;"> <tr> <td style="width: 50%; text-align: center;">9244</td> <td style="width: 50%; text-align: center;">3 - No, COVID 19 was not a factor</td> </tr> <tr> <td style="text-align: center;">ID#</td> <td style="text-align: center;">Value</td> </tr> </table>		9244	3 - No, COVID 19 was not a factor	ID#	Value
Their FDID	Their State									
Their Incident Number										
9244	3 - No, COVID 19 was not a factor									
ID#	Value									

<p>F Actions Taken</p> <p style="border: 1px solid black; padding: 2px;">11-Extinguishment by fire service personnel</p> <p style="font-size: small;">Primary Action Taken</p>	<p>G1 Resources</p> <p><input type="checkbox"/> Apparatus or Personnel Module is used.</p> <table border="1" style="width: 100%; border-collapse: collapse; margin-top: 5px;"> <thead> <tr> <th></th> <th style="text-align: center;">Apparatus</th> <th style="text-align: center;">Personnel</th> </tr> </thead> <tbody> <tr> <td>Suppression</td> <td style="text-align: center;">5</td> <td style="text-align: center;">16</td> </tr> <tr> <td>EMS</td> <td style="text-align: center;">3</td> <td style="text-align: center;">6</td> </tr> <tr> <td>Other</td> <td style="text-align: center;">4</td> <td style="text-align: center;">7</td> </tr> </tbody> </table> <p><input type="checkbox"/> Resource counts include aid received resources.</p>		Apparatus	Personnel	Suppression	5	16	EMS	3	6	Other	4	7	<p>G2 Estimated Dollar Losses and Values</p> <p>Losses: Required for all fires if known. Optional for all non-fires. None</p> <p>Property: \$ 175,000.00 <input type="checkbox"/></p> <p>Contents: \$ 25,000.00 <input type="checkbox"/></p> <p>Pre-Incident Values: Optional None</p> <p>Property: \$ 175,000.00 <input type="checkbox"/></p> <p>Contents: \$ 35,000.00 <input type="checkbox"/></p>
	Apparatus	Personnel												
Suppression	5	16												
EMS	3	6												
Other	4	7												

Completed Modules <input type="checkbox"/> 2 - Fire <input type="checkbox"/> 3 - Structure Fire <input type="checkbox"/> 4 - Civilian Fire Cas. <input type="checkbox"/> 5 - Fire Service Cas. <input type="checkbox"/> 6 - EMS <input type="checkbox"/> 7 - HazMat <input type="checkbox"/> 8 - Wildland Fire <input type="checkbox"/> 9 - Apparatus <input type="checkbox"/> 10 - Personnel <input type="checkbox"/> 11 - Arson	H1 Casualties <input checked="" type="checkbox"/> None <table border="0"> <tr> <td></td> <td>Deaths</td> <td>Injuries</td> </tr> <tr> <td>Fire Service</td> <td><input type="text" value="0"/></td> <td><input type="text" value="0"/></td> </tr> <tr> <td>Civilian</td> <td><input type="text" value="0"/></td> <td><input type="text" value="0"/></td> </tr> </table>		Deaths	Injuries	Fire Service	<input type="text" value="0"/>	<input type="text" value="0"/>	Civilian	<input type="text" value="0"/>	<input type="text" value="0"/>	H3 Hazardous Materials Release <input type="checkbox"/> 1 - Natural Gas <input type="checkbox"/> 2 - Propane Gas <input type="checkbox"/> 3 - Gasoline <input type="checkbox"/> 4 - Kerosene <input type="checkbox"/> 5 - Diesel Fuel / Fuel Oil <input type="checkbox"/> 6 - Household Solvents <input type="checkbox"/> 7 - Motor Oil <input type="checkbox"/> 8 - Paint <input type="checkbox"/> 0 - Other <input checked="" type="checkbox"/> None	I Mixed Use Property <input checked="" type="checkbox"/> Not Mixed <input type="checkbox"/> 10 - Assembly Use <input type="checkbox"/> 20 - Education Use <input type="checkbox"/> 33 - Medical Use <input type="checkbox"/> 40 - Residential Use <input type="checkbox"/> 51 - Row Of Stores <input type="checkbox"/> 53 - Enclosed Mall <input type="checkbox"/> 58 - Business and Residential <input type="checkbox"/> 59 - Office Use <input type="checkbox"/> 60 - Industrial Use <input type="checkbox"/> 63 - Military Use <input type="checkbox"/> 65 - Farm Use <input type="checkbox"/> 00 - Other Mixed Use
		Deaths	Injuries									
Fire Service	<input type="text" value="0"/>	<input type="text" value="0"/>										
Civilian	<input type="text" value="0"/>	<input type="text" value="0"/>										
H2 Detector Required for Confined Fires <input type="checkbox"/> 1 - Detector Alerted Occupants <input type="checkbox"/> 2 - Detector Did Not Alert Them <input type="checkbox"/> 3 - Unknown												

J Property Use None

Structures <input type="checkbox"/> 131 Church, Place of Worship <input type="checkbox"/> 161 Restaurant or Cafeteria <input type="checkbox"/> 162 Bar/Tavern or Nightclub <input type="checkbox"/> 213 Elementary School, Kindergarten <input type="checkbox"/> 215 High School, Junior High <input type="checkbox"/> 241 College, Adult Education <input type="checkbox"/> 311 Nursing Home <input type="checkbox"/> 331 Hospital	<input type="checkbox"/> 341 Clinic, Clinic-Type Infirmary <input type="checkbox"/> 342 Doctor/Dentist Office <input type="checkbox"/> 361 Prison or Jail, Not Juvenile <input type="checkbox"/> 419 1- or 2-Family Dwelling <input type="checkbox"/> 429 MultiFamily Dwelling <input type="checkbox"/> 439 Rooming/Boarding House <input type="checkbox"/> 449 Commerical Hotel or Motel <input type="checkbox"/> 459 Residential, Board and Care <input type="checkbox"/> 464 Dormitory/Barracks <input type="checkbox"/> 519 Food and Beverage Sales	<input type="checkbox"/> 539 Household Goods, Sales, Repairs <input type="checkbox"/> 571 Gas or Service Station <input type="checkbox"/> 579 Motor Vehicle/Boat Sales/Repairs <input type="checkbox"/> 599 Business Office <input type="checkbox"/> 615 Electric-Generating Plant <input type="checkbox"/> 629 Laboratory/Science Laboratory <input type="checkbox"/> 700 Manufacturing Plant <input type="checkbox"/> 819 Livestock/Poultry Storage (Barn) <input type="checkbox"/> 882 Non-Residential Parking Garage <input type="checkbox"/> 891 Warehouse
--	--	--

Outside <input type="checkbox"/> 124 Playground or Park <input type="checkbox"/> 655 Crops or Orchard <input type="checkbox"/> 669 Forest (Timberland) <input type="checkbox"/> 807 Outdoor Storage Area <input type="checkbox"/> 919 Dump or Sanitary Landfill <input type="checkbox"/> 931 Open Land or Field <input type="checkbox"/> 936 Vacant Lot	<input type="checkbox"/> 938 Graded/Cared for Plot of Land <input type="checkbox"/> 946 Lake, River, Stream <input type="checkbox"/> 951 Railroad Right-of-Way <input type="checkbox"/> 960 Other Street <input type="checkbox"/> 961 Highway/Divided Highway <input checked="" type="checkbox"/> 962 Residential Street/Driveway <input type="checkbox"/> 981 Construction Site <input type="checkbox"/> 984 Industrial Plant Yard	Property Use: <input type="text"/> Description Look up and enter a Property Use code and description only if you have NOT checked a Property Use box.
---	--	---

K2

Owner

<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
Local Option	Person/Entity Type	Business Name (if applicable)	Phone Number
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
Mr., Ms., Mrs.	First Name	MI	Last Name
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
Number	Prefix	Street or Highway	Street Type
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
Post Office Box	Apt./Suite/Room	City	
<input type="text"/>	<input type="text"/>	<input type="text"/>	
State	Zip Code		
<input type="text"/>	<input type="text"/>		

L Remarks:

11th St/Columbus.

Fire.

Dispatched emergent for natural gas line leak due to construction.

Arrived post SQ1 (E1 apparatus) to find small excavator which had struck an unmarked metal natural gas line. Severed gas line is found to be on South side of alley/sidewalk near 920 11th St. SQ1 reports small amount of hissing gas coming from area and believes it to be a one inch pipe. Winds are mild out of the North. SQ1 made contact with the two residential structures to the North and South of 920 11th St to advise of the gas leak. No answer at 920 11th St, but a dog was noted to be in the home. MDU had been contacted by dispatch with a 30 minute ETA. MDU arrived on scene and was briefed by SQ1. Resident of 920 11th did arrive on scene and was informed of incident per SQ1. Resident entered home to walk his dog before returning to work with no reports of obvious gas issues noted within structure reported. After walking his dog resident returned, placed dog within home and returned to work.

Investigate per SQ1. M2 response cancelled per BC1. Intersection of 11th/Columbus blocked by SQ1 with intersection of 11th/South blocked by BC1. HZ6 dispatched immediate for air monitoring around structures. E6 out of station during dispatch but had air monitors available. E6 arrived on scene but before air monitoring could occur E6 released to assist with confirmed structure at landfill. After arrival of MDU BC1 cleared scene to assist on reported MVC with possible structure involvement on the...

Full primary narrative can be found in NFIRS 1S - Supplemental

M Authorization

Officer In Charge ID	Signature	Position or Rank	Assignment	Date
110055	Strong, Darrell	15		11/29/2021
Member Making Report ID	Signature	Position or Rank	Assignment	Date

NFIRS-2 Fire

A

02101	SD	11	29	2021	STATION 1 (1)	21-19662	0
FDID	State	Month	Day	Year	Station	Number	Exposure

<p>B</p> <p>Property Details</p> <p>B1 <input type="text" value="1"/> <input type="checkbox"/> Not Residential <small>Estimated number of residential living units in the building of origin whether or not all units became involved</small></p> <p>B2 <input type="text" value="1"/> <input type="checkbox"/> Buildings Not Involved <small>Number of buildings involved</small></p> <p>B3 <input type="text"/> <input checked="" type="checkbox"/> None <input type="checkbox"/> Less than 1 acre <small>Acres burned (outside fires)</small></p>	<p>C</p> <p>On-Site Materials Or Products</p> <p>On-Site Materials Storage Use</p>
--	---

<p>D</p> <p>Ignition</p> <p>D1 <input type="text" value="71-Substructure area or space, crawl space"/> <small>Area of Fire Origin</small></p> <p>D2 <input type="text"/> <small>Heat Source</small></p> <p>D3 <input type="text" value="65-Flammable liquid/gas - uncontained"/> <small>Item First Ignited</small></p> <p>D4 <input type="text" value="11-Natural gas"/> <small>Type of Material First Ignited</small></p>	<p>E1</p> <p>Cause of Ignition</p> <p><input type="checkbox"/> 1 - Intentional <input checked="" type="checkbox"/> 2 - Unintentional <input type="checkbox"/> 3 - Failure of Equipment or Heat Source <input type="checkbox"/> 4 - Act of Nature <input type="checkbox"/> 5 - Cause Under Investigation <input type="checkbox"/> U - Cause Undetermined After Investigation</p> <hr/> <p>E2</p> <p>Factors Contributing to Ignition</p> <p><input type="text" value="00-Factors contributing to ignition, other"/> <small>Factor Contributing to Ignition</small></p>	<p>E3</p> <p>Human Factors Contributing to Ignition</p> <p><small>Check all applicable boxes</small></p> <p><input checked="" type="checkbox"/> None <input type="checkbox"/> 1 - Asleep <input type="checkbox"/> 2 - Possibly impaired by alcohol or drugs <input type="checkbox"/> 3 - Unattended person <input type="checkbox"/> 4 - Possibly Mentally Disabled <input type="checkbox"/> 5 - Physically Disabled <input type="checkbox"/> 6 - Multiple Persons Involved</p> <hr/> <p><input type="checkbox"/> 7 - Age Was A Factor</p> <p><small>Estimated Age of Person Involved</small> <input type="text"/></p> <p><input type="checkbox"/> Male <input type="checkbox"/> Female</p>
--	---	--

<p>F1</p> <p>Equipment Involved In Ignition</p> <p><input checked="" type="checkbox"/> None</p> <p><input type="text"/> <small>Equipment Involved</small></p> <p>Brand <input type="text"/></p> <p>Model <input type="text"/></p> <p>Serial # <input type="text"/></p> <p>Year <input type="text"/></p>	<p>F2</p> <p>Equipment Power Source</p> <p><input type="text"/> <small>Equipment Power Source</small></p> <hr/> <p>F3</p> <p>Equipment Portability</p> <p><input type="checkbox"/> 1 - Portable <input type="checkbox"/> 2 - Stationary</p> <p><small>Portable equipment normally can be moved by one or two persons.</small></p>	<p>G</p> <p>Fire Suppression Factors</p>
--	---	--

<p>H1</p> <p>Mobile Property Involved</p> <p><input type="checkbox"/> 1 - Not involved in ignition, but burned <input type="checkbox"/> 2 - Involved in ignition, but did not burn <input type="checkbox"/> 3 - Involved in ignition and burned <input checked="" type="checkbox"/> None</p>	<p>H2</p> <p>Mobile Property Type and Make</p> <p><input type="text"/> <small>Mobile Property Type</small></p> <p><input type="text"/> <small>Mobile Property Make</small></p>	<p>Local Use</p> <p><input type="checkbox"/> Pre-Fire Plan Available <input type="checkbox"/> Arson Report Attached <input type="checkbox"/> Police Report Attached <input type="checkbox"/> Coroner Report Attached <input type="checkbox"/> Other Reports Attached</p>
<p><input type="text"/> <small>Mobile Property Model</small></p> <p><input type="text"/> <small>Year</small></p>	<p><input type="text"/> <small>State</small></p> <p><input type="text"/> <small>License Plate Number</small></p> <p><input type="text"/> <small>VIN</small></p>	<p>_____</p> <p>_____</p> <p>_____</p> <p>_____</p>

NFIRS-3 Structure Fire

<p>I1</p> <p>Structure Type</p> <p><input checked="" type="checkbox"/> 1 - Enclosed Building <input type="checkbox"/> 2 - Portable/Mobile Structure <input type="checkbox"/> 3 - Open Structure <input type="checkbox"/> 4 - Air-Supported Structure <input type="checkbox"/> 5 - Tent <input type="checkbox"/> 6 - Open Platform <input type="checkbox"/> 7 - Underground Structure <input type="checkbox"/> 8 - Connective Structure <input type="checkbox"/> 0 - Other</p>	<p>I2</p> <p>Building Status</p> <p><input type="checkbox"/> 1 - Under Construction <input checked="" type="checkbox"/> 2 - In Normal Use <input type="checkbox"/> 3 - Idle, Not Routinely Used <input type="checkbox"/> 4 - Under Major Renovation <input type="checkbox"/> 5 - Vacant and Secured <input type="checkbox"/> 6 - Vacant and Unsecured <input type="checkbox"/> 7 - Being Demolished <input type="checkbox"/> 0 - Other <input type="checkbox"/> U - Undetermined</p>	<p>I3</p> <p>Building Height</p> <p style="text-align: center;"> <input style="width: 30px; text-align: center;" type="text" value="1"/> Number of Stories At/Above Grade </p> <p style="text-align: center;"> <input style="width: 30px; text-align: center;" type="text" value="1"/> Number of Stories Below Grade </p>	<p>I4</p> <p>Main Floor Size</p> <p style="text-align: center;"> <input style="width: 60px; text-align: center;" type="text" value="900"/> Total Square Feet OR <input style="width: 40px;" type="text"/> BY <input style="width: 40px;" type="text"/> Length (ft) X Width (ft) </p>
---	--	---	---

<p>J1</p> <p>Fire Origin</p> <p style="text-align: center;"> <input style="width: 30px; text-align: center;" type="text" value="1"/> <input checked="" type="checkbox"/> Below Grade Story of Fire Origin </p>	<p>J3</p> <p>Number of Stories Damaged By Flame</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30px; border: 1px solid black; text-align: center;">0</td> <td>Number of Stories w/Minor Damage (1-24%)</td> </tr> <tr> <td style="border: 1px solid black; text-align: center;">1</td> <td>Number of Stories w/Significant Damage (25-49%)</td> </tr> <tr> <td style="border: 1px solid black; text-align: center;">0</td> <td>Number of Stories w/Heavy Damage (50-74%)</td> </tr> <tr> <td style="border: 1px solid black; text-align: center;">0</td> <td>Number of Stories w/Extreme Damage (75-100%)</td> </tr> </table> <p style="text-align: center; font-size: small;">*Count the roof as part of the highest story</p>	0	Number of Stories w/Minor Damage (1-24%)	1	Number of Stories w/Significant Damage (25-49%)	0	Number of Stories w/Heavy Damage (50-74%)	0	Number of Stories w/Extreme Damage (75-100%)	<p>K</p> <p>Type of Material Contributing Most to Flame Spread</p> <p style="text-align: center;"> K1 <input style="width: 150px; height: 20px;" type="text" value="65-Flammable liquid/gas - uncontained"/> Item Contributing Most to Flame Spread </p> <p style="text-align: center;"> K2 <input style="width: 80px; height: 20px;" type="text" value="11-Natural gas"/> Type of Material Contributing Most To Flame Spread </p>
0	Number of Stories w/Minor Damage (1-24%)									
1	Number of Stories w/Significant Damage (25-49%)									
0	Number of Stories w/Heavy Damage (50-74%)									
0	Number of Stories w/Extreme Damage (75-100%)									
<p>J2</p> <p>Fire Spread</p> <p><input type="checkbox"/> Confined to Object of Origin <input type="checkbox"/> 2 - Confined to Room of Origin <input type="checkbox"/> 3 - Confined to Floor of Origin <input type="checkbox"/> 4 - Confined to Building of Origin <input checked="" type="checkbox"/> 5 - Beyond Building of Origin</p>										

<p>L1</p> <p>Presence of Detectors</p> <p><input checked="" type="checkbox"/> N - None Present <input type="checkbox"/> 1 - Present <input type="checkbox"/> U - Undetermined</p>	<p>L3</p> <p>Detector Power Supply</p> <p><input type="checkbox"/> 1 - Battery Only <input type="checkbox"/> 2 - Hardwire Only <input type="checkbox"/> 3 - Plug-In <input type="checkbox"/> 4 - Hardwire With Battery <input type="checkbox"/> 5 - Plug-In With Battery <input type="checkbox"/> 6 - Mechanical <input type="checkbox"/> 7 - Multiple Detectors & Power Supplies <input type="checkbox"/> 0 - Other <input type="checkbox"/> U - Undetermined</p>	<p>L5</p> <p>Detector Effectiveness</p> <p><input type="checkbox"/> 1 - Alerted Occupants, Occupants Responded <input type="checkbox"/> 2 - Alerted Occupants, Occupants Failed to Respond <input type="checkbox"/> 3 - There Were No Occupants <input type="checkbox"/> 4 - Failed to Alert Occupants <input type="checkbox"/> U - Undetermined</p>
<p>L2</p> <p>Detector Type</p> <p><input type="checkbox"/> 1 - Smoke <input type="checkbox"/> 2 - Heat <input type="checkbox"/> 3 - Combination of Smoke and Heat <input type="checkbox"/> 4 - Sprinkler, Water Flow Detection <input type="checkbox"/> 5 - More Than One Type Present <input type="checkbox"/> 0 - Other <input type="checkbox"/> U - Undetermined</p>	<p>L4</p> <p>Detector Operation</p> <p><input type="checkbox"/> 1 - Fire Too Small To Activate <input type="checkbox"/> 2 - Operated <input type="checkbox"/> 3 - Failed To Operate <input type="checkbox"/> U - Undetermined</p>	<p>L6</p> <p>Detector Failure Reason</p> <p><input type="checkbox"/> 1 - Power Failure, Shutoff, or Disconnect <input type="checkbox"/> 2 - Improper Installation or Placement <input type="checkbox"/> 3 - Defective <input type="checkbox"/> 4 - Lack of Maintenance, Dirty <input type="checkbox"/> 5 - Battery Missing or Disconnected <input type="checkbox"/> 6 - Battery Discharged or Dead <input type="checkbox"/> 0 - Other <input type="checkbox"/> U - Undetermined</p>

<p>M1</p> <p>Presence of Automatic Extinguishing System</p> <p><input checked="" type="checkbox"/> N - None Present <input type="checkbox"/> 1 - Present <input type="checkbox"/> 2 - Partial System Present <input type="checkbox"/> U - Undetermined</p>	<p>M3</p> <p>Operation of Automatic Extinguishing System</p> <p><input type="checkbox"/> 1 - Operated/Effective <input type="checkbox"/> 2 - Operated/Not Effective <input type="checkbox"/> 3 - Fire Too Small To Activate <input type="checkbox"/> 4 - Failed To Operate <input type="checkbox"/> 0 - Other <input type="checkbox"/> U - Undetermined</p> <p>Required if fire was within designed range</p>	<p>M5</p> <p>Reason for Automatic Extinguishing System Failure</p> <p><input type="checkbox"/> 1 - System Shut Off <input type="checkbox"/> 2 - Not Enough Agent Discharged <input type="checkbox"/> 3 - Agent Discharged But Did Not Reach Fire <input type="checkbox"/> 4 - Wrong Type of System <input type="checkbox"/> 5 - Fire Not In Area Protected <input type="checkbox"/> 6 - System Components Damaged <input type="checkbox"/> 7 - Lack of Maintenance <input type="checkbox"/> 8 - Manual Intervention <input type="checkbox"/> 0 - Other <input type="checkbox"/> U - Undetermined</p> <p>Required if system failed or not effective</p>
<p>M2</p> <p>Type of Automatic Extinguishing System</p> <p><input type="checkbox"/> 1 - Wet-Pipe Sprinkler <input type="checkbox"/> 2 - Dry-Pipe Sprinkler <input type="checkbox"/> 3 - Other Sprinkler System <input type="checkbox"/> 4 - Dry Chemical System <input type="checkbox"/> 5 - Foam System <input type="checkbox"/> 6 - Halogen-Type System <input type="checkbox"/> 7 - Carbon Dioxide System <input type="checkbox"/> 0 - Other <input type="checkbox"/> U - Undetermined</p> <p>Required if fire was within designed range of AES</p>	<p>M4</p> <p>Number of Sprinkler Heads Operating</p> <p><input type="text"/></p> <p>Required if system operated</p>	

NFIRS-9 Apparatus or Resources

A

02101	SD	11	29	2021	STATION 1 (1)	21-19662	0
FDID	State	Month	Day	Year	Station	Number	Exposure

B Apparatus/Resource		Dates/Times		Sent	Number of People	Apparatus Use	Actions Taken
ID:	BC1	Dispatch:	11/29/2021 11:02	<input type="checkbox"/> Sent	1	<input type="checkbox"/> Suppression <input type="checkbox"/> EMS <input checked="" type="checkbox"/> Other	81-Incident command
Type:	10-Ground fire suppression, other	Arrival:	11/29/2021 11:02				
		Clear:	11/29/2021 14:40				
ID:	E4	Dispatch:	11/29/2021 11:02	<input checked="" type="checkbox"/> Sent	4	<input checked="" type="checkbox"/> Suppression <input type="checkbox"/> EMS <input type="checkbox"/> Other	11-Extinguishment by fire service personnel
Type:	11-Engine	Arrival:	11/29/2021 12:08				
		Clear:	11/29/2021 13:59				
ID:	E5	Dispatch:	11/29/2021 11:02	<input checked="" type="checkbox"/> Sent	2	<input checked="" type="checkbox"/> Suppression <input type="checkbox"/> EMS <input type="checkbox"/> Other	10-Fire control or extinguishment, other
Type:	11-Engine	Arrival:	11/29/2021 11:09				
		Clear:	11/29/2021 12:37				
ID:	E6	Dispatch:	11/29/2021 09:49	<input checked="" type="checkbox"/> Sent	4	<input checked="" type="checkbox"/> Suppression <input type="checkbox"/> EMS <input type="checkbox"/> Other	
Type:	11-Engine	Arrival:	11/29/2021 10:03				
		Clear:	11/29/2021 10:14				
ID:	FR3	Dispatch:	11/29/2021 11:04	<input checked="" type="checkbox"/> Sent	3	<input type="checkbox"/> Suppression <input type="checkbox"/> EMS <input checked="" type="checkbox"/> Other	11-Extinguishment by fire service personnel
Type:	71-Rescue unit	Arrival:	11/29/2021 11:08				
		Clear:	11/29/2021 12:37				
ID:	HZ6	Dispatch:	11/29/2021 09:48	<input type="checkbox"/> Sent	0	<input type="checkbox"/> Suppression <input type="checkbox"/> EMS <input checked="" type="checkbox"/> Other	93-Cancelled en route
Type:	93-HazMat unit	Arrival:					
		Clear:	11/29/2021 09:49				
ID:	MED2	Dispatch:	11/29/2021 09:37	<input checked="" type="checkbox"/> Sent	2	<input type="checkbox"/> Suppression <input checked="" type="checkbox"/> EMS <input type="checkbox"/> Other	93-Cancelled en route
Type:	76-ALS unit	Arrival:					
		Clear:	11/29/2021 09:43				
ID:	MED4	Dispatch:	11/29/2021 11:02	<input checked="" type="checkbox"/> Sent	2	<input type="checkbox"/> Suppression <input checked="" type="checkbox"/> EMS <input type="checkbox"/> Other	92-Standby, Staged
Type:	76-ALS unit	Arrival:	11/29/2021 11:13				
		Clear:	11/29/2021 12:37				
ID:	MM1	Dispatch:	11/29/2021 11:17	<input checked="" type="checkbox"/> Sent	2	<input type="checkbox"/> Suppression <input checked="" type="checkbox"/> EMS <input type="checkbox"/> Other	70-Assistance, other
Type:	70-Medical & rescue unit, other	Arrival:	11/29/2021 11:17				
		Clear:	11/29/2021 12:31				
ID:	SQD1	Dispatch:	11/29/2021 09:38	<input checked="" type="checkbox"/> Sent	3	<input type="checkbox"/> Suppression <input type="checkbox"/> EMS <input checked="" type="checkbox"/> Other	86-Investigate 11-Extinguishment by fire service personnel
Type:	71-Rescue unit	Arrival:	11/29/2021 09:43				
		Clear:	11/29/2021 14:14				
ID:	TK1	Dispatch:	11/29/2021 09:37	<input checked="" type="checkbox"/> Sent	3	<input checked="" type="checkbox"/> Suppression <input type="checkbox"/> EMS <input type="checkbox"/> Other	93-Cancelled en route
Type:	12-Truck or aerial	Arrival:					
		Clear:	11/29/2021 09:39				
ID:	TK3	Dispatch:	11/29/2021 11:02	<input checked="" type="checkbox"/> Sent	3	<input checked="" type="checkbox"/> Suppression <input type="checkbox"/> EMS <input type="checkbox"/> Other	93-Cancelled en route
Type:	12-Truck or aerial	Arrival:					
		Clear:	11/29/2021 11:04				

NFIRS-10 Personnel

A

02101	SD	11	29	2021	STATION 1 (1)	21-19662	0
FDID	State	Month	Day	Year	Station	Number	Exposure

B

Apparatus/Resource	Dates/Times	Sent	Number of People	Apparatus Use	Actions Taken
ID: <input type="text" value="BC1"/>	Dispatch: <input type="text" value="11/29/2021"/> <input type="text" value="11:02"/>	<input type="checkbox"/> Sent <input type="text" value="1"/>		<input type="checkbox"/> Suppression <input type="checkbox"/> EMS <input checked="" type="checkbox"/> Other	<input type="text" value="81-Incident command"/>
Type: <input type="text" value="10-Ground fire suppression, other"/>	Arrival: <input type="text" value="11/29/2021"/> <input type="text" value="11:02"/>				
	Clear: <input type="text" value="11/29/2021"/> <input type="text" value="14:40"/>				

Personnel ID	Name	Rank	Role	Attend	Actions Taken
102356	Lappe, Trapper	17	5588002-Officer	<input type="checkbox"/>	<input type="text"/>

ID: <input type="text" value="E4"/>	Dispatch: <input type="text" value="11/29/2021"/> <input type="text" value="11:02"/>	<input checked="" type="checkbox"/> Sent <input type="text" value="4"/>		<input checked="" type="checkbox"/> Suppression <input type="checkbox"/> EMS <input type="checkbox"/> Other	<input type="text" value="11-Extinguishment by fire service personnel"/>
Type: <input type="text" value="11-Engine"/>	Arrival: <input type="text" value="11/29/2021"/> <input type="text" value="12:08"/>				
	Clear: <input type="text" value="11/29/2021"/> <input type="text" value="13:59"/>				

Personnel ID	Name	Rank	Role	Attend	Actions Taken
105340	Harlan, Hunter	LT	5588002-Officer	<input type="checkbox"/>	<input type="text"/>
110778	Kottwitz, Roy	FMR	5588001-Driver	<input type="checkbox"/>	<input type="text"/>
103280	Hansen, Kevin	17	5588003-Crew 3	<input type="checkbox"/>	<input type="text"/>
112350	Schleusner, Clayton		5588004-Crew 4	<input type="checkbox"/>	<input type="text"/>

ID: <input type="text" value="E5"/>	Dispatch: <input type="text" value="11/29/2021"/> <input type="text" value="11:02"/>	<input checked="" type="checkbox"/> Sent <input type="text" value="2"/>		<input checked="" type="checkbox"/> Suppression <input type="checkbox"/> EMS <input type="checkbox"/> Other	<input type="text" value="10-Fire control or extinguishment, other"/>
Type: <input type="text" value="11-Engine"/>	Arrival: <input type="text" value="11/29/2021"/> <input type="text" value="11:09"/>				
	Clear: <input type="text" value="11/29/2021"/> <input type="text" value="12:37"/>				

Personnel ID	Name	Rank	Role	Attend	Actions Taken
103278	Baker, Gerry	20	5588002-Officer	<input type="checkbox"/>	<input type="text"/>
110263	Neugebauer, Donavin	FMJ	5588001-Driver	<input type="checkbox"/>	<input type="text"/>

ID: <input type="text" value="E6"/>	Dispatch: <input type="text" value="11/29/2021"/> <input type="text" value="09:49"/>	<input checked="" type="checkbox"/> Sent <input type="text" value="4"/>		<input checked="" type="checkbox"/> Suppression <input type="checkbox"/> EMS <input type="checkbox"/> Other	<input type="text"/>
Type: <input type="text" value="11-Engine"/>	Arrival: <input type="text" value="11/29/2021"/> <input type="text" value="10:03"/>				
	Clear: <input type="text" value="11/29/2021"/> <input type="text" value="10:14"/>				

Personnel ID	Name	Rank	Role	Attend	Actions Taken
103996	Tryon, Tony	17	5588003-Crew 3	<input type="checkbox"/>	<input type="text"/>
104223	Rasmussen, Andrew	17	5588002-Officer	<input type="checkbox"/>	<input type="text"/>
110264	Ott, Bryan		5588004-Crew 4	<input type="checkbox"/>	<input type="text"/>
111442	Kleinpaste, Evan	FMR	5588001-Driver	<input type="checkbox"/>	<input type="text"/>

ID: <input type="text" value="FR3"/>	Dispatch: <input type="text" value="11/29/2021"/> <input type="text" value="11:04"/>	<input checked="" type="checkbox"/> Sent <input type="text" value="3"/>		<input type="checkbox"/> Suppression <input type="checkbox"/> EMS <input checked="" type="checkbox"/> Other	<input type="text" value="11-Extinguishment by fire service personnel"/>
Type: <input type="text" value="71-Rescue unit"/>	Arrival: <input type="text" value="11/29/2021"/> <input type="text" value="11:08"/>				
	Clear: <input type="text" value="11/29/2021"/> <input type="text" value="12:37"/>				

Personnel ID	Name	Rank	Role	Attend	Actions Taken
103931	Chau, Lon	17	5588001-Driver	<input type="checkbox"/>	<input type="text"/>
103935	Trojanowski, Keith	17	5588002-Officer	<input type="checkbox"/>	<input type="text"/>

112339 Stephens, Sage 5588003-Crew 3

ID: Dispatch: Sent Suppression EMS Other
 Type: Arrival:
 Clear:

Personnel ID	Name	Rank	Role	Attend	Actions Taken
--------------	------	------	------	--------	---------------

ID: Dispatch: Sent Suppression EMS Other
 Type: Arrival:
 Clear:

Personnel ID	Name	Rank	Role	Attend	Actions Taken
--------------	------	------	------	--------	---------------

112409	Anderson, Laura		5588002-Officer	<input type="checkbox"/>	<input type="checkbox"/>
--------	-----------------	--	-----------------	--------------------------	--------------------------

112410	Chowning, Erin		5588001-Driver	<input type="checkbox"/>	<input type="checkbox"/>
--------	----------------	--	----------------	--------------------------	--------------------------

ID: Dispatch: Sent Suppression EMS Other
 Type: Arrival:
 Clear:

Personnel ID	Name	Rank	Role	Attend	Actions Taken
--------------	------	------	------	--------	---------------

110055	Strong, Darrell	15	5588002-Officer	<input type="checkbox"/>	<input type="checkbox"/>
--------	-----------------	----	-----------------	--------------------------	--------------------------

112349	Metcalfe, Christopher		5588001-Driver	<input type="checkbox"/>	<input type="checkbox"/>
--------	-----------------------	--	----------------	--------------------------	--------------------------

ID: Dispatch: Sent Suppression EMS Other
 Type: Arrival:
 Clear:

Personnel ID	Name	Rank	Role	Attend	Actions Taken
--------------	------	------	------	--------	---------------

106785	Hudson, Anthony		5588002-Officer	<input type="checkbox"/>	<input type="checkbox"/>
--------	-----------------	--	-----------------	--------------------------	--------------------------

106375	Marcks, Ryan	17	5588002-Officer	<input type="checkbox"/>	<input type="checkbox"/>
--------	--------------	----	-----------------	--------------------------	--------------------------

ID: Dispatch: Sent Suppression EMS Other
 Type: Arrival:
 Clear:
 Other

Personnel ID	Name	Rank	Role	Attend	Actions Taken
--------------	------	------	------	--------	---------------

111231	Eide, Larry	15	5588001-Driver	<input type="checkbox"/>	<input type="checkbox"/>
--------	-------------	----	----------------	--------------------------	--------------------------

Tech 43	Kusser, Joshua	EMT-I	5588002-Officer	<input type="checkbox"/>	<input type="checkbox"/>
---------	----------------	-------	-----------------	--------------------------	--------------------------

112332	Auer, Zachary		5588003-Crew 3	<input type="checkbox"/>	<input type="checkbox"/>
--------	---------------	--	----------------	--------------------------	--------------------------

ID: Dispatch: Sent Suppression EMS Other
 Type: Arrival:
 Clear:

Personnel ID	Name	Rank	Role	Attend	Actions Taken
--------------	------	------	------	--------	---------------

103770	Powell, Tyler	21	5588002-Officer	<input type="checkbox"/>	<input type="checkbox"/>
--------	---------------	----	-----------------	--------------------------	--------------------------

110119	McKee, Benjamin	15	5588001-Driver	<input type="checkbox"/>	<input type="checkbox"/>
--------	-----------------	----	----------------	--------------------------	--------------------------

112342	Smith, Peter		5588003-Crew 3	<input type="checkbox"/>	<input type="checkbox"/>
--------	--------------	--	----------------	--------------------------	--------------------------

ID: Dispatch: Sent Suppression EMS Other

Type: 12-Truck or aerial

Arrival:
Clear: 11/29/2021 11:04

EMS
 Other

Personnel ID	Name	Rank	Role	Attend	Actions Taken
103931	Chau, Lon	17	5588001-Driver	<input type="checkbox"/>	<input type="checkbox"/>
103935	Trojanowski, Keith	17	5588002-Officer	<input type="checkbox"/>	<input type="checkbox"/>
112339	Stephens, Sage		5588003-Crew 3	<input type="checkbox"/>	<input type="checkbox"/>

NFIRS-1S Supplemental

A

02101	SD	11	29	2021	STATION 1 (1)	21-19662	0
FDID	State	Month	Day	Year	Station	Number	Exposure

Primary Narrative:

11th St/Columbus.

Fire.

Dispatched emergent for natural gas line leak due to construction.

Arrived post SQ1 (E1 apparatus) to find small excavator which had struck an unmarked metal natural gas line. Severed gas line is found to be on South side of alley/sidewalk near 920 11th St. SQ1 reports small amount of hissing gas coming from area and believes it to be a one inch pipe. Winds are mild out of the North. SQ1 made contact with the two residential structures to the North and South of 920 11th St to advise of the gas leak. No answer at 920 11th St, but a dog was noted to be in the home. MDU had been contacted by dispatch with a 30 minute ETA. MDU arrived on scene and was briefed by SQ1. Resident of 920 11th did arrive on scene and was informed of incident per SQ1. Resident entered home to walk his dog before returning to work with no reports of obvious gas issues noted within structure reported. After walking his dog resident returned, placed dog within home and returned to work.

Investigate per SQ1. M2 response cancelled per BC1. Intersection of 11th/Columbus blocked by SQ1 with intersection of 11th/South blocked by BC1. HZ6 dispatched immediate for air monitoring around structures. E6 out of station during dispatch but had air monitors available. E6 arrived on scene but before air monitoring could occur E6 released to assist with confirmed structure at landfill. After arrival of MDU BC1 cleared scene to assist on reported MVC with possible structure involvement on the West side of town. MVC with structure unfounded per FR3 and BC1 began return to gas incident. While enroute, SQ1 requested structure fire response for ignition of gas line with fire exposure to 920 11th St. BC1 staged in intersection of 11th/Columbus and initiated "Columbus Command". All incoming resources advised to use Fireground 2. SQ1 actively extinguishing fire to area of gas line rupture and exposure to Alpha side of home. E4 instructed to perform 360 of structure then enter home to look for possible fire extension/primary search. FR3 instructed to provide back up for E4. E5 arrived with two personnel and instructed to establish RIT on Alpha side. Initial report of "two dogs" within home per resident who was found outside. Resident states he was not at home during incident. Resident later confirms only one dog within home with no other life safety issues noted. Chief Carlson arrived on scene and assisted with fire ground operations including water supply to SQ1. Exterior gas meter shut secured per RCFD crews. Electrical secured per BHP. RCPD requested to assist with traffic control. During operations it was noted by Chief Carlson that the first floor, wood frame wall on the Delta side was bowing out. Upon receipt of information all interior crews were instructed to evacuate for possible defensive attack due to structure issues. MDU personnel informed BC1 that prior to fire an explosion had occurred while they and SQ1 crews were on scene. MDU denies any injuries to their crew. Evacuations of incident block and adjacent block to the West began with M4 and Lt. Brian Staton assisting. Transitional attack performed until gas leak could be secured by MDU. Gas leak secured with immediate cessation of fire to alley on Alpha side of 920 11th. E4 and FR3 again instructed to attempt interior operations. FR3 began primary search of first floor and found one dog near exterior on Alpha side. E4 searched basement and reported heavy fire damage to wooden stairway/main level flooring with heavy fire involvement to Bravo/Charlie corner. E4 instructed to withdraw from home. All resources advised that fire attack would be defensive with PAR performed and all resources removed from building. FR3 and E4 cut access hole to wooden flooring directly inside of Bravo doorway and were able to gain access to fire and extinguish. Primary/secondary searches to both floors, salvage/overhaul completed per SQ1. SQ1 assisted resident with removal of personal belongings to Alpha side. Plastic placed on windows per SQ1 with doors secured. Homeowner denied any further need for RCFD and gave verbal permission to re-evaluate home later in shift for any continued fire activity. Resident initially refused any assistance from Red Cross but later changed mind. Red Cross contacted per dispatch but was unable to have any person physically respond. BC1 assisted Red Cross representative Julie from St. Paul with resident verification and contact information. Resident advised that Red Cross would not be able to respond to scene but would contact him shortly with assistance. Resident acknowledged and denied any further need for assistance from RCFD. MDU remained on scene and denied any further need for RCFD.

Dispatch notified and command terminated. Building returned to homeowner. BC1 returned to service. Incident related contacts listed below.

Trapper Lappe, BC1 Cpt-P

Resident: Jacob R. Greenhagen, 605-295-0256
Home owner: Patrick Anderson, 605-393-7963
Pike Construction: Matthew Pike, 775-621-6263
Red Cross: Julie, 651-210-6564
MDU: Toby Bordewyk, 605-484-7893

Apparatus Narrative for BC1:

11th St/Columbus.

Fire.

Dispatched emergent for natural gas line leak due to construction.

Arrived post SQ1 (E1 apparatus) to find small excavator which had struck an unmarked metal natural gas line. Severed gas line is found to be on South side of alley/sidewalk near 920 11th St. SQ1 reports small amount of hissing gas coming from area and believes it to be a one inch pipe. Winds are mild out of the North. SQ1 made contact with the two residential structures to the North and South of 920 11th St to advise of the gas leak. No answer at 920 11th St, but a dog was noted to be in the home. MDU had been contacted by dispatch with a 30 minute ETA. MDU arrived on scene and was briefed by SQ1. Resident of 920 11th did arrive on scene and was informed of incident per SQ1. Resident entered home to walk his dog before returning to work with no reports of obvious gas issues noted within structure reported. After walking his dog resident returned, placed dog within home and returned to work.

Investigate per SQ1. M2 response cancelled per BC1. Intersection of 11th/Columbus blocked by SQ1 with intersection of 11th/South blocked by BC1. HZ6 dispatched immediate for air monitoring around structures. E6 out of station during dispatch but had air monitors available. E6 arrived on scene but before air monitoring could occur E6 released to assist with confirmed structure at landfill. After arrival of MDU BC1 cleared scene to assist on reported MVC with possible structure involvement on the West side of town. MVC with structure unfounded per FR3 and BC1 began return to gas incident. While enroute, SQ1 requested structure fire response for ignition of gas line with fire exposure to 920 11th St. BC1 staged in intersection of 11th/Columbus and initiated "Columbus Command". All incoming resources advised to use Fireground 2. SQ1 actively extinguishing fire to area of gas line rupture and exposure to Alpha side of home. E4 instructed to perform 360 of structure then enter home to look for possible fire extension/primary search. FR3 instructed to provide back up for E4. E5 arrived with two personnel and instructed to establish RIT on Alpha side. Initial report of "two dogs" within home per resident who was found outside. Resident states he was not at home during incident. Resident later confirms only one dog within home with no other life safety issues noted. Chief Carlson arrived on scene and assisted with fire ground operations including water supply to SQ1. Exterior gas meter shut secured per RCFD crews. Electrical secured per BHP. RCPD requested to assist with traffic control. During operations it was noted by Chief Carlson that the first floor, wood frame wall on the Delta side was bowing out. Upon receipt of information all interior crews were instructed to evacuate for possible defensive attack due to structure issues. MDU personnel informed BC1 that prior to fire an explosion had occurred while they and SQ1 crews were on scene. MDU denies any injuries to their crew. Evacuations of incident block and adjacent block to the West began with M4 and Lt. Brian Staton assisting. Transitional attack performed until gas leak could be secured by MDU. Gas leak secured with immediate cessation of fire to alley on Alpha side of 920 11th. E4 and FR3 again instructed to attempt interior operations. FR3 began primary search of first floor and found one dog near exterior on Alpha side. E4 searched basement and reported heavy fire damage to wooden stairway/main level flooring with heavy fire involvement to Bravo/Charlie corner. E4 instructed to withdraw from home. All resources advised that fire attack would be defensive with PAR performed and all resources removed from building. FR3 and E4 cut access hole to wooden flooring directly inside of Bravo doorway and were able to gain access to fire and extinguish. Primary/secondary searches to both floors, salvage/overhaul completed per SQ1. SQ1 assisted resident with removal of personal belongings to Alpha side. Plastic placed on windows per SQ1 with doors secured. Homeowner denied any further need for RCFD and gave verbal permission to re-evaluate home later in shift for any continued fire activity. Resident initially refused any assistance from Red Cross but later changed mind. Red Cross contacted per dispatch but was unable to have any person physically respond. BC1 assisted Red Cross representative Julie from St. Paul with resident verification and contact information. Resident advised that Red Cross would not be able to respond to scene but would contact him shortly with assistance. Resident acknowledged and denied any further need for assistance from RCFD. MDU remained on scene and denied any further need for RCFD.

Dispatch notified and command terminated. Building returned to homeowner. BC1 returned to service. Incident related contacts listed below.

Trapper Lappe, BC1 Cpt-P

Resident: Jacob R. Greenhagen, 605-295-0256
 Home owner: Patrick Anderson, 605-393-7963
 Pike Construction: Matthew Pike, 775-621-6263
 Red Cross: Julie, 651-210-6564
 MDU: Toby Bordewyk, 605-484-7893

Apparatus Narrative for E4:

L- 11th st and columbus st

C- Natural gas explosion that started a structure fire

H- Gas line was hit

A- On E4 arrival full 360 was completed, no fire visible, heavy grey smoke was showing from all sides.

R- E4 made entry with 200' 13/4 preconnect thru front door and BC1 ordered evacuation of structure, E4 crew left structure interior. E4 remained on scene and assisted with overhaul.

T- E4 was cleared by BC1 and E4 crew went downtown and rehabbed E4. E4 went back in service

Apparatus Narrative for E5:

L- 11th st and columbus st

C- Natural gas explosion that started a structure fire

H- Gas line was hit

A- E5 360 showed heavy grey smoke was showing from all sides. gas burning from multiple area in the yard

R- E5 was assigned RIT by BC

T- no action was needed by RIT, E5 was cleared by BC1

Apparatus Narrative for FR3:

Fr-3 dispatched to above address for a report of a structure fire. Crew in area prior do to a under ground gas line that was damaged do to construction. on arrival Fr-3 noted two sides of a single story wood frame home with garden basement smoke noted through multiple openings. command assigned Fr-3 attack with E-4 crew.

-Fire attack-

Crews were dispatched to the above address earlier in the day for a report of a underground gas line that was damaged do to construction, crews on arrival reported one inch line free flowing gas and requested MDU. see Sq-1 report for details on actions taken.

Fr-3 seen two sides of a type 5 wood single story residential home with garden basement windows. smoke noted through multiple openings and along the roof vents. Fr-3 noted delta side was bowed out do to possible explosions.

Fr-3 used a 1 3/4 green 200' reconnect hose off on Sq-1- [E-1] and advanced it to the Alfa side front door. Fr-3 officer and E-4 officer preformed 360. E-4 enter the structure on the Alfa side and was quickly evacuated by command. fr-3 reassigned utility control.

-Utility's assignment-

Fr-3 found gas meter on the bravo side with Sq-1 working to turn off gas meter it was noted crew needed MDU key. MDU located and Sq-1 able to turn off gas.

-Transitional attack assignment-

Fr-3 assigned transitional attack. Fr-3 crews used green 1 3/4 hose off Sq-1 to flow water into the windows on the Alfa side. Fr-3 noted a improvement in condition Fr-3 communicated with command and preformed a assessment of the attic space. no fire noted in attic.

-Primary search-

command requested a primary search. Fr-3 found dog in the front living room area behind couch. no other soles found on the main floor.

command cleared Fr-3

Apparatus Narrative for MED2:

Cancelled enroute per BC1.

Apparatus Narrative for MED4:

See PCR.

Apparatus Narrative for MM 1:

MM1 responded cold to the call location for structure fire medical standby. MM1 assisted with FF rehab. MM1 cleared without incident.

Lt Hudson

Apparatus Narrative for SQD1:

L- Squad 1, BC1 and M2 were dispatched emergent to the area of Columbus and 11th St. for a struck gas line from a construction company.

C- Gas Line Struck resulting into an explosion then structure fire.

H- Squad 1 arrived on scene and spoke with the contractor (Pike at Play) about what happened and stated that he was digging with a mini-excavator near the residence at 920 11th St. when he struck a 1" MDU service line with his equipment. Contractor stated that the area was located and marked prior to digging. Contractor also stated that he called MDU right after the line was struck.

Dispatch noted around 0945 that they called MDU and was awaiting a call back with an ETA. At around 1003 dispatch noted that MDU called back with a 30min ETA. MDU arrived around 1038 and began to assess the incident.

Around 1100 there was an explosion in the residence at 920 11th St. and a large gas fed structure fire in the basement and also outside on the A&B side of the structure. Squad 1 requested a full structure response to the area for a confirmed structure fire.

A- Squad 1 arrived initially around 0943 and noted small hole near the residence at 920 11th St. with a mini-excavator sitting next to the hole. Squad 1 spoke with the contractor and got the story of what happened and asked if anyone was injured. Contractor stated that he was fine and his crew was fine. Contractor stated that he had not made contact with anyone at the residence of 920 11th St., however noted that there was 1 dog in the residence that was accessing a deck on the (B) side of the structure through a doggy door. Squad 1 attempted to make contact with anyone in the residence with no success. Squad 1 also made contact with the next closest residence downwind (south) and noted that residences did not want to evacuate, however stated they would remain inside and close all doors and windows. Squad 1 noted the wind was light and variable out of the NW. While speaking face-to-face with BC1 a person walked past the location and walked into the house at 920 11th St. Squad 1 crew made contact with the resident and stated to close all doors and windows and not stay in the residence. He stated he was going to let the dog out to use the restroom then put her back in. While in the residence, the resident was asked to go into the basement and smell for any natural gas odors, he stated he could not smell any gas in the residence except right at the front door. Resident left and closed all doors and windows. MDU and Squad 1 and ELM location services were at the scene and formulating a plan of repair when the house had an explosion and then the yard adjacent caught fire along with the basement had a fire under the kitchen area.

R- Squad 1 pulled a 1 3/4" attack line and began to attack the fire inside the residence utilizing a defensive tactic. Squad 1 officer (Kusser) requested a full structure fire response for a confirmed structure fire. Squad 1 assigned resources to fire attack and water supply until BC1 arrived on scene and established command. Squad 1 had the tailboard begin fire attack and Squad 1 officer attempted to locate and rescue the dog inside of the residence by opening the (A) side front door. Squad 1 was unsuccessful at rescuing the dog at that time. Squad 1 officer performed a 360 of the structure and noted heavy smoke at the (A&B) basement window with laminar smoke at the (A&D) basement window. Squad 1 noted all upstairs windows to be blown outward. Squad 1 and E5 were able to shut the natural gas supply off at the meter on the (B) side under the deck. Squad 1 continued exterior fire attack and prevented the fire from getting larger on the exterior to the north towards another residence. Squad 1 was assigned to go interior after the fire was suppressed to check for any extension or hot spots. Squad 1 made access from the basement window on the (D) side and noted a small area in the basement near the stairs and below the kitchen to have heavy charring and fire damage, however the fire was out. Squad 1 returned outside then entered the upstairs through the (A) side doorway and noted no fire extension into the main level or into the attic space. Squad 1 assisted the homeowner in removing personal belongings out into the front yard. Squad 1 performed salvage and overhaul and secured the residence with plastic over the windows.

T- Squad 1 was cleared by Command and Squad 1 returned to station 1 to rehab the engine and equipment. Squad 1 cleared and returned to service.

Joshua Kusser, LT
11/30/2021

Apparatus Narrative for TK1:

cancelled by Squad 1

Apparatus Narrative for TK3:

crew on FR-3