

ATTACHMENT 2:
Qwest NC/NCI Code Combinations for LX-N and LXR- xDSL Capable Loops¹

| NC Code | NCI Code | | BRIEF DESCRIPTION |
|---|-------------|----------------|--|
| | Qwest CO-NI | Customer EU-NI | |
| ADVANCED DIGITAL TRANSPORT – SPECTUM MANAGEMENT COMPATIBLE | | | |
| LX-N | 02QB5.001 | 02DU5.001 | Spectrum Management Class 1 |
| LX-N | 02QB5.002 | 02DU5.002 | Spectrum Management Class 2 |
| LX-N | 02QB5.003 | 02DU5.003 | Spectrum Management Class 3 |
| LX-N | 04QB5.003 | 04DU5.003 | Spectrum Management Class 3 |
| LX-N | 02QB5.004 | 02DU5.004 | Spectrum Management Class 4 |
| LX-N | 02QB9.005 | 02DU9.005 | Spectrum Management Class 5 |
| LX-N | 02QB9.006 | 02DU9.006 | Spectrum Management Class 6 |
| LX-N | 02QB5.007 | 02DU5.007 | Spectrum Management Class 7 |
| LX-N | 02QB5.008 | 02DU5.008 | Spectrum Management Class 8 |
| LX-N | 02QB9.009 | 02DU9.009 | Spectrum Management Class 9 |
| LX-N | 04QB5.00F | 04DU5.00F | Spectrum Management HDSL4. Technology Specific. Transmission System |
| LX-N | 02QB5.00G | 02DU5.00G | Spectrum Management G. SHDSL, E.SHDSL Technology specific. Transmission System |
| LX-N | 04QB5.00G | 04DU5.00G | Spectrum Management G. SHDSL Technology Specific. Transmission System |
| LX-N | 02QB5.00S | 02DU5.00S | Spectrum Management 281QSDSL. |

¹ References to a type of xDSL Service (e.g., ADSL, HDSL) are general and include successive xDSL Services (e.g., ADSL2+, HDSL2).

| NC Code | NCI Code | | BRIEF DESCRIPTION |
|--|-------------|----------------|---|
| | Qwest CO-NI | Customer EU-NI | |
| | | | Technology Specific Transmission System |
| LX-N | 04QB5.00S | 04DU5.00S | Spectrum Management 281QDSL. Technology specific. Transmission System |
| DIGITAL SUBSCRIBER LINE BASIC RATE ISDN – DSL (ISDN BRI) COMPATIBLE | | | |
| LX-N | 02QC5.OOS | 021S5.N | Digital Subscriber Line with 2B1Q Signaling Format Compatible Loop |
| HIGH-BIT-RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE | | | |
| LX-N | 02QB9.00H | 02DU9.00H | HDSL and HDSL2 Compatible Loop, Metallic Facility |
| LX-N | 04QB9.00H | 04DU9.00H | HDSL and HDSL2 Compatible Loop, Metallic Facility |
| ASYMMETRIC DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE | | | |
| LXR- | 02QB9.00A. | 02DU9.00A | Revised Resistance Design (RRD)n Non-Loaded Loop with ANSIT1.413 DMT Signaling Format |
| LXR- | 02QB9.01A | 02DU9.01A | RRD, Non-Loaded Loop with ANSIT1.413 DMT Signaling Format and one POTS Channel |
| LXR- | 02QB9.00C | 02DU9.00C | RRD, Non-Loaded Loop with CAP Signaling Format |
| LXR- | 02QB9.01C | 02DU9.01C | RRD, Non-Loaded Loop with CAP Signaling Format one POTS Channel |
| UNBUNDLED DISTRIBUTION LOOPS | | | |
| LX-N | 02QE5.001 | 02DU5.001 | Distribution Loop, without loading coils, Spectrum Management Class 1 |
| LX-N | 02QE5.002 | 02DU5.002 | Distribution Loop, without loading coils, Spectrum Management Class 2 |
| LX-N | 02QE5.003 | 02DU5.003 | Distribution Loop, without loading coils, Spectrum Management Class 3 |

| NC Code | NCI Code | | BRIEF DESCRIPTION |
|---------|-------------|----------------|--|
| | Qwest CO-NI | Customer EU-NI | |
| LX-N | 02QE5.004 | 02DU5.004 | Distribution Loop, without loading coils, Spectrum Management Class 4 |
| LX-N | 02QE9.005 | 02DU9.005 | Distribution Loop, without loading coils, Spectrum Management Class 5 |
| LX-N | 02QE9.006 | 02DU9.006 | Distribution Loop, without loading coils, Spectrum Management Class 6 |
| LX-N | 02QE5.007 | 02DU5.007 | Distribution Loop, without loading coils, Spectrum Management Class 7 |
| LX-N | 02QE5.008 | 02DU5.008 | Distribution Loop, without loading coils, Spectrum Management Class 8 |
| LX-N | 02QE9.009 | 02DU9.009 | Distribution Loop, without loading coils, Spectrum Management Class 9 |
| LX-N | 02QE9.005 | 02DUM.LS5 | Distribution Loop, without loading coils, Spectrum Management Class 5 and one POTS Channel |