



CUSTOMER METER/SERVICE REGULATOR INSPECTION CHECKLIST

For Gas Pipeline Facilities
SOUTH DAKOTA PUBLIC UTILITIES COMMISSION

I. GENERAL INFORMATION

Operator Evaluated			
Operator IOCS ID			
Inspection Unit IOCS ID			
Contact Person / Title (person interviewed)	Phone Number		
Responsible Party/Title	Phone Number		
Mailing Address			
Inspection Date	Last Inspection Date		
Location of Inspection			
Inspector Name			

II. Customer Meters and Regulators

Location (city or street)								
Readily accessible and protected from corrosion and other damage	192.353 a							
Vents terminate outdoors and are:	192.355 b							
Rain and insect resistant	192.355 b 1							
Away from building opening	192.355 b 2							
Protected from submergence	192.355 b 3							
Installed to minimize piping stress	192.357 a							
Regulator vented outside	192.357 d							
Atmospheric corrosion present								
Gas odor								
Rigid support piping								
Vent screen open								
Surface rust present								

Comments:

Location (city or street)								
Readily accessible and protected from corrosion and other damage	192.353 a							
Vents terminate outdoors and are:	192.355 b							
Rain and insect resistant	192.355 b 1							
Away from building opening	192.355 b 2							
Protected from submergence	192.355 b 3							
Installed to minimize piping stress	192.357 a							
Regulator vented outside	192.357 d							
Atmospheric corrosion present								
Gas odor								
Rigid support piping								
Vent screen open								
Surface rust present								

Comments:

Location (city or street)								
Readily accessible and protected from corrosion and other damage	192.353 a							
Vents terminate outdoors and are:	192.355 b							
Rain and insect resistant	192.355 b 1							
Away from building opening	192.355 b 2							
Protected from submergence	192.355 b 3							
Installed to minimize piping stress	192.357 a							
Regulator vented outside	192.357 d							
Atmospheric corrosion present								
Gas odor								
Rigid support piping								
Vent screen open								
Surface rust present								

Comments:

Location (city or street)								
Readily accessible and protected from corrosion and other damage	192.353 a							
Vents terminate outdoors and are:	192.355 b							
Rain and insect resistant	192.355 b 1							
Away from building opening	192.355 b 2							
Protected from submergence	192.355 b 3							
Installed to minimize piping stress	192.357 a							
Regulator vented outside	192.357 d							
Atmospheric corrosion present								
Gas odor								
Rigid support piping								
Vent screen open								
Surface rust present								

Comments:

Location (city or street)								
Readily accessible and protected from corrosion and other damage	192.353 a							
Vents terminate outdoors and are:	192.355 b							
Rain and insect resistant	192.355 b 1							
Away from building opening	192.355 b 2							
Protected from submergence	192.355 b 3							
Installed to minimize piping stress	192.357 a							
Regulator vented outside	192.357 d							
Atmospheric corrosion present								
Gas odor								
Rigid support piping								
Vent screen open								
Surface rust present								

Comments: