


Right-of-Way Typicals



NOTES:

- ① DEPTH OF TOP SOIL SEGREGATED BASED UPON SITE-SPECIFIC CONDITIONS; MAX 18" INCHES, MIN-ACTUAL DEPTH OF TOP SOIL.
- ② ACTUAL WIDTH OF ROW WILL VARY DEPENDING UPON DEPTH OF TOP SOIL TO BE SEGREGATED.
- ③ DEPTH OF COVER BASED UPON LANDOWNER OR STATE SPECIFIC REQUIREMENTS.


A	12/9/14	JL	ISSUED FOR REVIEW	
REV.	DATE	BY	DESCRIPTION	CHK.

PROJECT NO. 10395700

TYPICAL RIGHT-OF-WAY CONFIGURATION FOR SOUTH DAKOTA

AGRICULTURAL- FULL TOP SOIL SEGREGATION W/DRAIN TILES

DRAWN BY: DAH	DATE: 08/18/14	DWG. NO.	REV.
CHECKED BY: DAH	DATE: 08/18/14	P12-54-SD	A
SCALE: N.T.S.	APP.:		



NOTES:

- ① DEPTH OF TOP SOIL SEGREGATED BASED UPON SITE-SPECIFIC CONDITIONS; MAX 18" INCHES, MIN-ACTUAL DEPTH OF TOP SOIL.
- ② ACTUAL WIDTH OF ROW WILL VARY DEPENDING UPON DEPTH OF TOP SOIL TO BE SEGREGATED.
- ③ DEPTH OF COVER BASED UPON LANDOWNER OR STATE SPECIFIC REQUIREMENTS.


A	12/9/14	LBJ	ISSUED FOR REVIEW	
REV.	DATE	BY	DESCRIPTION	CHK.

PROJECT NO. 10395700

TYPICAL RIGHT-OF-WAY CONFIGURATION FOR SOUTH DAKOTA

UPLAND CONSTRUCTION FULL TOP SOIL SEGREGATION

DRAWN BY: MR	DATE: 09/15/14	DWG. NO.	REV.
CHECKED BY: RL	DATE: 09/15/14	P12-55-SD	A
SCALE: N.T.S.	APP.:		



NOTES:

- ① DEPTH OF TOP SOIL SEGREGATED BASED UPON SITE-SPECIFIC CONDITIONS; MAX 18" INCHES, MIN-ACTUAL DEPTH OF TOP SOIL.
- ② ACTUAL WIDTH OF ROW WILL VARY DEPENDING UPON DEPTH OF TOP SOIL TO BE SEGREGATED.
- ③ DEPTH OF COVER BASED UPON LANDOWNER OR STATE SPECIFIC REQUIREMENTS.


A	12/9/14	LBJ	ISSUED FOR REVIEW	
REV.	DATE	BY	DESCRIPTION	CHK.

PROJECT NO. 10395700

TYPICAL RIGHT-OF-WAY CONFIGURATION FOR SOUTH DAKOTA

UPLAND CONSTRUCTION DITCH LINE ONLY TOP SOIL SEGREGATION


DRAWN BY: MR	DATE: 09/15/14	DWG. NO.	REV.
CHECKED BY: RL	DATE: 09/15/14	P12-56-SD	A
SCALE: N.T.S.	APP.:		



NOTES:

- ① DEPTH OF TOP SOIL SEGREGATED BASED UPON SITE-SPECIFIC CONDITIONS; MAX 18" INCHES, MIN-ACTUAL DEPTH OF TOP SOIL.
- ② ACTUAL WIDTH OF ROW WILL VARY DEPENDING UPON DEPTH OF TOP SOIL TO BE SEGREGATED.
- ③ DEPTH OF COVER BASED UPON LANDOWNER OR STATE SPECIFIC REQUIREMENTS.

				TYPICAL RIGHT-OF-WAY CONFIGURATION FOR SOUTH DAKOTA	
A	12/9/14	LBJ	ISSUED FOR REVIEW		
REV.	DATE	BY	DESCRIPTION	CHK.	EMERGENT NON-SATURATED WETLANDS AND HEAVILY FORESTED LANDS
PROJECT NO. 10395700					
DRAWN BY: JWH		DATE: 09/15/14		DWG. NO.	
CHECKED BY: DAH		DATE: 09/19/14		P12-57-SD	
SCALE: N.T.S.		APP.:			



NOTES:

- ① DEPTH OF TOP SOIL SEGREGATED BASED UPON SITE-SPECIFIC CONDITIONS; MAX 18" INCHES, MIN-ACTUAL DEPTH OF TOP SOIL.
- ② ACTUAL WIDTH OF ROW WILL VARY DEPENDING UPON DEPTH OF TOP SOIL TO BE SEGREGATED.
- ③ DEPTH OF COVER BASED UPON LANDOWNER OR STATE SPECIFIC REQUIREMENTS.

A	12/9/14	LBJ	ISSUED FOR REVIEW	
REV.	DATE	BY	DESCRIPTION	CHK.

PROJECT NO. 10395700

TYPICAL RIGHT-OF-WAY CONFIGURATION FOR SOUTH DAKOTA

FORESTED AND SCRUB SHRUB SATURATED WETLANDS

DRAWN BY: JWH	DATE: 09/15/14	DWG. NO.	REV.
CHECKED BY: DAH	DATE: 08/18/14	P12-58-SD	A
SCALE: N.T.S.	APP.:		