

Direct Testimony and Exhibits
John J. Spanos

Before the South Dakota Public Utilities Commission
of the State of South Dakota

In the Matter of the Application of
Black Hills Power, Inc., a South Dakota Corporation

For Authority to Increase Rates
in South Dakota

Docket No. EL14-___

March 31, 2014

1 **Q. Please state your name and address.**

2 A. My name is John J. Spanos. My business address is 207 Senate Avenue, Camp Hill,
3 Pennsylvania, 17011.

4 **Q. Are you associated with any firm?**

5 A. Yes. I am associated with the firm of Gannett Fleming, Inc.

6 **Q. How long have you been associated with Gannett Fleming, Inc.?**

7 A. I have been associated with the firm since college graduation in June 1986.

8 **Q. What is your position with the firm?**

9 A. I am a Senior Vice President.

10 **Q. On whose behalf are you testifying in this case?**

11 A. I am testifying on behalf of Black Hills Power, Inc. ("BHP" or the "Company").

12 **Qualifications**

13 **Q. Please state your qualifications.**

14 A. I have over 27 years of depreciation experience which includes expert testimony in over
15 160 cases before 38 regulatory commissions, including this Commission. Please refer to
16 Exhibit JJS-1 for my qualifications.

17 **Purpose of Testimony**

18 **Q. What is the purpose of your testimony?**

19 A. I sponsor the Depreciation Study performed for Black Hills Power attached hereto as
20 Exhibit JJS-2 ("Depreciation Study"). The Depreciation Study sets forth the calculated
21 annual depreciation accrual rates by account as of December 31, 2012. Based on the
22 Depreciation Study, I recommend depreciation rates using the December 31, 2012, plant
23 and reserve balances for approval. The proposed rates appropriately reflect the rates at

1 which the Company's assets should be depreciated over their useful lives and are based
2 on the most commonly used methods and procedures for determining depreciation rates.

3 **Depreciation Study**

4 **Q. Please define the concept of depreciation.**

5 A. Depreciation refers to the loss in service value not restored by current maintenance
6 incurred in connection with the consumption or prospective retirement of utility plant in
7 the course of service from causes which can be reasonably anticipated or contemplated,
8 against which the Company is not protected by insurance. Among the causes to be given
9 consideration are wear and tear, decay, action of the elements, inadequacy, obsolescence,
10 changes in the art, changes in demand and the requirements of public authorities.

11 **Q. Did you prepare the Depreciation Study filed by BHP in this proceeding?**

12 A. Yes. I prepared the Depreciation Study attached as Exhibit JJS-2. My report is entitled:
13 "Depreciation Study - Calculated Annual Depreciation Accruals Related to Electric Plant
14 as of December 31, 2012." This report sets forth the results of my Depreciation Study for
15 BHP.

16 **Q. In preparing the Depreciation Study, did you follow generally accepted practices in
17 the field of depreciation valuation?**

18 A. Yes.

19 **Q. Are the methods and procedures of this Depreciation Study consistent with past
20 practices?**

21 A. The methods and procedures of this study are the same as those utilized in the past by this
22 Company as well as others before this Commission. Depreciation rates are determined
23 based on the average service life procedure and the remaining life method.

1 **Q. Please describe the contents of the Depreciation Study.**

2 A. The Depreciation Study is presented in three parts: Part I, Introduction, presents the
3 scope and basis for the Depreciation Study; Part II, Methods Used in Study, includes
4 descriptions of the basis of the study, the estimation of survivor curves and net salvage
5 and the calculation of annual and accrued depreciation; and Part III, Results of Study,
6 presents a description of the results, a summary of the depreciation calculations, graphs
7 and tables that relate to the service life and net salvage analyses, and the detailed
8 depreciation calculations.

9 The table on pages III-4 through III-8 of the Depreciation Study presents the
10 estimated survivor curve, the net salvage percent, the original cost as of December 31,
11 2012, the book depreciation reserve and the calculated annual depreciation accrual and
12 rate for each account or subaccount. The section beginning on page III-9 presents the
13 results of the retirement rate analyses prepared as the historical bases for the service life
14 estimates. The section beginning on page III-118 presents the results of the salvage
15 analysis. The section beginning on page III-141 presents the depreciation calculations
16 related to surviving original cost as of December 31, 2012.

17 **Q. Please explain how you performed your Depreciation Study.**

18 A. I used the straight line remaining life method of depreciation, with the average service
19 life procedure. The annual depreciation is based on a method of depreciation accounting
20 that seeks to distribute the unrecovered cost of fixed capital assets over the estimated
21 remaining useful life of each unit, or group of assets, in a systematic and reasonable
22 manner.

1 For General Plant Accounts 391.01, 391.03, 391.05, 393.0, 394.0, 395.0, 397.0
2 and 398.0; I used the straight line remaining life method of amortization. The account
3 numbers identified throughout my testimony represent those in effect as of December 31,
4 2012. The annual amortization is based on amortization accounting that distributes the
5 unrecovered cost of fixed capital assets over the remaining amortization period selected
6 for each account and vintage.

7 **Q. How did you determine the recommended annual depreciation accrual rates?**

8 A. I did this in two phases. In the first phase, I estimated the service life and net salvage
9 characteristics for each depreciable group, that is, each plant account or subaccount
10 identified as having similar characteristics. In the second phase, I calculated the
11 composite remaining lives and annual depreciation accrual rates based on the service life
12 and net salvage estimates determined in the first phase.

13 **Q. Please describe the first phase of the Depreciation Study, in which you estimated the
14 service life and net salvage characteristics for each depreciable group.**

15 A. The service life and net salvage study consisted of compiling historical data from records
16 related to BHP's plant; analyzing these data to obtain historical trends of survivor
17 characteristics; obtaining supplementary information from management and operating
18 personnel concerning practices and plans as they relate to plant operations; and
19 interpreting the above data and the estimates used by other electric utilities to form
20 judgments of average service life and net salvage characteristics.

21 **Q. What historical data did you analyze for the purpose of estimating service life
22 characteristics?**

23 A. Where available, I analyzed the Company's accounting entries that record plant

1 transactions during the period 1950 through 2012, however, the earliest year of data
2 varied by account. The transactions included additions, retirements, transfers, sales, and
3 the related balances.

4 **Q. What method did you use to analyze these service life data?**

5 A. I used the retirement rate method for most plant accounts. This is the most appropriate
6 method when retirement data covering a long period of time is available because this
7 method determines the average rates of retirement actually experienced by the Company
8 during the period of time covered by the Depreciation Study.

9 **Q. Please describe how you used the retirement rate method to analyze BHP's service
10 life data.**

11 A. I applied the retirement rate analysis to each different group of property in the study. For
12 each property group, I used the retirement rate data to form a life table which, when
13 plotted, shows an original survivor curve for that property group. Each original survivor
14 curve represents the average survivor pattern experienced by the several vintage groups
15 during the experience band studied. The survivor patterns do not necessarily describe the
16 life characteristics of the property group; therefore, interpretation of the original survivor
17 curves is required in order to use them as valid considerations in estimating service life.
18 The Iowa-type survivor curves were used to perform these interpretations.

19 **Q. What is an "Iowa-type survivor curve" and how did you use such curves to
20 estimate the service life characteristics for each property group?**

21 A. Iowa-type curves are a widely-used group of survivor curves that contain the range of
22 survivor characteristics usually experienced by utilities and other industrial companies.

23 The Iowa curves were developed at the Iowa State College Engineering Experiment

1 Station through an extensive process of observing and classifying the ages at which
2 various types of property used by utilities and other industrial companies had been
3 retired.

4 Iowa-type curves are used to smooth and extrapolate original survivor curves
5 determined by the retirement rate method. The Iowa curves and truncated Iowa curves
6 were used in this study to describe the forecasted rates of retirement based on the
7 observed rates of retirement and the outlook for future retirements. The estimated
8 survivor curve designations for each depreciable property group indicate the average
9 service life, the family within the Iowa system to which the property group belongs, and
10 the relative height of the mode. For example, the Iowa 45-R2 indicates an average
11 service life of 45 years; a right-moded, or R, type curve (the mode occurs after average
12 life for right-moded curves); and a moderate height, 2, for the mode (possible modes for
13 R type curves range from 1 to 5).

14 **Q. What approach did you use to estimate the lives of significant facilities such as**
15 **production plants?**

16 A. I used the life span technique to estimate the lives of significant facilities for which
17 concurrent retirement of the entire facility is anticipated. In this technique, the survivor
18 characteristics of such facilities are described by the use of interim survivor curves and
19 estimated probable retirement dates. The interim survivor curves describe the rate of
20 retirement related to the replacement of elements of the facility, such as, for a building,
21 the retirements of plumbing, heating, doors, windows, roofs, etc., that occurs during the
22 life of the facility. The probable retirement date provides the rate of final retirement for
23 each year of installation for the facility by truncating the interim survivor curve for each

1 installation year at its attained age at the date of probable retirement. The use of interim
2 survivor curves truncated at the date of probable retirement provides a consistent method
3 for estimating the lives of the several years of installation for a particular facility
4 inasmuch as a single concurrent retirement for all years of installation will occur when it
5 is retired.

6 **Q. Has Gannett Fleming used this approach in other proceedings?**

7 A. Yes, we have used the life span technique in performing depreciation studies
8 presented to and accepted by many public utility commissions across the United States
9 and Canada. This technique is currently being utilized by BHP in the same manner
10 recommended in this case.

11 **Q. What are the bases for the probable retirement years that you have estimated for
12 each facility?**

13 A. The bases for the probable retirement years are life spans for each facility that are based
14 on judgment, the life assessment study and incorporate consideration of the age, use, size,
15 nature of construction, management outlook and typical life spans experienced and used
16 by other electric utilities for similar facilities. Most of the life spans result in probable
17 retirement years that are many years in the future. As a result, the retirements of these
18 facilities are not yet subject to specific management plans. Such plans would be
19 premature. At the appropriate time, detailed studies of the economics of rehabilitation
20 and continued use or retirement of the structure will be performed and the results
21 incorporated in the estimation of the facility's life span, such as the process conducted for
22 the soon to be retired Ben French, Neil Simpson 1 and Osage plants.

23 **Q. Did you physically observe BHP's plant and equipment as part of your Depreciation**

1 **Study?**

2 A. Yes. I made a field review of BHP's property as part of this study during August 2013 to
3 observe representative portions of plant. Field reviews are conducted to become familiar
4 with Company operations and obtain an understanding of the function of the plant and
5 information with respect to the reasons for past retirements and the expected future
6 causes of retirements. This knowledge as well as information from other discussions
7 with management was incorporated in the interpretation and extrapolation of the
8 statistical analyses.

9 **Q. Please describe how you estimated net salvage percentages.**

10 A. I estimated the net salvage percentages by incorporating the historical data for the period
11 1997 through 2012 and considered estimates for other electric companies. The net
12 salvage percentages are based on a combination of statistical analyses and informed
13 judgment. The statistical analyses consider the cost of removal and gross salvage ratios
14 to the associated retirements during the 16-year period. Trends of these data are also
15 measured based on three-year moving averages and the most recent five-year indications.

16 **Q. Were the net salvage percentages for generating facilities based on the same
17 analyses?**

18 A. Yes, for the interim analyses. The net salvage percentages for generating facilities were
19 based on two components, the interim net salvage percentage and the final net salvage
20 percentage. The interim net salvage percentage is determined based on the historical
21 indications from the period, 1997-2012, of the cost of removal and gross salvage amounts
22 as a percentage of the associated plant retired. The final net salvage or dismantlement
23 component was determined based on the assets anticipated to be retired at the concurrent

1 date of final retirement.

2 **Q. Have you included a dismantlement component into the overall recovery of**
3 **generating facilities?**

4 A. Yes. A dismantlement component has been included to the net salvage percentage for
5 steam and other production facilities.

6 **Q. Can you explain how the dismantlement component is included in the Depreciation**
7 **Study?**

8 A. Yes. The dismantlement component is part of the overall net salvage for each location
9 within the production assets. Based on studies for other utilities and the cost
10 estimates of BHP, it was determined that the dismantlement or decommissioning costs
11 for steam and other production facilities is best calculated on a \$/KW factor based on
12 surviving plant at final retirement. These amounts at a location basis are added to the
13 interim net salvage percentage of the assets anticipated to be retired on an interim basis to
14 produce the weighted net salvage percentage for each location. The detailed calculation
15 for each location is set forth on pages III-119 and III-120 of Exhibit JJS-2.

16 **Q. How is the dismantlement component calculated for generating facilities?**

17 A. For Ben French, Neil Simpson I and Osage, the Company has specific cost estimates for
18 decommissioning each plant after retirement in October 2014. The costs approximated
19 \$130/kw for the three facilities. The \$130/kw cost was utilized for the remaining steam
20 facilities in order to determine the dismantlement component for each facility. There
21 were no company specific costs established for combustion turbine facilities, therefore
22 the most common industry standard of \$20/kw was utilized for a dismantlement
23 component.

1 **Q. Can you give an example as to how the dismantlement costs are utilized for a net**
2 **salvage percent?**

3 A. Yes. I will use Ben French as an example. As of December 31, 2012, the plant in service
4 is \$14,267,643 for steam generating assets. The cost to dismantle this facility has been
5 determined to be \$3,959,606. Based on the life analyses and Company plans it has been
6 estimated that 1.24% or \$177,375 will be retired prior to October 2014. This will be the
7 interim retirement amount, so the remaining amount of \$14,090,268 or 98.76% will be
8 the terminal retirements. Therefore, the total dismantlement cost is 28% of the plant in
9 service at final retirement. For interim retirements, the net salvage percent for all steam
10 facilities is 20%; therefore, 20% times the 1.24% of plant to be retired on an interim basis
11 is less than 1%. Consequently, when adding together the two percentages it is
12 determined that the net salvage percent to be applied to Ben French in order to get full
13 recovery of the service value is 28%. A similar calculation is done for each generating
14 facility and set forth on pages III-119 and III-120 of the Depreciation Study.

15 **Q. Please describe the second phase of the process that you used in the Depreciation**
16 **Study in which you calculated composite remaining lives and annual depreciation**
17 **accrual rates.**

18 A. After I estimated the service life and net salvage characteristics for each depreciable
19 property group, I calculated the annual depreciation accrual rates for each group, using
20 the straight line remaining life method, and using remaining lives weighted
21 consistent with the average service life procedure.

22 **Q. Please describe the straight line remaining life method of depreciation.**

23 A. The straight line remaining life method of depreciation allocates the original cost of the

1 property, less accumulated depreciation, less future net salvage, in equal amounts to each
2 year of remaining service life.

3 **Q. Please describe amortization accounting.**

4 A. In amortization accounting, units of property are capitalized in the same manner as they
5 are in depreciation accounting. Amortization accounting is used for accounts with a large
6 number of units, but small asset values, therefore, depreciation accounting is difficult for
7 these assets because periodic inventories are required to properly reflect plant in service.
8 Consequently, retirements are recorded when a vintage is fully amortized rather than as
9 the units are removed from service. That is, there is no dispersion of retirement. All
10 units are retired when the age of the vintage reaches the amortization period. Each plant
11 account or group of assets is assigned a fixed period which represents an anticipated life
12 during which the asset will render full benefit. For example, in amortization accounting,
13 assets that have a 20-year amortization period will be fully recovered after 20 years of
14 service and taken off the Company's books, but not necessarily removed from service. In
15 contrast, assets that are taken out of service before 20 years remain on the books until the
16 amortization period for that vintage has expired.

17 **Q. Amortization accounting is being utilized for which plant accounts?**

18 A. Amortization accounting is only appropriate for certain General Plant accounts. These
19 accounts are 391.01, 391.03, 391.05, 393.0, 394.0, 395.0, 397.0 and 398.0 which
20 represent slightly more than 1 percent of depreciable plant.

21 **Q. Have you made additional recommendations for the amortization accounts?**

1 A. Yes. In order to achieve a more stable rate for these accounts in the future, I have
2 recommended new additions for all vintages 2013 and subsequent should be amortized
3 consistent with the amortization period.

4 **Q. Please use an example to illustrate how the annual depreciation accrual rate for a**
5 **particular group of property is presented in your Depreciation Study.**

6 A. I will use Account 365, Overhead Conductors and Devices as an example because it is
7 one of the largest depreciable mass accounts and represents approximately four percent of
8 depreciable plant.

9 The retirement rate method was used to analyze the survivor characteristics of this
10 property group. Aged plant accounting data was compiled from 1950 through 2012 and
11 analyzed in periods that best represent the overall service life of this property. The life
12 table for the 1950-2012 experience band is presented on pages III-74 and III-75 of the
13 report. The life table displays the retirement and surviving ratios of the aged plant data
14 exposed to retirement by age interval. For example, page III-74 shows \$188,892 retired at
15 age 0.5 with \$35,272,731 exposed to retirement. Consequently, the retirement ratio is
16 0.0054 and the surviving ratio is 0.9946. This life table, or original survivor curve, is
17 plotted along with the estimated smooth survivor curve, the 50-R1.5 on page III-73. The
18 net salvage percent is presented on page III-138. The percentage is based on the result of
19 annual gross salvage minus the cost to remove plant assets as compared to the original
20 cost of plant retired during the period 1997 through 2012. The 16-year period
21 experienced \$589,748 $((\$212,499 + 1,036,750) - \$1,838,998)$ in net salvage for \$2,935,389
22 plant retired. The result is negative net salvage of 20 percent $(\$589,748 / \$2,935,389)$.
23 Based on the overall negative 20 percent net salvage and the most recent five years of

1 negative 24 percent as well as industry ranges and Company expectations, it was
2 determined that negative 20 percent was the most appropriate estimate.

3 My calculation of the annual depreciation related to the original cost at December
4 31, 2012, of electric plant is presented on pages III-193 and III-194. The calculation is
5 based on the 50-R1.5 survivor curve, 20 percent negative net salvage, the attained age,
6 and the allocated book reserve. The tabulation sets forth the installation year, the original
7 cost, calculated accrued depreciation, allocated book reserve, future accruals, remaining
8 life and annual accrual. These totals are brought forward to the table on page III-6.

9 **Q. Have you developed proposed depreciation accrual rates for the Cheyenne Prairie**
10 **Generating Station?**

11 A. Yes, I have. The depreciation accrual rates are recommended for the Cheyenne Prairie
12 Generating Station when the facility is placed in service during 2014. The Cheyenne
13 Prairie facility relating to the Combined Cycle unit is new construction for BHP. The
14 calculated depreciation accrual rates are determined based on the average service life
15 procedure and the remaining life method. The rates for each account are based on the
16 most appropriate interim survivor curve and net salvage percent for other production
17 plants and a life span. The life span for the Cheyenne Prairie Combined Cycle is 35 years.
18 The life span is within the industry range for the type of facility. The proposed rates for
19 each account utilizing these proposed parameters are set forth on page III-8 of the
20 Depreciation Study.

21 **Conclusion**

22 **Q. Was the Depreciation Study filed by BHP in this proceeding prepared by you or**
23 **under your direction and control?**

1 A. Yes.

2 **Q. Can you summarize the results of your Depreciation Study?**

3 A. Yes. The depreciation rates as of December 31, 2012 appropriately reflect the rates at
4 which the value of BHP's assets have been consumed over their useful lives to date.
5 These rates are based on the most commonly used methods and procedures for
6 determining depreciation rates. The life and salvage parameters are based on widely used
7 techniques and the depreciation rates are based on the average service life procedure and
8 remaining life method. Therefore, the depreciation rates set forth on pages III-4 through
9 III-8 of Exhibit JJS-2 represent the calculated rates as of December 31, 2012.

10 **Q. Does this conclude your direct testimony?**

11 A. Yes.

