

Appendix C – Draft Bird and Bat Conservation Strategy

Crocker Wind Farm: Bird and Bat Conservation Strategy

CLARK COUNTY, SOUTH DAKOTA



Submitted to:

Crocker Wind Farm, LLC
c/o Geronimo Energy, LLC.
7650 Edinborough Way, Suite 725
Edina, MN, 55435

Prepared by:

Western EcoSystems Technology, Inc.
1710 Douglas Drive, Suite 283
Golden Valley, Minnesota 55422

January 10, 2017

TABLE OF CONTENTS

1. Introduction	4
1.1 Background.....	4
1.2 Purpose.....	4
1.3 Project Description.....	5
1.4 Regulatory Framework.....	6
1.4.1 Environmental Law Compliance	6
1.4.2 Endangered Species Act.....	6
1.4.3 Migratory Bird Treaty Act.....	7
1.4.4 Bald and Golden Eagle Protection Act.....	7
1.4.5 National Environmental Policy Act (NEPA)	8
1.4.6 State Threatened and Endangered Species Laws	9
1.4.7 Wind Development Guidance	9
1.5 Agency Consultation	10
2. Site Characterization	11
2.1 Wildlife and Habitat near the Crocker Project Site.....	11
2.2 Habitats and Landcover within the Crocker Project	12
2.3 Endangered, Threatened, Special Concern and SGCN Species.....	13
2.4 Tier 1 and Tier 2 Questions; Stage 1 Questions	13
3. Field Studies	15
3.1 Birds 16	
3.1.1 Passerines.....	16
3.1.2 Raptors	16
3.1.3 Lek Survey.....	16
3.1.4 Sensitive Bird Species.....	17
3.1.5 Habitat Displacement Risk.....	17
3.2 Bats 18	
3.2.1 Acoustic Monitoring Survey.....	18
3.2.2 Northern Long-eared Bat Presence/Absence Surveys	18
3.2.2 Bat Collision Risk.....	19
3.3 Listed Butterflies	19
3.4 Summary of Concerns Identified During Research and Analysis.....	19
4. Avoidance And Minimization Measures.....	23
4.1 Preconstruction Siting and Design.....	23
4.1.1 Turbine Siting.....	23
4.1.2 Collection and Transmission Lines	24
4.2 Construction	25
4.2.1 Minimizing Temporary Disturbance	25
4.2.2 Site Maintenance.....	26
4.2.3 Nest Management.....	26
4.2.4 Training.....	27
4.2.5 Wildlife Concerns	27
4.2.6 Construction Monitoring Plan.....	29
4.2.7 Road Minimization and Traffic Plan	29
4.2.8 Collection and Transmission Lines	30
5. Operation And Maintenance	30
5.1 Avian and Bat Mortality.....	30
5.2 Operational Procedures	33
5.3 Tier 4 – Post-construction Avian and Bat Monitoring.....	34
5.3.1 Mortality Surveys.....	34

5.3.2 Searcher Efficiency Trials	35
5.3.3 Carcass Removal Trials	36
5.3.4 Reporting	36
5.3.5 Post-construction Permitting Efforts	36
5.4 Quality Control and Adaptive Management.....	37
5.5 Key Resources	38
6. Avoidance, Minimization and Adaptive Management	39
7. Summary	48
8. Literature Cited	50

TABLES

Table 1. Project Location in Clark County, South Dakota	6
Table 2. Landcover types within the Crocker Wind Energy Project.....	13
Table 3. Project Setback Requirements	23
Table 4. Avian and Bat Fatality Rates at Minnesota and South Dakota Wind Farms (from publicly available data).....	30
Table 5. Avian Fatality Rates at Wind Farms in high waterfowl use areas (from publicly available data)	31
Table 6. List of Key Resources	39
Table 7. Summary of Avoidance, Minimization and Adaptive Management Measures.....	39
Table 8. Summary of BBCS Components	48

MAP EXHIBITS

- Map Exhibit 1. Crocker Wind Farm with Avian and Wetland Use Survey Locations
- Map Exhibit 2. Crocker Wind Farm with Bat Acoustic Survey Locations
- Map Exhibit 3. Crocker Wind Farm with State and Federal Conservation Lands

1. INTRODUCTION

1.1 Background

The Crocker Wind Farm (the Project) Bird and Bat Conservation Strategy (BBCS) provides strategies for mitigating risks to birds and bats during the construction and operation phases of the Project. As part of this Project's due diligence, this BBCS was created as documentation of reasonable and prudent measures instituted to prevent or minimize avian and bat mortality. Specifically, this document describes a program that identifies monitoring and mitigation protocols for impacts to affected species while considering the content of the following:

- Avian and Bat Protection Plan white paper (USFWS 2010);
- Suggested Practices for Avian Protection On Power Lines (APLIC 2006) and Reducing Avian Collisions with Power Lines: The State of the Art (APLIC 2012);
- Raptor Nest Survey Results for the Crocker Wind Farm (WEST 2016);
- Crocker Sharp-tailed Grouse and Greater Prairie Chicken Lek Survey Results (WEST 2016);
- Crocker Site Characterization Study (WEST 2016);
- Crocker Skipper Habitat Assessment (WEST 2016);
- Crocker Northern Long-eared Bat Acoustic Presence/Absence Surveys (July/August 2016);
- US Fish and Wildlife Service (USFWS) Land-Based Wind Energy Guidelines (WEG;USFWS 2012);
- USFWS 2016 Range-Wide Indiana Bat Summer Survey Guidelines (USFWS 2016);
- USFWS Eagle Conservation Plan Guidance: Module 1 – Land-based Wind Energy (Version 2) (ECPG;USFWS 2013)
- Information from publicly available PCM Studies

Several other studies are ongoing at the time of this version of the BBCS. Once the studies are complete, the BBCS will be updated to include the results as well as any avoidance, minimization or mitigation measures that are proposed as a result of the information gathered. These studies include:

- Crocker Avian Use Studies (April 2016 – March 2017)
- Crocker General Bat Acoustic Studies (April 2016 – October 2016)

1.2 Purpose

This document has been developed for the Crocker Wind Farm to ensure compliance with the regulatory framework outlined in Section 1.4 of this document. It further provides (1) guidance on avoiding, minimizing and mitigating the risks to birds and bats during the construction and operation of the Project, and (2) incorporates a framework for complying with federal and state laws. The processes and procedures set forth are designed to ensure:

- Avian and bat fatalities and secondary effects on wildlife are minimized at the Project site;
- Project-related actions comply with federal and state wildlife regulations;
- If wildlife-related conditions are contained in the South Dakota Public Utilities Commission (SD PUC) site permit, and/or USFWS easement right-of-way permit they will be fulfilled;
- Ongoing surveys, monitoring and management efforts are undertaken to avoid and minimize adverse wildlife impacts throughout all phases of the Project;
- Bird and bat injuries and fatalities are effectively documented to provide a basis for ongoing development of avian and bat protection procedures;
- Adequate implementation training is provided to the Construction Contractor and Operations and Maintenance staff;
- Coordination between the Project developers and operators, wildlife agencies including SD GFP, South Dakota Department of Environment and Natural Resources (SD DENR Staff) and the SD PUC is effective and continuous.

1.3 Project Description

The Project site comprises approximately 49 square miles located in Clark County in northeastern South Dakota (Table 1, Map Exhibit 1). The site is located on herbaceous land, cultivated cropland, and hay/pasture.

The Project will include up to 200 turbines and an associated 345 kV transmission line. Crocker continues to assess turbine options and is evaluating turbines with rated nameplate power outputs ranging from 2.0 MW to 4.0 MW. For the purposes of this application Crocker has provided an evaluation of turbines that are typical of the environmental impacts that may be associated with turbines in this nameplate range. The Project's above ground facilities will occupy less than one percent of the approximately 31,130 acre Project area.

The Project's facilities will include:

- Wind turbines and related equipment;
- New gravel access roads and improvements to existing roads;
- Underground electrical collection and communication lines;
- Operations and maintenance ("O&M") facility;
- Project substation facility and interconnection facilities;
- Up to 4 permanent meteorological towers (height dependent on the final turbine hub height);
- Sonic or Light Range detecting unit (SoDAR or LiDAR);
- A temporary batch plant and staging/laydown area for construction of the Project.

Table 1 lists the townships, sections, and ranges that are included in the Project area.

Table 1. Project Location in Clark County, South Dakota

Township Name	Township	Range	Sections
Warren	119	59	22-27, 34-36
Spring Valley	119	58	19-36
Cottonwood	119	57	30, 31
Ash	118	59	1-3, 10-15, 23-25, 36
Woodland	118	58	1-23, 26-31, 33-35
Thorp	118	57	6
Garfield	117	58	2-3

1.4 Regulatory Framework

1.4.1 Environmental Law Compliance

Federal, state and local environmental regulations that govern the Project are described below. The Project's intent is to comply with all of these regulations. This document is a guide by which construction and operations staff will be able to determine whether they are in compliance with these regulations.

In South Dakota, wind developments of 100MW or greater and transmission facilities with a design of more than 115 kV require a permit from the Public Utilities Commission (PUC). The governing law for the PUC (SDCL 48-41B, section 21) states that the commission may prepare an environmental impact statement that complies with the provisions of SDCL 34S-9 and environmental reporting requirements for an applicant. The SD GFP provides comments as part of the Facility Permit application and has developed Siting Guidelines for Wind Power Projects in South Dakota.

1.4.2 Endangered Species Act

The ESA directs the USFWS to identify and protect endangered and threatened species and their critical habitat, and to provide a means to conserve their ecosystems. Among its other provisions, the ESA requires the USFWS to assess civil and criminal penalties for violations of the Act or its regulations. Section 9 of the ESA prohibits take of federally-listed species. Take is defined as "harass, harm, pursue, hunt, shoot, wound, kill, trap, capture, or collect, or attempt to engage in any such conduct" 16 U.S.C. 1532. The term "harm" includes significant habitat alteration which kills or injures fish or wildlife by significantly impairing essential behavioral patterns, including breeding, feeding, or sheltering, 50 CFR 17.3. Projects involving Federal lands, funding or authorizations will require consultation between the Federal agency and the USFWS, pursuant to section 7 of the ESA. Because some of the Project facilities are proposed to be built on USFWS easements, a federal nexus will occur in connection with the associated right-of-way review process.

1.4.3 Migratory Bird Treaty Act

The MBTA is the cornerstone of migratory bird conservation and protection in the United States. The MBTA implements four treaties that provide for international protection of migratory birds. It is a strict liability statute, meaning that proof of intent, knowledge, or negligence is not an element of an MBTA violation. The statute's language is clear that actions resulting in a "taking" or possession (permanent or temporary) of a protected species, in the absence of a USFWS permit or regulatory authorization, are a violation. The MBTA states, "Unless and except as permitted by regulations ... it shall be unlawful at any time, by any means or in any manner, to pursue, hunt, take, capture, kill ... possess, offer for sale, sell ... purchase ... ship, export, import ... transport or cause to be transported... any migratory bird, any part, nest, or eggs of any such bird ..." 16 U.S.C. 703. The word "take" is defined by regulation as "to pursue, hunt, shoot, wound, kill, trap, capture, or collect, or attempt to pursue, hunt, shoot, wound, kill, trap, capture, or collect" 50 CFR 10.12. The USFWS maintains a list of all species protected by the MBTA at 50 CFR 10.13. This list includes over one thousand species of migratory birds, including eagles and other raptors, waterfowl, shorebirds, seabirds, wading birds, and passerines.

1.4.4 Bald and Golden Eagle Protection Act

Under authority of the Eagle Act, 16 U.S.C. 668–668d, bald eagles and golden eagles are afforded additional legal protection. The Eagle Act prohibits the take, sale, purchase, barter, offer of sale, purchase, or barter, transport, export or import, at any time or in any manner of any bald or golden eagle, alive or dead, or any part, nest, or egg thereof, 16 U.S.C. 668. The Eagle Act also defines take to include "pursue, shoot, shoot at, poison, wound, kill, capture, trap, collect, molest, or disturb," 16 U.S.C. 668c, and includes criminal and civil penalties for violating the statute. See 16 U.S.C. 668. The term "disturb" is defined as agitating or bothering an eagle to a degree that causes, or is likely to cause, injury to an eagle, or either a decrease in productivity or nest abandonment by substantially interfering with normal breeding, feeding, or sheltering behavior, 50 CFR 22.3. Although the bald eagle was removed from the Endangered Species List in June 2007, it is still federally protected under the BGEPA and Migratory Bird Treaty Act. In addition, the National Bald Eagle Management Guidelines were published in conjunction with delisting by the USFWS in May 2007 to provide provisions to continue to protect bald eagles from harmful actions and impacts.

In September 2009, the USFWS established rules (50 CFR 22.26 and 22.27) authorizing limited legal take of Bald and Golden Eagles and their nests "when the take is associated with, but not the purpose of, an otherwise lawful activity, and cannot practicably be avoided." Such authorization is provided in the form of a take permit issued by the USFWS, consistent with the regulatory criteria. As part of the 2009 Eagle Permit Rule (USFWS 2009), thresholds of take were established, under which a regional population of Bald Eagles, or an Eagle Management Unit (EMU), would maintain stable or increasing eagle populations. Regulations under 50 CFR 22.26 distinguish take that might result from short-term or one-time actions from take that might result from ongoing, long-term actions (programmatic take).

In April 2013, the USFWS issued the ECPG. To assist wind project proponents in meeting the requirements of 50 CFR 22.26, the ECPG outlines a five-stage approach to developing successful ECPs. These five stages are:

1. Initial landscape-scale site assessment;
2. Site-specific surveys and assessment;

3. Fatality prediction;
4. Application of advanced conservation practices (ACPs) that avoid and minimize risk, and application of compensatory mitigation for remaining unavoidable take; and
5. Post-construction monitoring.

These five stages build upon one another and in conjunction are used to predict the annual eagle fatalities using a USFWS-developed model that employs a mix of project-specific and existing information regarding eagle behavior. This five-stage approach allows for development of ACPs, which can be used in the USFWS model to display reduction in predicted eagle fatality rate in addition to identifying a predicted number of unavoidable eagle fatalities. The overall goal of this five-stage approach is to use project-specific information and modeling to develop ACPs to minimize the number of predicted annual eagle fatalities to only those unavoidable impacts and provide compensatory mitigation (if and as required under the Eagle Permit Rule, described below) for the fatalities that cannot be avoided.

On December 9, 2013, the USFWS issued a rule extending the maximum term for programmatic eagle permits from five to 30 years if wind farms adopt measures to minimize harm to eagles. This rule went into effect on January 8, 2014 (USFWS 2013b). On August 11, 2015, a Federal Court (Northern district of California) set aside the 30-year Eagle Permit Rule, finding that the USFWS failed to show an adequate basis in the record for deciding not to prepare a National Environmental Policy Act (NEPA) document prior to increasing the maximum eagle take permit duration. Until further NEPA analysis occurs, which is currently underway as part of the USFWS' Eagle Rule Revisions and Programmatic Environmental Impact Statement, only a renewable 5-year permit duration will be available.

On December 16, 2016, the USFWS issued a rule that includes final revisions to the regulations for eagle take permits and eagle nest take permits. The changes will be effective January 17, 2017, and include changes to permit issuance criteria, duration, compensatory mitigation standards, and permit application requirements and codifies and further defines the USFWS-approved protocols for pre-construction eagle use surveys (referencing the ECPG) and post-permit fatality monitoring requirements. There will be a six month period after the rule is effective where wind project operators can apply for an incidental take permit (ITP) for eagles under either the 2009 eagle rule requirements or under the new rule requirements; after that period, any ITP application will be processed under the new rule.

1.4.5 National Environmental Policy Act (NEPA)

The National Environmental Policy Act (NEPA) [42 U.S.C. 4321 et seq.] establishes national environmental policy and goals for the protection, maintenance, and enhancement of the environment and provides a process for implementing these goals within federal agencies. NEPA requires federal agencies to incorporate environmental considerations in their planning and decision-making through a systematic approach. Issuance of a right-of-way permit to construct facilities on USFWS easements by the USFWS constitutes a federal action, and thus requires an assessment of the potential environmental impacts associated with the action and alternatives under NEPA. Current environmental review suggests that an Environmental Assessment is the likely level of NEPA analysis necessary for evaluating the effects of granting a permit for the Project, tiering to the USFWS/WAPA Upper Great Plains Programmatic Environmental Impact Statement (PEIS); however,

if further study suggests that significant impacts are unavoidable, the necessary level of NEPA analysis will be conducted and an Environmental Impact Statement will be prepared.

1.4.6 State Threatened and Endangered Species Laws

South Dakota's Endangered Species Statute (South Dakota Statutes, Title 34A Chapter 8) requires the SD GFP and Department of Agriculture to perform those acts necessary for the conservation, management, protection, restoration, and propagation of endangered, threatened, and nongame species of wildlife. In accordance with this mandate, the SD GFP has drafted a Wildlife Action Plan which includes a list of Species of Greatest Conservation Need (SGCN). In addition to endangered and threatened species, the SGCN list includes species that are regionally or globally imperiled (or secure) and for which South Dakota represents an important portion of their remaining range and species with characteristics that make them vulnerable. The resulting List of Endangered, Threatened, and Special Concern Species (ETSC) is promulgated by the Game, Fish and Parks Commission and reviewed biennially. The Endangered Species Statute also authorizes the Secretary of Agriculture and the Secretary of GFP to enter cooperative agreements with federal or state agencies or private persons for management of nongame, endangered, or threatened species. The South Dakota Endangered Species Statute defines endangered, nongame, threatened, and wildlife species as follows:

- *Endangered (E)* – any species of wildlife or plants which is in danger of extinction throughout all or a significant part of its range other than a species of insects determined by the Game, Fish and Parks Commission or the secretary of the United States Department of Interior to constitute a pest whose protection under this chapter would present an overwhelming and overriding risk to man;
- *Nongame species (NG)* – any wildlife species not legally classified a game species, fur-bearer, threatened species, or as endangered by statute or regulations of this state;
- *Threatened (T)* – any species which is likely to become an endangered species within the foreseeable future throughout all or a significant portion of its range;
- *Wildlife (WL)* – any nondomesticated animal, whether reared in captivity or not, and includes any part, product, egg, or offspring thereof, or the dead body or parts thereof.

1.4.7 Wind Development Guidance

Guidance, recommendations and regulations regarding wind project development and wildlife impacts are being developed and constantly changing at federal, state and local levels. On March 23, 2012, the USFWS released final WEG to mitigate impacts to wildlife and their habitats related to land-based wind energy facilities (USFWS 2012). The guidelines outline a tiered research approach that includes searches of existing literature and data to identify potential issues of concern, field studies to provide additional data where necessary, and post-construction mortality studies to identify and quantify impacts. This guidance document recommends that wind developers voluntarily adhere to these guidelines and communicate with the USFWS as part of their due diligence process in order to avoid, minimize and mitigate impacts to species protected under the BGEPA and MBTA. In turn, the USFWS will “regard a developer’s or operator’s adherence to these Guidelines, including communication with the Service, as appropriate means of identifying and implementing reasonable and effective measures to avoid the take of species protected under the MBTA and BGEPA” (USFWS 2012). Previously, the USFWS had published Interim Voluntary Guidelines (USFWS 2003), which outlined recommendations for site and turbine design and operations, and presented a

quantitative method for initial site evaluation. The 2003 guidelines were not widely used, and the 2012 guidelines replaced them.

The USFWS guidelines target “species of concern” and “species of habitat fragmentation concern.” The guidelines define a species of concern as “For a particular wind energy project, any species which 1) is either a) listed as an endangered, threatened or candidate species under the Endangered Species Act, subject to the Migratory Bird Treaty Act or Bald and Golden Eagle Protection Act; b) is designated by law, regulation, or other formal process for protection and/ or management by the relevant agency or other authority; or c) has been shown to be significantly adversely affected by wind energy development, and 2) is determined to be possibly affected by the project” (USFWS 2012). It defines species of habitat fragmentation concern as those, “for which a relevant federal, state, tribal, and/or local agency has found that separation of their habitats into smaller blocks reduces connectivity such that the individuals in the remaining habitat segments may suffer from effects such as decreased survival, reproduction, distribution, or use of the area. Habitat fragmentation from a wind energy project may create significant barriers for such species” (USFWS 2012).

Additional federal involvement in wind energy projects may be triggered through the Clean Water Act (1972), National Historic Preservation Act (1966) and NEPA. The U.S. Army Corps of Engineers (USACE) has permitting authority over proposed impacts to federally protected Waters of the United States, including many wetlands. Wetlands are also protected at the state level by the Minnesota Board of Water and Soil Resources. Cultural resources are protected at the state level by the State Historic Preservation Office (SHPO) in collaboration with the federal Advisory Council on Historic Preservation. Federal permitting through the USACE, USFWS or SHPO may trigger NEPA review of a proposed wind project.

At the state level, the Siting Guidelines for Wind Power Projects in South Dakota address activities and concerns associated with siting and permitting wind turbines in South Dakota. The guidelines highlight the Coteau des Prairies in eastern South Dakota and the Missouri River in central South Dakota as areas identified as potential sites for wind development which are unique to South Dakota. These guidelines also contain contact information for state agencies, wildlife experts and universities, interest groups, and local resource management agencies (SD GFP 2009).

1.5 Agency Consultation

Natural Heritage Information System (NHIS) review and records of rare species have been requested during the development of this Project, and the results have been incorporated into this document.

Additional communications with the SD DGFP and the USFWS have included a project coordination meeting held on May 2, 2016, where the Project was introduced and the results of the aerial raptor nest survey and lek survey were discussed. Additional coordination occurred via phone conversations and emails between WEST staff SD GFP and the USFWS regarding the approach to Dakota skipper/Poweshiek skipperling habitat assessments, lek surveys, and northern long-eared bat presence/absence surveys. A conference call was held on November 9, 2016, to discuss the interim results of the avian use studies, the results of the butterfly habitat assessment study, and the results of the northern long-eared bat acoustic presence/absence study, and an in-person meeting was held on December 13, 2016 to discuss the preliminary layout, discuss further studies and reports that would occur in 2017, as well as the approach to NEPA review.

2. SITE CHARACTERIZATION

As part of this Project, WEST followed USFWS land-based wind energy guidelines and conducted Tier 1 and Tier 2 site characterization studies, which included analyzing available data in the literature and soliciting information from expert sources. These analyses were used to identify broader environmental and site-development issues. Detailed information from site characterization studies is found in the WEST Site Characterization Survey (2016). Findings and concerns from these studies are summarized briefly below.

2.1 Wildlife and Habitat near the Crocker Project Site

The Crocker Wind Farm is located in the Northern Glaciated Plains level III ecoregion on the border between the Prairie Coteau (46k) and Drift Plains (46i) Level IV ecoregions (USEPA 2015). The Northern Glaciated Plains ecoregion is flat to gently rolling landscape of glacial drift. The region is transitional between tallgrass and shortgrass prairie and high concentrations of temporary and seasonal wetlands offer suitable habitat for waterfowl nesting and migration. The Prairie Coteau is generally a higher elevation plateau with poorly defined drainage. Many lakes and a mix of row crops and pasture are present in this region. The Drift Plains are characterized by a subtle undulating topography and thick mantle of glacial till. This area has a greater proportion of temporary and seasonal wetlands compared to the Prairie Coteau which has more permanent and semi-permanent wetlands. The Drift Plains are almost entirely cultivated, and many wetlands have been drained or tilled and planted. Historically, the area contained an abundance of transitional tallgrass and shortgrass prairie.

Today, approximately 55% of the former natural lands within the Project support agriculture, either as hay and pasture (37%) or as cultivated crops (18%). Herbaceous areas account for roughly a third (33%) of the the Project, but site visits and aerial imagery show that a significant portion of this area is actually grazed pasture. Additional natural lands are generally associated with the region's water features. The National Wetland Inventory (NWI) shows 2,533 total acres of wetlands within the Project (8.1% of the Project area). Within the herbaceous, hay, and pasture areas, particularly in the northeastern half of the Project, depressions which become saturated or ponded during the wet periods may provide suitable stopover habitat for migrating shorebirds during spring migration. Within the cropland complex, small natural patches include grasslands along drainage ditches, fence rows, and woodlots and wind breaks associated with farmsteads.

Natural and restored areas are protected by ownership or through the use of USFWS, NRCS, or state conservation easements (Map Exhibit 3). The USFWS manages multiple conservation easements located throughout the Project, skirting the edge of the Prairie Coteau; these mapped FWS easements comprise the Dakota Tallgrass Prairie Wildlife Management Areas (52, 53, 59, and 62). There are several additional U.S. NRCS Floodplain Easements within the Project. There are two 80 acre game production areas managed by the state located within the northern part of the Project, north of Highway 20. Additionally, there are several State Trust School and Public lands on the northwest and eastern boundaries. Two State-managed units adjoin the Project boundary on the eastern and southeastern side, with Sherwood Wildlife Management Area (WMA) at Round Lake, and Bailey's Lake Public Shooting Area at Bailey's Lake.

These units provide some suitable habitat for sensitive species near Project boundaries that might use lands within the Project boundaries. While there are no current State contracted Walk-In hunter access parcels within the Project, enrollment status may change on an annual basis.

The Project area contains minimal development. Clark, located about 8 miles south of the site, is the largest nearby community and the county seat of Clark County. Most development within the site is found at individual farmsteads. Habitat cover at the site follows these general patterns, and a more detailed discussion of land cover at the site can be found in Section 2.2.

In general, the wildlife encountered near the Project site is adapted to agriculture and development. Commonly encountered wildlife species include White-tailed Deer (*Odocoileus virginianus*), Raccoon (*Procyon lotor*), Striped Skunk (*Mephitis mephitis*), Mallard (*Anas platyrhynchos*), Canada Goose (*Branta canadensis*), Red-winged Blackbird (*Agelaius phoeniceus*), Common Grackle (*Quiscalus quisculua*), Common Crow (*Corvus brachyrhynchos*), American Robin (*Turdus migratorius*), the introduced House Sparrow (*Passer domesticus*), House Finch (*Carpodacus mexicanus*), Rock Pigeon (*Columa livia*), Ring-necked Pheasant (*Phasianus colchicus*), and European Starling (*Sturnus vulgaris*). However, as described further in Section 3, multiple waterfowl use the area's wetlands and adjacent grasslands as well.

2.2 Habitats and Landcover within the Crocker Project

The 2011 U.S. Geological Survey (USGS) National Land Cover Database (NLCD) land cover map was used for a habitat-by-habitat assessment of collision and habitat displacement risk. A habitat cover map was created to define and visualize the locations where different bird and bat habitats were present. Habitat cover types are summarized in Table 2.

Table 2. Landcover types within the Crocker Wind Energy Project.

Land Classification (combined NLCD data)	Area (acres)	Percent of Total
Hay/Pasture	11,441.2	36.8%
Herbaceous*	10,357.0	33.3%
Cultivated Crops	5,030.2	16.2%
Open Water	3,253.6	10.5%
Developed, Open Space	697.9	2.2%
Deciduous Forest	140.5	0.5%
Emergent Herbaceous Wetlands	103.2	0.3%
Shrub/Scrub	83.4	0.3%
Developed, Low Intensity	16.6	0.1%
Developed, Medium Intensity	4.2	0.0%
Woody Wetlands	2.2	0.0%
Developed, High Intensity	1.0	0.0%
Total	31,131.1	100.00%

* Site visits and aerial imagery show that a significant portion of this area is actually grazed pasture.

Less than 1% of the site is developed, consisting primarily of roads, farmsteads and home sites. Most of the farmsteads have windbreaks and wood lots with mature trees. There are no towns located within the site. Nearby towns include Bradley, Gordon City, Clark, and Raymond.

2.3 Endangered, Threatened, Special Concern and SGCN Species

The USFWS county distribution list and SD GFP county distribution list identified the potential for several federally listed and state listed species to occur within Clark County. These include: Topeka Shiner (*Notropis topeka*, Federal endangered), Poweshiek skipperling (*Oarisma poweshiek*, Federal endangered), Dakota skipper (*Hesperia dacotae*, Federal threatened), rufa red knot (*Calidris canutus rufa*, Federal threatened), whooping crane (*Grus americana*), and the northern long-eared bat (*Myotis septentrionalis*, Federal threatened).

WEST identified the presence of habitat for protected or sensitive species, including wetlands, grasslands, prairie, depressions, and other habitats utilized by ETSC, SGCN, or concentration areas used by species covered by the federal MBTA. WEST is coordinating with wildlife agencies, conducting surveys and identifying avian flight paths within and around the site (described in Field Studies). Once the results of these studies are analyzed, flight paths and other information will be used to inform the site layout as it is finalized.

2.4 Tier 1 and Tier 2 Questions; Stage 1 Questions

As described in the Final Land-based Wind Energy Guidelines (USFWS 2012), Tier 1 studies help to identify potential issues that may need to be addressed before further actions can be taken with the development or operations of a Project. The objective of the Tier 1 & 2 study is to assist the developer in further identifying a potential wind site by providing a preliminary evaluation or screening of public data from federal, state, and tribal entities and offering early guidance about the sensitivity of the site in regards to flora and fauna. The following discussion provides answers to the Tier 1 and 2 questions for the Crocker Project. The Stage 1 Eagle Conservation Plan Questions are also included.

1. Are there species of concern, or habitat for that species (including eagles), present in the proposed Project area?

There are substantial grassland areas in the Project which may provide suitable habitat for listed prairie-dependent species such as the Dakota skipper and Poweshiek skipperling, although grazing on many of the parcels has degraded the habitat. There is very limited forested habitat that could provide suitable summer foraging or roosting habitat for the NLEB. Bald eagles may occur in the Project, as well as other sensitive avian species, but habitat for these species does not appear to be higher density within the Project than in the surrounding landscape.

2. Does the landscape contain areas where development is precluded by law or designated as sensitive according to scientifically credible information? Are there areas of habitat known to be or potentially valuable to eagles that would be destroyed or degraded due to the project?

There are many federal easements within the Project (Map Exhibit 3) but no federally owned parcels within the Project. Further coordination with the USFWS Wetland Management District is recommended to determine if there are any restrictions on wind development within these parcels. There are no designated Critical Habitat Units for Dakota skippers or Poweshiek's skipperling, or any other federally listed species, within the Project. There is one state-managed game production area within the Project and several state-owned and managed lands adjacent to the Project.

3. Are there plant communities of concern present or likely to be present at the site?

Cultivated cropland, grazed pasture, and water compose the majority of the Project area and suitable habitat for most plant species of concern is limited. It should be noted that much of the Project area is believed to retain unbroken sod, but many of those areas are currently in pasture and have likely been degraded. Some isolated areas within these lands and any ungrazed grasslands may retain some of the prairie forbs associated with unbroken prairies.

4. Are there known critical areas of wildlife congregation in the proposed Project area? Are there important eagle use areas or migration concentration sites documented or thought to occur in the project area? Does existing or historical information indicate that habitat supporting abundant prey for eagles may be present within the geographic region under development consideration?

There is some potential for species of wildlife to congregate within the Project area based on publicly available data, specifically around lakes and other open waterbodies during peaks in waterfowl migration through the area. These resources do not appear to be in higher density in the Project area than the surrounding landscape. Although the Project area may provide some prey sources for eagles (fish and ducks associated with larger open water wetlands), it does not appear to have higher density of prey or forage habitat than the surrounding areas. Additionally, data provided by the SD GFP indicates the potential for prairie grouse leks in the vicinity of the Project, although there are no records within the Project boundary.

5. Are there large areas of intact habitat with the potential for fragmentation, with respect to species of habitat fragmentation concern needing large contiguous blocks of habitat?

A mosaic of grassland, pasture and wetlands comprise the majority of the Project area. Aerial imagery and the site visit indicate that there are some relatively large areas of intact mixed herbaceous grasslands and pasture/hay within the Project. The relatively large areas of contiguous grasslands and pastures may be suitable for some species such as grasshopper sparrow, northern harrier, sedge wren, marbled godwit, and upland sandpiper.

6. *Which species of birds and bats, especially those known to be at risk by wind energy facilities, are likely to use the proposed site based on an assessment of site attributes?*

Additional data from field studies would be necessary to adequately address potential presence of species of concern. The Project occurs within the known range of the NLEB, and occurrence is possible within the limited forested areas of the Project likely during the summer months as well as more generally during early fall migration throughout the area. Bald and golden eagles may also occur within the Project. Bald eagles may use the area year-round, although use is expected to be lower during winter and summer due to the lack of suitable nesting substrate and winter roost sites. Golden eagles are much less common in this area and are expected to occur as uncommon migrants passing through in a broad-front fashion. The area is likely to be used by relatively high numbers of waterfowl, although risk to this avian group from wind projects appears to be relatively low. Additionally, species that utilize prairie and grassland areas may find suitable habitat in the relatively larger blocks of herbaceous grassland and pasture that are present within the Project.

7. *Is there a potential for significant adverse impacts to species of concern (including eagles) based on the answers to the questions above?*

Based on available information the potential for significant adverse impacts to species of concern from development of the project is low. The layout of the Project is still under development. The data being gathered as part of Tier 3 studies at the area can be used to further answer this question, and help inform design and operation decisions.

3. FIELD STUDIES

WEST began conducting USFWS Tier 3 field studies in the spring of 2016 to obtain additional data on birds, bats, native prairies, and protected species' habitats. Tier 3 field studies will continue through the first quarter of 2017 and a final report will analyze data from all surveys. These activities serve to inform the Project Owner of the types and extent of wildlife present within and adjacent to the Project. Survey results will also inform Project infrastructure siting, as well as the extent of ongoing surveys to comply with regulatory programs such as the ESA, MBTA, and BGEPA.

Avian ETSC or SGCN observed to date (through October 12, 2016) during Tier 3 surveys include:

- American white pelican (SC, SGCN)
- Bald eagle (BGEPA, ST)
- Black tern (SGCN)
- Chestnut-collared longspur (SGCN)
- Cooper's hawk (SSC)
- Great blue heron (SSC)
- Great egret (SSC)
- Hooded merganser (SSC)
- Marbled godwit (SGCN)
- Swainson's hawk (SSC)

- Willet (SGCN)

WEST designed the Tier 3 surveys to describe the distribution and abundance of species in and near the proposed Project site, to understand the relative risk of collision and habitat displacement among habitat types, and to enable decisions to use or avoid different areas in the site. Overall, more than 240 hours of avian surveys will be completed at the site, including those described below.

3.1 Birds

3.1.1 Passerines

Avian Surveys. WEST began avian use surveys in April 2016 (Map Exhibit 1), using point count methodology outlined within the WEG (2012). In September, an additional four points were added in the northern area of the Project to cover the boundary expansion that occurred. The objective of the fixed-point avian use surveys is to provide information regarding levels of use by birds, including small birds and large birds (e.g., bald eagles and other large bird species). The fixed-point avian use surveys consist of counts of bird use within circular plots around fixed observation points following methods similar to Reynolds et al. (1980). During the first 20 minutes of each count, all birds (small and large) are identified and counted. After the first 20 minutes, the survey shifts to focus on large birds only (described in section 3.1.2 Raptors). Surveys will continue through March 2017 at the Project point count locations.

3.1.2 Raptors

Avian Surveys. Raptor and large bird migration point count surveys began in April 2016 using the avian use survey methodology described in Section 3.1.1. After the first 20 minutes of small and large bird surveys, the surveys shift to focus on large birds only. Estimated distance to each large bird observed is recorded to the nearest five meters, and flight or movement paths are mapped for all eagles and for other large birds as time permits. Surveys will continue through March 2017, providing approximately 268 hours of survey effort at 20 Project point count locations.

Raptor Nest Survey. WEST conducted an aerial raptor nest survey on April 4 – April 5, 2016. The principal objectives of the survey were to document the presence of Bald Eagle nests within the Project boundary and 10-mile buffer area in compliance with the ECPG, and document the presence of other raptor stick nests within the Project boundary and 1-mile buffer area (Pickle et al. 2016). WEST detected a total of 54 raptor nests representing three raptor species. Two occupied Bald Eagle nests, twelve occupied Red-tailed Hawk (*Buteo jamaicensis*) nests, six occupied Great-horned Owl (*Bubo virginianus*) nests, and 34 unoccupied, inactive unknown raptor nests were identified. No occupied or potential Bald Eagle nests were located within five miles of the Project.

3.1.3 Lek Survey

Aerial Lek Survey. WEST conducted aerial and ground-based surveys for leks from April 25 – May 11, 2016. The principle objective of the surveys was to document the presence of greater prairie-chicken (*Tympanuchus cupido pinnatus*) and sharp-tailed grouse (*Tympanuchus phasianellus*) leks within the Project boundary. South Dakota Game, Fish and Parks developed a Prairie Grouse Management Plan with the goal of maintaining greater prairie-chicken and sharp-tailed grouse populations and habitat consistent with the ecological, social, and aesthetic values of South Dakota (SD GFP 2011). WEST biologists detected no greater prairie-chicken or sharp-tailed grouse leks within the Project after two rounds of surveys. While conducting

aerial surveys, WEST biologists observed two sharp-tailed grouse flying approximately 0.75 mile west of the Project boundary and one sharp-tailed grouse flying approximately 0.5 mile west of the Project boundary.

SD GFP records contained ten leks located one to five miles to the south and southwest of the Project boundary, in relatively flat terrain to the west of the Prairie Couteau. WEST biologists did not survey historic SD GFP lek locations since they were more than a mile from the Project boundary and their status is unknown for 2016.

3.1.4 Sensitive Bird Species

Sensitive species are most likely to experience impacts from wind energy development because other existing factors unrelated to wind energy development are already present. In monitoring and analyses, WEST biologists use native species as a broad indicator of wind project impacts and sensitive species as a specific indicator of potential effects to already at-risk species. Sensitive species vary from ecological region to ecological region, based on the abundance and population trends of species.

Sensitive species are similar to the species of concern as defined in the USFWS recommendations (2012a); however, the WEST-defined sensitive species emphasize the conservation significance of a species. For example, mourning dove is protected by the MBTA and some state game laws, but its population is large and at low risk from wind energy development. Consequently, it is a “species of concern” to the USFWS, but not a “sensitive species” in the WEST analysis.

During the 2016 surveys completed to date, WEST observed 114 different species of birds at or near the Project site between April and mid-October, 2016. Of the bird species seen in the survey, 11 species were classified as sensitive by criteria described above, as listed at the beginning of Section 3. These species already experience problems unrelated to wind energy development, which raises concern for their conservation.

The risk to avian species will be reevaluated after all avian use surveys are completed and the data is analyzed.

3.1.5 Habitat Displacement Risk

The more or less permanent grasslands and pastures on the Project site are possibly important to already at-risk grassland bird species. Wind development can reduce breeding densities of these species through habitat displacement. Some grassland specialist bird species are known or suspected to be susceptible to this effect, perhaps because of their behavioral aversion to trees and other tall structures (Shaffer and Buhl 2016; Strickland et al. 2011). Recent work on a smaller spatial scale documented wind turbine avoidance for several species of concern expected to be in the Project area, including bobolink, grasshopper sparrow, and upland sandpiper, all of which have been observed in the surveys conducted to date (Shaffer and Buhl 2016). Large and clustered grassland habitats should be avoided when siting turbines specifically to avoid the displacement and avoidance risk for grassland species. With respect to waterfowl, most foraging is expected to occur within and between freshwater wetlands. These habitats are present throughout the site that appear more concentrated in the eastern half and northern portion of the Project. Additionally, habituation to turbines is likely to occur, reducing the impact of wind development in this area over time. These preliminary conclusions will be reevaluated after the collection of breeding and fall migration data.

3.2 Bats

3.2.1 Acoustic Monitoring Survey

WEST conducted acoustic surveys within the Project site to help understand general bat activity levels by season. Bat activity was surveyed within the Project from April 14 through October 27, 2016. Ground-based (1.5 meter [m]) and raised detectors (45 m) were paired at two meteorological towers within the Project for a total of four detectors (Map Exhibit 2).

Bat activity data was collected using full spectrum acoustic monitoring and data logging platforms (Song Meter SM3, Wildlife Acoustics, Inc., Concord, MA, USA). The paired ground and raised met tower stations recorded a combined mean (\pm standard error) of 1.84 ± 0.22 bat passes per detector-night. Detectors at fixed ground stations recorded 448 bat passes on 265 detector-nights for a mean (\pm standard error) of 1.84 ± 0.23 bat passes per detector-night. Raised stations recorded a similar number (455) of bat passes on 265 detector nights for a mean of 1.83 ± 0.24 per detector-night. Bat activity was highest in the fall, peaking in early August. Activity during the standardized Fall Migration Period (FMP) was 2.80 ± 0.42 bat passes per detector-night at ground met tower stations, which is lower than rates established at other upper Midwest wind projects using AnaBat units (which generally record fewer bat passes than full spectrum units). Anabat-derived bat activity rate estimates include the national median (7.68) and the majority of studies available from the Midwest (6.97) and Rocky Mountains (2.2). Although it is expected that bat activity data collected using SM3 detectors is not directly comparable with activity data from the Anabat-derived studies, it is assumed that SM3 detectors would detect more bat calls due to a greater detection distance and the fact that noise from insects or other sources does not inhibit detection of bats for full-spectrum detectors. Therefore, the activity data collected by SM3 detectors in the Crocker study provides a conservative risk assessment, and the fact that even with the SM3 units the bat passes were low indicates a relatively low use site.

3.2.2 Northern Long-eared Bat Presence/Absence Surveys

WEST evaluated the potential presence of the federally threatened NLEB at the Project site following the U.S. Fish and Wildlife Service *Northern Long-Eared Bat Interim Conference and Planning Guidance* (USFWS 2014a) and the *2015 Range-Wide Indiana Bat Summer Survey Guidelines* (USFWS 2015b). This evaluation included a review of potential NLEB habitat and acoustic surveys to assess the potential presence of the NLEB within the Project area. WEST conducted a Phase I habitat analysis by reviewing aerial imagery of the Project from 2015 (NAIP 2015) and delineating potential roosting and foraging habitat within 2.5 miles of the Project using ArcGIS software. Desktop analysis showed approximately 389.39 acres of wooded habitat within the project boundary which is scattered in small patches throughout the Project. Of the total wooded habitat area, about 33 acres of the habitat is considered suitable as summer foraging habitat (wooded areas within 1,000 ft of forested patches of 15 acres or more). Wooded areas greater than 1,000 ft from forest patches at least 15 acres in size are unlikely to be suitable habitat for NLEB given their relative isolation and NLEB summer foraging and roosting habitat requirements.

Acoustic surveys were conducted between July 22 and July 27, 2016 consistent with USFWS Guidelines. Bat calls were surveyed using SM3 detectors and identified using the USFWS-approved Automated Acoustic Bat ID Software Program, Kaleidoscope Pro (version 3.1.7; www.wildlifeacoustics.com), with NLEB calls examined and verified by a qualified biologist. The presence/absence survey focused on areas within and near forested habitat that are expected to be disturbed by Project development. Following the USFWS guidelines,

WEST conducted presence/probable absence surveys at two sites (four survey stations) within the Project.. A total of 722 calls were identified to the species level, with an average number of bat calls per detector night of 72.2. Qualitative analysis did not verify any potential NLEB calls; NLEB is therefore considered absent from the Project during the summer..

3.2.2 Bat Collision Risk

Based on information gathered at the site, it is likely that similar to other wind energy projects in Minnesota and South Dakota, impacts are likely to be greatest during the peak migration (July 15–September 15), and at low wind speeds, or associated with the passage of weather fronts.

3.3 Listed Butterflies

WEST evaluated grassland parcels that have the potential to be affected by project construction based on the August 2016 layout to determine if surveys for the federally threatened Dakota Skipper and endangered Poweshiek Skipperling flight surveys are recommended prior to construction. The federal threatened Dakota skipper and federal endangered Poweshiek skipperling is not known to occur in Clark County, but these species have been documented in Day County to the north and may occur within native prairies or prairie remnants within the Project boundary. Field assessments of grassland parcels that may be affected by construction (as indicated by the August 2016 layout) determined that the majority of the grassland habitats within the Project area are not suitable for the Dakota skipper or Poweshiek skipperling, and generally consist of highly impacted (overgrazed) pastures dominated by species such as smooth brome and Kentucky bluegrass. However, there were 62 areas, totaling 162.5 acres, containing potentially suitable habitats for these species (WEST 2016). Impacts to these species are not expected if impacts to prairie remnants are avoided during the design and construction processes. As project development continues and/or turbine layout changes, additional assessment (desktop and field if necessary) will occur if any temporary or permanent impacts are proposed for grassland habitats that were not examined as part of this assessment, in order to help inform siting and risk assessment.

3.4 Summary of Concerns Identified During Research and Analysis

Issues discussed in this report are ranked below with the assumption of no avoidance, minimization or mitigation. The level of concern would decrease if avoidance, minimization and mitigation were employed. Rankings are described below.

- High – Without avoidance, minimization or mitigation, the Project is likely to pose a significant risk to the topic of concern.
- Moderate – Without avoidance, minimization or mitigation, the Project is likely to pose a moderate risk to the topic of concern.
- Low – Without avoidance, minimization or mitigation, the Project is likely to pose a low risk to the topic of concern.
- Minor – Without avoidance, minimization or mitigation, the Project is likely to pose minimal risk to the topic of concern.

These conclusions and recommendations will be reevaluated upon completion of Tier 3 assessments at the Project site, as well as upon completion of the Section 7 ESA review by the USFWS.

High Level of Concern

There are no identified issues of high concern.

Moderate Level of Concern

Subject: Breeding Bird Collision

Regulatory Framework: MBTA

Breeding bird collision is an issue of moderate concern due to the high percentage of turbines proposed to be placed in grassland habitat. Analysis of point count data from the breeding season will be used to reevaluate this conclusion, along with information gathered during breeding bird surveys in 2017. Once the data from the full year of avian use surveys is analyzed and the final project layout is available, an update to the breeding bird risk assessment will be provided.

Subject: Waterfowl and Waterbirds

Regulatory Framework: MBTA

Northeastern South Dakota is known for significant activity during the waterfowl migration, and waterfowl and waterbird activity was documented at the site during avian use surveys conducted during the spring 2016 migratory period. Multiple waterfowl and waterbird species have been observed during surveys conducted to date. Collision risk is generally low for waterfowl and waterbird species because studies and observations indicate that waterfowl and waterbirds can see and avoid turbines during flight. However, due to the observed activity level during spring migration, turbine placement should avoid areas of high waterfowl activity whenever possible. Once the data from the full year of avian use surveys is analyzed and the final project layout is available, an update to the waterfowl and waterbird risk assessment will be provided.

Subject: SGCN and state SC bird species

Regulatory Framework: MBTA

Eleven SGCN and state SC (SCC) species were observed during avian use surveys conducted between April and October 2016. These species are considered vulnerable, declining or rare. Once the data from the full year of avian use surveys is analyzed and the final project layout is available, an update to the SGCN/SC risk assessment will be provided.

Subject: Grassland Bird and Waterfowl Habitat Displacement

Regulatory Framework: NEPA

As described in Section 3.1.5, there is some evidence that some grassland specialist bird species may be susceptible to displacement effects from wind turbines; some studies have also indicated some displacement effects of breeding duck pairs in the vicinity of wetlands (although other studies have not shown a significant effect). Grassland habitat (particularly larger than > 40 acre tracts) is located throughout the Project, along with wetland stopover and breeding sites. Once the data from the full year of avian use surveys is analyzed and the final project layout is available, an update to the displacement risk assessment will be provided.

Waterfowl may use agricultural fields in and near the site during migration. Waterfowl have been observed to avoid foraging and breeding near wind turbines, although habituation to the presence of wind turbines has also been observed. These preliminary conclusions will be reevaluated after the collection of breeding and fall migration data are available and the project layout is finalized.

Subject: Listed Butterflies

Regulatory Framework: Federal and State Endangered Species Act

The federal threatened Dakota skipper and federal endangered Poweshiek skipperling have been documented to occur in the adjacent Day County and may occur within native prairies or prairie remnants within the Project boundary. Field assessments of grassland parcels that may be affected by construction (as indicated by the August 2016 layout) showed that multiple areas contain potentially suitable habitats for these species (WEST 2016). Impacts to these species are not expected if impacts to the identified suitable habitat patches are avoided during the design and construction processes; however, given the general widely scattered presence of the potential habitat, flight surveys may be necessary to determine presence/absence, if complete avoidance of suitable habitat is not possible.

Low Level of Concern

Subject: Migratory Bats

Regulatory Framework: Federal and State Endangered Species Act.

Migratory tree bats that have experienced mortality at other wind sites are present at the site during spring and fall migration. As described in Section 3.2.1, the general acoustic survey indicates that general bat use at the site is relatively low when compared to other projects in the Midwest. It is likely that some mortality will occur at the Project site, and that mortality will be similar to other wind energy projects in agricultural regions of the Midwest with low- bat activity. Hoary bats and silver-haired bats may experience the greatest mortality, based on the species composition of the general acoustic study.

Risk of mortality at the Project site is likely to be greatest on nights in the FMP, when bat passage rates are the highest (at the Project beginning in late July and peaking in early August). During the FMP, weather conditions that are most conducive to higher mortality rates occur with warm temperatures (>50F) and low wind speeds (<6.5m/s) (Baerwald et al. 2009, Arnett et al. 2010, Good et al. 2011, Cryan and Brown 2007). In addition, risk is higher on the first night following the passage of a low pressure system when the prevailing wind shifts from a southerly to a northerly direction (Cryan and Brown 2007, Good et al. 2011).

Subject: Bald Eagle

Regulatory Framework: BGEPA, MBTA, State Endangered Species Act

There is a low level of concern for potential Bald Eagle mortality at the site. The Bald Eagle is protected under the BGEPA, and is a state listed threatened species. There are two occupied bald eagle nests within 10 miles of the site, although no bald eagle nests are located within five miles of the Project boundary. The nests were active during the March 2016 aerial raptor nest surveys. To date, only one Bald Eagle has been seen during eagle use surveys, in October 2016. Use to date therefore appears to be relatively low.

The Project boundary contains very limited nest substrate. The Bald Eagle population has been declining over the last three years in South Dakota according to the Midwinter Bald Eagle Survey conducted by SD GFP, but it is possible that Bald Eagles may establish additional nesting territories within 10 miles of the site at some point in the future.

WEST will continue general eagle use surveys per the ECPG at the Project through March 2017. Once the data is analyzed, an update to the Bald Eagle risk assessment will be provided.

Subject: Raptor Collision Risk

Regulatory Framework: MBTA

There are no known raptor migration routes near the site. Due to the general low raptor use in this part of the state and typical raptor mortality rates, it is unlikely that significant numbers of raptors would be killed at the Project site. This risk assessment will be updated once the data from the site-specific large bird surveys is available and analyzed.

Subject: Northern Long-eared Bat

Regulatory Framework: Federal Endangered Species Act

NLEB is a federal threatened species under the ESA. The NLEB is experiencing steep population declines due to White Nose Syndrome. This species is known to occur throughout South Dakota, although it prefers forested habitat. The presence/absence survey results indicate that the NLEB is not expected to breed or forage at the Project during the summer, although it could be present during migration.

Subject: Migratory Passerine Birds

Regulatory Framework: MBTA

Passerine bird mortality during spring and fall migration is typically the greatest source of bird mortality at wind energy developments. Migratory passerine use of the site appears typical of Midwestern agricultural habitats based on avian use surveys conducted to date, and mortality for these species is anticipated to be similar to that at other Midwestern wind energy developments.

Subject: Rufa red knot and whooping crane

Regulatory Framework: Federal Endangered Species Act

The Project is outside of the 220-mile wide band where 95% of all whooping crane sightings have occurred, and the majority of sightings in South Dakota have been associated with the James and Missouri River valleys, with preferred stopover habitat being wide-shallow river areas. While possible, it is unlikely that whooping cranes would stop during migration within the Project. There are no records of this species in the vicinity of the Project according to NHIS data. In the December 13, 2016 meeting, USFWS stated that the Section 7 review of the Project will evaluate whooping cranes, and that although the Project is outside of the 95% migration corridor, the USFWS may recommend some species-specific avoidance, minimization or mitigation measures during construction or operations.

There are also no records of the Rufa red knot in the vicinity of the Project according to NHIS data. If the species were to occur within the Project, it would likely be an isolated few individuals in spring or fall as

migrants, stopping at ephemeral and permanent wetlands and ponds. Knot response to wind turbines is not well documented but it is expected to be similar to many waterbirds and shorebirds (in general, this avian group does not appear to be significantly affected by wind turbines).

Minor Level of Concern

Subject: Topeka shiner

Regulatory Framework: Federal Endangered Species Act

Small streams on the western portion of the Project draining to the James River are of some potential concern, which feed into streams where Topeka shiner observations have been recorded downstream. However, there are no records of this species in the vicinity of the Project according to NHIS data, and use of proper erosion control techniques during construction should result in avoidance of potential impacts to this species.

Subject: Federal Listed Plant Species

Regulatory Framework: Federal Endangered Species Act

No records of federally listed plants have occurred in the vicinity of the Project, according to NHIS records, and coordination with USFWS and SD GFP have not indicated that the Project would present a risk to listed plant species.

4. AVOIDANCE AND MINIMIZATION MEASURES

4.1 Preconstruction Siting and Design

4.1.1 Turbine Siting

Wind turbines and associated facilities for the Project will be sited with consideration for the topographic and environmental characteristics of the site, efficiency of selected turbine models, and minimal impacts to area residents. Siting also considers the setback requirements established in the Zoning Ordinance for Clark County. The Clark County Board of Adjustment may allow setback/separation distances to be less than the established distances identified above, if the adjoining landowners agree to a lesser setback or separation distance. Table 3 enumerates setbacks that will be adhered to in siting the Project.

Table 3. Project Setback Requirements

Features	Setback
Off-site residences, businesses, churches, and buildings owned and/or maintained by a government entity	At least 1,000 feet measured from wall line to the base of the turbine tower.
On-site residence	At least 500 feet measured from wall line to the base of the turbine tower.

Centerline of public roads	At least 500 feet or 110% of the height of the wind turbine, whichever is greater, measured from the ground surface to the tip of the blade when fully vertical.
Property line	At least 500 feet or 110% of the height of the wind turbine, whichever is greater, measured from the ground surface to the tip of the blade when fully vertical, unless wind easement has been obtained from adjoining property owner.
Turbine Spacing	Three rotor diameters between turbines. If required during final micro-siting of turbines to account for topographic conditions, up to 10% of the towers may be sited closer than three rotor diameters but the permittees shall minimize the need to site the turbines closer.

The layout and design of the Project will maximize energy generation while minimizing impacts to the land and surrounding community. The Project will adhere to a voluntary setback of a minimum of 1,000 feet from nonparticipating occupied structures, unless other arrangements have been made with specific residents. A 500-foot setback has been incorporated from all public and private rights-of-way.

The Project will be designed in an environmentally conscientious manner, with input from wildlife agencies and relevant site-specific information gathered during avian surveys. As currently planned the Project will either meet or exceed state and local siting requirements. Additionally, once the NEPA process associated with the USFWS easement right-of-way permit is concluded, this BBCS will be updated to reflect all avoidance, minimization and mitigation measures that are included as part of that federal review and permit process.

Access roads, wind turbine locations, and the underground collector system will not require significant cut and/or fill.

4.1.2 Collection and Transmission Lines

The Project design for electrical facilities will be based upon the Avian Power Line Interaction Committee's (APLIC) suggested practices for minimizing risk of electrocution of birds from power lines. Electrocution is commonly a concern with electrical facilities, and the electrocution of large birds, such as raptors, is more commonly associated with distribution lines. Electrocution occurs when birds with large wingspans come in contact with two conductors or a conductor and a grounding device. Adequate spacing of the transmission line design diminishes the risk of raptor electrocution, and the Project will incorporate such a design so as to eliminate the risk of electrocution. To the extent practicable, the collector system will be placed underground, thereby eliminating the risk of electrocution, as well as minimizing impact on existing farm operations. Any disruption to drainage tile will be avoided to the extent possible during construction; further, any damage to tile as a result of construction activities will be repaired.

Historically, utilities have had success in reducing collisions on transmission lines by marking the shield wires with flight diverters (FDs). FDs are preformed, spiral-shaped devices made of polyvinyl chloride that are wrapped around the shield wire and are designed to increase its visibility. Other devices will be considered if they are proven to be effective.

4.2 Construction

4.2.1 Minimizing Temporary Disturbance

Areas of construction and temporary ground-disturbance activities will be minimized to the extent practicable. Temporary disturbances during construction of the Project include crane pads at each turbine location, temporary crane paths, temporary laydown areas at the base of each turbine, trenching-in the underground electrical collection system, and storage or stockpile areas. In areas where temporary ground-disturbance activities occur, such as temporary crane paths or the installation of underground infrastructure, preconstruction vegetation will be restored.

Additionally, while impacts to avian nesting cover are not anticipated due to construction timing, clearing of perennial vegetation and any potential avian nesting cover will be avoided to the extent practicable. While efforts have been made to avoid all areas of native prairie, in the event that change in project design causes the relocation of facilities into areas of nesting cover, the construction sequence will be re-examined so as to not disturb nesting cover that contains hatched or unhatched clutches.

Management measures will be implemented to restore areas that are impacted due to temporary construction activities. After all practicable avoidance measures are taken to reduce temporary impacts to vegetated areas, any temporarily disturbed areas will be re-vegetated to blend with existing vegetation. Further measures will be taken to minimize disturbance from construction activities. Construction teams will be made aware of, and attempt to prevent spreading of, invasive species via the movement of people, materials and equipment into and out of the site to prevent the spread and colonization of any new populations of invasive species. Control measures include washing off any soil, dirt and debris on equipment, such as wheels and turbine components, as well as footwear if necessary, prior to moving equipment over native prairie land, as soil may be embedded with roots or seeds of invasive plant species.

The Project's Storm Water Pollution Prevention Plan (SWPPP) will be utilized as a resource to ensure control measures are taken to prevent erosion and runoff during construction of the Project. Of particular concern is runoff into sensitive habitats as well as into streams and roadside ditches. The measures within the SWPPP will comply with the requirements of the South Dakota Department of Environment and Natural Resources (SD DENR) General Permit for construction discharges under the National Pollutant Discharge Elimination System (NPDES) / State Disposal System Permit Program. These rules are reflected in the construction erosion and sediment control BMPs described below.

- Disturbed areas will be minimized and silt fence will be installed at the down gradient edge of disturbed area, prior to disturbance, to limit sediment flow and pollution to natural areas outside the construction zone.
- If streams are within the area of construction additional silt fence must be placed along the edge of the stream 3 m (10 ft) from edge of channel, if possible, as a primary sediment break. If natural vegetation along the edge of stream is to be disturbed, silt curtain must be placed at the edge of said stream, in a fashion proper with rate of flow, as a secondary precaution. If natural vegetation is not to be disturbed then it should provide necessary filtration to preclude the need of silt curtain in the stream.

- If soil is disturbed outside of the agricultural till area, the soil must be stabilized within fourteen (14) days after continuous disturbance ceases. If said area is along special or impaired water (PWI waters) the area must be stabilized within seven (7) days of disturbance. Ditch bottoms 60 m (200 ft) from edge of surface water or property must be stabilized within 24 hours. If soil is disturbed around a culvert or other water discharge location, the area must be stabilized within 24 hours of disturbance.
- Erosion and sediment control devices require weekly inspections to ensure that they are staying effective. In the event of a half inch (½”) or greater rainfall, inspection must occur within 24 hours.
- If failures are found, any discharge associated with said failure must be cleaned up as soon as possible and no later than seven (7) days from time of discovery.
- Any track out from vehicles traveling through the site onto roadways must be cleaned up within 24 hours.
- Upon construction completion, disturbed areas must be stabilized within 14 days.
- Material stockpiling will be kept to specified areas and will be surrounded with silt fence at least 2.4 m (8 ft) from the edge of the stock pile to provide a barrier for potential erosion and sediment run off from the stockpile yard. Hazardous material will be handled per the individual material guidelines as well as on-site spill kits.

4.2.2 Site Maintenance

Proper caution and safety measures will be exercised to minimize risks to avian and bat populations near and at the site. To minimize the risk of wildfire that could destroy bird and bat habitat, or that could be injurious to construction personnel, the contractor will be responsible for maintaining a clean and orderly site. Flammable chemicals, petroleum and other materials with the potential for combustion will be handled and stored in a safe manner. Accumulation of outdoor storage or waste will be addressed immediately so as not to attract birds and bats. The site manager will be responsible for enforcement of BMPs that focus on reducing impacts to birds and bats, as well as the implementation of this document.

4.2.3 Nest Management

This BBCS includes procedures for nest management for the life of the Project on operational grounds and on Project structures. These procedures will be explained to Project employees during training to ensure uniform treatment of avian nest issues among personnel. Many bird species build nests on transmission and generation facilities as well as on the adjacent maintenance pads, roads and other ground cover. Species such as barn swallows, cliff swallows, kingbirds, crows, robins and several raptor species are known to use generation and transmission facilities as nesting substrate. Additionally, turbine pads can provide substrate for ground nesting species such as common nighthawks, killdeer, and horned larks among others. Depending on where nests are located, they may pose fire, safety, power outage, bird electrocution, and bird collision risks. Nest management may include trimming nest material, removing nests, or relocating nests to areas of less risk. In some instances nesting platforms can be constructed in locations that reduce the risk to birds using the area and to equipment.

By siting turbines, collector lines and other facilities in agricultural lands, impact to bald eagles and marbled godwits are minimized. However, in the absence of other suitable nest sites, other species such as some songbirds and raptors will use artificial structures for nesting. State and federal laws and regulations prohibit these nests from removal at certain times of the year without first obtaining authorization from state and federal wildlife agencies. It is unlawful to destroy nests when eggs or young birds are in them. Project employees will be trained to understand that no impacts to occupied nests can occur unless there is an immediate safety threat, in which case, coordination with the USFWS and SD GFP will need to occur. While some nests are benign and need no management, others may need to be managed to reduce the risk of equipment failure, bird and bat collisions, and electrocution.

4.2.4 Training

The contractor will be the lead entity for construction management and will be responsible for providing training to all construction staff working on the Project. Training, both formal and informal, will be provided for all construction staff depending on the work responsibilities of personnel. A variety of formats will be employed to present information to those receiving training, such as department or group meetings and discussions, one-on-one training, presentations, posters, and handouts. Copies of any training materials distributed will also be kept at the construction trailer/field office, and the hours and attendees of training sessions will be documented by the appropriate designee. Training will include but is not limited to:

- environmental compliance,
- threatened & endangered species, and species of concern,
- avian and bat issues,
- sediment and erosion control BMPs,
- vegetation management and noxious weeds,
- wetland and water resources,
- hazardous materials,
- water crossings, and
- cultural and historic resources.

Expected formal training opportunities include:

- preconstruction meeting with contractor and construction managers,
- preconstruction meeting with relevant agencies,
- regular status meetings as determined by contractor, and
- regular field meetings with construction personnel.

4.2.5 Wildlife Concerns

The contractor and subcontractors will work to implement BMPs to construct the Project in a way that minimizes impacts to avian and bat species on site. This includes maintaining flexibility in the construction of components where feasible, as well as encouraging the education of construction teams on site-specific environmental and faunal concerns. Education may also include training in the identification of different types of birds and bats, which may be accomplished by utilizing posters that identify sensitive species, and

which are posted at the construction trailer facility. Site personnel will be required to receive training on the Wildlife Incident Reporting System.

The contractor will be required to have a proper safety program in place and to ensure that construction and operations crews have been adequately trained to that effect. To minimize the risk of wildfire that could destroy bird and bat habitat, or that could be injurious to construction personnel, construction crews will exercise proper caution and safety measures while handling and storing flammable chemicals, petroleum, and other materials with the potential for combustion. Operations and Maintenance (O&M) staff will be trained on this document, and training on avian protection planning and practices external to this document is highly encouraged.

In the event of permit noncompliance issues, the contractor will take the measures necessary to correct the situation and maintain compliance. A stop work order may be issued if an emergency occurs, or if a violation is not corrected in a reasonable time. The contractor will designate a project representative responsible for notifying and documenting issues of noncompliance with the permit.

Avian Species. The primary concern for avian species during the construction phase is related to disturbance of SCC and SGCN species. Construction personnel will be trained to identify potential nesting habitat in grasslands and wetlands and to contact the Site Manager prior to disturbance. The Site Manager will coordinate any necessary special avoidance methods with the environmental inspector, and will notify the construction personnel when construction can continue.

Bat Species. The primary concern for bats during the construction phase will be the destruction of occupied roosting and breeding habitat for NLEB (e.g., large trees, old buildings). Between April and October 15, if construction will remove large trees, old buildings, or directly impact potential roosting or breeding habitat, construction personnel will be directed to halt activities and a trained biologist will search the area to ensure no bats are present. This searching can consist of visual inspection of trees, old buildings, and cavities where bats may exist, or of watching for bats departing these areas at dusk or returning at dawn. Construction personnel will be trained to identify potential habitat and required to contact the Site Manager prior to disturbance. The Site Manager will coordinate the searches with the environmental inspector and will notify the construction personnel when construction can continue. If areas are disturbed before April 1 or after October 15, these measures are not necessary.

Butterfly Species. Construction personnel will be trained to avoid impacts to habitat that has been identified as suitable for listed butterfly species to the greatest extent feasible. Maps of the identified suitable habitat will be provided as avoidance areas in construction maps, and construction crews will be directed to avoid all impacts, including driving, to suitable habitat. If the final Project layout does not avoid all potentially suitable habitat areas, construction crews will be informed that no impacts (including driving) can occur without express documentation of presence/absence surveys for the listed species, and coordination with the USFWS regarding the results of the surveys and any additional avoidance/minimization measures that may be required.

General Wildlife Resources. Construction personnel will be trained to identify and avoid impacts to wildlife in general. During construction, personnel will visually inspect each open trench or pit daily to determine if any animal has become trapped in the trench or pit. If an animal has become trapped, the Site

Manager will be notified and appropriate action taken to safely remove and release the animal. Training in general wildlife awareness will be required of all construction personnel.

4.2.6 Construction Monitoring Plan

The Project is sited in an area dominated by herbaceous areas, pasture/hay, and cultivated agriculture, thereby offering a low to moderate risk for potential environmental impacts. While this proper siting avoids and minimizes most potential impacts to birds, bats, and other wildlife, the following training and action will be implemented during the construction phase. Different phases of construction will utilize different construction personnel at different times of the year. Therefore, the construction monitoring plan is designed to be implemented during these appropriate times, such that the construction personnel receive the necessary training and are implementing the plan accordingly. Construction personnel will be trained in the following areas when appropriate:

- awareness and general identification of SGCN species;
- awareness of potential bird nesting areas;
- awareness of potential bat roosting/breeding habitat;
- awareness of butterfly habitat; and
- awareness of general wildlife issues.

Awareness training makes construction personnel responsible for observing and then reporting potential issues to the site representative or construction manager. The site representative will also be trained in procedures to follow and actions to take at different times of year and for different situations.

4.2.7 Road Minimization and Traffic Plan

During the construction period, heavy trucks, light trucks, and other construction equipment will access construction sites via existing county and gravel roads. New access roads will be built only as necessary to reach the turbines. Road widening will be limited to the extent feasible during the construction phase of the Project. Erosion and sediment control requirements apply to any road construction activities.

Construction vehicle travel will be reduced by requiring all construction workers to park their personal vehicles at a central location on the Project site. All construction and construction-related activities will be confined to the minimum area necessary to safely construct generation, transportation, transmission and maintenance facilities as depicted in the final site design and engineering plans. Approved work space limits will be marked and maintained throughout the construction period. All construction-related traffic within the wind farm areas will be limited to a maximum speed limit of 25 mph unless a lower speed limit is posted. Any carrion resulting from collisions with vehicles will be removed from roads constructed to maintain or access Project facilities.

Upon completion of construction, any expanded road widths will be narrowed to approximately 14–16 feet, and vegetation alongside the roads will be restored. During the operational phase of the Project, traffic volume will be minimal, consisting mainly of local traffic and routine trips by technicians to check and maintain wind generation and transportation equipment.

4.2.8 Collection and Transmission Lines

There is potential for temporary displacement of wildlife during the construction of both the wind farm and the transmission line. However, this displacement is anticipated only for a short distance and it is temporary. Fallow farm fields, fencerows and woodlots in cultivated areas may provide cover for displaced birds during construction of the transmission line.

Raptors, waterfowl and other bird species may be affected by the construction and placement of the transmission lines. Avian collisions with transmission structures are a possibility in areas where there are agricultural fields that serve as feeding areas, wetlands, and open water. As such, transmission structures will not be located within these wetland areas to the extent feasible.

5. OPERATION AND MAINTENANCE

5.1 Avian and Bat Mortality

A combination of several factors contributes to avian and bat susceptibility to wind turbine collisions. These factors may include the abundance and composition of avifauna in the area, the way in which avifauna are dispersed across a geographic area, the presence of suitable nesting and foraging habitat, the presence and abundance of prey, the time of the day or night, season of the year, and the siting or layout of wind turbines. Predicting the fatality rates for the Project is best understood by utilizing the data and information learned from a number of key studies, including Jain (2005), Young et al. (2003), Erickson et al. (2004), Johnson et al. (2000), Poulton (2010), and the National Research Council (2007).

Based on Project data gathered to date, no significant adverse impacts are anticipated from the Project. The anticipated fatality rate for birds and raptors is expected to be within the overall range for other projects in Minnesota and South Dakota (Table 4). Publicly available studies from Minnesota and South Dakota (for studies conducted after 2005) suggest the range of estimated fatality rates is 0.44 to 5.59 birds/MW/year and 0 to 0.37 raptors/MW/year. Based on publicly available studies in Minnesota and South Dakota for studies conducted after 2005 (Table 4), the anticipated fatality rate for bats ranges from 0.16 to 20.19 bats/MW/year.

Table 4. Avian and Bat Fatality Rates at Minnesota and South Dakota Wind Farms (from publicly available data)

Location	Project Name	Adjusted Bird Fatalities per MW per Yr	Adjusted Raptor Fatalities per MW per Yr	Adjusted Bat Fatalities per MW per Yr	Reference
Minnesota	Big Blue	NA	NA	6.33	Chodachek et al. 2014
Minnesota	Elm Creek	1.55	0	1.49	Derby et al. 2010
Minnesota	Elm Creek II	3.64	0	2.81	Derby et al. 2012
Minnesota	Grand Meadow	NA	NA	3.11	Chodachek et al. 2014

Location	Project Name	Adjusted Bird Fatalities per MW per Yr	Adjusted Raptor Fatalities per MW per Yr	Adjusted Bat Fatalities per MW per Yr	Reference
Minnesota	Lakefield	1.07	NA	20.19	Westwood Professional Services 2015
Minnesota	Moraine II	5.59	0.37	2.42	Derby et al. 2010
Minnesota	Oak Glen	NA	NA	3.09	Chodachek et al. 2014
Minnesota	Prairie Rose	0.44	0.08	0.41	Chodachek et al. 2015
South Dakota	Buffalo Ridge I	5.06	0.2	0.16	Derby et al. 2010
South Dakota	Buffalo Ridge II	1.99	0	2.81	Derby et al. 2012
South Dakota	Prairie Winds	1.41	0 – 0.03	1.05 – 1.23	Derby et al. 2012 and 2013
South Dakota	Wessington Springs	0.89	0.06 – 0.07	0.41 – 1.48	Derby et al. 2010 and 2011
Range		0.44 - 5.59	0 - 0.37	0.16 – 20.19	

This Project is located within the Central Flyway, and wetlands/potholes within the boundary will be used by migratory birds during migration. Concern regarding the risk to waterfowl/waterbirds that may use wetlands and prairie potholes for stopover habitat is generally higher for projects in these areas. WEST examined publicly available fatality data from post-construction studies at several wind projects located in complexes of prairie pothole wetlands and areas with relatively high use by waterfowl (Table 5). Publicly available data from the Prairie Winds project in North Dakota show a range of fatality rates for waterfowl between 0.38 and 0.44 waterfowl fatalities/MW/year. Additional data from other projects in the Central Flyway with relatively high usage by migratory birds and waterfowl in North Dakota, South Dakota, and Iowa show fatality rates for all-birds and large-birds ranging from 0.38-8.25 birds/MW/year; however, no fatality estimates specific to waterfowl were calculated for these projects, and waterfowl-specific fatality estimates are expected to be substantially lower (see notes in Table 5).

Table 5. Avian Fatality Rates at Wind Farms in high waterfowl use areas (from publicly available data)

Location	Project Name (year)	Fatalities per MW per year	Notes	Reference
North Dakota	Prairie Winds (2010)	0.38 (waterfowl)	Fatality estimate is for waterfowl birds only. Study period mid-March to October 30.	Derby et al. 2011a

Location	Project Name (year)	Fatalities per MW per year	Notes	Reference
North Dakota	Prairie Winds (2011)	0.44 (waterfowl)	Fatality estimate is for waterfowl birds only.	Derby et al. 2012a
North Dakota	Rugby (2010-2011)	2.77 (large birds)	No specific waterfowl fatality estimates were calculated. Approximately seven large birds were documented during scheduled searches. Of these, three were waterfowl/waterbirds. Therefore waterfowl fatality rates are expected to be lower than 2.77 large birds/MW/yr.	Derby et al. 2011b
North and South Dakota	Tatanka (2013 and 2014)	0.79 (waterfowl, spring only)	This study was a survey of only spring mortality, so waterfowl mortality for a full year would be expected to be higher.	Graff 2015
South Dakota	Prairie Winds (2011-2012)	0.45 (large birds)	No specific waterfowl fatality estimates were calculated. Approximately 22 large birds were documented in the scheduled searches. Of these, five were waterfowl/waterbirds. Therefore waterfowl rates are expected to be lower than 0.45 large birds/MW/yr.	Derby et al. 2012b
South Dakota	Prairie Winds (2012-2013)	0.78 (large birds)	No specific waterfowl fatality estimates were calculated. Approximately 26 large birds were documented in the scheduled searches – of these, 17 were waterfowl/waterbirds. Therefore waterfowl fatality rates are expected to be lower than 0.78 large birds/MW.	Derby et al. 2013
South Dakota	Prairie Winds (2013-2014)	0.45 (large birds)	No specific waterfowl fatality estimates calculated. Approximately 26 large birds were documented. Of these, three were waterfowl/waterbirds. Therefore waterfowl fatality rates are expected to be lower than 0.45 large birds/MW.	Derby et al. 2014
South Dakota	Wessington Springs (2009)	8.25 (all birds)	Waterfowl accounted for 6.8% of documented fatalities and totaled 2 waterfowl individuals (one mallard and one pintail). Therefore, waterfowl fatality rates are expected to be much lower than 8.25 birds/MW/yr. Relatively low searcher efficiency and relatively high carcass removal rates likely inflated the overall bird fatality estimate.	Derby et al. 2010
South Dakota	Wessington Springs (2010)	0.89 (all birds)	Waterfowl accounted for approximately 10% of fatalities and included one individual (gadwall). Therefore, waterfowl fatality rates are expected to be lower than 0.89 birds/MW/yr.	Derby et al. 2011c
Iowa	Top of Iowa (2003)	0.38 (all birds)	Turbines located in cropland between three Wildlife Management Areas with wetlands/lakes and high	Jain 2005

Location	Project Name (year)	Fatalities per MW per year	Notes	Reference
Iowa	Top of Iowa (2004)	0.76 (all birds)	bird use that includes migrants and resident waterfowl. No waterfowl or waterbirds were documented as fatalities, although multiple geese and other waterfowl were documented flying in and around turbines.	Jain 2005

The data available from the studies in Table 5 indicate that while wind projects located in proximity to waterfowl/waterbird migration stopover and breeding habitat do result in some mortality, the rates do not appear to approach levels that would affect populations (overall 48.4 million breeding ducks, 13.5 million migrating mallards in 2016, as documented in the USFWS' Waterfowl Population Status report) – and some studies have shown no mortality at all even in areas with high waterfowl use during operations (Top of Iowa).

Avian use surveys were initiated in spring 2016 to identify species and species-group use within the Project area and to aid in estimating avian mortality risk. The WEST study uses the hierarchical data collection and decision-making process in the USFWS Land Based Wind Energy Guidelines (USFWS 2012).

5.2 Operational Procedures

During operations and maintenance, the following measures will be implemented:

1. Minimize Lighting. All unnecessary lighting, except those required for safety by the FAA and other lights needed for safety and security purposes, will be turned off. USFWS's draft Wind Turbine Guidelines recommend that wind turbine lighting be designed such that the blinking lights illuminate simultaneously to prevent disorientation of birds and bats. This measure is less likely to attract insects to a constant light source, and thus the birds and bats that feed on them. Further, the USFWS recommends the use of minimum intensity, maximum off-phased strobe lights where necessary; constantly lighted sources, such as L-810 obstruction lights, are not recommended. The FAA recommends synchronized flashing or blinking red lights (L864), and generally recommends lighting only the perimeter of the wind farm project with lighting gaps of no more than 0.5 mile between lights, and no more than one mile across turbine clusters, as well as lighting turbines that are isolated from strings or clusters of other turbines. Minimizing the duration of the flash and maximizing the time between flashes is also beneficial. Turbines within the Project site will be lighted in compliance with FAA minimum standards. In keeping with the Draft Guidelines, the use of motion- or infrared-activated lights on building facilities will be investigated as a method to reduce attraction of insects, birds and bats. The use of high-intensity lights such as spotlights, steadily-burning bright lights, and sodium vapor lights will be minimized.
2. Limit Foraging Opportunities. Foraging opportunities for raptors and other scavengers will be limited by
 - regular clearing of road kill or other carcasses around the Project site to remove scavenger food sources.
 - removing rock and brush piles that could create prey habitat.
 - prohibiting food waste littering by employees.

In addition to these measures, general farming practices such as tilling, harvesting and mowing will provide another measure that will limit the accumulation of surface water and thereby deter avifauna.

3. Minimize Risk of Vehicular Collisions. Project access roads will be posted with a 25-mph speed limit.
4. Overhead Utilities Maintenance. APLIC (2006) guidelines for overhead utilities maintenance will be followed where possible.
5. Meteorological Towers. Temporary met towers be removed, and replaced with an unguyed permanent lattice tower for meteorological monitoring.
6. Minimize Fire Risk. Fire risk will be minimized by utilizing spark arrestors on all electrical equipment, and by restricting smoking to designated site areas.
7. Proper Hazmat Handling. Hazardous materials will be handled in accordance with federal and state regulations.

5.3 Tier 4 – Post-construction Avian and Bat Monitoring

To assess actual direct collision impacts to bird and bat species from the Project, post-construction mortality monitoring will be conducted at the site for a minimum of one year. The survey will include searcher efficiency and carcass removal trials, and the overall mortality rate will be adjusted based on the trial results. This protocol is based on guidelines from the USFWS Land Based Wind Energy Guidelines (USFWS 2012) and the National Wind Coordinating Collaborative Comprehensive Guide to Studying Wind Energy/Wildlife Interactions (Strickland et al. 2011). Estimates of mortality will follow either the Schoenfeld or Huso method as appropriate per Strickland et al. (2011).

Post-construction mortality data will be compiled at the end of the year of surveys and reported to the USFWS and SD GFP. Results of the post-construction mortality monitoring will be evaluated based on comparison with other mortality figures for similar wind energy projects, and other pertinent factors such as weather events and factors related to wind facility operations, such as lighting. Should a reasonable level of mortality be exceeded, a process of adaptive management will be used to reduce the Project impacts below a reasonable level, and success or failure of these measures will be documented through post-construction mortality surveys.

These mortality surveys will require the collection of bird and bat carcasses. A Special Purpose-Migratory Bird Mortality Monitoring permit is required from the USFWS (<http://www.fws.gov/forms/3-200-81.pdf>) to handle bird carcasses. All handling of bird carcasses will be carried out under the appropriate state and federal permits.

5.3.1 Mortality Surveys

For compliance with the MBTA, post-construction mortality monitoring methods will be developed in cooperation with the USFWS and SD GFP and follow guidelines set forth in the following documents:

- Bat Sampling and Collection Protocol Guidelines and Requirements (SD GFP 2001)
- US Fish and Wildlife Service Land-Based Wind Energy Guidelines (USFWS 2012)

Compliance with the BGEPA and MBTA, allowing the ‘possession’ of the bird/carcass requires the possession of a Salvage, Rehabilitation, Special Purpose, Scientific Collecting, or related permits. The issuance and use of Federal Migratory Bird permits also requires annual reporting to USFWS. Contacts at the USFWS and SD GFP are:

USFWS

Office of Migratory Bird Permits
US Fish and Wildlife Service
P.O. Box 25486
Denver, CO 80225
Telephone Number (303) 236-8171

South Dakota Game, Fish and Parks

Eileen Dowd Stukel
Wildlife Diversity Coordinator
South Dakota Game, Fish and Parks
523 E. Capitol Avenue
Pierre, SD 57501
Telephone Number (605) 773-4229
Eileen.dowdstukel@state.sd.us

Weekly Mortality Surveys. The greatest mortality risks occur during the spring and fall migratory periods for birds and the fall migratory period for bats. Risks are lower during the breeding season and at a minimum during the winter season when passage rates and abundances of birds and bats are at seasonal lows. Weekly mortality surveys are optimally conducted from April 15 to October 15, to encompass bird and bat activity during the spring migration, breeding season and fall migration. Standard methods for searching for carcasses will be employed (e.g., Strickland et al. 2011).

Bald Eagle and Large Bird Mortality Surveys. The mortality of a Bald Eagle is likely to be a rare event that is best detected by monitoring all turbine locations over an entire year. Searches will employ standard methods. Searcher efficiency is likely to be high from November 1 through May 31 when vegetation is absent or low. Efficiency is likely to be lower from June 1 through October 31 when vegetation will obscure most of the area, and carcasses not caught on vegetation will be hidden.

5.3.2 Searcher Efficiency Trials

Searcher efficiency rates are highly variable and can range from 25% to 63% detection for small carcasses (Arnett et. al. 2005), and be as high as 100% detection for large carcasses (Stantec Consulting Services 2012). Trials will be conducted for each searcher to address differences between searchers, and will be conducted intermittently throughout the survey season.

Separate searcher efficiency rates will be determined following standard methods (Strickland et al. 2011), with specified numbers of carcasses distributed across turbines and seasons.

Bird and bat carcasses used in searcher efficiency trials will be inconspicuously marked. Carcass locations will be randomly located, but no more than a few carcasses will be placed at any one turbine during any one trial (Strickland et al. 2011). All locations will be GPS located. Carcasses will be placed by a biologist not participating in the mortality searches, and the timing of the searches will not be known to the searchers. Carcasses will be dropped from waist level to give them a more realistic position and location.

5.3.3 Carcass Removal Trials

Carcass removal trials will be utilized to estimate the scavenger rate at the site. Trials will be conducted throughout the survey season to account for seasonal variability, using standard methods (Strickland et al. 2011).

Carcasses will be obtained and placed as for the searcher efficiency trials, except that they will be placed by the biologist carrying out the mortality searches. GPS locations for each carcass will be recorded. Carcasses will be checked on predetermined days after placement or until all evidence of the carcass is removed. Each time a carcass is checked, its condition will be noted as present (intact or partially scavenged) or absent.

5.3.4 Reporting

Mortality results will be compiled and reported at the end of the year of post-construction mortality surveys. Estimated mortality rates for birds and bats per turbine will be calculated based on the methods described above. These calculated mortality rates will be compared to mortality data from other wind facilities for similar projects. These results and analysis will be compiled in a report and provided to the USFWS and SD GFP. If a reasonable level of mortality is exceeded, adaptive management strategies will be identified and implemented. These reports will include copies of all data forms associated with mortality monitoring.

5.3.5 Post-construction Permitting Efforts

Required wildlife permits will be obtained for the Project from the USFWS and SD GFP for handling dead or injured birds protected by programs such as the MBTA, BGEPA, and state nest relocation permits. Temporary possession, depredation, and salvage permits issued by the USFWS under the BGEPA and MBTA and state salvage permits will be part of the post-construction monitoring efforts and each of these permits will be acquired before monitoring begins.

Results compiled from preconstruction studies and ongoing fall/winter surveys determined that impacts to birds and bats are likely but will not be significant enough to affect area populations. These data are also being used to inform compliance with the BGEPA take permit, MBTA temporary possession, depredation, and salvage permits, and state salvage permitting requirements to monitor avian and bat mortality for up to three years post-construction.

The BGEPA and the ECPG (USFWS 2013) for wind development sites provides steps for voluntary compliance. Eagle use data will be collected over the course of an entire year at the Project. The results of these studies will be provided and discussed with the USFWS, as well as whether development of an Eagle Conservation Plan is appropriate for the Project. It is anticipated that the studies will satisfy the data requirements of the ECPG (USFWS 2013).

5.4 Quality Control and Adaptive Management

This BBCS includes mechanisms to review existing practices and ensure quality control. For instance, independent assessments of the avian reporting system may be conducted to ensure effectiveness, or there may be research on the effectiveness of different techniques and technologies used to prevent collisions, seasonal mortality, problem sites, areas where electrocutions occur on frequent or periodic basis, and problem nests.

With time, new methods to reduce and avoid negative impacts to avian and bat species may surface, and this plan may be amended to address issues and concerns utilizing those new methods. Further, data collected during operational monitoring may help to further inform wind farm environmental staff and wildlife agencies about the interplay of wind farms with avian species. Therefore, this plan will be reviewed and updated annually as needed to assist environmental staff in implementing the directives of the plan. This document will be maintained and made available at the operations facility for the Project.

The Project owners will consider adaptive management measures based on the results from formal monitoring. If results indicate that reevaluation is necessary, the effort will first focus on adherence to the operations, maintenance, and monitoring protocols described in this document. All human activities occurring on site will be reexamined to identify opportunities for improvement of study protocols and mitigation approaches.

If avian and bat mortalities exceed an acceptable level of mortality, additional avoidance and minimization measures will be implemented to reduce the number of fatalities. Measures will be implemented in consultation with the USFWS and SD GFP. These measures might include

- procuring habitat conservation easements;
- improving wildlife habitat;
- installing nest boxes;
- additional training of wind farm staff;
- modifications to lighting, if lighting is contributing to mortality events;
- feathering of turbines, or other modifications to operations, to reduce mortality of birds or bats; the protocol will be based on scientifically based studies documenting effectiveness in reducing bird and/or bat mortality, and will allow for the continued economic viability of the project. It will be limited to the periods of higher risk based on factors including season, time of day/night, weather conditions, and individual turbines associated with higher mortality. The level of feathering will be commensurate with the level of mortality observed.
- installing more avian flight diverters along transmission line;
- implementing technology proven to decrease bird/bat mortality without affecting the financial viability of the project.

If adaptive management measures are put in place after the first year of post-construction monitoring, the second year of post-construction monitoring will document the success of the avoidance and minimization measures. If adaptive management measures are put in place after the second year of post-construction monitoring, additional research will be conducted to document the success of the implemented avoidance and minimization measures. If the implemented measures successfully decrease mortality, they will be

continued throughout the operational life of the project, unless alternative effective measures are identified and implemented.

If the implemented measures are not successful in reducing mortality below an acceptable level, additional avoidance and minimization measures will be discussed with the USFWS and SD GFP, and research will continue to document the success of these additional measures. If avoidance and minimization measures do not reduce mortality below reasonable levels, mitigation options will be considered. Possibilities for mitigation through funding various actions include the following:

- initiatives to protect, enhance or restore habitat for the impacted species;
- research on site or off site to improve wind facility design, and understanding of factors contributing to mortality;
- research that would increase biological understanding of impacted species;
- retrofitting of communication towers with bird flight diverters on guy lines, or improve the lighting so that it is less likely to attract birds; and/or
- offsite measures to increase nesting success, such as nesting platforms or nest boxes.

This list of mitigation measures is not exhaustive; these and additional mitigation measures appropriate to the impacted species will be discussed with the USFWS and SD GFP.

5.5 Key Resources

This BBCS identifies key resources to address avian protection issues including area USFWS and SD GFP biologists, engineers, planners, and operation personnel who have been trained on avian interaction problems. External organizations such as the National Wind Coordination Committee (NWCC) and APLIC can also serve as helpful resources by providing guidance, workshops, materials, and contacts. An understanding of bald eagle, grassland bird, waterfowl, and bat behavior can influence how and when avian and bat protection should be utilized. The Project personnel will attempt to connect regulators and wildlife experts with Project decision-makers to reduce avian and bat injury or mortality and maintain Project reliability. The site manager will be responsible for enforcement of BMPs that focus on reducing impacts to birds and bats, as well as the implementation of this document. Operations and maintenance staff will be trained on this document and training on avian protection planning. Practices external to this document are highly encouraged by the Project personnel.

In the event of permit noncompliance issues during construction, the construction contractor will take the measures necessary to correct the situation and maintain compliance. A stop work order may be issued if an emergency occurs, or if a violation is not corrected in a reasonable timeframe. The contractor will designate a Project representative responsible for notifying and documenting issues of noncompliance with the permit.

Table 6 lists contacts that will serve as key resources during the construction and operations phases of both Projects. These include contacts for the Crocker Wind Project, area biologists, etc.

Table 6. List of Key Resources

Organization Type	Name	Address	Phone
Government Agency	South Dakota Department of Game, Fish and Parks	20641 SD Highway 1806 Pierre, SD 57532	605.223.7660
Government Agency	U.S. Fish & Wildlife Service South Dakota Field Office	420 S. Garfield Ave. Pierre, SD 57501	605.224.8693
Government Agency	South Dakota Public Utilities Commission	500 E. Capitol Ave. Pierre, SD 57501	800.332.1782
Developer	Crocker Wind Farm, LLC.	Address TBD – Operations & Maintenance Facility Building	TBD

6. AVOIDANCE, MINIMIZATION AND ADAPTIVE MANAGEMENT

As discussed above, the Project has incorporated Tier 1 through 3 information in the siting process to avoid and minimize potential impacts to wildlife. Siting decisions will also incorporate comments from agencies, and mitigation measures as required by the USFWS easement right-of-way permit process (anticipated to be in the form of funds to purchase in-kind replacement of grassland habitat) will also occur. Avoidance and minimization measures that have already occurred or are being considered are described further in Table 7 below; any updates that occur as part of the NEPA review will be included in a revision to Table 7 in the updated BBCS document.

Within the WEG, the Department of the Interior defines adaptive management as “an iterative decision process that promotes flexible decision-making that can be adjusted in the face of uncertainties as outcomes from management actions and other events become better understood. Comprehensively applying the tiered approach embodies the adaptive management process” (USFWS 2012). The WEG further notes that adaptive management at most wind facilities is unlikely to be needed during operation if they are sited in accordance with the tiered approach. Nevertheless, Crocker recognizes the value of applying this approach to its Project activities that include some uncertainty. As such, Crocker has incorporated an adaptive approach for the conservation of wildlife potentially impacted by the Project. Table 7 below summarizes the adaptive management measures currently under consideration.

Table 7. Summary of Avoidance, Minimization and Adaptive Management Measures

Project Planning/Design Phase	Construction Phase	Operations Phase	Adaptive Management	
Level 1 – Avoidance and Minimization Measures			Level 2	Level 3
Birds				
1. All electrical collection lines and redundant telecommunications lines will be co-located and buried	1. Disturbance to habitat will be minimized during construction. Equipment and vehicle travel will be limited to existing roads or specific construction	1. Nighttime lighting will be minimized at the Project by: a) installing motion activated timed lighting	1.Trigger: Mass casualty event (5 or more carcasses documented at the facility a five day period). In	

Project Planning/Design Phase	Construction Phase	Operations Phase	Adaptive Management	
Level 1 – Avoidance and Minimization Measures			Level 2	Level 3
underground to the extent practicable. This measure minimizes habitat loss, perch sites, collision risk, and electrocution risk for birds.	pathways during construction. Construction traffic, parking, and laydown areas will occur within previously disturbed lands to the extent feasible. Disturbed soil, if not replanted in agriculture, will be reclaimed with weed-free native grass, forbs, and shrubs. This measure minimizes habitat loss for birds.	on tower entrances and other facilities b) installing downward projecting lights to minimize visibility of the lights beyond the building, c) turbine lighting in accordance with FAA minimum requirements, and d) extinguishing work lights in turbine nacelles at night Minimizing the night time lighting at this site will minimize mortality of nocturnal migrant birds by reducing attractants.	coordination with SD GFP and USFWS, evaluate monitoring data to determine whether the data are indicative of a pattern of fatalities at the Project that should be addressed through additional measures. This measure is intended to identify unanticipated impacts and focus responses appropriately.	
2. Turbine lighting will utilize current FAA recommendations for turbine lighting of red strobes at night with long off intervals. This measure minimizes attractants to nocturnal birds	2. All trash and food-related waste will be placed in self-closing containers and removed daily from the site. This measure reduces the attractiveness of the Project to avian scavengers.	2. Staff will be trained to identify anthropomorphic sources of avian attractants including rock piles, compost sites and potential roost sources and will work with the landowners to remove or reduce attractants within 500 feet of wind turbines, project substation, and meteorological towers.	2. Trigger: Mass casualty event (5 or more carcasses documented at the facility a five day period). In coordination with SD GFP and USFWS, identify practicable measures to address the impact and minimize fatalities. This measure is intended to focus the response appropriately to address the impact.	2. Trigger: Continued documentation of mass casualty after Level 2 evaluation has occurred. Conduct studies to test additional ways to reduce avian fatalities from wind turbines and implement tested measures that prove to be effective. This measure would help determine effective strategies to minimize further impacts.
3. Location of collection lines in forested habitats will be avoided to the greatest extent possible, but if any lines need to be placed in these habitats, surface disturbance will be avoided by directional boring under them from adjacent areas. This measure minimizes loss of forested areas that	3. Vehicular speed will be limited to 25 miles per hour (40 km per hour) on Project roads. This measure minimizes the risk of wildlife collisions with vehicles and reduces the occurrence of carcasses that may attract avian scavengers to the Project.	3. “Good housekeeping” procedures will be developed to keep the site clean of debris, garbage, carrion, fugitive trash or waste, and graffiti; to prohibit scrap heaps and dumps; and to minimize storage yards. This will prevent trash from being exposed or blown around the Project	3. Trigger: Mass casualty event (5 or more carcasses documented at the facility a five day period). Initiate an investigation of and report any mass casualty event. Coordinate with SD GFP and USFWS to determine corrective actions,	3.Trigger: continued casualty events after evaluation and corrective actions in Level 2 have been implemented. Expand removal of roadside carcasses to a buffer around the Project that does not overlap with similar buffers for other nearby

Project Planning/Design Phase	Construction Phase	Operations Phase	Adaptive Management	
Level 1 – Avoidance and Minimization Measures			Level 2	Level 3
may provide nesting habitat for birds.		area. This will minimize the attraction of raptors or avian scavengers to the Project. This will also minimize the attraction of mammalian scavengers that may interfere with monitoring.	to the extent possible, to ensure long term solutions are implemented for the life of the Project. For example, if there are unanticipated waterfowl fatalities, assess whether radar-controlled informed curtailment can be practicably implemented during daytime when waterfowl are active. This measure is intended to focus the response appropriately to address the impact.	projects, by surveying for carcasses and notifying local officials of carcass presence. This will minimize attraction of raptors and other avian scavengers to the vicinity of the Project.
4. A separation distance between individual wind turbines of approximately 1,000 feet will be maintained to minimize turbulence effects. This will allow ample space for birds to fly between the turbines and avoid hazardous areas. This measure reduces collision risk for birds.	4. The number of storm water control features (sediment retention ponds) near turbines will be minimized by eliminating any such features that are unnecessary. This measure minimizes on-site attractants to birds.	4. Road-killed animals or other carcasses (excluding bald eagles and other migratory birds) detected by personnel on or near roads within the Final Project area will be removed promptly. This measure minimizes the attraction of raptors and other avian scavengers to the Project.	4. Trigger: fatality rates of birds are higher than anticipated and a potential risk to populations is identified from the project. Coordination with the GFP and USFWS will occur, to discuss whether the additional on-site measures do not appear to be effective at reducing fatalities. Voluntary donations to organizations that promote the conservation of affected avian species may be made. These organizations will be identified in coordination with the USFWS to ensure the maximum	

Project Planning/Design Phase	Construction Phase	Operations Phase	Adaptive Management	
Level 1 – Avoidance and Minimization Measures			Level 2	Level 3
			conservation benefit. This measure supports the long-term conservation of the affected species.	
5. Utility lines will be designed following APLIC (2006, 2012) guidelines to prevent electrocution and collision. This measure reduces the risks of collision and electrocution for birds.	5. A site-specific worker environmental training program will be developed and implemented throughout the construction of the Project. All employees and contractors working in the field will be required to attend the environmental training session prior to working on-site. This training will include information regarding the sensitive biological resources, restrictions, protection measures (including minimizing light pollution), individual responsibilities associated with the Project, and the consequences of non-compliance. Written material will be provided to employees at orientation and participants will sign an attendance sheet documenting their participation. This measure minimizes disturbance of wildlife by the Project and increases the effectiveness of all construction measures for birds by ensuring that workers are aware of these measures and the means to implement them.	5. Vehicular speed will be limited to 25 miles per hour (40 km per hour) on Project roads. This measure minimizes the risk of collision with vehicles and reduces the occurrence of carcasses that may attract avian scavengers to the Project.		
6. Turbines will use monopole instead of lattice tower design, to minimize opportunities	6. Areas of native vegetation will be marked to highlight their location to construction	6. APLIC guidelines will be followed for marking of any above-ground transmission lines under		

Project Planning/Design Phase	Construction Phase	Operations Phase	Adaptive Management	
Level 1 – Avoidance and Minimization Measures			Level 2	Level 3
for perching and nesting. This measure minimizes risks of electrocution and collision for raptors and other birds.	crews in order to minimize disturbance in those areas. This measure reduces loss of habitat that may provide nesting and roosting opportunities for birds.	the Project owner's control. This measure minimizes the risk of avian collisions.		
7. Any new transmission line for the Project will be marked with bird diverters, if acceptable to the power off-taker or owner. This measure will minimize the potential for bird collisions with the lines.	7. Potential roost trees and nesting sites will be protected by retaining mature trees wherever possible. This measure minimizes disturbance and habitat loss by protecting nesting and roosting sites for birds.	7. Maintenance during operations will prioritize tree trimming over tree removal, all tree trimming will occur in such a manner as to avoid impacting nesting migrating birds and roosting bats.		
8. Permanent met towers will be free-standing to avoid the collision risk associated with guy wires. Met towers will not be located in sensitive habitats or in areas where ecological resources known to be sensitive to human activities are present. Installation of towers will be scheduled to avoid disruption of wildlife reproductive activities or other important behaviors. This measure minimizes collision risk and disturbance of breeding areas and loss of habitat for nesting by birds.	8. Best Management Practices (BMPs) for fire prevention during construction will be implemented to minimize wildfire potential. This measure minimizes loss of habitat for nesting, roosting and foraging by birds.	8. A site-specific worker environmental training plan will be developed and implemented throughout the Project operating life and will include the importance of minimizing light pollution. All employees and contractors working in the field will be required to attend the environmental training session prior to working on site. This training will include information regarding the sensitive biological resources, restrictions, protection measures (including minimizing light pollution), individual responsibilities associated with the Project, and the consequences of non-compliance. Written material will be provided to employees at orientation and participants will sign an attendance sheet documenting their participation. This measure minimizes collision risks and		

Project Planning/Design Phase	Construction Phase	Operations Phase	Adaptive Management	
Level 1 – Avoidance and Minimization Measures			Level 2	Level 3
		disturbance of birds ensuring that workers are aware of these measures and the means to implement them.		
9. Construction footprints and surface disturbance areas will be minimized. An erosion control protocol will be developed to treat disturbed and exposed soil surfaces and prevent contamination of natural water resources. This measure minimizes loss of habitat that may provide nesting or roosting opportunities for birds.	9. Any use of pesticides, herbicides, fertilizers, and other chemicals will be in accordance with federal and state laws. An integrated pest management plan will be developed to ensure that applications will use only Environmental Protection Agency registered pesticides. Pesticide use will be limited to non-persistent, immobile pesticides and will only be applied in accordance with label and application permit directions and stipulations for terrestrial and aquatic applications. This measure reduces the risk of poisoning fatalities of wildlife, thereby reducing the potential occurrence of carcasses that attract avian scavengers.	9. Avian and bat fatalities will be evaluated during standardized post-construction fatality monitoring for one year following construction. Follow-up monitoring will be conducted at 5-year intervals thereafter, beginning in year 5 of operations. This measure ensures measurement of project impacts to inform adaptive management.		
10. No turbines will be located within 3RD of the Lake Hendricks to minimize impacts to eagles and migrants. This measure minimizes impacts to birds.		10. The Project will use the minimum number of aviation hazard lights acceptable to the FAA. Although it has not been demonstrated to reduce avian impacts, this measure may potentially reduce avian collisions by reducing attractants.		
		11. BMPs for fire prevention during operation will be implemented to minimize wildfire potential. This measure minimizes habitat loss		

Project Planning/Design Phase	Construction Phase	Operations Phase	Adaptive Management	
Level 1 – Avoidance and Minimization Measures			Level 2	Level 3
		for nesting birds.		
		12. Firearms and pets will be prohibited from the Project and workers will be instructed to avoid disturbing or harassing wildlife. This measure minimizes the risk of disturbance of birds at the Project.		
Bats				
1. All electrical collection lines and redundant telecommunications lines will be co-located and buried underground to the extent practicable. This measure minimizes habitat loss, collision risk, and electrocution risk for bats.	1. Disturbance to habitat will be minimized during construction. Equipment and vehicle travel will be limited to existing roads or specific construction pathways during construction. Construction traffic, parking, and laydown areas will occur within previously disturbed lands to the extent feasible. Disturbed soil, if not replanted in agriculture, will be reclaimed with weed-free native grass, forbs, and shrubs. This measure minimizes habitat loss for bats.	1. Nighttime lighting will be minimized at the Project by: a) installing motion activated timed lighting on tower entrances and other facilities b) installing downward projecting lights to minimize visibility of the lights beyond the building, and c) extinguishing work lights in turbine nacelles at night Minimizing the night time lighting at this site will minimize mortality of bats by reducing attractiveness to insects and foraging bats.	1. Trigger: fatality rates of bats are higher than anticipated and a potential risk to populations is identified from the project. Coordination with the GFP will occur, to discuss whether turbines will be curtailed beyond the feathering described in Measure 2 below (either beyond August 1 – October 31, or at a higher cut-in speed).	1. Trigger: Continued higher than anticipated fatality rates after Level 2 is implemented. In coordination with SD GFP and USFWS, evaluate data to assess whether any additional practicable changes in curtailment strategy can be implemented to reduce collisions. This measure would attempt to reduce future fatalities at the Project.
2. Location of collection lines in forested habitats will be avoided to the greatest extent possible, but if any lines need to be placed in these habitats, surface disturbance will be avoided by directional boring under them from adjacent areas. This measure minimizes loss of forested areas that may provide roosting habitat for bats.	2. A site-specific worker environmental training program will be developed and implemented throughout the construction of the Project. All employees and contractors working in the field will be required to attend the environmental training session prior to working on-site. This training will include information regarding the sensitive biological resources, restrictions, protection measures (including minimizing light pollution), individual	2. Feathering of wind turbine blades below the manufacturer's normal operational wind cut-in speed during the fall migration season (August 1 – October 31), whenever the temperature is above 50 degrees Fahrenheit or higher. Feathering, which occurs when wind turbine blades are pitched parallel to the wind so that rotor tip speed is 50 mph or less (rotation of the rotor is less than 1-3 rotations per minute, depending on blade length) is a	2. Trigger: Mass casualty event (5 or more carcasses documented at the facility a five day period). In coordination with SD GFP and USFWS evaluate data to determine whether the data are indicative of a pattern of fatalities at the Project that should be addressed through additional measures. This measure is intended to identify	2. Trigger: continued casualty events after evaluation and corrective actions in Level 2 have been implemented. Implement an additional measure to reduce fatalities that was identified during Tier 2 evaluation process (Measure 2) to reduce fatalities at the Project.

Project Planning/Design Phase	Construction Phase	Operations Phase	Adaptive Management	
Level 1 – Avoidance and Minimization Measures			Level 2	Level 3
	responsibilities associated with the Project, and the consequences of non-compliance. Written material will be provided to employees at orientation and participants will sign an attendance sheet documenting their participation. This measure minimizes disturbance of wildlife by the Project and increases the effectiveness of all construction measures for bats by ensuring that workers are aware of these measures and the means to implement them.	method usually shown to significantly reduce the level of bat fatalities.	unanticipated impacts and focus responses appropriately.	
3. Construction footprints and surface disturbance areas will be minimized. An erosion control protocol will be developed to treat disturbed and exposed soil surfaces and prevent contamination of natural water resources. This measure minimizes loss of habitat for birds.	3. Potential roost trees and nesting sites will be protected by retaining mature trees. This measure minimizes disturbance and habitat loss by protecting roosting sites for bats.	3. Firearms and pets will be prohibited from the Project and workers will be instructed to avoid disturbing or harassing wildlife. This measure minimizes the risk of disturbance of bats at the Project.	3. Trigger: a bat species listed under the ESA is detected as a fatality at the Project. Seek an Incidental Take Permit if the take is not covered by a 4(d) rule.	3. Trigger: continued take of listed species beyond the rate anticipated or covered by the Incidental Take Permit. If the additional on-site measures do not appear to be effective at reducing fatalities, make voluntary donations to organizations that promote the conservation of affected bat species. This measure supports the long-term conservation of the affected species.
	4. BMPs for fire prevention during construction will be implemented to minimize wildfire potential. This measure minimizes loss of habitat for roosting and foraging	4. The number of storm water control features (sediment retention ponds) near turbines will be minimized by eliminating any such features that are unnecessary. This	4. Trigger: new bat species is listed under the ESA. Meet and confer with USFWS if new bat species are listed under ESA to determine if	

Project Planning/Design Phase	Construction Phase	Operations Phase	Adaptive Management	
Level 1 – Avoidance and Minimization Measures			Level 2	Level 3
	by bats.	measure minimizes on-site attractants to foraging bats.	changes to the turbine operation plan are warranted based on results of monitoring at the Project.	

7. SUMMARY

Table 8 below summarizes the main steps that have been or will be taken to avoid, minimize and mitigate Project impacts on wildlife species. This table will be updated during the construction and operations phase of the Project.

Table 8. Summary of BBCS Components

ABPP Component	Phase	Project Action	Status and Notes
Risk Assessment	Preconstruction	Assess available data addressing areas of high avian/bat use, avian/bat mortality, nesting problems, established flyways, adjacent wetlands, prey populations, perch availability, evidence of perching on utility structures by large birds, effectiveness of existing procedures, institute remedial actions and other factors that can reduce avian and bat contacts with Project facilities.	Evaluation largely completed; Tier 1 and 2 studies.
Permit Compliance	Preconstruction	Ensure compliance with siting and preconstruction regulations such as WTGAC, ESA, BGEPA, MBTA and state requirements. Obtain salvage, monitoring, recovery, and transportation permits for post construction operations	Tier 3 studies underway,. Have identified contacts and salvage permit requirements for post-construction monitoring.
S Design Standards	Preconstruction	Minimize the areas of construction and temporary ground-disturbance activities, incorporate avian and bat-safe structures and protocols.	Institute siting designs that avoid high use flight paths between WMA's and WPA's on the site, and other high-use areas.
Training	Construction and Operation	Train appropriate personnel, including managers, supervisors, engineers, wildlife biologists, dispatchers, and operations and maintenance personnel in avian and bat issues related to wind farm operation.	
Nest Management	Construction and Operation	Train appropriate personnel to ensure uniform treatment of avian nest issues and procedures.	
Wildlife Incident Reporting	Construction and Operation	Institute Wildlife Incident Reporting procedures and maintain database for quarterly reporting to regulating agencies.	Developed Wildlife Incident Reporting forms and procedures to monitor wildlife interaction.
Quality Control	Construction and Operation	Review existing practices and ensure quality control. Update this plan annually	

ABPP Component	Phase	Project Action	Status and Notes
Key Resources	Construction and Operation	Identify area USFWS and SDGFP biologists, engineers, planners, and operation personnel who are trained in avian interaction problems.	Identified agency personnel
Mortality Reduction Measures	Operation	Identify retrofit or rectification efforts, and where new construction warrants, pay special attention to bald eagles, bats, and other wildlife issues where mortality or injuries are being documented.	

8. LITERATURE CITED

- Arnett, E.B., W.P. Erickson, J. Kerns and J. Horn. 2005. Relationship between bats and wind turbines in Pennsylvania and West Virginia: An assessment of fatality search protocols, patterns of fatality, and behavioral interactions with wind turbines. Bats and Wind Energy Cooperative, Bat Conservation International, Austin, TX. <http://www.batsandwind.org/pdf/ar2004.pdf> (Accessed 2012).
- Arnett, E.B., J.P. Hayes and M.M.P. Huso. 2006. An evaluation of the use of acoustic monitoring to predict bat fatality at a proposed wind facility in south-central Pennsylvania. An annual report submitted to the Bats and Wind Energy Cooperative. Bat Conservation International, Austin, TX.
- Arnett, E.B., M.M.P. Huso, J.P. Hayes and M. Schirmacher. 2010. Effectiveness of changing wind turbine cut-in speed to reduce bat fatalities at wind facilities. A final report submitted to the Bats and Wind Energy Cooperative. Bat Conservation International. Austin, TX.
- Avian Power Line Interaction Committee (APLIC). 2006. Suggested Practices for Avian Protection on Power Lines: The State of the Art in 2006. Edison Electric Institute, APLIC, and the California Energy Commission. Washington, D.C. and Sacramento, CA.
- Baerwald, E.F., J. Edworthy, M. Holder, and R.M.R. Barclay. 2009. A large-scale mitigation experiment to reduce bat fatalities at wind energy facilities. *Journal of Wildlife Management* 73: 1077–1081.
- Baerwald, E.F. and R.M.R. Barclay. 2009. Geographic variation in activity and fatality of migratory bats at wind energy facilities. *Journal of Mammalogy* 90:1341-1349.
- Bat Conservation International. 2011. Endangered species review and interim protections sought for Little Brown Bats. Bat disease could cause regional extinction of once common species. http://batcon.org/pdfs/whitenose/Bat_status_request_FINAL_PR%2012-15-10.pdf (Accessed 2011).
- CEIWEP (Committee on Environmental Impacts of Wind Energy Projects). 2007. Environmental impacts of wind-energy projects. National Research Council of the National Academies. The National Academies Press, Washington DC.
- Cryan, P.M. and A.C. Brown. 2007. Migration of bats past a remote island offers clues toward the problem of bat fatalities at wind turbines. *Biological Conservation* 139:1-11.
- Derby, C., A. Dahl, A. Merrill, and K. Bay. 2010. 2009 Post-Construction Monitoring Results for the Wessington Springs Wind-Energy Facility, South Dakota. Final Report. Prepared for Wessington Wind Energy Center, LLC, Juno Beach, Florida. Prepared by Western EcoSystems Technology, Inc. (WEST), Bismarck, North Dakota. August 19, 2010.
- Derby, C., K. Chodachek, T. Thorn, K. Bay, and S. Nomani. 2011a. Post-Construction Fatality Surveys for the PrairieWinds ND1 Wind Facility, Basin Electric Power Cooperative, March - November 2010. Prepared for Basin Electric Power Cooperative, Bismarck, North Dakota. Prepared by Western EcoSystems Technology, Inc. (WEST), Bismarck, North Dakota. August 2, 2011.
- Derby, C., K. Chodachek, K. Bay, and S. Nomani. 2011b. Post-Construction Fatality Surveys for the Rugby Wind Project: Iberdrola Renewables, Inc. March 2010 - March 2011. Prepared for Iberdrola Renewables, Inc. (IRI), Portland, Oregon. Prepared by Western EcoSystems Technology, Inc. (WEST), Bismarck, North Dakota. Version: October 14, 2011.

- Derby, C., A. Dahl, K. Bay, and L. McManus. 2011c. 2010 Post-Construction Monitoring Results for the Wessington Springs Wind Energy Facility, South Dakota. Final Report: March 9 – November 16, 2010. Prepared for Wessington Wind Energy Center, LLC, Juno Beach, Florida. Prepared by Western EcoSystems Technology, Inc. (WEST), Bismarck, North Dakota. November 22, 2011.
- Derby, C., K. Chodachek, T. Thorn, and A. Merrill. 2012a. Post-Construction Surveys for the PrairieWinds ND1 (2011) Wind Facility Basin Electric Power Cooperative: March - October 2011. Prepared for Basin Electric Power Cooperative, Bismarck, North Dakota. Prepared by Western Ecosystems Technology, Inc. (WEST), Bismarck, North Dakota. August 31, 2012.
- Derby, C., A. Dahl, and A. Merrill. 2012b. Post-Construction Monitoring Results for the PrairieWinds SD1 Wind Energy Facility, South Dakota. Final Report: March 2011 - February 2012. Prepared for Basin Electric Power Cooperative, Bismarck, North Dakota. Prepared by Western EcoSystems Technology, Inc. (WEST), Bismarck, North Dakota. September 27, 2012.
- Derby, C., A. Dahl, and D. Fox. 2013. Post-Construction Fatality Monitoring Studies for the PrairieWinds SD1 Wind Energy Facility, South Dakota. Final Report: March 2012 - February 2013. Prepared for Basin Electric Power Cooperative, Bismarck, North Dakota. Prepared by Western EcoSystems Technology, Inc. (WEST), Bismarck, North Dakota. November 13, 2013.
- Derby, C., A. Dahl, and G. DiDonato. 2014. Post-Construction Fatality Monitoring Studies for the PrairieWinds SD1 Wind Energy Facility, South Dakota. Final Report: March 2013 - February 2014. Prepared for Basin Electric Power Cooperative, Bismarck, North Dakota. Prepared by Western EcoSystems Technology, Inc. (WEST), Bismarck, North Dakota.
- Erickson, W.P., G.D. Johnson, M.D. Strickland, D.P., Jr., Young, K.J. Sernka and R.E. Good. 2001. Avian collisions with wind turbines: A summary of existing studies and comparisons to other sources of avian collision mortality in the United States. Western EcoSystems Technology, Inc., (Cheyenne WY) for the National Wind Coordinating Committee, Washington DC.
- Erickson, W.P., J. Jeffrey, K. Kronner, and K. Bay. 2004. Stateline wind project wildlife monitoring final report, July 2001 – December 2003. Technical report peer-reviewed by and submitted to FPL Energy, the Oregon Energy Facility Siting Council, and the Stateline Technical Advisory Committee.
- Forman, R.T.T., B. Reineking and A.M. Hersperger. 2002. Road traffic and nearby grassland bird patterns in a suburbanizing landscape. *Environmental Management* 29:782-800.
- Good, R.E., W. Erickson, A. Merrill, S. Simon, K. Murray, K. Bay, and C. Fritchman. 2011. Bat monitoring studies at the Fowler Ridge Wind Energy Facility, Benton County, Indiana. Western EcoSystems Technology, Inc. Cheyenne, Wyoming.
- Graff, Brianna. 2015. An Assessment of Direct Mortality to Avifauna from Wind Energy Facilities in North Dakota and South Dakota. A thesis submitted in partial fulfillment of the requirements of the Master of Science, Major in Wildlife Sciences. South Dakota State University.
- Jain, A.A. 2005. Bird and bat behavior and mortality at a northern Iowa windfarm. Thesis. Iowa State University, Ames, IA.
- Johnson, G.D., W.P. Erickson, M.D Strickland, M.F. Shepherd and D.A. Shepherd. 2000. Final report – Avian monitoring studies at the Buffalo Ridge, Minneosta Wind Resource Area: Results of a 4-year study. Western EcoSystems Technology, Inc, Cheyenne WY.

- Kieweg, H., M. McGraw, M. Sankey, K. Chapman. 2013. Odell Wind Farm: Wildlife Assessment and Field Studies Interim Report: Cottonwood, Jackson, Martin and Watonwan Counties, Minnesota.
- Marschner, F.J. 1974. The Original Vegetation of Minnesota (map, scale 1:500,000). USDA Forest Service, North Central Forest Experiment Station, St. Paul, Minnesota (redraft of the original 1930 edition).
- Mixon, K.L., J. Schrenzel, D. Pile, R. Davis, R. Doneen, L. Joyal, N. Kestner, M. Doperalski, and J. Schladweiler. 2014. Avian and Bat Survey Protocols For Large Wind Energy Conversion Systems in Minnesota. Minnesota Department of Natural Resources. New Ulm, Minnesota. 41 pp.
- National Research Council (NRC). 2007. Environmental Impacts of Wind-Energy Projects. The National Academies Press. Washington, DC.
- Poulton V. 2010. Summary of post-construction monitoring at wind projects relevant to Minnesota, Identification of data gaps, and recommendations for further research regarding wind-energy development in Minnesota. WEST, Inc.
- Pickle, J., K. Murray, A. Kreger, and R. Schmitt. 2016. Northern Long-Eared Bat Presence/Absence Acoustic Surveys, Crocker Wind Farm, Clark County, South Dakota. Report: July 22 – 27, 2016. Prepared for Crocker Wind Farm, LLC. Prepared by Western EcoSystems Technology, Inc. (WEST), Golden Valley, South Dakota.
- Pickle, J., C. Rittenhouse and A. Kreger. 2016. Raptor Nest Survey Results for the Crocker Wind Farm, Lincoln County, Minnesota. May 23, 2016. Prepared for Geronimo Energy. Prepared by Western EcoSystems Technology, Inc. (WEST), Golden Valley, Minnesota.
- Rodriguez, R.M. 2011. 2011 acoustic bat monitoring, Lakefield Wind Project, Jackson County, Minnesota. Report prepared for Westwood Professional Services and enXco, Minneapolis MN.
- Shaffer, J. and D. Buhl. 2015. Effects of wind-energy facilities on breeding grassland bird distributions. *Conservation Biology*, 30:59–71. doi: 10.1111/cobi.12569
- South Dakota Game, Fish, and Parks. 2009. Siting Guidelines for Wind Power Projects in South Dakota. Available Online at: <http://sdbwg.org/habitat/sdbwgGuidelines.pdf>
- Stantec Consulting Services, Inc. 2012. Avian and Bat Protection Plan for the Buckeye Wind Power Project. Stantec Consulting Ltd.
- Strickland, M.D., E.B. Arnett, W.P. Erickson, D.H. Johnson, G.D. Johnson, M.L., Morrison, J.A. Shaffer, and W. Warren-Hicks. 2011. Comprehensive guide to studying wind energy/wildlife interactions. Prepared for the National Wind Coordinating Collaborative. Washington, D.C., USA.
- US Fish and Wildlife Service (USFWS). n.d. “Bald Eagle Management Guidelines and Conservation Measures: Bald and Golden Eagle Protection Act.” Available online at: <http://www.fws.gov/midwest/Eagle/guidelines/bgpea.html>
- USFWS – Wind Turbine Guidelines Advisory Committee. 2003. Interim guidelines to avoid and minimize wildlife impacts from wind turbines. Washington, DC.
- USFWS. 2007. National Bald Eagle Management Guidelines. Washington DC
<http://www.fws.gov/migratorybirds/CurrentBirdIssues/Management/BaldEagle/NationalBaldEagleManagementGuidelines.pdf> (Accessed 2010).
- USFWS. 2009. Eagle permits; take necessary to protect interests in particular localities; final rules. Federal Register. 50CRF Parts 13 and 22.

- USFWS. 2010. Interim guidelines for the development of a project specific Avian and Bat Protection Plan for Wind Energy Facilities.
- USFWS. 2011. Endangered and Threatened Wildlife and Plants; 90-Day Finding on a Petition To List the Eastern Small-Footed Bat and the Northern Long-Eared Bat as Threatened or Endangered. Federal Register 76:38095-38106.
- USFWS. 2012. U.S. Fish and Wildlife Service Land-based wind energy guidelines. http://www.fws.gov/windenergy/docs/WEG_final.pdf (Accessed 2012).
- USFWS. 2013. Eagle Conservation Plan Guidance. Module 1 – land based wind energy. Version 2. <http://www.fws.gov/windenergy/PDF/Eagle%20Conservation%20Plan%20Guidance-Module%201.pdf> (Accessed 2013).
- Western Ecosystems Technology, Inc. 2016. Dakota Skipper and Poweshiek Skipperling Habitat Assessment Report for the Crocker Wind Farm. Clark County, South Dakota.
- Westwood Professional Services. 2010. Pre-Construction avian surveys. Lakefield Wind Project Jackson County, Minnesota. <https://www.edockets.state.mn.us/EFiling/edockets/searchDocuments.do?method=showPoup&documentId={5C4B7CE7-0ACD-4364-A823-DE04756FED83}&documentTitle=20107-52423-01>
- Westwood Professional Services. 2011. Avian Migration Survey Lakefield Wind Project. Jackson County, Minnesota.
- Young, D.P., Jr., W.P. Erickson, R.E. Good, M.D. Strickland, and G.D. Johnson. 2003. Avian and bat mortality associated with the initial phase of the Foote Creek Rim wind power project, Carbon County, Wyoming: November 1998 – June 2002. Tech. Rept. prepared for SeaWest Energy Corporation and Bureau of Land Management.