

GRANT COUNTY HIGHWAY DEPARTMENT

APPLICATION FOR ROAD APPROACH PERMIT

On this date 7/14/2020, the Applicant hereby applies to the Grant County

Highway Department for permission to construct an approach road connection to the

South side of (road name) CO HWY 8 (road#) 8

approximately at entrance to T1 and T2 access road on the South side of County HWY 8.

The road approach will serve a wind turbine
(residence, field, business, etc....)

will be constructed between 8/3/2020 and 10/20/2020.
(beginning date) (completion date)

Application agrees to construct and maintain approach and culverts in accordance with County Specification, which are on file at the County Highway Department. Please attach a drawing or sketch showing the proposed location of the approach and set stakes in the ground to enable the Superintendent/Forman to locate the proposed approach.

Name: Tyler Yseth Address: 115 W Kemp Ave Watertown, SD 57201
Phone: (763)226.5251 Signed: Tyler Yseth

Digitally signed by Tyler Yseth
DN: cn=Tyler Yseth, email=tyler@grantcounty.com,
c=South Dakota, ou=Grant County, cn=Tyler Yseth
Reason: I am the author of this document
Date: 2020.07.14 15:02:14 -0500

TO BE COMPLETED BY GRANT COUNTY HIGHWAY DEPARTMENT

Permit # Cord 8

PRELIMINARY INSPECTION : Date: _____ By: _____

Culvert Diameter _____ Culvert Length _____

The crown of the presently traveled surface, including shoulder, to be continued at a distance of 20 feet from the nearest edge of the traveled surface of the road shoulder facing the property.

REMARKS as planned

Kerwin Schultz
(Superintendent/Forman)

PERMIT APPROVED ☒ or DENIED ☐

DATE: 7-23-20

GRANT COUNTY HIGHWAY DEPARTMENT

APPLICATION FOR ROAD APPROACH PERMIT

On this date 7/14/2020, the Applicant hereby applies to the Grant County

Highway Department for permission to construct an approach road connection to the

North side of (road name) CO HWY 8 (road#) 8

approximately at entrance to T16, T17, T18 access road on the North side of County HWY 8.

The road approach will serve a wind turbine
(residence, field, business, etc...)

will be constructed between 8/3/2020 and 10/20/2020.
(beginning date) (completion date)

Application agrees to construct and maintain approach and culverts in accordance with County Specification, which are on file at the County Highway Department. Please attach a drawing or sketch showing the proposed location of the approach and set stakes in the ground to enable the Superintendent/Forman to locate the proposed approach.

Name: Tyler Yseth Address: 115 W Kemp Ave Watertown, SD 57201
Phone: (763)226.5251 Signed: Tyler Yseth
Digitally signed by Tyler Yseth
DN: cn=Tyler Yseth, email=tyler.yseth@grantcounty.com,
c=South Dakota, o=Grant County, ou=Grant County Highway Department,
serial=1, version=1, date=2020.07.14 14:34:41-0500

TO BE COMPLETED BY GRANT COUNTY HIGHWAY DEPARTMENT

Permit # CO 10 8

PRELIMINARY INSPECTION : Date: _____ By: _____

Culvert Diameter _____ Culvert Length _____

The crown of the presently traveled surface, including shoulder, to be continued at a distance of 20 feet from the nearest edge of the traveled surface of the road shoulder facing the property.

REMARKS as planned

PERMIT APPROVED ☒ or DENIED _____

Kerwin Schuy
(Superintendent/Foreman)

DATE: 7-23-20

GRANT COUNTY HIGHWAY DEPARTMENT
APPLICATION FOR ROAD APPROACH PERMIT

On this date 7/14/2020, the Applicant hereby applies to the Grant County

Highway Department for permission to construct an approach road connection to the

North side of (road name) CO HWY 8 (road#) 8

approximately at entrance to T19, T20 access road off County HWY 8.

The road approach will serve a wind turbine
(residence, field, business, etc...)

will be constructed between 8/3/2020 and 10/20/2020.
(beginning date) (completion date)

Application agrees to construct and maintain approach and culverts in accordance with County Specification, which are on file at the County Highway Department. Please attach a drawing or sketch showing the proposed location of the approach and set stakes in the ground to enable the Superintendent/Forman to locate the proposed approach.

Name: Tyler Yseth Address: 115 W Kemp Ave Watertown, SD 57201
Phone: (763)226.5251 Signed: Tyler Yseth
Digitally signed by Tyler Yseth
DN: cn=Tyler Yseth, email=tyler.yseth@grantcounty.com,
ou=Grant County Highway Department, o=Grant County, c=US
Reason: I am the author of this document
Date: 2020.07.14 14:03:00-05'00'

.....
TO BE COMPLETED BY GRANT COUNTY HIGHWAY DEPARTMENT

Permit # Cord 8

PRELIMINARY INSPECTION : Date: _____ By: _____

Culvert Diameter _____ Culvert Length _____

The crown of the presently traveled surface, including shoulder, to be continued at a distance of 20 feet from the nearest edge of the traveled surface of the road shoulder facing the property.

REMARKS as planned

Kerwin Schuch
(Superintendent/Foreman)

PERMIT APPROVED ☒ or DENIED _____
DATE: 7-23-20

GRANT COUNTY HIGHWAY DEPARTMENT

APPLICATION FOR ROAD APPROACH PERMIT

On this date 7/14/2020, the Applicant hereby applies to the Grant County

Highway Department for permission to construct an approach road connection to the

South side of (road name) CO HWY 8 (road#) 8

approximately at entrance to the T21 access road on the South side of County HWY 8.

The road approach will serve a wind turbine
(residence, field, business, etc...)

will be constructed between 8/3/2020 and 10/20/2020.
(beginning date) (completion date)

Application agrees to construct and maintain approach and culverts in accordance with County Specification, which are on file at the County Highway Department. Please attach a drawing or sketch showing the proposed location of the approach and set stakes in the ground to enable the Superintendent/Forman to locate the proposed approach.

Name: Tyler Yseth Address: 115 W Kemp Ave Watertown, SD 57201

Phone: (763)226.5251 Signed: Tyler Yseth

Digitally signed by Tyler Yseth
DN: cn=Tyler Yseth, email=tyler.yseth@grantcounty.com,
c=South Dakota, ou=Grant County Highway Department
Reason: I am the author of this document
Date: 2020.07.14 10:01:21 -0400

TO BE COMPLETED BY GRANT COUNTY HIGHWAY DEPARTMENT

Permit # cord 8

PRELIMINARY INSPECTION : Date: _____ By: _____

Culvert Diameter _____ Culvert Length _____

The crown of the presently traveled surface, including shoulder, to be continued at a distance of 20 feet from the nearest edge of the traveled surface of the road shoulder facing the property.

REMARKS as planned

Kerwin Schulz
(Superintendent/Foreman)

PERMIT APPROVED ☒ or DENIED _____

DATE: 7-20-20

GRANT COUNTY HIGHWAY DEPARTMENT

APPLICATION FOR ROAD APPROACH PERMIT

On this date 7/14/2020, the Applicant hereby applies to the Grant County

Highway Department for permission to construct an approach road connection to the

East side of (road name) CO HWY 3 (road#) 3

approximately at entrance to T22 access road on the East side of County HWY 3.

The road approach will serve a wind turbine
(residence, field, business, etc...)

will be constructed between 8/3/2020 and 10/20/2020.
(beginning date) (completion date)

Application agrees to construct and maintain approach and culverts in accordance with County Specification, which are on file at the County Highway Department. Please attach a drawing or sketch showing the proposed location of the approach and set stakes in the ground to enable the Superintendent/Forman to locate the proposed approach.

Name: Tyler Yseth Address: 115 W Kemp Ave Watertown, SD 57201

Phone: (763)226.5251 Signed: Tyler Yseth
Digitally signed by Tyler Yseth
DN: cn=Tyler Yseth, email=tyler.yseth@grantcountysd.gov, c=US
Reason: I am the signer of this document
Date: 2020.07.14 14:08:11 -0500

.....
TO BE COMPLETED BY GRANT COUNTY HIGHWAY DEPARTMENT

Permit # Cord 3

PRELIMINARY INSPECTION : Date: _____ By: _____

Culvert Diameter 45 per Plan Culvert Length _____

The crown of the presently traveled surface, including shoulder, to be continued at a distance of 20 feet from the nearest edge of the traveled surface of the road shoulder facing the property.

REMARKS _____

Kerum Schultz
(Superintendent/Forman)

PERMIT APPROVED ✓ or DENIED _____

DATE: 7-23-20

GRANT COUNTY HIGHWAY DEPARTMENT
APPLICATION FOR ROAD APPROACH PERMIT

On this date 7/14/2020, the Applicant hereby applies to the Grant County

Highway Department for permission to construct an approach road connection to the

South side of (road name) CO HWY 8 (road#) 8

approximately at entrance to T27 access road on the South side of County HWY 8.

The road approach will serve a wind turbine
(residence, field, business, etc....)

will be constructed between 8/3/2020 and 10/20/2020.
(beginning date) (completion date)

Application agrees to construct and maintain approach and culverts in accordance with County Specification, which are on file at the County Highway Department. Please attach a drawing or sketch showing the proposed location of the approach and set stakes in the ground to enable the Superintendent/Forman to locate the proposed approach.

Name: Tyler Yseth Address: 115 W Kemp Ave
Watertown, SD 57201
Phone: (763)226.5251 Signed: Tyler Yseth
Digitally signed by Tyler Yseth
DN: cn=Tyler Yseth, email=tyler@grantcounty.sd.gov,
ou=Grant County, o=Grant County, ou=Grant County
Reason: I am the author of this document
Date: 2020.07.14 14:28:01-0500

.....
TO BE COMPLETED BY GRANT COUNTY HIGHWAY DEPARTMENT

Permit # Co rd 8

PRELIMINARY INSPECTION : Date: _____ By: _____

Culvert Diameter _____ Culvert Length _____

The crown of the presently traveled surface, including shoulder, to be continued at a distance of 20 feet from the nearest edge of the traveled surface of the road shoulder facing the property.

REMARKS as planned

PERMIT APPROVED ✓ or DENIED _____

Kerum Schultz
(Superintendent/Forman)

DATE: 7-23-20

GRANT COUNTY HIGHWAY DEPARTMENT

APPLICATION FOR ROAD APPROACH PERMIT

On this date 7/14/2020, the Applicant hereby applies to the Grant County

Highway Department for permission to construct an approach road connection to the

South side of (road name) CO HWY 8 (road#) 8

approximately at entrance to T28 access road on the South side of County HWY 8.

The road approach will serve a wind turbine
(residence, field, business, etc...)

will be constructed between 8/3/2020 and 10/20/2020.
(beginning date) (completion date)

Application agrees to construct and maintain approach and culverts in accordance with County Specification, which are on file at the County Highway Department. Please attach a drawing or sketch showing the proposed location of the approach and set stakes in the ground to enable the Superintendent/Forman to locate the proposed approach.

Name: Tyler Yseth Address: 115 W Kemp Ave Watertown, SD 57201

Phone: (763)226.5251 Signed: Tyler Yseth

TO BE COMPLETED BY GRANT COUNTY HIGHWAY DEPARTMENT

Cord 8
Permit # 8

PRELIMINARY INSPECTION : Date: _____ By: _____

Culvert Diameter _____ Culvert Length _____

The crown of the presently traveled surface, including shoulder, to be continued at a distance of 20 feet from the nearest edge of the traveled surface of the road shoulder facing the property.

REMARKS as planned

PERMIT APPROVED ☒ or DENIED _____

Kerrin Schultz
(Superintendent/Forman)

DATE: 7-23-20

GRANT COUNTY HIGHWAY DEPARTMENT

APPLICATION FOR ROAD APPROACH PERMIT

On this date 7/14/2020, the Applicant hereby applies to the Grant County

Highway Department for permission to construct an approach road connection to the

West side of (road name) CO HWY 3 (road#) 3

approximately at entrance to T45 on the West side of County HWY 3

The road approach will serve a wind turbine
(residence, field, business, etc...)

will be constructed between 8/3/2020 and 10/20/2020.
(beginning date) (completion date)

Application agrees to construct and maintain approach and culverts in accordance with County Specification, which are on file at the County Highway Department. Please attach a drawing or sketch showing the proposed location of the approach and set stakes in the ground to enable the Superintendent/Forman to locate the proposed approach.

Name: Tyler Yseth Address: 115 W Kemp Ave Watertown, SD 57201

Phone: (763)226.5251 Signed: Tyler Yseth

Digitally signed by Tyler Yseth
DN: cn=Tyler Yseth, email=tyler.yseth@grantcounty-sd.gov,
c=US, o=Grant County Highway Department, ou=Engineering Group, cn=Tyler Yseth
Reason: I am the author of this document
Date: 2020.07.14 15:58:07 -0500

.....
TO BE COMPLETED BY GRANT COUNTY HIGHWAY DEPARTMENT

as planned Permit # 3
PRELIMINARY INSPECTION : Date: _____ By: _____

Culvert Diameter _____ Culvert Length _____

The crown of the presently traveled surface, including shoulder, to be continued at a distance of 20 feet from the nearest edge of the traveled surface of the road shoulder facing the property.

REMARKS _____

PERMIT APPROVED ☒ or DENIED _____
DATE: 7-23-2020
(Signature)
(Superintendent/Forman)

APPLICATION FOR ROAD APPROACH PERMITOn this date 7/14/2020, the Applicant hereby applies to the Grant County

Highway Department for permission to construct an approach road connection to the

East side of (road name) CO HWY 3 (road#) 3approximately at entrance to T46 access road on the East side of County HWY 3.The road approach will serve a wind turbine
(residence, field, business, etc...)will be constructed between 8/3/2020 and 10/20/2020.
(beginning date) (completion date)

Application agrees to construct and maintain approach and culverts in accordance with County Specification, which are on file at the County Highway Department. Please attach a drawing or sketch showing the proposed location of the approach and set stakes in the ground to enable the Superintendent/Forman to locate the proposed approach.

Name: Tyler Yseth Address: 115 W Kemp Ave
Watertown, SD 57201Phone: (763)226.5251 Signed: Tyler Yseth
Digitally signed by Tyler Yseth
DN: cn=Tyler Yseth, o=Grant County Highway Department, ou=Engineering Group, cn=Tyler Yseth
Reason: I am the author of this document
Date: 2020.07.14 15:14:11 -0500

TO BE COMPLETED BY GRANT COUNTY HIGHWAY DEPARTMENT

as planned Permit # cord 3

PRELIMINARY INSPECTION : Date: _____ By: _____

Culvert Diameter _____ Culvert Length _____

The crown of the presently traveled surface, including shoulder, to be continued at a distance of 20 feet from the nearest edge of the traveled surface of the road shoulder facing the property.

REMARKS _____

PERMIT APPROVED ✓ or DENIED _____Kevin Schuch
(Superintendent/Forman)DATE: 7-23-20

GRANT COUNTY HIGHWAY DEPARTMENT

APPLICATION FOR ROAD APPROACH PERMIT

On this date 7/14/2020, the Applicant hereby applies to the Grant County

Highway Department for permission to construct an approach road connection to the

East side of (road name) CO HWY 3 (road#) 3

approximately at entrance to T47 access road on the East side of County HWY 3.

The road approach will serve a wind turbine
(residence, field, business, etc...)

will be constructed between 8/3/2020 and 10/20/2020.
(beginning date) (completion date)

Application agrees to construct and maintain approach and culverts in accordance with County Specification, which are on file at the County Highway Department. Please attach a drawing or sketch showing the proposed location of the approach and set stakes in the ground to enable the Superintendent/Forman to locate the proposed approach.

Name: Tyler Yseth Address: 115 W Kemp Ave Watertown, SD 57201
Phone: (763)226.5251 Signed: Tyler Yseth

Digitally signed by Tyler Yseth
DN: cn=TYLER YSETH, email=tyler.yseth@grantcounty-sd.gov, c=US
Reason: I am the author of this document
Date: 2020.07.14 16:17:09 -0500

.....
TO BE COMPLETED BY GRANT COUNTY HIGHWAY DEPARTMENT

Permit # 3

PRELIMINARY INSPECTION : Date: _____ By: _____

Culvert Diameter _____ Culvert Length _____

The crown of the presently traveled surface, including shoulder, to be continued at a distance of 20 feet from the nearest edge of the traveled surface of the road shoulder facing the property.

REMARKS as planned

Kerum Schultz (Superintendent/Forman)
PERMIT APPROVED ✓ or DENIED _____
DATE: 7-23-20

DATE: 7-25-20

(Superintendent/Foreman)

GRANT COUNTY HIGHWAY DEPARTMENT

APPLICATION FOR ROAD APPROACH PERMIT

On this date 7/14/2020, the Applicant hereby applies to the Grant County

Highway Department for permission to construct an approach road connection to the

West side of (road name) CO HWY 3 (road#) 3

approximately at entrance to T51 access road on the West side of County HWY 3.

The road approach will serve a wind turbine
(residence, field, business, etc...)

will be constructed between 8/3/2020 and 10/20/2020.
(beginning date) (completion date)

Application agrees to construct and maintain approach and culverts in accordance with County Specification, which are on file at the County Highway Department. Please attach a drawing or sketch showing the proposed location of the approach and set stakes in the ground to enable the Superintendent/Forman to locate the proposed approach.

Name: Tyler Yseth Address: 115 W Kemp Ave Watertown, SD 57201
Phone: (763)226.5251 Signed: Tyler Yseth

Digitally signed by Tyler Yseth
DN: cn=Tyler Yseth, email=tyler.yseth@montana.com,
c=Montana, o=County of Grant, ou=County of Grant
Yseth
Reason: I am the author of this document
Date: 2020.07.14 10:21:52-0500

TO BE COMPLETED BY GRANT COUNTY HIGHWAY DEPARTMENT

Permit # Cor'd 3

PRELIMINARY INSPECTION : Date: _____ By: _____

Culvert Diameter _____ Culvert Length _____

The crown of the presently traveled surface, including shoulder, to be continued at a distance of 20 feet from the nearest edge of the traveled surface of the road shoulder facing the property.

REMARKS as planned

Kerum Schuyt PERMIT APPROVED ☒ or DENIED _____
(Superintendent/Foreman) DATE: 7-23-20

GRANT COUNTY HIGHWAY DEPARTMENT

APPLICATION FOR ROAD APPROACH PERMIT

On this date 7/14/2020, the Applicant hereby applies to the Grant County

Highway Department for permission to construct an approach road connection to the

East side of (road name) CO HWY 3 (road#) 3

approximately at entrance to T52 access road on the East side of T52.

The road approach will serve a wind turbine
(residence, field, business, etc...)

will be constructed between 8/3/2020 and 10/20/2020.
(beginning date) (completion date)

Application agrees to construct and maintain approach and culverts in accordance with County Specification, which are on file at the County Highway Department. Please attach a drawing or sketch showing the proposed location of the approach and set stakes in the ground to enable the Superintendent/Foreman to locate the proposed approach.

Name: Tyler Yseth Address: 115 W Kemp Ave Watertown, SD 57201

Phone: (763)226.5251 Signed: Tyler Yseth

Digitally signed by Tyler Yseth
DN: cn=Tyler Yseth, email=tyler.yseth@grantcounty-sd.com,
c=South Dakota, ou=Grant County, ou=Highway Department
Reason: I am the signer of this document.
Date: 2020.07.14 10:04:10-0500

TO BE COMPLETED BY GRANT COUNTY HIGHWAY DEPARTMENT

Permit # Co rd 3

PRELIMINARY INSPECTION : Date: _____ By: _____

Culvert Diameter _____ Culvert Length _____

The crown of the presently traveled surface, including shoulder, to be continued at a distance of 20 feet from the nearest edge of the traveled surface of the road shoulder facing the property.

REMARKS as planned

Kerim Schults
(Superintendent/Foreman)

PERMIT APPROVED ☒ or DENIED _____
DATE: 7-23-20

GRANT COUNTY HIGHWAY DEPARTMENT

APPLICATION FOR ROAD APPROACH PERMIT

On this date 7/14/2020, the Applicant hereby applies to the Grant County

Highway Department for permission to construct an approach road connection to the

West side of (road name) CO HWY 3 (road#) 3

approximately at entrance to T54 access road on the West side of County HWY 3.

The road approach will serve a wind turbine
(residence, field, business, etc...)

will be constructed between 8/3/2020 and 10/20/2020.
(beginning date) (completion date)

Application agrees to construct and maintain approach and culverts in accordance with County Specification, which are on file at the County Highway Department. Please attach a drawing or sketch showing the proposed location of the approach and set stakes in the ground to enable the Superintendent/Forman to locate the proposed approach.

Name: Tyler Yseth Address: 115 W Kemp Ave Watertown, SD 57201
Phone: (763)226.5251 Signed: Tyler Yseth

Digitally signed by Tyler Yseth
DN: cn=Tyler Yseth, o=Grant County Highway Department, ou=Grant County Highway Department, email=tyler.yseth@grantcountysd.gov, c=US
Date: 2020.07.14 15:55:00 -0500

TO BE COMPLETED BY GRANT COUNTY HIGHWAY DEPARTMENT

Permit # Co rd 3

PRELIMINARY INSPECTION : Date: _____ By: _____

Culvert Diameter _____ Culvert Length _____

The crown of the presently traveled surface, including shoulder, to be continued at a distance of 20 feet from the nearest edge of the traveled surface of the road shoulder facing the property.

REMARKS as planned

Kerwin Schultz (Superintendent/Forman)
PERMIT APPROVED ☒ or DENIED _____
DATE: 7.23.20

GRANT COUNTY HIGHWAY DEPARTMENT

APPLICATION FOR ROAD APPROACH PERMIT

On this date 7/14/2020, the Applicant hereby applies to the Grant County

Highway Department for permission to construct an approach road connection to the

East side of (road name) CO HWY 3 (road#) 3

approximately at entrance to T55 and T56 access road East of County HWY 3.

The road approach will serve a wind turbine
(residence, field, business, etc...)

will be constructed between 8/3/2020 and 10/20/2020.
(beginning date) (completion date)

Application agrees to construct and maintain approach and culverts in accordance with County Specification, which are on file at the County Highway Department. Please attach a drawing or sketch showing the proposed location of the approach and set stakes in the ground to enable the Superintendent/Forman to locate the proposed approach.

Name: Tyler Yseth Address: 115 W Kemp Ave Watertown, SD 57201

Phone: (763)226.5251 Signed: Tyler Yseth

Digitally signed by Tyler Yseth
DN: cn=Tyler Yseth, o=Grant County Highway Department, ou=Engineering, email=tyler.yseth@grantcountysd.gov, c=US
Date: 2020.07.14 15:08:28-0500

TO BE COMPLETED BY GRANT COUNTY HIGHWAY DEPARTMENT

Permit # Cord 3

PRELIMINARY INSPECTION : Date: _____ By: _____

Culvert Diameter _____ Culvert Length _____

The crown of the presently traveled surface, including shoulder, to be continued at a distance of 20 feet from the nearest edge of the traveled surface of the road shoulder facing the property.

REMARKS as planned

PERMIT APPROVED ☒ or DENIED _____

Keruan Schultz
(Superintendent/Foreman)

DATE: 7-23-20

GRANT COUNTY HIGHWAY DEPARTMENT
APPLICATION FOR ROAD APPROACH PERMIT

On this date 7/14/2020, the Applicant hereby applies to the Grant County

Highway Department for permission to construct an approach road connection to the

West side of (road name) CO HWY 3 (road#) 3

approximately at entrance to T57 access road on the West side of County HWY 3.

The road approach will serve a wind turbine
(residence, field, business, etc...)

will be constructed between 8/3/2020 and 10/20/2020.
(beginning date) (completion date)

Application agrees to construct and maintain approach and culverts in accordance with County Specification, which are on file at the County Highway Department. Please attach a drawing or sketch showing the proposed location of the approach and set stakes in the ground to enable the Superintendent/Forman to locate the proposed approach.

Name: Tyler Yseth Address: 115 W Kemp Ave Watertown, SD 57201

Phone: (763)226.5251 Signed: Tyler Yseth

Digitally signed by Tyler Yseth
DN: cn=Tyler Yseth, email=tyler.yseth@grantcounty.com,
c=South Dakota, ou=Grant County Highway Department
Reason: I am the author of this document
Date: 2020.07.14 12:00:40 -0500

TO BE COMPLETED BY GRANT COUNTY HIGHWAY DEPARTMENT

Permit # Cor'd 3

PRELIMINARY INSPECTION : Date: _____ By: _____

Culvert Diameter _____ Culvert Length _____

The crown of the presently traveled surface, including shoulder, to be continued at a distance of 20 feet from the nearest edge of the traveled surface of the road shoulder facing the property.

REMARKS as planned

Kerwin Schultz
(Superintendent/Foreman)

PERMIT APPROVED ☒ or DENIED _____

DATE: 7-23-20

GRANT COUNTY HIGHWAY DEPARTMENT

APPLICATION FOR ROAD APPROACH PERMIT

On this date 7/14/2020, the Applicant hereby applies to the Grant County

Highway Department for permission to construct an approach road connection to the

East side of (road name) CO HWY 3 (road#) 3

approximately at entrance to T58 access road on the East side of County HWY 3.

The road approach will serve a wind turbine
(residence, field, business, etc...)

will be constructed between 8/3/2020 and 10/20/2020.
(beginning date) (completion date)

Application agrees to construct and maintain approach and culverts in accordance with County Specification, which are on file at the County Highway Department. Please attach a drawing or sketch showing the proposed location of the approach and set stakes in the ground to enable the Superintendent/Forman to locate the proposed approach.

Name: Tyler Yseth Address: 115 W Kemp Ave Watertown, SD 57201
Phone: (763)226.5251 Signed: Tyler Yseth

Digitally signed by Tyler Yseth
DN: cn=Tyler Yseth, email=tyler.yseth@grantcounty.com,
c=South Dakota, ou=Grant County Highway Department
Reason: I am the author of this document
Date: 2020.07.14 12:50:14 -0500

TO BE COMPLETED BY GRANT COUNTY HIGHWAY DEPARTMENT

Permit # Cor d 3

PRELIMINARY INSPECTION : Date: _____ By: _____

Culvert Diameter _____ Culvert Length _____

The crown of the presently traveled surface, including shoulder, to be continued at a distance of 20 feet from the nearest edge of the traveled surface of the road shoulder facing the property.

REMARKS as planned

Kerwin Schultz PERMIT APPROVED ☒ or DENIED ☐
(Superintendent/Forman) DATE: 7-23-20