



STORMWATER POLLUTION PREVENTION PLAN

Dakota Range III

Roberts and Grant Counties, South Dakota

August 2019



Prepared For:

Wanzek Construction Inc.
2028 2nd Ave NW
West Fargo, ND 58078

Stormwater Pollution Prevention Plan (SWPPP) Narrative

Dakota Range III

Roberts and Grant Counties, South Dakota

NPDES Permit Identification #: SDR10

Prepared for:

Wanzek Construction Inc.
2028 2nd Ave NW
West Fargo, ND 58078

Prepared by:

Westwood Professional Services, Inc.
12701 Whitewater Drive, Suite 300
Minnetonka, MN 55343
(952) 937-5150

Project Number: 0023436.00

Month Day, Year

TABLE OF CONTENTS

1.0	INTRODUCTION AND PURPOSE	1
2.0	SWPPP CERTIFICATION STATEMENT	2
3.0	SWPPP AMENDMENTS	3
3.1	SWPPP Amendment Log	3
3.2	SWPPP Amendment Certification	3
4.0	SITE INFORMATION	5
4.1	Site Location and Proximity Map	5
4.2	Existing Conditions	7
4.2.1	Non-vegetative Cover	7
4.2.2	Vegetative Cover	7
4.2.3	Land Use	7
4.3	Soil Names and Types	7
4.3.1	Soil Erosivity	8
4.3.2	Soil Particle Size	8
5.0	PROJECT INFORMATION	9
5.1	Owner and Information	9
5.1.1	Owner Responsibilities	9
5.2	Project Type and Proposed Conditions	9
5.2.1	Non-vegetative Cover	9
5.2.2	Vegetative Cover	9
5.2.3	Land Use	9
5.3	Pre and Post Project Estimates	10
5.4	Construction Activity Description	10
5.5	Project Activity Schedule	14
5.6	Project Phasing	14
5.7	Project Contacts and Chain of Responsibility	14
6.0	ADDITIONAL SITE OR PROJECT CONSIDERATIONS	16
6.1	Chemical Treatments	16
6.2	Environmental Review Document	16
7.0	RECEIVING WATERS	17
7.1	Impaired Waters	17
7.2	Section 404 Nationwide Permitting	17
8.0	STORMWATER MANAGEMENT	18
8.1	Temporary Practices	18
8.1.1	Calculations	18
8.2	Permanent Practices	18
8.2.1	Calculations	18
9.0	TEMPORARY BEST MANAGEMENT PRACTICES	19
9.1	Soil Management	19
9.2	Natural Buffers and No-disturbance Areas	19
9.3	Erosion Prevention Practices	19
9.4	Sediment Control Practices	21

9.5	Run-on and Runoff Controls.....	22
9.6	Tracking Controls	22
9.7	Dewatering and Basin Draining Practices	23
9.8	Sampling Requirements for Dewatering.....	23
10.0	POLLUTION PREVENTION MANAGEMENT.....	24
10.1	Storage, Handling and Disposal of Construction Materials	24
10.2	Fueling and Maintenance of Equipment and Vehicles; Spill Response	24
10.3	Vehicle and Equipment Washing.....	25
10.4	Concrete Washout and Other Washout	25
10.5	Portable Sanitary Facilities	26
11.0	INSPECTION AND MAINTENANCE	27
11.1	Inspection Schedule	27
11.2	Maintenance Schedule	28
12.0	FINAL STABILIZATION.....	29
12.1	Vegetative Cover / Permanent Erosion Control	29
12.2	Non-vegetative Cover / Permanent Erosion Control	29
13.0	NOTICE OF TERMINATION.....	30
14.0	RECORD RETENTION	31

TABLES

Table 1: Amendment Log.....	3
Table 2: Project Location	5
Table 3: Soil K Factors and Erosivity Hazards.....	8
Table 4: Soil Particle Sizes	8
Table 5: Project Area Estimates	10
Table 6: Project Schedule	14
Table 7: Project Contacts	14
Table 8: Flocculation Plan Summary.....	16
Table 9: Receiving Waters	17
Table 10: Temporary Sediment Basin Calculations.....	18
Table 11: Erosion Controls	20
Table 12: Sediment Controls.....	21
Table 13: Run-on and Runoff Controls	22
Table 14: Tracking Controls	22
Table 15: Reportable Spill Quantities	25
Table 16: Inspection Schedule	27
Table 17: Maintenance Schedule.....	28

ATTACHMENTS

- Attachment A: SDR100000 General Permit for Stormwater Discharges Associated with Construction Activities
- Attachment B: Permitting Documentation (NOI, Permit Card, Permit Letters, Blank NOT/MOD)
- Attachment C: Soil Maps
- Attachment D: Pre and Post Drainage Maps, Impaired Water Maps
- Attachment E: Site Plans, Erosion and Sediment Control Plans, Details
- Attachment F: Inspection and Maintenance Forms

1.0 INTRODUCTION AND PURPOSE

This SWPPP is prepared in accordance with the National Pollutant Discharge Elimination System (NPDES) regulations as established by the Clean Water Act and guided by the State of South Dakota. The South Dakota Department of Environment and Natural Resource's General Permit for Stormwater Discharges Associated with Construction Activity SDR100000 (Expired: March 31, 2023) provides the frame work of requirements for compliance to discharge stormwater from a construction site.

This SWPPP is for implementation by the Owner, as listed in Section 5.1 of this SWPPP, at the Dakota Range III site, with the project location as defined in Section 4.0 of this SWPPP. This report shall be on the site at all times during construction.

The following are outlined in this site specific SWPPP:

- Control measures for stormwater pollution prevention during each phase of construction,
- Control measures for stormwater pollution prevention after construction,
- Sources of stormwater and non-stormwater pollution, and
- Inspection and maintenance procedures.

2.0 SWPPP CERTIFICATION STATEMENT

"I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."

Chad Eken; Director of Construction

Date

3.0 SWPPP AMENDMENTS

This plan and the attachments must be amended to include additional requirements, or modified requirements, which take place during construction if one or more of the following occur.

1. There is a change in design, construction, operation, maintenance, weather, or seasonal conditions that significantly impacts the discharge of pollutants from the site to surface or groundwater.
2. Inspections or investigations by the site owner, Environmental Protection Agency, or South Dakota Department of Environment and Natural Resources officials indicate this plan is not effective in eliminating or significantly minimizing the discharge of pollutants.
3. This SWPPP is not achieving the general objectives of minimizing pollutants in stormwater discharges or if this plan is not consistent with the SDR100000 General Permit for Stormwater Discharges Associated with Construction Activities.
4. If the South Dakota Department of Environment and Natural Resources notifies the Owner (i.e. permittees) that additional requirements are needed, requirements are not being met for TMDL or other water quality standards, or that the SWPPP did not incorporate the necessary requirements.

3.1 SWPPP Amendment Log

The following table should be completed as necessary during construction to document changes and amendments to this document. Place the Amendment Number next to all application changes, redlines and information in the document to reference back to the changes summarized below. If an additional sheet is necessary attach the additional sheet to the SWPPP.

Table 1: Amendment Log

Amend #	Date	Reason, location and brief description of change or amendment	Requested by:	Prepared by:

3.2 SWPPP Amendment Certification

"I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the

system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.”

Amendment #: _____

Signature

Printed Name and Title

Date

Amendment #:

Signature

Printed Name and Title

Date

Amendment #:

Signature

Printed Name and Title

Date

Amendment #:

Signature

Printed Name and Title

Date

Amendment #:

Signature

Printed Name and Title

Date


4.0 SITE INFORMATION

4.1 Site Location and Proximity Map

The Dakota Range III site is located in Roberts and Grant Counties, South Dakota, southwest of the town of Summit. The nearest intersection is 455th Avenue and 144th Street. The site is bordered upon the north by 141st street, upon the south by 151st street, the west by 451st avenue and the east by the town of Summit.

Table 2: Project Location

Section	Township	Range
25-27, 34, 35	122N	52W
29-33	122N	51W
1-3, 11-14, 56-25, 36	121N	52W
6, 7, 18, 19, 30-33	121N	51W
9-11	120N	52W
Latitude and Longitude Points (Decimal)		
Latitude	45.267959	
Longitude	-97.102898	

Vicinity Map

4.2 Existing Conditions

The slope and terrain of the site generally consists of flat farmland with areas of steeper slopes near defined flowpaths. The site currently has stormwater runoff flowing via overland flow, creeks, ditches and field conveyances. In general the site discharges to the west or southwest to Hurricane Lake, Headwaters Big Sioux River, Lonesome Lake – Big Sioux River and Indian River.

4.2.1 Non-vegetative Cover

Prior to construction, the non-vegetative cover on site includes paved and gravel roadways, residential homes and agricultural infrastructure.

4.2.2 Vegetative Cover

Prior to construction, vegetative cover on site consists primarily of agricultural row crops along with areas of grasses and trees.

4.2.3 Land Use

Prior to construction the site area was primarily used for agricultural production. At the time of this report, a Phase 1 Environmental assessment had not been conducted. The project will be compliant with the following avoidance and minimization measures (See engineering plans in attachment E):

- Sited wind turbines more than 1,000 feet from four shelterbelts and woodlots greater than 15 acres in size to avoid potential impacts to NLEBs;
- Minimize ground disturbance/clearing of native grasslands;
- Avoid and/or minimize impacts to potentially suitable habitat for the Dakota skipper and Poweshiek skipperling;
- Avoid siting turbines in wetlands and waterbodies;
- Design transmission facilities using APLIC guidance to minimize the risk of electrocution and collisions of birds by powerlines (APLIC, 2006; 2012);
- Feather blades to manufacturers cut-in-speed from sunset to sunrise during the bat active period (April 15 – October 15);
- Avoid tree removal from June 1 through July 31 to minimize risk of impact to potential maternal roosts and other tree roosting habitat for NLEBs and other bat species; (specific to the northern long-eared bat Endangered Species Act 4(d) rule requirements)
- Train staff to recognize eagles, and if observed, evaluate risk and respond appropriately; and
- Conduct monitoring for two years during operations to assess low risk conclusions.

4.3 Soil Names and Types

The soils present on 2% or more of the project site include silty clay loams, loams, clay loams and soil complexes. These soils belong to hydrologic soils groups A, B, C, B/D and C/D. Soils belonging to hydrologic soils groups A, B and C have low, moderately low and moderately high runoff potential when wet, respectively. Soils belonging to groups B/D and C/D have moderately low and moderately high runoff potential when drained, respectively, and high runoff potential when undrained. Comprehensive soil maps can be found in Attachment C of this SWPPP. Soils information summarized above and in the tables below are from the USDA Natural Resources Conservation Service Web Soil Survey (Accessed 7/30/2019) Source: <http://websoilsurvey.nrcs.usda.gov/app/>

4.3.1 Soil Erosivity**Table 3: Soil K Factors and Erosivity Hazards**

Soil Name / Type	K Factor	Erosivity Hazard				Reason(s) for Erosivity Rating
		Slight	Moderate	Severe	Very Severe	
McKranz-Hidewood, frequently flooded, silty clay loams, 0 to 2 percent slopes	.24	X				Lack of Erosivity/Slope
Barnes-Buse-Svea loams, coteau, 1 to 6 percent slopes	.20	X				Lack of Erosivity/Slope
Lamoure-Rauville silty clay loams, channeled, 0 to 2 percent slopes, frequently flooded	.24	X				Lack of Erosivity/Slope
Renshaw-Fordville loams, coteau, 0 to 2 percent slopes	.17	X				Lack of Erosivity/Slope
Renshaw-Sioux complex, coteau, 2 to 6 percent slopes	.28	X				Lack of Erosivity/Slope
Vienna-Brookings complex, 0 to 2 percent slopes	.28	X				Lack of Erosivity/Slope
Vienna-Brookings complex, 1 to 6 percent slopes	.28	X				Lack of Erosivity/Slope
Barnes clay loam, coteau, 0 to 2 percent slopes	.20	X				Lack of Erosivity/Slope

4.3.2 Soil Particle Size**Table 4: Soil Particle Sizes**

Soil Type	% Sand	% Silt	% Clay	% Site Area
McKranz-Hidewood, frequently flooded, silty clay loams, 0 to 2 percent slopes	6.7	62.3	31.0	2.0
Barnes-Buse-Svea loams, coteau, 1 to 6 percent slopes	39.5	37.5	23.0	2.0
Lamoure-Rauville silty clay loams, channeled, 0 to 2 percent slopes, frequently flooded	6.7	62.3	31.0	2.9
Renshaw-Fordville loams, coteau, 0 to 2 percent slopes	42.0	37.0	21.0	12.3
Renshaw-Sioux complex, coteau, 2 to 6 percent slopes	45.0	40.0	15.0	2.1
Vienna-Brookings complex, 0 to 2 percent slopes	7.0	64.0	29.0	24.0
Vienna-Brookings complex, 1 to 6 percent slopes	7.0	64.0	29.0	17.1
Barnes clay loam, coteau, 0 to 2 percent slopes	33.5	36.5	3.0	4.1

5.0 PROJECT INFORMATION

5.1 Owner and Information

Owner Information	Operator Information
Dakota Range III, Inc.	Wanzek Construction, Inc.
Eli Bosco; Vice President of Project Delivery	Chad Eken; Director of Construction
8181 Arista Place, Suite 100 Broomfield, CO 80021	2028 2 nd Avenue NW West Fargo, ND 58078
805-708-3550; eli.bosco@engie.com	701-212-5731; ceken@wanzek.com

5.1.1 Owner Responsibilities

The owner responsibilities include:

- Developing a SWPPP prior to submitting the Notice of Intent (NOI);
- Submitting a complete and accurate NOI;
- Complying with all terms and conditions of the General Permit for Stormwater Discharges Associated with Construction Activities;
- Keeping the permit up to date (partial, whole, contractor, builders, etc.);
- Submitting the Notice of Termination (NOT) within thirty days of meeting requirement of final stabilization;
- Identifying who has long term operation and maintenance responsibility of the permanent stormwater controls;
- Developing a chain of responsibility with the operators to ensure NPDES and SWPPP compliance;
- Identifying trained personnel to oversee the SWPPP and conduct inspections;
- Identifying trained personnel to develop a SWPPP; and
- Identifying trained personnel to install and maintain best management practices.

5.2 Project Type and Proposed Conditions

5.2.1 Non-vegetative Cover

Post-construction, additional non-vegetative cover on site will include wind turbines and their foundations, gravel access roads, an O&M facility, a substation and a met tower.

5.2.2 Vegetative Cover

Post-construction, land that was disturbed during construction activity will be restored to its previous condition to the extent feasible. Please refer to section 9.3 for possible seed mixes.

5.2.3 Land Use

The proposed wind farm will include the installation of wind turbines, gravel access roads, a substation, an O&M facility, a point of interconnect, overhead and underground electrical collection and a met tower.

5.3 Pre and Post Project Estimates

Table 5: Project Area Estimates

Project Area	Disturbed Area	Existing Impervious Area	Post Construction Impervious Area
20,759 Acres	593.1 Acres	33.9 Acres	39.7 Acres

5.4 Construction Activity Description

Construction activity should include installation of up to 36 wind turbines. Construction of the wind turbines requires, but is not limited to, the installation of a substation, an operations and maintenance building, a met tower, a temporary laydown yard and temporary concrete batch plant, underground electrical collection, overhead transmission, and 16-foot wide gravel access roads with temporary thirty-six foot wide disturbance due to temporary compacted shoulders (10 feet on each side) for truck transport of materials and crane walking paths. Minor construction activity will be necessary for some existing road and radii. The crane paths are specifically designed to follow access roads to limit disturbance of streams and other sensitive areas such as steep slopes and will be approximately 36 feet wide where located away from access roads. All temporary crane paths should be restored to preconstruction conditions after the use of the paths. The SWPPP shall be amended to show locations and disturbance areas as necessary should locations change during construction.

NOTE: All sensitive areas shall be marked prior to start of earth disturbance activities. If any subsurface and/or surface drainage features are altered during construction, restore to pre-construction conditions and drainage patterns. Coordinate the work with the Landowner.

1. Access road construction activity and phasing should include:
 - a. Redistributing topsoil along one or both sides of the road in a linear fashion;
 - b. Temporarily stabilizing ditches (such as erosion control blanket) and applying perimeter sediment controls within the timeframes of the Construction General Permit (CGP);
 - c. Compacting subgrade;
 - d. Applying gravel base;
 - e. Decompacting soils following turbine erection;
 - f. Applying topsoil for non-aggregate areas during final grade;
 - g. Applying final gravel cap to road;
 - h. Maintaining pre-construction drainage patterns and runoff;
 - i. Restoring any subsurface and/or surface drainage features to pre-construction conditions and drainage patterns if altered during construction; and
 - j. Returning disturbed areas not part of the final road to pre-construction conditions.
2. Turning radius and temporary intersections construction activity and phasing should include:
 - a. Stripping and stockpiling topsoil;
 - b. Applying seed and erosion control blanket, turf reinforcement mat, mulch cover or similar methods for restoration to pre-construction conditions;
 - c. Installing culverts as necessary and according to the plan for the accesses;
 - d. Filling with native material to grade;
 - e. Applying gravel base;
 - f. Removing turning radius (removing gravel and fill soils) following turbine component delivery or turbine erection;
 - g. Removing any extra culvert lengths; and

- h. Reapplying topsoil and final grade.
3. Turbine area construction activity and phasing should include:
- a. Stripping and segregating topsoil and applying topsoil in a soil berm along with tracking and seeding around the downgrade perimeter of the turbine pad area;
 - b. Installing silt fence at the perimeter as necessary and as shown on the plans;
 - c. Excavating areas required for the foundation and stockpiling the subsoils;
 - d. Dewatering accumulated groundwater or stormwater via pump as necessary and ensuring discharged water does not contribute sedimentation to receiving waters;
 - e. Providing temporary stabilization measures (such as mulch, erosion control blanket, and turf reinforcement mat);
 - f. Temporarily covering the stockpiles with hydromulch or other temporary cover BMP for water and wind erosion protection;
 - g. Constructing concrete washout area or using a common concrete washout during concrete work for mud mat and foundation construction;
 - h. Grading crane pad for turbine erection;
 - i. Erecting the turbine;
 - j. Backfilling subsoils and topsoil with a rough grade; and
 - k. Returning disturbed areas not part of the final road to pre-construction conditions.
4. Temporary crane path construction activity and phasing should include:
- a. Planning crane walks according to unique area conditions where crane walks will occur;
 - b. Installing downgrade perimeter controls, such as fiber logs or silt fence, to protect conveyances as field conditions dictate;
 - c. Walking cranes across waterways/conveyances during dry conditions when possible;
 - d. Providing timber mat crossings for grass waterway crossings, swale crossings, and other gradual conveyance crossings;
 - e. Providing temporary creek/waterway crossing BMPs according to details shown on plans and explained in this SWPPP narrative; and
 - f. Restoring all disturbed areas to pre-construction conditions following crane walk activity by tilling to agricultural condition or applying necessary mulch/erosion control blanket and seeding to areas for restoration to pre-construction condition.
5. Electrical underground construction activity and phasing should include:
- a. Open trenching or plowing collection line across fields, repairing or restoring any drain tile encountered;
 - b. Segregating topsoil from subsoils unless otherwise agreed upon by the landowner;
 - c. Dewatering accumulated groundwater or stormwater via pump (if necessary) and dewatering bag, ensuring discharged water does not contribute sedimentation to receiving waters;
 - d. Using perimeter control, such as logs, silt fence, or rock checks, if open trenching or plowing through a waterway or conveyance; and
 - e. Applying seed with erosion control blanket or mulch to restore grass waterway to pre-construction conditions.
6. Laydown yard construction activity and phasing should include:
- a. Providing stable accesses to area and installing culverts according to the plans;
 - b. Installing silt fence and other sediment controls as necessary and as detailed in the plans;

- c. Stripping and stockpiling topsoil around the up-gradient perimeter of the laydown yard for a diversion of water or downgrade perimeter of the yard for runoff control;
 - d. Applying rock base to designed thickness;
 - e. Temporarily covering the stockpiles with hydromulch or weed-free straw/hay after seeding with temporary seed mix;
 - f. Providing necessary secondary containment, secure storage, and maintenance activities during operation;
 - g. Removing rock and decompacting and reapplying topsoil to the area after the laydown yard is no longer needed; and
 - h. Returning disturbed areas to pre-construction conditions, which may include applying seed and mulch cover for restoration.
7. Batch Plant construction activity and phasing information:
- a. Providing stable accesses to area and installing culverts according to the plans;
 - b. Installing silt fence and other sediment controls as necessary and as detailed in the plans;
 - c. Stripping and stockpiling topsoil around the up-gradient perimeter of the batch plant for a diversion of water or downgrade perimeter of the plant for runoff control;
 - d. Applying rock base to designed thickness;
 - e. Temporarily covering the stockpiles with hydromulch or weed-free straw/hay after seeding with temporary seed mix;
 - f. Providing necessary secondary containment, secure storage, and maintenance activities during operation;
 - g. Providing a designated and contained concrete washout area as per detail and SWPPP specifications. Properly dispose of washout water or recycle as needed;
 - h. Sampling all discharges from concrete batch plant area;
 - i. Providing dust control and material control as required;
 - j. Removing rock and decompacting and reapplying topsoil to the area after the batch plant is no longer needed; and
 - k. Returning disturbed areas to pre-construction conditions, which may include applying seed and mulch cover for restoration.
8. Collector substation construction activity and phasing should include:
- a. Providing stable accesses to area and installing culverts according to the plans;
 - b. Installing silt fence and other sediment controls as necessary and as detailed in the plans;
 - c. Stripping and stockpiling topsoil around the up-gradient perimeter for a diversion of water or downgrade perimeter of the substation for runoff control;
 - d. Applying rock base to designed thickness;
 - e. Temporarily covering the stockpiles with hydromulch or weed-free straw/hay after seeding with temporary seed mix;
 - f. Constructing a concrete washout area prior to starting concrete work;
 - g. Constructing electrical components and fencing; and
 - h. Returning disturbed areas not part of the final gravel pad to agricultural conditions or applying seed and mulch cover for restoration to pre-construction conditions.
9. Electrical Overhead construction activity and phasing information:
- a. Accessing structure areas from public roads or through the established right-of-way;
 - b. Avoiding vehicle traffic through swales, waterways, and wetlands;
 - c. Selectively removing vegetation only as necessary to complete construction activity;

- d. Stockpiling spoil piles or other soil/material out of the ditch areas and providing fiber logs for perimeter sediment control;
 - e. Dewatering to restore to existing vegetative conditions or using dewatering bags to control discharge of sediment if the structure foundation area accumulates water;
 - f. Backfilling material around the structure; and
 - g. Returning disturbed areas to pre-construction conditions and operational control of the farmer, which may include applying seed and mulch cover for restoration.
10. Operation and maintenance facility construction activity and phasing should include:
- a. Providing stable accesses to area and installing culverts according to the plans;
 - b. Installing silt fence and other sediment controls as necessary and as detailed in the plans;
 - c. Stripping and stockpiling topsoil around the up-gradient perimeter for a diversion of water or downgrade perimeter of the area for runoff control;
 - d. Temporarily covering the stockpiles with hydromulch or weed-free straw/hay after seeding with temporary seed mix;
 - e. Constructing a concrete washout area prior to starting concrete work;
 - f. Completing concrete work and building construction;
 - g. Applying rock base to designed thickness;
 - h. Applying rock base for parking areas as designed; and
 - i. Providing seed with mulch or erosion control blanket following final grade.
11. Switchyard construction activity and phasing should include:
- a. Providing stable accesses to area and installing culverts according to the plans;
 - b. Installing silt fence and other sediment controls as necessary and as detailed in the plans;
 - c. Stripping and stockpiling topsoil around the up-gradient perimeter for a diversion of water or downgrade perimeter of the substation for runoff control;
 - d. Applying rock base to designed thickness;
 - e. Temporarily covering the stockpiles with hydromulch or wood mulch after seeding with temporary seed mix;
 - f. Constructing a concrete washout area prior to starting concrete work;
 - g. Constructing electrical components and fencing; and
 - h. Returning disturbed areas not part of the final gravel pad to agricultural conditions or applying seed and mulch cover for restoration to pre-construction conditions.
12. Met Tower construction activity and phasing:
- a. Strip and stockpile topsoil along one or both sides of the access road and tower area in a linear berm.
 - b. Apply perimeter sediment controls.
 - c. Compact subgrade.
 - d. Apply gravel base to tower access.
 - e. Following tower erection the soils should be decompacted.
 - f. Apply topsoil during final grade.
 - g. Apply final gravel cap to tower access.
 - h. Maintain pre-construction drainage patterns and runoff.
 - i. Return disturbed areas not part of the final road or tower area by applying seed and mulch cover for restoration to pre-construction condition.

5.5 Project Activity Schedule**Table 6: Project Schedule**

Activity	Start Date	End Date
Overall Project	9/15/2019	5/31/2021
Access Roads	9/15/2019	10/31/2020
Laydown Yard	9/15/2019	5/31/2021
Crane Paths and Turbine Erection	4/12/2020	10/31/2002
Temporary Improvements	9/15/2019	10/31/2020
Excavations and Foundation	4/12/2020	10/31/2020
Substation	9/15/2019	10/31/2020
Underground Collection	10/15/2019	10/31/2020
Overhead Collection	4/12/2020	10/31/2020
Met Tower	10/1/2019	10/31/2020
Batch Plant	4/15/2020	10/31/2020

5.6 Project Phasing

The project will be completed in one phase. Construction activities will take place along with erosion/sediment control BMP installation. BMPs will be installed prior to ground disturbing activities and will be maintained throughout the entirety of the project and site cleanup and restoration of disturbances will be ensured once construction is complete.

5.7 Project Contacts and Chain of Responsibility**Table 7: Project Contacts**

Company*	Name or Position	Responsibility	Contact Number
		Site Development	
		Dirt Work / Grading / Turbine / Cranes / Excavation	
		Underground Electrical	
		Overhead Electrical	
		Switchyard	
		Substation	
		O&M Building	
		Laydown / Batch Plant	
		Project Environmental Contact	

		Routine SWPPP Inspections	
Westwood Professional Services	Aaron Mlynek, CPESC	SWPPP development	952-697-5710
		Restoration	
		BMP installation	
		BMP Maintenance	

6.0 ADDITIONAL SITE OR PROJECT CONSIDERATIONS

6.1 Chemical Treatments

At the time of SWPPP completion the use of chemical additives or polymers for purposes of sediment flocculation are not anticipated for this project. Should chemical treatment become necessary based upon inspection results, weather conditions or construction means and methods the table below must be updated to reflect the chemical used. **IMPORTANT: Prior approval from the SDDENR is necessary for any chemical additive for discharging stormwater.**

Table 8: Flocculation Plan Summary

Flocculation Chemical	Application Location	Primary Soil Types	Settling BMPs Used	Application Method	Receiving Water	Mfr Dosing Rate

6.2 Environmental Review Document

At the time of SWPPP completion, there are no known environmental review documents which apply to this project. The project will be compliant with the following avoidance and minimization measures (See engineering plans in attachment E):

- Sited wind turbines more than 1,000 feet from four shelterbelts and woodlots greater than 15 acres in size to avoid potential impacts to NLEBs;
- Minimize ground disturbance/clearing of native grasslands;
- Avoid and/or minimize impacts to potentially suitable habitat for the Dakota skipper and Powershiek skipperling;
- Avoid siting turbines in wetlands and waterbodies;
- Design transmission facilities using APLIC guidance to minimize the risk of electrocution and collisions of birds by powerlines (APLIC, 2006; 2012);
- Feather blades to manufacturers cut-in-speed from sunset to sunrise during the bat active period (April 15 – October 15);
- Avoid tree removal from June 1 through July 31 to minimize risk of impact to potential maternal roosts and other tree roosting habitat for NLEBs and other bat species; (specific to the northern long-eared bat Endangered Species Act 4(d) rule requirements)
- Train staff to recognize eagles, and if observed, evaluate risk and respond appropriately; and
- Conduct monitoring for two years during operations to assess low risk conclusions.

7.0 RECEIVING WATERS

The table below summarizes the immediate receiving waters from the site. Where necessary the receiving waters has been designated immediate (for the first surface water receiving drainage from the site) and ultimate (for the surface water receiving runoff from site after the immediate receiving waters). The receiving waters listed are located within a mile, and receive water from the site discharge location(s).

In general the site discharges to the west or southwest to Hurricane Lake, Headwaters Big Sioux River, Lonesome Lake – Big Sioux River and Indian River. Refer to Attachment D for drainage maps.

Table 9: Receiving Waters

Name of Waterbody	Immediate (I) or Ultimate (U)	Type (wetland, lake, stream, ditch)	Impaired? Y/N	MS4? Y/N
Unnamed tributaries to the waterbodies listed below	I	Stream	N	N
Hurricane Lake	U	Lake	N	N
Headwaters Big Sioux River	U	River	N	N
Lonesome Lake-Big Sioux River	U	River	N	N
Indian River	U	River	N	N

7.1 Impaired Waters

There are no impaired waterbodies which receiving stormwater discharge within one mile of the site disturbed area according to the Construction Stormwater Impaired Water Search, South Dakota Department of Environment and Natural Resources website: <http://denr.sd.gov/dfta/wp/tmdl.aspx> (accessed 08/05/2019) and the 2018 South Dakota Integrated Report for Surface Water Quality Assessment website: <https://denr.sd.gov/documents/18irfinal.pdf>.

7.2 Section 404 Nationwide Permitting

A Waters of the U.S. Delineation report was prepared for Dakota Range III by Blanton & Associates, Inc in July 2019. This document is available upon request. In the document it is reported that “Based on Dakota Range III, LLC’s latest layout, the proposed Project’s infrastructure will result in 50 potential WOTUS crossings (or intersects)”. “These include 29 emergent wetland crossings, one forested wetland crossing, and 29 intermittent and ephemeral stream segments crossings”. “Each single and complete linear crossing that would result in the placement of dredged or fill materials into a potential WOTUS would meet the acreage requirements for authorization under NWP 12 or 51 with all crossings meeting the acreage threshold for self-certification with no PCN. NWP 33 has no acreage limitations on the placement of dredged or fill materials into WOTUS and the only PCN threshold is if the activity occurs in a navigable water (Section 10 water).”

8.0 STORMWATER MANAGEMENT

8.1 Temporary Practices

There are no anticipated temporary stormwater management practices at the time of SWPPP completion due to no contiguous 10 acre drainage areas discharging to a common point or no contiguous 5 acre areas in impaired or special waters areas.

8.1.1 Calculations

Calculations are not applicable to this project as there are no temporary stormwater management practices requiring calculations. If it is determined in the field that temporary sediment basins are requires, the following table should be completed

Table 10: Temporary Sediment Basin Calculations

Basin #	Storm Frequency	Rainfall Amount	Runoff Area	Runoff Volume	Capacity Needed
1	2 yr. / 24 hr.	2.10"	Acres	ac ft.	ac ft.
2	2 yr. / 24 hr.	2.10"	Acres	ac ft.	ac ft.
3	2 yr. / 24 hr.	2.10"	Acres	ac ft.	ac ft.

8.2 Permanent Practices

There are no permanent stormwater practices anticipated for this project activity.

8.2.1 Calculations

Calculations are not applicable to this project as there are no permanent stormwater management practices requiring calculations.

9.0 TEMPORARY BEST MANAGEMENT PRACTICES

9.1 Soil Management

After clearing and grubbing, the grading contractor will strip and stockpile topsoil material for reapplication on all future permanent pervious surface areas. During development, grading and utility construction the subsoils will be compacted as necessary for construction using typical excavation techniques. During final grade, reapplication of 4 to six inches of topsoil will be done by a wide-pad dozer and other equipment to minimize compaction of the topsoil material.

9.2 Natural Buffers and No-disturbance Areas

An undisturbed fifty foot buffer zone will be preserved for all surface waters wherever feasible. The use of linear sediment controls will be installed upgradient to provide sediment control and delineate the fifty foot buffer. Refer to the site erosion and sediment control plans for the location of the buffer. The following activities are prohibited to take place within the buffer area:

- Placing stockpiles ;
- Disturbing vegetation;
- Placing construction material; and
- Storing gas, oils, or other potentially polluting material.

If the use of buffers is not feasible due to grading operations needed for cut / fill then in lieu of a fifty foot undisturbed buffer the use of redundant sediment controls will be implemented. A combination of linear controls will be installed prior to disturbance of upgradient areas. The redundant BMPs must be installed at least 5 feet apart unless limited by a lack of available space. The contractor will make a reasonable effort to start and finish work in the fifty foot area first so additional stabilization controls can be applied.

No-disturbance Areas

Refer to the engineering plans in Attachment E of this SWPPP for applicable no-disturbance areas.

9.3 Erosion Prevention Practices

The following controls are anticipated to minimize soil loss from the construction site area. The controls should help to minimize soil from being transported from water and wind as well as aide in establishment of temporary and permanent vegetation. Prior to grading and during clearing and grubbing, the areas of vegetation preservation, buffers and other areas of no-disturbance should be flagged, staked or otherwise delineated.

Timing for disturbed areas and slopes

Temporary erosion prevention practices should be initiated immediately after construction activity disturbing soil in an area is temporarily or permanently ceased for a period of 14 days. The application of temporary erosion control management practices should be completed prior to the fourteenth day of temporarily or permanently ceasing construction activity in an area of the project.

Stockpile Management

- Locate the stockpiles and debris outside of any natural buffers established and away from any stormwater conveyances, drain inlets, and areas where stormwater flow is concentrated;
- Protect the stockpile debris from contact with stormwater run-on by using temporary sediment controls, berms, or other best management practices;
- Properly maintain and position stockpiles to minimize dust generation and wind transport of sediment; and

- Minimize stormwater runoff from the piles by properly positioning stockpiles and debris or installing effective sediment controls.
- Operators shall not place stockpiles in surface waters of the state.

Table 11: Erosion Controls

Potential BMPs	Construction Phase or Activity										Application Notes	
	Met Tower	Access Roads	Laydown Yard / Batch Plant	Crane Paths / Turbine Erection	Excavations / Foundations	O&M Building	Substation	UG Collection	OH Transmission	Restoration		
Construction Phasing	X	X	X	X	X	X	X	X	X		Minimize soil disturbance, as feasible, per phase. Stake/flag areas that are to be left undisturbed.	
Buffer Strips	X	X	X	X	X	X	X				See Section 8.2 for more information.	
Surface Roughening	X	X	X	X	X	X	X	X	X		Use tracked equipment perpendicular to contour on steep slopes for temp/short term erosion control.	
Straw / Hay Mulch	X	X	X	X	X	X	X	X	X	X	Apply at two tons/acre. Disc anchor to soil. Weed Free mulch should be used.	
Dust Control	X	X	X	X	X	X	X	X	X		Contractor to apply water or dust palliatives.	
Erosion Control Blanket	X	X	X	X	X	X	X	X	X	X	Straw or wood fiber, double-sided netting blanket should be installed per manufacturer's recommendations.	
Hydroseed	X	X	X	X	X	X	X	X	X	X	Apply at a minimum of 1,800 pounds per acre from two directions to prevent shadowing. Could use in lieu of mulch.	
Temporary Seed Mix	X	X	X	X	X	X	X	X	X		Application Rate = See mix below	Prepare soil prior to seeding. Broadcast and rake seed into soil prior to mulch or blanket.
Permanent Seed Mix	X	X	X	X	X	X	X	X	X	X	Application Rate = See mix below	

Potential Seed Mix**Potential Temporary / Cover Crop Seed Mix**

There are no seasonal limitations for cover crop seeding.

Oats can be used from April through July

Winter Wheat can be used from August through November

Seed shall be applied at 56 lbs (26 kg) per acre with a minimum 75% PLS.

South Dakota Department of Transportation Type B Permanent Seed Mixture:

Grass Species	Variety	Pure Live Seed (PLS) (Pounds/Acre)
Western Wheatgrass	Arriba, Flintlock, Rodan, Rosana, Walsh	7
Switchgrass	Dacotah, Forestburg, Nebraska 28, Pathfinder, Summer, Sunburst, Trailblazer	3
Indiangrass	Holt, Tomahawk, Chief, Nebraska 54	3
Big Bluestem	Bison, Bonilla, Champ, Sunnyview, Rountree, Bonanza	3
Canada Wildrye	Mandan	2
Total:		18

9.4 Sediment Control Practices

The following controls are anticipated to minimize sediment discharge, capture sediment in suspension and minimize sedimentation off site.

Table 12: Sediment Controls

Potential BMPs	Construction Phase or Activity										Application Notes
	Met Tower	Access Roads	Laydown Yard / Batch Plant	Crane Paths / Turbine Erection	Excavations / Foundations	O&M Building	Substation	UG Collection	OH Transmission	Restoration	
Silt fence	X	X	X	X	X	X	X	X	X		Machine sliced install with wood posts at six foot spacing. Install perimeter silt fence prior to grading
Fiber rolls	X	X	X	X	X	X	X	X	X		Install on contour, minimum of six inch roll, wood or straw fiber. Trench in approximately 2 inches and secure with two inch posts every two feet on center.
Soil berm	X	X	X	X	X	X	X	X	X		Side slopes of 3:1 with at least one foot height. Use temporary erosion control to stabilize berm.

9.5 Run-on and Runoff Controls

The following controls are anticipated to minimize scour, transport water across or down steep slopes or critical areas, divert clean water, and / or provide temporary conveyances to maintain drainage.

Table 13: Run-on and Runoff Controls

Potential BMPs	Construction Phase or Activity										Application Notes
	Met Tower	Access Roads	Laydown Yard / Batch Plant	Crane Paths / Turbine Erection	Excavations / Foundations	O&M Building	Substation	UG Collection	OH Transmission	Restoration	
Riprap Apron / Energy Dissipation		X	X	X		X	X			X	See detail in plans. Install within twenty-four hours of connection to surface waters.
Culvert Protection	X	X	X	X		X	X	X	X	X	See details in plan set. Install within twenty-four hours of installation of culverts.
Low Water Crossing	X	X		X					X	X	See detail in plans.

9.6 Tracking Controls

The following controls are anticipated to minimize or prevent sediment track-out from construction site exits to paved surfaces or to retrieve material tracked onto paved surfaces to minimize or prevent the material from being washed into surface waters or stormwater inlets.

Table 14: Tracking Controls

Potential BMPs	Construction Phase or Activity										Application Notes
	Met Tower	Access Roads	Laydown Yard / Batch Plant	Crane Paths / Turbine Erection	Excavations / Foundations	O&M Building	Substation	UG Collection	OH Transmission	Restoration	
Rock Pad		X	X			X	X				See detail in plans. Install at all site exits prior to grading. Maintain for duration of project.
Gravel or Aggregate Road Base	X	X	X			X	X			X	See detail and notes in plans.

Street Scraping	X	X	X	X	X	X	X	X	X		Scrape large clumps/amounts of material with soft tracked or wheeled equipment prior to sweeping.
Street Sweeping	X	X	X	X	X	X	X	X	X		Sweep paved surfaces within twenty-four hours of discovery.

9.7 Dewatering and Basin Draining Practices

Dewatering Accumulated Water (via pump, trench, temporary ditch or grade cuts)

Dewatering of turbid water (water that is visibly cloudy or brown in color) should be discharged via pump and hose or overland flow to a temporary sediment basin for pretreatment. The use of riprap apron (energy dissipation) should be used for the discharge location. If riprap is not used, an alternative form of energy dissipation should be used to prevent scour and re-suspension of soil at the discharge point of the hose. If discharge to a temporary sediment basin is not feasible, the use of dewatering dumpsters, dewatering bags or other prefabricated product should be used. The use of rock checks, erosion control blanket and sumps or traps may be considered for overland flow. After the use of BMPs, the water could be discharged through a vegetated buffer and energy dissipation. The discharge of water from the site should be visibly clear in appearance.

The discharge of accumulated water should not:

- Contain oil, grease, a sheen, odor, or concrete washout;
- Adversely impact adjacent properties with water or sediment;
- Adversely impact waters of the state;
- Cause erosion of slopes and channels;
- Cause nuisance conditions; or
- Contribute to inundation of wetlands which negatively impact the wetlands.

NOTE: the permittee may be required to obtain a Temporary Water Right. Contact the SDDENR at 605-773-3351 for more information. It is the operator and permittee responsibility to obtain necessary water rights.

9.8 Sampling Requirements for Dewatering

If the discharge observed contains suspended solids the following must be implemented:

- Installation of additional best management practices and update this SWPPP.
- Sample the dewatering discharge for total suspended solids on a daily basis until there is no longer a discharge of visible solids.
- Samples must be analyzed in accordance with 40 CFR, Part 136 which may require sending the samples to an off-site laboratory for analysis.
- If the sample results exceed 53 mg/L in any sample or measurement you must cease the dewatering discharge to surface waters of the state until the operator can demonstrate additional best management practices are sufficient to eliminate visible pollutants.
- Document sampling and results or any updates in this SWPPP.

10.0 POLLUTION PREVENTION MANAGEMENT

10.1 Storage, Handling and Disposal of Construction Materials

Storage and Handling

- All products shall be kept in their original container, with original labels still attached, unless the container is not re-sealable.
- Storage of all diesel fuel, oil, hydraulic fluids, other petroleum products and other chemical and products must be within water-tight containers.
- Hazardous materials shall be returned to the hazardous material storage area at the end of each day and be contained within sealed containers and provide secondary containment as applicable. .
- An effort should be made to store only enough products to do the required job.
- The contractor shall provide tanks or barrels to collect liquid byproducts that pose a pollution hazard.
- The pollutants shall be removed from the site on a weekly basis and disposed of in accordance with federal, state and local regulations.
- All spills shall be cleaned up immediately after discovery, in accordance with the manufacture's recommended methods.
- Hazardous materials shall be properly stored to prevent vandalism or unauthorized access.
- Containment units shall be installed in accordance with federal, state, and local regulations.
- No hazardous material shall be stored within 200 feet of an identified critical area.
- If building materials, chemicals, or general refuse is being used, stored, disposed of, or otherwise managed inappropriately, the contractor shall correct such defects within twenty-four hours of detection or notification.

Disposal (Dumpsters)

- Locate dumpsters away from watercourses, streams, creeks and other surface waters or conveyances.
- Site inspector shall regularly observe for and report excess litter and solid waste and request pickup and retrieval of wastes.
- Wastes, litter, debris shall be deposited into dumpsters in a central location and / or in various satellite locations where work is active.
- Dumpsters should be supplied by and regularly maintained, emptied and removed by a waste management company.

10.2 Fueling and Maintenance of Equipment and Vehicles; Spill Response

- Routine maintenance of vehicles may occur in staging areas only if necessary.
- Avoid maintaining equipment and vehicles on site, and perform maintenance off site where feasible.
- If fueling is done by mobile tank and dispenser, provide close supervision for the transfer of fuel, use drip pans, and make spill containment and cleanup materials readily available.
- If fueling is done via temporary tank, store the tank within a bermed, area and away from surface waters.
- Make Spill Kits with absorbent materials available on site for use in cleaning up small spills.
- In the event of a spill or discharge of hazardous material of reportable quantity, contact the South Dakota Notification Center (605-773-3296), the South Dakota After Hours Center (605-773-3231), If the hazardous condition involves the release of an EPA regulated material or an oil as defined by the EPA, the release may also need to be reported to the National Response Center. Federal Reporting is required within 15 minutes of event occurrence or discovery. Contact the National

Response Center at (800) 424-8802. The NRC is staffed twenty-four hours a day. For more information reference the following website: <https://www.epa.gov/emergency-response/when-are-you-required-report-oil-spill-and-hazardous-substance-release>.

Table 15: Reportable Spill Quantities

Material	Reportable Spill Quantities
Petroleum Material	25 Gallons
PCB Oil	1 Pound
Other Material	Quantity that causes odor, color, sheen, foam, or other obvious indicator of pollutants.

10.3 Vehicle and Equipment Washing

If necessary, the contractor shall develop a designated wash area with basin containment to prevent the untreated water from discharging from the site to surface waters. BMPs include, temporary basins, inspecting the vehicles and equipment for leaks prior to washing, and prohibiting washing activity until discovered leaks are repaired and maintenance is completed of the equipment or vehicle. The area shall be identified on the site plan. Contain the water, and pump from the site into a truck for proper disposal at a waste water facility. No engine degreasing may be done on site.

10.4 Concrete Washout and Other Washout

Mobile Concrete or Mortar Mixers

Implement the following BMPs with the use of mortar or concrete mixers.

- Store bags of concrete and mortar in dry storage.
- Position mixers a minimum of 100 feet from the nearest watercourse or conveyance.
- If mixers must be positioned closer than 100 feet from a conveyance, install a temporary berm to prevent runoff from the mixer from flowing into the conveyance.
- Use Tarpaulins or plastic sheeting as a liner to prevent concrete or mortar from contacting the soil.
- Use buckets to contain washout /rinse water when cleaning the mobile mixer.
- Dump buckets of washout water in a designated concrete washout area.

Concrete Washout

Implement the following BMPs implemented for concrete washout areas.

- Contain washout water from the tools, equipment, and the chutes of concrete trucks, mobile mixers, or other containers with concrete material, and do not allow it to be discharged into waters of the state or drain onto adjacent properties.
- Define the washout area with signage notifying the contractors of the location and use.
- The washout area should be a sufficient size to contain the expected washout material. 10'x10'x3' area should suffice for most activities. Additionally: the washout area shall have a sign demarking the area as a washout.
- Multiple washout areas may be needed. Locations of the washouts should be shown on the construction plans by the contractor.
- When identifying the location of the concrete washout areas, include the date of install, date of last maintenance, and date of removal.

- Use thick poly sheeting to prevent contamination of the soil, and prevent infiltration of the washout material.

Once the material is hardened it can be disposed of in a dumpster. If the material is liquid or not hardened, vacuum the material up, haul it off site to properly disposed of or recycle at an approved facility. Some sites will not need the separate washout area if a truck chute washout is available from the concrete supplier.

Truck Chute Washout

Where available, all trucks with self-contained washout and water recycle systems must be used for every truck chute, tool, and equipment rinse and washout. Position the truck in a flat area, away from inlets and surface waters where feasible.

10.5 Portable Sanitary Facilities

- Locate facilities away from watercourses, streams, creeks, and other surface waters or conveyances.
- Place facilities upgradient of perimeter sediment controls, and not on paved or other impervious surfaces.
- Secure facilities to the soil with stakes or tether to other non-movable structure to prevent tipping from wind or other factors.
- Schedule routine and regular cleanout and maintenance of facility from a reliable company.

11.0 INSPECTION AND MAINTENANCE

Construction activity and all support activities must be inspected (using the inspection form found in Attachment F or an alternative form) within the parameters of the schedule below. The inspector shall be a person trained and familiar with the requirements of this SWPPP and the SDR100000 Permit. This person is delegated by the owner.

Scope of inspections* should include:

- Date and time of inspections;
- Inspector's name;
- Findings of the inspection;
- Locations of corrective actions needed;
- Corrective actions taken (date/time/who);
- Date and amount of rainfall**
- Observed discharges Locations;
- Description of discharges with color, odor, floating, settled, solids, foam, or oil sheen;
- Photographs of discharges

Amendments from inspections need to be completed within seven days (see SWPPP section 3.1).

*All inspections should be documented within twenty-four hours after completing the field inspection, and available in paper or electronic form on site.

**Rainfall amounts should be taken from an onsite rain gauge. If a rain gauge is not feasible, the rain fall data should be observed from the following website:

<https://forecast.weather.gov/MapClick.php?lat=45.30540000000008&lon=-97.03635999999995#.XUiCVvJKhaQ>

11.1 Inspection Schedule

Table 16: Inspection Schedule

If the site is:	Then an inspection is needed:	Notes and Information
Active	<input checked="" type="checkbox"/> Once every fourteen calendar days and within twenty-four hours of a rainfall $\geq 0.25"$, OR <input type="checkbox"/> Once every seven calendar days	A rain gauge should be used or rain data should be taken from the link listed above.
Partial final stabilization	Once every month	Allowed in areas where work is completed and vegetation is established. Other/active areas must follow above.
Subject to Winter/Frozen Conditions	Once every month	Disturbed areas of the site have been temporarily or permanently stabilized. Resuming "active" inspection frequency is required no later than March 1 st of each year.

11.2 Maintenance Schedule
Table 17: Maintenance Schedule

BMP	Observed Condition for Maintenance	Maintenance Interval
All non-functional BMPs	Sediment overtopping, under water, scoured ends, undermined, destroyed, non-functional as designed, etc.	Maintenance must be done by the end of the next work day or if the BMP requires replacement: it should be done within seven calendar days or prior to forecast rainfall, whichever is sooner. If sediment escapes the construction site: begin removing the offsite accumulations by the end of the same work day.
Vegetative Buffer	Silt covered, rill erosion observed or otherwise ineffective	Repair by the end of the next working day.
Stabilized Areas (temporary or permanently)	Rill erosion, gully erosion is observed. Mulch washed away or erosion control blanket is undermined.	Repair and stabilize eroded areas and non-functional stabilization BMPs by the end of the same work day.
Perimeter Sediment Control (silt fence, fiber logs, berms, etc.)	½ full of sediment, flattened to ½ height, driven over, undermined, scoured, moved for access etc.	Maintenance of the BMP: by the end of the next work day or if replacement is required: complete replacement within seven days of discovery or notice or prior to forecast rainfall, whichever is soonest.
Inlet protection BMPs, conveyances, surface waters	Sediment deposition, sediment deltas and accumulation of sediment material.	Removal/cleanout of accumulated sediment and deltas to be removed within seven days. Stabilize as needed if soils are exposed during removal/cleanout.
Temp sed basins and traps; permanent sediment basins	Sediment deposition and accumulation to ½ of the storage volume.	Cleanout, remove accumulated sediment material within seven calendar days or prior to forecast rainfall, whichever is sooner.
Site exit locations, rock exit pads, other anti-tracking practices	Accumulated sediment in rock or other anti-tracking BMP, tracking of sediment from the site onto paved surfaces	Top dress rock, maintain rock exit or other anti-tracking controls, scrap paved surfaces, sweep paved surfaces by the end of the same work day.
Paved surfaces; adjacent streets	Tracked sediment and soil material from the site hauling or access	Sweep within the same work day of discovery; additional and/or more frequent sweeping may be needed to maintain public safety or prevent washing from forecast rains.

12.0 FINAL STABILIZATION

Final stabilization is achieved for the project when permanent erosion control BMPs are applied to the site. The permanent erosion control BMPs may be a combination of vegetative and no vegetative cover types. Additional requirements to achieving final stabilization include:

- All soil disturbing activity is complete;
- Permanent stormwater treatment system (if required) is constructed and accumulated sediment from construction activity has been removed;
- All temporary, synthetic BMPs have been removed from the site;
- In agricultural areas (as applicable), the construction activity area has been restored to the pre-construction agricultural use; and
- The vegetative cover for the site is at a density, with a uniform perennial cover of 70 percent of the expected final growth density.

12.1 Vegetative Cover / Permanent Erosion Control

The planned permanent erosion control vegetative cover BMPs for this site include agricultural land use and vegetative row crops. Areas not returned to agricultural conditions or covered by a non-vegetative cover will be restored with grass cover via seeding. Minimization of the presence of invasive species is required. The following seven weeds are declared to be noxious in South Dakota: Canada thistle, hoary cress, leafy spurge, perennial sow thistle, purple loosestrife, Russian knapweed, and salt cedar.

12.2 Non-vegetative Cover / Permanent Erosion Control

The planned permanent erosion control non-vegetative cover BMPs for this site include: gravel access roads, wind turbines and their foundations, an O&M building, a substation and a Met tower.

13.0 NOTICE OF TERMINATION

The project permit may be terminated in one of the following scenarios.

1. All construction activity is complete, temporary synthetic BMPs are removed, accumulated sediment from construction is removed, and final stabilization is completed with vegetative and/or non-vegetative cover. The Notice of Termination form from the South Dakota Department of Environment and Natural Resources should be completed within thirty days of meeting the conditions above. Upon midnight of the post marked date, the permit coverage is terminated unless otherwise notified by the SDDENR.
2. Within thirty days of selling or otherwise legally transferring ownership of the site in its entirety (including street sweeping and stormwater infrastructure) from the original owner to another party taking responsibility of ownership.
3. Where the project obtained permit coverage but never started construction activity due to cancellation or other reasons. Documentation should be sent to the SDDENR with the NOT form and is subject to SDDENR approval.

14.0 RECORD RETENTION

During construction: this report, amendments and attachments, inspections, and maintenance records should be kept on site during normal business hours. The records should be kept by the owner or operator listed on the permit application. The records should be in a mailbox, in a vehicle or in an on-site office trailer or model home.

Post Construction/Notice of Termination (NOT): the site owner must retain all the following records for a period of at least three years after the submittal of the NOT:

- The final SWPPP with all field notes/amendments;
- Other stormwater related permits in addition to the NPDES permit from SDDENR;
- Inspection and maintenance records;
- All permanent operation and maintenance agreements; and
- All required calculations for design of the temporary and permanent stormwater management systems.

Attachment A

South Dakota General Permit for Stormwater Discharges Associated with Construction Activities SDR100000

Permit Number: SDR100000

**SOUTH DAKOTA DEPARTMENT OF ENVIRONMENT
AND NATURAL RESOURCES**

**General Permit Authorizing Stormwater Discharges
Associated with Construction Activities
Under the South Dakota Surface Water Discharge System**

In compliance with the provisions of the South Dakota Water Pollution Control Act and the Administrative Rules of South Dakota (ARSD), Article 74:52, owners and operators of stormwater discharges from **construction activities**, located in the state of South Dakota are authorized to discharge in accordance with the conditions and requirements set forth herein.

This General Permit shall become effective on April 1, 2018.

General permit coverage for the [PERMITTEE] shall become effective [EFFECTIVE DATE].

This General Permit and the authorization to discharge shall expire at midnight, **March 31, 2023.**

Signed this **23rd** day of **March, 2018,**



Authorized Permitting Official

Steven M. Pirner
Secretary
Department of Environment and Natural Resources

***Note:** This page will be replaced with a copy containing the assigned permit number once coverage has been authorized.*

TABLE OF CONTENTS

1.0	DEFINITIONS	1
2.0	COVERAGE UNDER THIS GENERAL PERMIT	7
2.1	Eligibility Requirements	7
2.2	Discharges Authorized.....	7
2.3	Discharges Not Authorized.....	8
2.4	Requesting Permit Coverage.....	9
2.5	Transferring Permit Coverage.....	10
2.6	Terminating Permit Coverage.....	10
2.7	Reporting Requirements	11
2.8	Requiring an Individual Permit or an Alternative General Permit	11
2.9	Continuation of Coverage for Expired General Permit	12
2.10	Requirement to Post Notice of Your General Permit Coverage	12
2.11	Property Rights	12
2.12	Reopener Provisions	12
2.13	Severability	13
2.14	Permit Actions	13
3.0	EFFLUENT LIMITS.....	14
3.1	Proper Operation and Maintenance	14
3.2	Erosion and Sediment Control Requirements.....	14
3.3	Installation Requirements	15
3.4	Perimeter Controls	15
3.5	Sediment Basins.....	15
3.6	Minimize Sediment Track-Out	15
3.7	Remove Offsite Accumulation	16
3.8	Minimize Dust	16
3.9	Minimize Run-on.....	16
3.10	Provide Natural Buffers	16
3.11	Preserve Topsoil.....	17
3.12	Minimize Steep Slope Disturbance.....	17
3.13	Protect Storm Drain Inlets	17
3.14	Erosive Velocity Control	17
3.15	Minimize Soil Compaction	18
3.16	Minimize Exposed Soil.....	18
3.17	Protect Stockpiles.....	18
3.18	Stabilization Requirements	18
3.19	Maintenance Requirements.....	20

3.20	Pollution Prevention Procedures	21
3.21	Construction Dewatering	23
4.0	INSPECTION REQUIREMENTS.....	25
4.1	Person(s) Responsible for Inspecting the Site	25
4.2	Frequency of Inspections	25
4.3	Reduction of Inspection Frequency	25
4.4	Areas that Need to Be Inspected.....	25
4.5	Requirements for Inspections	26
4.6	Inspection Report	27
5.0	STORMWATER POLLUTION PREVENTION PLAN	29
5.1	SWPPP Deadlines	29
5.2	TMDL	29
5.3	SWPPP Contents.....	29
5.4	SWPPP Certification.....	34
5.5	Required SWPPP Modifications.....	34
6.0	SPECIAL CONDITIONS	36
6.1	Qualified Local Programs	36
7.0	REPORTING AND RECORDKEEPING REQUIREMENTS	37
7.1	Emergency Spill Notification	37
7.2	Planned Changes	38
7.3	Records Contents & Retention.....	38
7.4	Signatory Requirements.....	38
7.5	Duty to Provide Information.....	39
7.6	Availability of Information	40
8.0	COMPLIANCE REQUIREMENTS.....	41
8.1	Duty to Comply.....	41
8.2	Duty to Mitigate	41
8.3	Need to Halt or Reduce Activity Not a Defense.....	41
8.4	Upset Conditions.....	41
8.5	Removed Substances	42
8.6	Inspections and Entry.....	42
8.7	Oil and Hazardous Substance Liability.....	42
8.8	Penalties for Violations of general permit Conditions.....	42
8.9	Penalties for Falsification of Reports.....	43

Appendix A – Notice of Intent (NOI) Form

Appendix B – Notice of Termination (NOT) Form

Appendix C – Contractor Authorization Form

Appendix D – Transfer of Permit Coverage Form

Appendix E – Notice of Intent for Reauthorization Form

Appendix F – Two-year, Twenty-four Hour Precipitation Event Map

1.0 DEFINITIONS

ARSD – Administrative Rules of South Dakota.

Best Management Practices (BMPs) – the schedules of activities, prohibitions of practices, maintenance procedures, and other management practices to prevent or reduce the discharge of pollutants from the construction site. BMPs also include treatment requirements, operating procedures, and practices to control construction site runoff, spillage or leaks, sludge or waste disposal, or drainage from raw material storage.

Borrow Areas – the areas where materials are dug for use as fill, either onsite or offsite.

Commencement of Construction Activities – the initial disturbance of soils (or ‘breaking ground’) associated with clearing, grading, or excavating activities or other construction-related activities (e.g., stockpiling of fill material).

Construction Site – the land or water area where construction activities will occur and where control measures will be installed and maintained. The construction site includes construction support activities, which may be located at a different part of the property from where the primary construction activity will take place, or on a different piece of property altogether. The construction site is often a smaller subset of the lot or parcel within which the project is taking place.

Construction Site Washout – as used in this general permit, refers to any wash waters derived from the cleaning of construction trucks and/or equipment including, but not limited to, concrete, mortar, grout, stucco, form release oils, paints, curing compounds, and other construction materials.

Construction Support Activity – a construction-related activity that specifically supports the construction activity and can include activities associated with concrete or asphalt batch plants, equipment staging yards, materials storage areas, excavated material disposal areas, and borrow areas.

Construction Waste – discarded material including, but not limited to, packaging materials, scrap construction materials, masonry products, timber, steel, pipe, electrical cuttings, plastics, and Styrofoam.

Control Measures – as used in this general permit, refer to any best management practice or other method, including narrative effluent limits, used to minimize erosion and sedimentation, and thereby prevent or reduce the discharge of pollutants to surface waters of the state.

Corrective Action – as used in this general permit, refers to any action taken to (1) repair, modify, or replace any control measure used at the site; (2) clean up and dispose of spills, releases, or other deposits found on the site; or (3) remedy a permit violation.

Dewatering – the act of draining or pumping rain water, ground water, or surface waters from building foundations, vaults, trenches, and other areas of the construction site.

Discharge – the addition of any pollutant or combination of pollutants to surface waters of the state from any point source.

Earth-Disturbing Activities – as used in this general permit, means actions taken to alter the existing vegetation and/or underlying soil of a site.

Effective Operating Condition – as used in this general permit, means a control measure is kept in effective operating condition if it has been implemented and maintained in such a manner that it is working as designed to minimize pollutant discharges.

Final Stabilization – on areas not covered by permanent structures, means either (1) vegetation has been established that provides a uniform (e.g., evenly distributed, without large bare areas) perennial vegetative cover with a density of 70 percent of the natural background vegetative cover, (2) permanent non-vegetative stabilization methods have been implemented to provide effective cover for exposed portions of the site, or (3) disturbed portions of a construction site on land used for agricultural purposes must be returned to pre-construction agricultural use.

Historic Property – any building, structure, object, district, area, or site that is significant in the history, architecture, archaeology, paleontology, or culture of the state, its communities or the nation as stated in SDCL 1-19A-2.

Infeasible – as used in this general permit, means not technologically possible or not economically practicable and achievable in light of best industry practices.

Larger Common Plan of Development or Sale – a contiguous area where multiple separate and distinct land disturbing activities may be taking place at different times, on different schedules, but under one proposed plan. “One plan” is broadly defined as any announcement or piece of documentation (including a sign, public notice or hearing, sales pitch, advertisement, drawing, permit application, zoning request, computer design, etc.) or physical demarcation (including boundary signs, lot stakes, surveyor markings, etc.) indicating construction activities may occur on a specific plot.

Minimize – to reduce and/or eliminate to the extent achievable using control measures that are technologically available and economically achievable and practicable in light of best industry practices.

Municipal Separate Storm Sewer System – a conveyance or system of conveyances (including roads with drainage systems, municipal streets, catch basins, curbs, gutters, ditches, manmade channels, or storm drains) that is owned or operated by the state or a municipality and is designed or used for collecting or conveying stormwater. This definition does not include combined sewers or conveyances that are part of a publicly-owned treatment works, as defined by ARSD 74:52:01:01(36).

Municipality – a city, town, county, district, sanitary district, or other public body created by or under state law with jurisdiction over the disposal of sewage, industrial wastes, or other wastes.

Natural Buffer – as used in this general permit, means an area of undisturbed natural cover surrounding surface waters within which construction activities are restricted. Natural cover

includes the vegetation, exposed rock, or barren ground that exists prior to commencement of construction activities.

Nonpoint Source – a source of pollution that is not defined as a point source.

Non-Stormwater Discharges – discharges that do not originate from runoff events. They can include, but are not limited to, discharges of process water, air conditioner condensate, non-contact cooling water, vehicle wash water, sanitary wastes, construction washout water, paint wash water, irrigation water, or pipe testing water.

Notice of Intent or **NOI** – the form (electronic or paper) provided by the Secretary required for authorization of coverage under this general permit (Appendix A).

Notice of Termination or **NOT** – the form (electronic or paper) provided by the Secretary required for terminating coverage under this general permit (Appendix B).

Operator – as used in this general permit and in the context of stormwater discharges associated with construction activity means any party associated with a construction project that meets either of the following two criteria:

1. The party has operational control over construction plans and specifications, including the ability to make modifications to those plans and specifications; or
2. The party has day-to-day operational control of those activities at a project that are necessary to ensure compliance with the general permit conditions (e.g., they are authorized to direct workers at a site to carry out activities required by the general permit).

The operator, along with the owner, is responsible for ensuring compliance with all conditions of this general permit and with development and implementation of the stormwater pollution prevention plan.

Pesticide – any substance or mixture of substances intended for preventing, destroying, repelling, or mitigating any pests, or any substance or mixture of substances intended for use as a plant regulator, defoliant, or desiccant.

Note: drugs used to control diseases of humans or animals (such as livestock and pets) are not considered pesticides; such drugs are regulated by the Food and Drug Administration. Fertilizers, nutrients, and other substances used to promote plant survival and health are not considered plant growth regulators and thus are not pesticides. Biological control agents, except for certain microorganisms, are exempted from regulation as pesticides under FIFRA. (Biological control agents include beneficial predators such as birds or ladybugs that eat insect pests, parasitic wasps, fish, etc.)

Point Source – any discernible, confined, and discrete conveyance, including but not limited to, any pipe, ditch, channel, tunnel, conduit, well, discrete fissure, container, rolling stock, animal feeding operation, or vessel or other floating craft from which pollutants are or may be discharge. Construction sites disturbing one (1) or more acres are point sources. Therefore, any

water flowing off the construction site constitutes a discharge and must be covered by a Surface Water Discharge permit.

Pollutant-Generating Activities – at construction sites, as used in this general permit, means those activities that lead to or could lead to the generation of pollutants, either as a result of earth-disturbance or a related construction support activity. Some of the types of pollutants that are typically found at construction sites are:

1. Sediment;
2. Nutrients;
3. Heavy metals;
4. Pesticides and herbicides;
5. Oil and grease;
6. Bacteria and viruses;
7. Trash, debris, and solids;
8. Treatment polymers; and
9. Any other toxic chemicals.

Prohibited Discharges – as used in this general permit, means discharges that are not allowed under this general permit, see Section 2.3.

Qualified Local Program – a municipal program for stormwater discharges associated with construction sites that has been formally approved by SDDENR to act in lieu of the state program.

Regulated Substance – the compounds designated by the department under South Dakota Codified Law §§ 23A-27-25, 34A-1-39, 34A-6-1.3(17), 34A-11-9, 34A-12-1 to 34A-12-15, inclusive, 45-6B-70, 45-6C-45, 45-6D-60, and 45-9-68, including pesticides and fertilizers regulated by the Department of Agriculture; the hazardous substances designated by the federal Environmental Protection Agency pursuant to section 311 of the Federal Water Pollution Control Act and Clean Water Act (33 United States Code sections 1251 to 1387, inclusive), as amended to January 1, 2011; the toxic pollutants designated by Congress or the Federal Environmental Protection Agency pursuant to section 307 of the Toxic Substances Control Act (15 United States Code sections 2601 to 2671, inclusive), as amended to January 1, 2011; the hazardous substances designated by the Federal Environmental Protection Agency pursuant to the Comprehensive Environmental Response, Compensation, and Liability Act (42 United States code sections 9601 to 9675, inclusive), as amended to January 1, 2011; and petroleum, petroleum substances, oil, gasoline, kerosene, fuel oil, oil sludge, oil refuse, oil mixed with other wastes, crude oils, substances, or additives to be utilized in the refining or blending of crude petroleum or petroleum stock, and any other oil or petroleum substance. This term does not include sewage and sewage sludge.

Runoff Event – a precipitation event or snowmelt that results in a measurable amount of surface runoff.

SDDENR – the South Dakota Department of Environment and Natural Resources.

Secretary – the Secretary of the South Dakota Department of Environment and Natural Resources, or an authorized representative.

Section 303(d) List or 303(d) List – a list of South Dakota’s water quality-limited surface waters requiring the development of Total Maximum Daily Loads (TMDLs) to comply with Section 303(d) Report is available on the SDDENR website. A link to a map of 303(d) listed waters, waters with approved TMDLs is available on the SDDENR stormwater webpage.

Stormwater – means, for the purpose of this general permit, stormwater runoff, snowmelt runoff, or surface runoff.

Stormwater Associated with Construction Activity – means a discharge of pollutants in stormwater to surface waters of the state from areas where construction site or construction support activities occur.

Stormwater Associated with Industrial Activity – means stormwater runoff, snow melt runoff, or surface runoff and drainage from industrial activities as defined in 40 C.F.R. Section 122.26(b)(14) (July 1, 2016).

Stormwater Pollution Prevention Plan or SWPPP – means a site-specific, written document that, among other things: 1) identifies potential sources of stormwater pollution at the construction site; 2) describes control measures to reduce or eliminate pollutants in stormwater discharges from the construction site; and 3) identifies procedures the owner or operator will implement to comply with the terms and conditions of this general permit. See Section 5.0 for details on the requirements for a SWPPP.

Surface Waters of the State – lakes, ponds, streams, rivers, wetlands, and any other body or accumulation of water on the land surface that is considered to be waters of the state, but not waste treatment systems, including treatment ponds, lagoons, leachate collection ponds, or stormwater retention ponds designed to meet the requirements of the federal Clean Water Act.

Surface Water Quality Standards – water quality standards adopted pursuant to South Dakota Codified Law §§ 34A-2-10 and 34A-2-11 or actual existing beneficial uses, whichever is higher, and effluent standards adopted pursuant to SDCL § 34A-2-13 or pursuant to the best professional judgment of the Secretary, whichever is applicable. If waters have more than one designated beneficial use and criteria are established for a parameter that is common to two or more uses, such as pH, the more restrictive criterion for the common parameter applies.

Temporary Stabilization – means a condition where exposed soils or disturbed areas are provided a temporary vegetative and/or non-vegetative protective cover to prevent erosion and sediment loss. Temporary stabilization may include temporary seeding, geotextiles, mulches, and other techniques to reduce or eliminate erosion until either final stabilization can be achieved or until further construction activities take place to re-disturb the area.

Total Maximum Daily Load or TMDL – means the sum of the individual wasteload allocations for point sources, load allocations for nonpoint sources, and natural background. TMDLs can be expressed in terms of mass per time, toxicity, or other appropriate measures.

Upset – an exceptional incident in which there is unintentional and temporary noncompliance with technology-based permit effluent limits because of factors beyond the reasonable control of the permittee. An upset does not include noncompliance to the extent caused by operational error, improperly designed treatment facilities, inadequate treatment facilities, lack of preventive maintenance, or careless or improper operation.

U.S. EPA – the United States Environmental Protection Agency.

Waters of the State – all waters within the jurisdiction of this state, including all streams, lakes, ponds, impounding reservoirs, marshes, watercourses, waterways, wells, springs, irrigation systems, drainage systems, and all other bodies or accumulations of water, surface and underground, natural or artificial, public or private, situated wholly or partly within or bordering upon the state.

Work Day – means, for the purpose of this general permit, a calendar day on which construction activities will take place.

2.0 COVERAGE UNDER THIS GENERAL PERMIT

2.1 Eligibility Requirements

This general permit shall apply to stormwater discharges from construction sites located within the state of South Dakota. Only those projects that meet all of the following eligibility requirements may be covered under this general permit:

1. You are the owner or operator of the construction project for which discharge will be covered under this general permit. The owner must obtain coverage under this general permit and all operators at the site must comply with the permit conditions.
2. Your project:
 - a. Will disturb one (1) or more acres of land; or
 - b. Will disturb less than one (1) acre of land but is part of a larger common plan of development or sale that will ultimately disturb one (1) or more acres of land; or
 - c. Is less than one (1) acre, but has construction support activities required to be covered and the total area exceeds one (1) or more acres of land; or
 - d. Has been designated by the Secretary or the United States Environmental Protection Agency (U.S. EPA) as needing a permit.
3. You have complied with all applicable requirements imposed by the applicable county, city, or other local government entities.
4. If your project will encroach, damage, or destroy a historic property included in the national register of historic places or the state register of historic places located in South Dakota, you must have approval from the South Dakota State Historic Preservation Office prior to submitting the Notice of Intent (NOI). You must attach an approval letter from the State Historic Preservation Office with the NOI.

2.2 Discharges Authorized

The following discharges shall be authorized under this general permit:

1. Stormwater discharges from projects detailed in Section 2.1.2.
2. Stormwater discharges from construction support activities provided:
 - a. The support activity is directly related to the construction site required to have permit coverage;
 - b. The support activity does not continue to operate beyond the completion of the construction activity at the project it supports. If the support activity continues past the initial permitted project, you must obtain a separate permit for those activities;

- c. The support activity is included in the SWPPP as required by Section 5.0; and
 - d. Control measures are implemented for discharges from the support activity area.
- 3. Stormwater construction discharges combined with discharges from an industrial source, as long as:
 - a. The industrial source is located on the same site as your construction activity; and
 - b. You may not combine stormwater discharges from industrial and construction activities unless each source is covered by its own permit, or are not required to obtain permit coverage.
- 4. Discharges to waters for which there is a total maximum daily load (TMDL) allocation for sediment, suspended solids, and turbidity are covered only if you develop a SWPPP that is consistent with the assumptions, allocations, and requirements in the approved TMDL. If a specific numeric wasteload allocation has been established that would apply to discharges from construction activity, the permittee must incorporate that allocation into the SWPPP and implement necessary steps to meet that allocation.

2.3 Discharges Not Authorized

The following discharges are not authorized by this general permit:

- 1. **Post-Construction Discharges.** This general permit is not designed to address post-construction discharges after you have completed construction activities and achieved final stabilization at the site. Stormwater discharges associated with industrial activities must obtain coverage under a separate stormwater permit.
- 2. **Discharges Mixed with Non-Stormwater.** This general permit does not authorize discharges of non-stormwater.
- 3. **Discharges of Fill Material.** This general permit does not authorize you to discharge fill material into surface waters of the state. You are required to obtain a Section 404 federal Clean Water Act permit from the U.S. Army Corps of Engineers.
- 4. **Discharges Threatening Water Quality.** This general permit does not authorize your discharge from a construction site if the discharge will cause, or have the reasonable potential to cause or contribute to, violations of Surface Water Quality Standards. In such cases, the Secretary may deny you coverage under the general permit or require you to obtain an individual Surface Water Discharge permit.
- 5. **Discharges Threatening Endangered Species.** This general permit does not authorize your discharge from a construction site if the discharge will not ensure the protection of species that are federally-listed as endangered under the federal Endangered Species Act.

6. **Discharges of Regulated Substances.** This general permit does not authorize you to discharge regulated substances, hazardous substances, or oil resulting from onsite spills. You are subject to the federal reporting requirements of 40 CFR Part 110, Part 117, and Part 302 relating to spills or other releases of oils or hazardous substances. You must report spills in excess of the reportable quantities as required in Section 7.1.

2.4 Requesting Permit Coverage

To request coverage under this general permit, you must submit a complete and accurate Notice of Intent (NOI) (Appendix A) to SDDENR at least **15 calendar days** prior to the commencement of construction activities at the site. **The NOI must be signed by the owner of the property where construction activities will occur.**

1. You must identify the person(s) responsible for day-to-day operations at the construction site, if different from the owner. A Contractor Authorization Form, included in Appendix C, must be submitted to SDDENR as soon as a contractor is identified if the contractor was not identified on the NOI.
2. You are not prohibited from submitting a late NOI. When you submit a late NOI, your authorization to discharge is only for discharges that occur after SDDENR grants coverage. SDDENR reserves the right to take appropriate enforcement action for any unpermitted discharges that may have occurred between the commencement of construction activities and the time authorization for your discharge is granted.
3. SDDENR will not process incomplete NOIs.
4. You must submit a completed and signed NOI to SDDENR by emailing the NOI to stormwater@state.sd.us, or mailing the NOI to SDDENR at the address in Section 7.3.
5. SDDENR will review each complete NOI and make a decision to grant or deny coverage or request additional information. You will receive an authorization letter from SDDENR if permit coverage is granted for your project.
6. Upon the effective date of this general permit, the Secretary will terminate the existing general permit.
 - a. If you are authorized under the existing general permit and you have submitted the Notice of Intent for Reauthorization Form (found in Appendix E) prior to permit expiration date, your coverage will automatically continue under the new general permit. Once the new general permit is issued, you will receive an authorization letter from SDDENR notifying you of the continued coverage.

- b. Projects covered under the existing general permit must be in compliance with the conditions in the new general permit by **October 1, 2018**. You must still maintain compliance with all requirements in the existing general permit during the grace period. SDDENR may grant additional time on a case by case basis if necessary. To obtain such an extension, you must request it from SDDENR in writing.

2.5 Transferring Permit Coverage

If a new owner purchases a construction site or a portion of the site covered under this general permit, you are responsible for notifying the new owner(s) of the general permit requirements and communicating the importance of achieving final stabilization on the site. You must transfer permit coverage to the new owner. Appendix D includes a form for transferring permit coverage for all or a portion of a project or development to a new owner.

2.6 Terminating Permit Coverage

Until the Secretary terminates your coverage under this general permit, you are required to comply with all conditions and effluent limits in this general permit. To terminate coverage, you are required to submit a complete and accurate Notice of Termination (NOT), found in Appendix B, and signed in accordance with Section 7.4. You must submit the NOT within **30 calendar days** of meeting any one of the following conditions.

1. You have completed all earth-disturbing activities at your site and, if applicable, all construction support activities covered by this general permit, and you have met all the following requirements:
 - a. You have met the stabilization requirements listed in Section 3.19 and have reached final stabilization for any areas disturbed during construction and over which you had control during the construction activities;
 - b. You have removed and properly disposed of all temporary construction materials, waste and waste handling devices, and have removed all equipment and vehicles that were used during construction, unless intended for long-term use on the site following termination of your general permit coverage;
 - c. You have removed and properly disposed of all temporary control measures, including silt fence, and of which you installed and maintained during construction, except those that are intended for long-term use following termination of your general permit coverage; and
 - d. You have removed all potential pollutants and pollutant-generating activities associated with construction.
2. You have obtained coverage under an individual or alternative general permit that addresses the discharges from the construction site.

2.7 Reporting Requirements

On October 22, 2015, the U.S. EPA published in the federal register a rule that has made electronic reporting of permit and compliance monitoring information mandatory for all National Pollution Discharge Elimination System (NPDES) permits. These are referred to as Surface Water Discharge (SWD) permits in South Dakota. The final rule became effective December 21, 2015.

Phase II of the final rule requires that authorized state NPDES programs begin electronically collecting, managing, and sharing construction stormwater permitting information by December 21, 2020. This includes general permit reports such as Notices of Intent (NOI), Notices of Termination (NOT), and all other remaining NPDES program reports. SDDENR is currently developing programs to meet this requirement and will notify facilities as they become available.

Electronic reporting will be required once SDDENR has fully developed an electronic reporting system. In the interim, all general permit reports must be submitted by email (stormwater@state.sd.us), or to the address listed in Section 7.3.

A hybrid approach will be available for owners/operators that do not expect to submit NOIs for multiple projects. This approach will provide users the ability to electronically submit the data for construction stormwater general permit reports without using the electronic signature verification process. Following electronic submittal of the reports, a hard copy of the Certification of Applicant with an original signature must be mailed to SDDENR.

2.8 Requiring an Individual Permit or an Alternative General Permit

SDDENR may either deny coverage or require you to apply for an individual Surface Water Discharge permit or an alternative general permit. In considering whether we deny coverage or require an alternative permit, the following will be taken into consideration:

1. You cannot comply with the conditions of this general permit;
2. There has been a change in the availability of demonstrated technologies or practices for the control or abatement of pollutants applicable to construction sites;
3. Effluent limitation guidelines are promulgated or revised for point sources covered by this general permit;
4. A water quality management plan is approved containing requirements applicable to your construction site;
5. Your discharge is a significant contributor of pollution to surface waters of the state or it presents a health hazard; or

6. You are discharging to an impaired water body and the best management practices are not sufficient to implement the assigned wasteload allocations in a Total Maximum Daily Load (TMDL) approved by the U.S. EPA.

2.9 Continuation of Coverage for Expired General Permit

If you wish to continue to be covered by this general permit after its expiration date, you must submit a Notice of Intent for Reauthorization (Appendix E). An expired general permit continues in full force and effect until a new general permit is issued. You will continue to have coverage under the current general permit until a new general permit is issued.

2.10 Requirement to Post Notice of Your General Permit Coverage

You must post a sign or other notice at a safe, publicly accessible location near the project site.

1. At a minimum, your notice must include the general permit tracking number (found on the cover page of your general permit and in the authorization letter) and a contact name and phone number for obtaining additional project information.
2. The notice must be located so that it is visible from the public road that is nearest to the active part of the construction site and must be readily viewed from a public right-of-way.

2.11 Property Rights

1. The Secretary's issuance of this general permit, adoption of design criteria, and approval of plans and specifications, does not convey any property rights of any sort, any exclusive privileges, any authorization to damage, injure or use any private property, any authority to invade personal rights, any authority to violate federal, state or local laws or regulations, or any taking, condemnation or use of eminent domain against any property owned by third parties.
2. The State does not warrant that your compliance with this general permit, design criteria, approved plans and specifications, and operation under this general permit, will not cause damage, injury or use of private property, an invasion of personal rights, or violation of federal, state or local laws or regulations. You are solely and severally liable for all damage, injury or use of private property, invasion of personal rights, infringement of federal, state or local laws and regulations, or taking or condemnation of property owned by third parties, that may result from actions taken under this general permit.

2.12 Reopener Provisions

SDDENR may reopen and modify this general permit to include appropriate conditions (following proper administrative procedures) if state or federal statutes or regulations change.

2.13 Severability

If any portion of the general permit is found to be void or is challenged, the remaining permit requirements shall remain valid and enforceable.

2.14 Permit Actions

This general permit may be modified, revoked and reissued, or terminated by the Secretary for cause. Any request for such changes does not stay any permit condition.

3.0 EFFLUENT LIMITS

You are required to comply with the following effluent limits for discharges from your construction site and/or from construction support activities representing the degree of effluent reduction attainable through the best practicable control technology currently available to minimize the pollutants present in the discharges. In order to achieve compliance with the conditions of this permit, you are required to address the following effluent limits by developing a Stormwater Pollution Prevention Plan (SWPPP) as required in Section 5.0. If you determine any of the following limits are infeasible, you must document your rationale in your SWPPP.

Stormwater discharges regulated under this general permit that may discharge to a surface water with an approved TMDL for sediment, total suspended solids, or turbidity must be consistent with the TMDL and any associated wasteload allocation (WLA) for construction or stormwater related discharges. In most cases compliance with this permit will be considered adequate, unless otherwise notified by the Secretary. The Secretary may require an individual permit, as referenced in Section 2.8, should compliance with this general permit be deemed insufficient to meet relevant WLAs.

3.1 Proper Operation and Maintenance

You must properly operate and maintain all sediment and erosion controls, best management practices, treatment systems, and any other control(s) used to achieve compliance with the conditions of this general permit in accordance with manufacturer's specifications, good engineering practices, and design specifications of the SWPPP.

3.2 Erosion and Sediment Control Requirements

1. You must design, install, and maintain effective erosion and sediment controls to minimize soil erosion and the discharge of pollutants during earth-disturbing activities. The stormwater controls must be designed to function properly and withstand a 2-year, 24-hour precipitation event. See Appendix F for instructions to determine your construction site's precipitation for a 2-year, 24-hour event.
2. You must account for the following factors when designing your erosion and sediment controls:
 - a. The nature of resulting stormwater runoff and run-on at the construction site, including factors such as expected flow from impervious surfaces, slopes, and site drainage features. Controls must be able to control stormwater volume, velocity, and flow rates from a 2-year, 24-hour precipitation event across the construction site.
 - b. Anticipated soil characteristics at the construction site, including soil type and range of particle sizes.

3.3 Installation Requirements

1. You must complete installation of down gradient erosion and sediment controls before any land disturbing activity takes place in order to control discharges.
2. You must install all other control measures planned for each phase of the project as described in your SWPPP as soon as conditions on the site allow.
3. You must install all control measures using good engineering practices and follow the manufacturer's specifications. Any departures from the manufacturer's specifications must reflect good engineering practices and must be explained in your SWPPP.

3.4 Perimeter Controls

You must have effective down gradient sediment controls, and controls for any side slope boundaries deemed appropriate for individual site conditions, to minimize pollutant discharges from the construction site.

3.5 Sediment Basins

If you use a sediment basin to control the discharge of sediment from the site, you must meet the requirements listed below.

1. Sediment basins must be designed, constructed, and operated in accordance with the requirements found in your local city or county drainage board.
2. Outlet structures must withdraw water from the surface of the sediment basin or impoundment to allow for proper sediment removal in the pond.
3. Erosion controls and velocity dissipation devices must be used to prevent erosion within the sediment basin as well as at inlets and outlets from the basin.
4. Sediment basins must be situated outside of surface waters and any natural buffers established under Section 3.10. The basins must be designed to avoid collecting water from wetlands and other water bodies.

3.6 Minimize Sediment Track-Out

You must minimize the track-out of sediment from the construction site where vehicles leave the site. To comply with this requirement, you must:

1. Restrict vehicle use to properly designated access points;
2. Use appropriate stabilization techniques at all construction site access point(s) so sediment removal occurs prior to vehicle exit.
3. Where sediment has been tracked out from your site onto offsite streets, other paved areas, and/or sidewalks, remove the deposited sediment by the end of the same work

day in which the track-out occurs. You must remove the track-out by sweeping, shoveling, or vacuuming these surfaces, or by using other similarly effective means of sediment removal. You are prohibited from hosing or sweeping tracked-out sediment into storm drain inlet, surface waters of the state, or any stormwater conveyance unless the conveyance is connected to a sediment basin, sediment trap, or similar effective control. You must obtain approval from the owner of the sediment traps before hosing or sweeping sediment into those controls.

3.7 Remove Offsite Accumulation

If sediment escapes the construction site, you must initiate removal of the offsite accumulations to minimize impacts by the end of the same work day. You must revise your SWPPP and implement controls to minimize further offsite accumulation.

3.8 Minimize Dust

You must minimize the generation of dust at the construction site to avoid pollutants from being deposited into surface waters of the state. This can be accomplished through the appropriate application of water or other dust suppression techniques.

3.9 Minimize Run-on

You must minimize run-on to your construction site.

3.10 Provide Natural Buffers

You must comply with the following requirements if disturbed portions of the construction site are within fifty (50) feet of 1) a lake assigned immersion recreation or limited contact recreational beneficial uses in ARSD 74:51:02:02 and listed in ARSD 74:51:02:04; or 2) a river or stream assigned any of the warmwater or coldwater fish life propagation beneficial uses in ARSD 74:51:03:02 and listed in ARSD 74:51:03:04 to 74:51:03:27, inclusive.

1. Provide and maintain a 50-foot undisturbed natural buffer.
 - a. When the natural buffer between the disturbed area(s) and surface waters of the state is less than fifty (50) feet, you must provide a combination of undisturbed buffer and supplemental erosion and sediment controls that achieves the sediment load reduction equivalent to a 50-foot undisturbed natural buffer.
 - b. When no undisturbed buffer can be provided between the disturbed area(s) and surface waters of the state, you must provide erosion and sediment controls that achieve the sediment load reduction equivalent to a 50-foot undisturbed natural buffer.
 - c. Document in your SWPPP how any undisturbed natural buffer and the supplemented erosion and sediment controls achieve the sediment load reduction equivalent to a 50-foot undisturbed natural buffer.

2. Direct surface runoff to vegetated areas and maximize stormwater infiltration to reduce pollutant discharges.
3. Delineate and clearly mark all natural buffer areas with flags, tape, or other similar marking device. No construction or other activity should occur in the delineated buffer area.
4. **Exception.** You are not required to maintain a 50-foot undisturbed natural buffer or install additional controls if there is no discharge of stormwater to surface waters of the state through the area between your site and the surface waters. This includes situations where you have implemented control measures, such as a berm or other barrier, to prevent such discharges.

3.11 Preserve Topsoil

You must preserve native topsoil on your site, unless infeasible. Preserving topsoil is not required where the intended function of a specific area of the site dictates that the topsoil be disturbed or removed.

3.12 Minimize Steep Slope Disturbance

You must minimize the disturbance of slopes that are greater than a three horizontal to one vertical (3:1) slope, unless infeasible.

3.13 Protect Storm Drain Inlets

1. You must protect all storm drain inlets that receive stormwater flows from the construction site by using appropriate best management practices during construction to minimize the discharge of pollutants from the site.
2. You must maintain the inlet protection until you have permanently stabilized all sources that have the potential to discharge pollutants to the inlet. If local officials require you to remove the inlet controls during the winter, you must install alternative controls to prevent sediment from entering the storm drain inlet.

3.14 Erosive Velocity Control

1. You must use erosion controls and velocity dissipation devices where necessary along the length of stormwater conveyance channels and outlets to minimize erosion of the channel, adjacent stream bank, slope, and downstream waters.
2. You must provide energy dissipation BMPs prior to connecting pipe or culvert outlets to surface water.
3. You must control the stormwater discharges, including both peak flowrates and total stormwater volume, to minimize channel and streambank erosion and scour in the immediate vicinity of discharge points.

3.15 Minimize Soil Compaction

In areas of your site where final vegetative stabilization or infiltration will occur, you must either:

1. Restrict vehicle and equipment use in these locations to avoid soil compaction; or
2. Condition areas of compacted soil prior to seeding or planting to support vegetation growth.
3. **Exception.** You are not required to minimize soil compaction where the intended function of a specific area of the site dictates that soil be compacted.

3.16 Minimize Exposed Soil

You must schedule and sequence soil disturbing and stabilizing activities to minimize the amount and duration of soil exposure to erosion and sedimentation by wind, rain, surface runoff, and vehicle tracking. Consider factors such as high precipitation seasons when scheduling soil disturbing activities.

3.17 Protect Stockpiles

For any stockpiles or land clearing debris you must:

1. Locate the stockpiles and debris outside of any natural buffers established as required in Section 3.10 and away from any stormwater conveyances, drain inlets, and areas where stormwater flow is concentrated;
2. Protect the stockpiles debris from contact with stormwater run-on by using temporary sediment controls, berms, or other BMPs;
3. Properly maintain and position stockpiles to minimize dust generation and wind transport of sediment; and
4. Minimize stormwater runoff from the piles by properly positioning stockpiles and debris or installing effective sediment controls.
5. You are prohibited from placing stockpiles in surface waters of the state.

3.18 Stabilization Requirements

You are required to stabilize exposed portions of your site in accordance with the requirements of this section. You are responsible for implementing winter stabilization methods during frozen ground conditions if the site was not stabilized prior to the ground freezing.

1. **Deadline to Initiate Stabilization.** You must begin soil stabilization measures by the following work day whenever earth-disturbing activities have permanently or temporarily ceased on any portion of the site.

- a. Earth-disturbing activities have permanently ceased when you complete clearing, grading, and excavation within any area of your site that will not include permanent structures.
 - b. Earth-disturbing activities have temporarily ceased when you cease clearing, grading, and excavation within any area for a period of at least **14 calendar days**, but will resume such activities in the future.
2. **Deadline to Complete Temporary Stabilization.** As soon as practicable, but no later than **14 calendar days** after initiating soil stabilization measures, you are required to have completed:
- a. All activities necessary to initially seed or plant the area to be stabilized for vegetative stabilization practices.
 - b. The installation or application of all non-vegetative measures.
 - c. As soon as practicable after seeding or planting, select, design, and install non-vegetative erosion controls (e.g., mulch or rolled erosion control products) to prevent erosion on the seeded or planted areas while vegetation establishes.
3. **Criteria for Final Stabilization.** To be considered as having reached final stabilization, you must meet the criteria below based on the type of cover you are using.
- a. **Vegetative Stabilization.** If you are seeding or planting vegetation to stabilize the site, you must meet the following requirements:
 - i. Provide 70 percent or more of the density of coverage that was provided by vegetation prior to commencement of construction activities.
 - ii. Provide perennial vegetative cover.
 - iii. Minimize the presence of invasive species.
 - b. **Non-Vegetative Stabilization.** If you are using non-vegetative controls for final stabilization at your site, the controls must provide effective cover to properly stabilize the exposed portions of your site.
 - c. **Return to Pre-construction Agricultural Land Use.** For construction projects on land used for agricultural purposes, final stabilization may be accomplished by returning the disturbed land to its pre-construction agricultural use. Areas disturbed that were not previously used for agricultural purposes, such as buffer strips immediately next to surface waters and areas not being returned to pre-agricultural use must meet the final stabilization criteria listed in (a) and (b) above.

4. **Site Specific Stabilization Requirements.** If you are constructing in the specific areas listed below, you must complete the following stabilization requirements as soon as practicable, but no later than the deadlines listed below after initiating soil stabilization measures:
 - a. Stream diversions or drainage ditches that divert water around or drain water from your construction site must be stabilized with appropriate controls prior to connection with any surface water.
 - b. For stockpiles that will be unused for 14 or more days, provide cover or appropriate temporary stabilization consistent with Section 3.18.

3.19 Maintenance Requirements

1. **Effective operating condition.** You must ensure that all erosion and sediment controls remain in effective operating condition until final stabilization is complete. At a minimum, you must:
 - a. Remove sediment from sedimentation basins when the design capacity has been reduced by 50% or more.
 - b. Remove sediment from sediment controls before the deposit reaches 50% of the above-ground height of the control.
 - c. Repair vegetative buffers if they become silt-covered, contain rills, or are otherwise rendered ineffective.
 - d. You must repair and stabilize eroded areas by the end of the same work day they are identified. If repair is infeasible, you must implement alternative control measures.
 - e. Clean inlet protection devices when sediment accumulates, or when the filter becomes clogged, or performance is compromised.
 - f. Ensure that all controls remain in effective operating condition and are protected from activities that would reduce their effectiveness.
 - g. All nonfunctional BMPs must be repaired, replaced, maintained or supplemented with functional BMPs. If a nonfunctioning BMP is supplemented, the nonfunctional BMP shall be removed.

2. **Deadline for maintenance.** If you find a problem or if your inspections identify that control measures are not operating effectively, you must make the necessary repairs or modifications as follows:
 - a. If you discover a problem that does not require repair or replacement, you must initiate work to fix the problem on the same day. If the problem is identified at a time in the work day when it is too late to complete the corrective actions, you must initiate work to fix the problem on the following work day or before the next anticipated runoff event, whichever comes first.
 - b. If you need to install new erosion or sediment controls or need to complete repairs, you must complete the work before the next anticipated runoff event or by no later than seven (7) calendar days from the time the problem is discovered, whichever comes first.
 - c. You must modify your SWPPP within seven (7) calendar days of completing the work. The SWPPP must address any changes to the controls and must detail the necessary steps to prevent similar damage in the future.

3.20 Pollution Prevention Procedures

You must design, install, implement, and maintain effective pollution prevention measures to minimize the discharge of pollutants from the activities listed below. Spills must be reported as required in Section 7.1 of this general permit.

1. **Prohibited Discharges.** You are prohibited from discharging the following from your construction site:
 - a. Wastewater from washout and cleanout of concrete, stucco, paint, form release oils, curing compounds, and other construction materials.
 - b. Fuels, oils, or other pollutants used in vehicle and equipment operation and maintenance.
 - c. Detergents, soaps, or solvents used in vehicle and equipment washing.
 - d. Toxic or hazardous substances from a spill or other release.
 - e. Waste, garbage, floatable debris, construction debris, and sanitary waste.
2. **Fueling and Maintenance of Equipment or Vehicles.** If you fuel or maintain equipment or vehicles at your site, you must minimize the discharge of spilled or leaked materials from the area where these activities take place.
3. **Washing of Equipment and Vehicles.** You must provide an effective means of minimizing the discharge of pollutants from equipment and vehicle washing, wheel wash water, and other types of washing. The washing must be limited to a defined area of the site and must be properly disposed.

4. **Management of Construction Products, Chemicals, Materials, and Wastes.** You must properly store, handle, and dispose of any construction products and materials, chemicals, landscape materials, and wastes in order to minimize the exposure to stormwater. Products or wastes that are either not a source of contamination to stormwater or are designed to be exposed to stormwater are not held to this requirement. Requirements are as follows:
- a. You must cover or otherwise protect any materials that have the potential to leach pollutants in order to minimize contact with stormwater and prevent the discharge of pollutants.
 - b. Clean up spills by the end of the same work day in which the spill occurred, using dry clean-up methods where possible, and dispose of used materials properly. Do not clean surfaces or spills by hosing the area down. Eliminate the source of the spill to prevent a discharge or continuation of an ongoing discharge.
 - c. For registered pesticides and fertilizers, you must comply with all application and disposal requirements included on the label. Pesticides and fertilizers must be stored under cover or other effective means designed to minimize contact with stormwater. You must document any departures from the manufacturer's specifications for applying fertilizers and pesticides.
 - d. Store all diesel fuel, oil, hydraulic fluids, other petroleum products, and other chemicals and products in water-tight container.
 - e. Hazardous or toxic wastes that may be present at construction sites include, but are not limited to, paints, solvents, petroleum-based products, wood preservatives, additives, curing compounds, acids, and alkaline materials. For these materials and wastes, you must:
 - i. Separate hazardous or toxic wastes and materials from construction and domestic waste.
 - ii. Store hazardous or toxic wastes and materials in sealed containers and provide secondary containment as applicable. These containers must be constructed of suitable materials to prevent leakage and corrosion. These containers must be labeled in accordance with the applicable Resource Conservation and Recovery Act (RCRA) requirements and all other applicable federal, state, or local requirements.
 - iii. Dispose of hazardous or toxic wastes in accordance with the manufacturer's recommended method of disposal and in compliance with federal, state, and local requirements.

- f. You must provide effective containment for all liquid and solid wastes generated by washout operations including, but not limited to, concrete, stucco, paint, form release oils, curing compounds, and other construction materials related to the construction activity. For these materials and wastes, you must comply with the following requirements:
 - i. Designate areas to be used for washout and cleanout activities. The containment must be designed so that it does not result in runoff from washout operations or during runoff events;
 - ii. Install signs adjacent to each washout facility directing site personnel to use the proper facilities for concrete disposal and other washout wastes;
 - iii. Direct all wash water into a leak-proof container or leak-proof pit;
 - iv. Do not dump liquid wastes in the storm sewers; and,
 - v. Clean up and properly dispose of any accumulated wastes in designated waste containers.
- g. You must provide proper waste disposal receptacles of sufficient size and number to handle construction wastes including, but not limited to, packaging materials, scrap construction materials, masonry products, timber, pipe, and electrical cuttings, plastics, Styrofoam®, concrete, and other trash or building materials.
 - i. For sanitary waste, you must position portable toilets so they are secure and will not be tipped or knocked over. You must properly remove and dispose of wastes from the portable toilets.

3.21 Construction Dewatering

You are prohibited from discharging from dewatering activities, including discharges from dewatering of trenches and excavation, unless the discharges are managed by the following controls:

1. You shall not discharge toxic pollutants in toxic amounts.
2. Your discharge shall not impart a visible film or sheen to the surface of the receiving water or adjoining shoreline.
3. Your discharge shall not contain visible pollutants. You must visually monitor the discharge for suspended solids. If you observe suspended solids in the discharge, you must implement the following requirements:
 - a. You must install additional best management practices and update your stormwater pollution prevention plan to reduce the visible solids.

- b. You must sample the dewatering discharge for total suspended solids on a daily basis until there is no longer a discharge of visible solids. The samples must be analyzed in accordance with Title 40 of the Code of Federal Regulations, Part 136. If the total suspended solids value exceeds 53 mg/L in any sample or measurement, you must cease the dewatering discharge to surface waters of the state until you can demonstrate the additional best management practices are sufficient to eliminate the visible pollutants. You must also document this in your stormwater pollution prevention plan (SWPPP).
- 4. You must use best management practices to minimize or prevent stream channel scouring or erosion caused by dewatering discharges.
- 5. You cannot add chemicals to the discharge without prior approval from SDDENR.
- 6. You must obtain a Temporary Water Right. Contact SDDENR Water Rights Program at (605) 773-3352 for more information and to obtain a temporary water right.

4.0 INSPECTION REQUIREMENTS

You are required to conduct site inspections to determine the effectiveness of your control measures and your compliance with the conditions of the general permit.

4.1 Person(s) Responsible for Inspecting the Site

The person(s) inspecting your site may be a member of your staff or a third party you hire to conduct the inspections. You are responsible for ensuring the person who conducts the inspection is knowledgeable in the principles and practice of erosion and sediment controls and pollution, possesses the skills to assess conditions at the site that could impact stormwater quality, and is able to assess the effectiveness of any control measures selected and installed to meet the requirements of the general permit.

4.2 Frequency of Inspections

At a minimum, you must conduct a site inspection at the following frequencies:

1. Once every 7 calendar days; or
2. Once every 14 calendar days **and** within 24 hours of precipitation that exceeds 0.25 inches or snowmelt that generates runoff. You must keep a properly maintained rain gauge on your site.

4.3 Reduction of Inspection Frequency

You may reduce your inspection frequency from the requirements above under the following circumstances. You must document the beginning and ending dates of these periods in your inspection records.

1. **Partial final stabilization.** You may reduce the frequency of inspections to once per month on any portion of your site where you have reached final stabilization. If construction activity resumes in this portion at a later date, you must increase the frequency as required in Section 4.2 above.
2. **Frozen conditions.** If you are suspending earth-disturbing activities due to frozen conditions and all disturbed areas of the site have been temporarily or permanently stabilized as required in Section 3.19, you shall conduct inspections at least once per month. You must resume weekly inspections by no later than March 1st of each year until your site is permanently stabilized and you have submitted a Notice of Termination (NOT) in accordance with Section 2.6.

4.4 Areas that Need to Be Inspected

During your site inspections you must, at a minimum, inspect the following areas:

1. All areas that have been cleared, graded, or excavated and have not yet reached final stabilization;

2. All sediment and erosion control measures and best management practices, including inlet protection;
3. Vegetated buffers;
4. Stockpiles, chemical and fuel storage, fertilizer and pesticide storage and other material, waste, borrow, and/or equipment storage and maintenance areas;
5. All areas where stormwater typically flows within the site, including drainage ways designed to divert, convey, and/or treat stormwater;
6. All points of discharge from the site including surface waters, drainage ditches, and conveyance systems; and,
7. All dewatering activities at the site.
8. **Exception.** You are not required to inspect areas that, at the time of the inspection, are unsafe for your inspection personnel. A detailed description of the situation must be documented in your inspection records explaining the reason the site conditions prevented the inspection.

4.5 Requirements for Inspections

During your site inspections you must, at a minimum:

1. Check whether all erosion and sediment controls and best management practices are implemented and functioning to minimize pollutant discharges. Determine if you need to replace, repair, or maintain any controls.
2. Check for spills, leaks, or other accumulation of pollutants on the site, or for the presence of conditions that could lead to spills, leaks, or other accumulations of pollutants on site. Determine if you need to install additional controls or take corrective actions to prevent the discharge of these pollutants.
3. Determine if site conditions have changed and if current controls are still effective in controlling pollutants from leaving your site. Identify any locations where new or modified control measures are necessary.
4. Check for signs of erosion, scour, and sediment deposits that have occurred on or off the construction site:
 - a. Inspect the discharge points and, where applicable, the banks of any surface waters of the state flowing within your property boundaries or immediately adjacent to your property.
 - b. Identify areas where you need to correct erosion and remove sediment.

- c. Determine if you need controls to reduce the velocity of the discharge or prevent further erosion and sedimentation.
- 5. If a discharge is occurring during your inspection, you are required to:
 - a. Identify all points of the property where there is a discharge;
 - b. Observe and document the visual quality of the stormwater discharge and note the characteristics of the discharge, including color, odor, floating, settled, or suspended solids, foam, oil sheen, and other obvious indicators of stormwater pollutants; and
 - c. Document whether your control measures are operating effectively. Describe any controls that are not clearly operating as intended or are in need of maintenance.
- 6. Identify all incidents of noncompliance that you observe.
- 7. Based on the results of your inspection, you must initiate corrective action(s) where needed.

4.6 Inspection Report

You must complete an inspection report in conjunction with each site inspection.

- 1. Each inspection report must be maintained in accordance with the requirements in Section 7.3 and must include the following information;
 - a. Date and time of the inspection.
 - b. Names and titles of the personnel conducting the inspection.
 - c. Date and amount of most recent precipitation event, as well as if runoff was flowing onsite and/or offsite at the time of the inspection.
 - d. A summary of your inspection findings, covering, at a minimum, the observations you made as required in Sections 4.4. and 4.5;
 - e. Specific locations where maintenance, additional best management practices, cleanup, or corrective action is needed;
 - f. The results of the total suspended solids levels in any dewatering discharge, as required by Section 3.21; and
 - g. A summary of any corrective actions taken in response to the inspection findings, including any changes made to the SWPPP.

2. If you have determined it is unsafe to inspect a portion of your site, you must describe the reason(s) you found it to be unsafe and specify the locations that were not inspected.
3. If an inspection does not identify any incidents of noncompliance, you must include a statement in the report that the site is in compliance with the SWPPP and the general permit.
4. You must sign and certify each inspection report in accordance with the signatory requirements found in Section 7.4.

5.0 STORMWATER POLLUTION PREVENTION PLAN

You must develop a stormwater pollution prevention plan, also referred to as a “SWPPP,” to be covered under this general permit. Stormwater management documents developed under other regulatory programs may be included or incorporated by reference in the SWPPP, or used in whole as a SWPPP if it meets the requirements of this section.

5.1 SWPPP Deadlines

1. You must develop the SWPPP **prior** to the submittal of the NOI.

Note: If you were covered under the February 1, 2010, general permit and reauthorized under this general permit, you must update your SWPPP to comply with the conditions of this general permit by **October 1, 2018**.

2. You must implement and maintain the SWPPP for any construction activity requiring this general permit until final stabilization is reached.

5.2 TMDL

For projects that discharge stormwater to a water body listed as impaired under section 303(d) of the Federal Clean Water Act due to sediment, suspended solids, or turbidity, you must identify the water body and impairment in the SWPPP. Your SWPPP must describe and conform to any Wasteload Allocation (WLA) for the water body as required in Section 2.2.4

5.3 SWPPP Contents

You must develop your SWPPP to ensure compliance with the effluent limits in Section 3.0. Your SWPPP must include the following information, at a minimum.

1. **Personnel.** Your SWPPP must identify those person(s), by name or position, who are knowledgeable and experienced in the application of erosion and sediment control BMPs and who are responsible for the development and implementation of any portion of the SWPPP, for any later modifications to the SWPPP, and for compliance with the requirements of this general permit.
2. **Staff Training.** The SWPPP shall outline how employees and responsible parties shall be trained on the implementation of the SWPPP. Training must be provided at least annually, as new employees or responsible parties are hired, or as necessary to ensure compliance with the SWPPP and this general permit. Employees and responsible parties include individuals who are responsible for conducting inspections or for the design, installation, maintenance, or repair of stormwater controls.
3. **Description of Construction Activities.** Your SWPPP must include a narrative description of the nature of your construction activities, including the following:

- a. A description of the overall project and type of construction activities to occur on the site and a description of the final completed project;
 - b. The total size of the project and total area expected to be disturbed by construction activities;
 - c. The maximum area expected to be disturbed at any one time;
 - d. Description of the existing vegetation at the site and an estimate of the percent of vegetative ground cover;
 - e. A description of the soil within the disturbed areas;
 - f. The name of the surface waters or municipal separate storm sewer system at or near the disturbed area that could potentially receive discharges from the project site;
 - g. Any construction support activity areas; and,
 - h. The intended sequence and estimated dates of construction activity for the following:
 - i. Implementation of BMPs, including when they will be operational and an explanation of how you will ensure the control measures are installed by the time each phase of earth-disturbing activity begins.
 - ii. Commencement and duration of earth-disturbing activities, including clearing and grubbing, mass grading, site preparation (i.e., excavating, cutting and filling), final grading, and creation of soil and vegetation stockpiles requiring stabilization.
 - iii. Cessation, temporary or permanent, of construction activities on the site or in designated portions of the site.
4. **Site Map.** You must include a legible site map depicting the following features and boundaries of the project:
- a. Pre-construction site conditions, including existing vegetative and non-vegetative cover (e.g. – forest, pasture, pavement, structures, etc.);
 - b. Locations where earth-disturbing activities will occur, noting any phasing of construction activities;
 - c. Approximate slopes before and after major grading activities. Note areas with a slope greater than three horizontal to one vertical (3:1);
 - d. Topography of the site;

- e. Drainage patterns of stormwater and authorized non-stormwater flows from the site property before and after major grading activities. Mark the flow direction with arrows on the map.
 - f. Locations and names, where appropriate, of all surface waters of the state that exist within or in the immediate vicinity of the site and could potentially receive discharges from the project site.
 - g. Locations of any surface water crossings, noting areas where work near waterbodies is necessary;
 - h. Location of any stormwater conveyances including, but not limited to, sediment ponds, ditches, pipes, swales, stormwater diversions, culverts, and ditch blocks;
 - i. Discharge locations, including locations of any storm drain inlets on or in the immediate vicinity of the site that could potentially receive discharges from the project site;
 - j. Locations where stormwater or allowable non-stormwater will be discharged to surface waters of the state on or in the immediate vicinity of the site.
 - k. Locations where sediment, soil, or other construction materials will be stockpiled;
 - l. Designated site access points;
 - m. Locations of structures and other impervious surfaces upon completion of construction;
 - n. Natural buffer boundaries and widths;
 - o. Locations of fueling activity, vehicle and equipment maintenance areas, designated wash water collection areas, lubricant and chemical storage, paint storage, material storage, staging areas, and debris collection areas;
 - p. Locations of all activities that could potentially generate pollutants at the site, such as dumpsters, chemical storage, construction site washout, portable toilets, or equipment storage.
 - q. Location and types of all sediment and erosions controls, velocity dissipation devices, post-construction controls, and all other BMPs used on the site.
 - r. Locations of construction support activities covered by this general permit.
5. **Description and Maintenance of Control Measures.** Your SWPPP must include a narrative description of the erosion and sediment control measures that will be implemented during construction at your site to meet the conditions of this general permit. For each control measure you must provide a narrative on the following:

- a. A timeframe for the installation, maintenance, and removal (if necessary) of all selected BMPs for each phase of construction activity;
 - b. Your rationale for the selection of all BMPs, including calculations as necessary;
 - c. Whether selected BMPs are temporary or permanent;
 - d. A description of maintenance specifications and procedures;
 - e. A description of structural diversion practices intended to divert flows from exposed soils, store flows, or otherwise limit runoff and the discharge of pollutants from exposed areas of the site;
 - f. A description of the removal of any temporary stormwater conveyance; and
 - g. A description of the temporary and final stabilization of areas of exposed soil where construction activities have been completed or temporarily ceased. Your SWPPP must describe the specific vegetative and/or non-vegetative practices you will use to comply with the stabilization requirements in Section 3.19, along with the reasons for choosing each practice.
6. **Procedures for Inspections.** The SWPPP must describe the procedures you will follow for conducting site inspections and, where necessary, taking corrective actions. The following information must also be included in your SWPPP:
- a. Personnel responsible for conducting inspections;
 - b. Required frequency of inspections;
 - c. Rationale for reduction of inspection frequency; and,
 - d. Any inspection checklists or other forms that you will use.
7. **Post Construction Stormwater Management.** You must identify stormwater management practices that will be installed during the construction process to control pollutants in stormwater discharges occurring after construction operations have been completed. Maintenance for onsite stormwater management features is the responsibility of the permittee until the NOT is submitted or the feature is accepted by the party responsible for long term maintenance. The following information must be included in your SWPPP:
- a. An explanation of the technical basis used to select the practices to control pollution where flows exceed pre-development levels;
 - b. A description of structural stormwater management practices such as stormwater ponds, open vegetated swales, natural depressions to allow

infiltration of runoff onsite, and sequential systems that combine several practices or other post construction stormwater management features; and

- c. The location of velocity and energy dissipation devices placed at discharge points and appropriate erosion protection for outfall channels and ditches.

8. **Pollution Prevention Procedures**

- a. **Spill Prevention and Response Procedures.** Your SWPPP must describe the procedures you will follow to prevent and respond to spills and leaks, including:
 - i. Procedures for expeditiously stopping, containing, and cleaning up spills, leaks, and other releases. The SWPPP must identify the name or position of the employee(s) responsible for detection and response of spills and leaks;
 - ii. Procedures for notification of appropriate facility personnel, emergency response agencies, and regulatory agencies as required by Section 7.1; and,
 - iii. Ways to prevent reoccurrence of such releases and steps to prevent any such releases from contaminating stormwater runoff. The SWPPP shall be modified and changes implemented as appropriate.
- b. **Waste Management Procedures.** The SWPPP must describe procedures for how you will handle and dispose of all wastes generated at your site, including, but not limited to, clearing and demolition debris, sediment removed from the site, construction and domestic waste, hazardous or toxic waste, and sanitary waste.

9. **Construction Site Pollutants**

- a. You must include information in your SWPPP about all activities that could generate pollutants at your site. Examples of pollutant-generating activities include, but are not limited to: paving operations; concrete, paint, and stucco washout; solid waste storage and disposal; storage of fertilizers, pesticides, solvents, fuels, and soils. You must include in your SWPPP a description of the removal of construction equipment and vehicles and any cessation of any pollutant generating activities.
- b. You must include an inventory of the pollutants and chemicals associated with your construction activity and consider where potential spills and leaks could occur.
- c. If SDDENR approves the use of water treatment chemicals, your SWPPP must include:

- i. A listing of all water treatment chemicals planned for use at the site and why these chemicals were selected;
- ii. The proper dosage and method of application for all water treatment chemicals;
- iii. All applicable Safety Data Sheets (SDS) for chemicals planned to be used;
- iv. Schematic drawings of any controls or treatment system used for the application of the water treatment chemicals;
- v. A description of how the chemicals will be stored;
- vi. Copies of the applicable manufacturer's specifications regarding the use of the water treatment chemicals and chemical treatment systems;
- vii. A description of the training that personnel who handle, apply, or store the chemicals have received or will receive prior to the use of water treatment chemicals and chemical treatment systems;
- viii. A description of safe handling, spill prevention, and spill response procedures; and
- ix. A copy of the approval letter from SDDENR, approving the use of the water treatment chemicals and/or chemical treatment system.

10. **Non-Stormwater Discharges.** You must identify in your SWPPP all sources of non-stormwater discharges.

11. **Infeasibility Documentation.** If you determine it is infeasible to comply with any of the requirements of this general permit, you must thoroughly document your rationale in your SWPPP.

5.4 SWPPP Certification

You must sign and date your SWPPP as required by Section 7.4.

5.5 Required SWPPP Modifications

1. **Conditions Requiring SWPPP Modification.** You must modify your SWPPP, including the site map(s), in response to any of the following conditions:
 - a. When you have a new operator responsible for implementation of any part the SWPPP.
 - b. When you make changes to your construction plans, sediment and erosion control measures, or any best management practices at your site that are no longer accurately reflected in your SWPPP. This includes changes made in response to corrective actions triggered by inspections.

- c. To reflect areas on your site map where operational control has been transferred (including the date of the transfer) or has been covered under a new permit since initiating coverage under this general permit.
 - d. If inspections by site staff, local officials, SDDENR, or U.S. EPA determine that SWPPP modifications are necessary for compliance with this general permit.
 - e. To reflect any revisions to applicable federal, state, or local requirements that affect the control measures implemented at the site.
 - f. If approved by the Secretary, to reflect any changes in chemical water treatment systems or controls, including the use of a different water treatment chemical, different dosage rates, or different areas or methods of application.
2. **Deadlines for SWPPP Modification.** You must complete the required revisions to the SWPPP within 7 calendar days following any of the items listed above.
 3. **Documentation of Modifications to the Plan.** You are required to maintain records showing the dates of all SWPPP modifications. The records must include the name of the person authorizing each change and a brief summary of all changes.
 4. **Certification Requirements.** All modifications made to your SWPPP must be signed and certified as required in Section 7.4.
 5. **Required Notice to Other Operators.** If there are multiple operators at the site, you must notify each operator that may be impacted by the change to the SWPPP within 24 hours.

6.0 SPECIAL CONDITIONS

6.1 Qualified Local Programs

1. To receive approval as a qualified local program, SDDENR will review the local requirements to ensure they comply with both state and federal requirements. SDDENR may authorize minor variations and alternative standards in lieu of the specific conditions of the general permit based upon the unique comprehensive control measures established in the qualifying local program. SDDENR will review each qualifying local program for recertification during the renewal of its municipal separate storm sewer system permit.
2. If a construction site is within the jurisdiction of a qualifying local program, the operator shall submit a Notice of Intent (NOI) to SDDENR to be covered under the general permit and comply with all requirements of the qualifying local program. Compliance with the qualifying local program requirements is deemed to be compliance with this general permit. A violation of qualifying local program requirements is also a violation of this general permit.
3. At this time only the City of Sioux Falls is meeting SDDENR's minimum requirements. If additional municipalities are approved as a Qualifying Local Program in the future, a modification to this general permit will be offered for public comment in the municipality's local newspaper.

7.0 REPORTING AND RECORDKEEPING REQUIREMENTS

7.1 Emergency Spill Notification

1. You must report a release or spill of a regulated substance (including petroleum and petroleum products) to SDDENR as soon as you become aware of it if any one of the following conditions exists:
 - a. The release or spill threatens or is in a position to threaten waters of the state (surface water or ground water);
 - b. The release or spill causes an immediate danger to human health or safety;
 - c. The release or spill exceeds 25 gallons;
 - d. The release or spill causes a sheen on surface water;
 - e. The release or spill of any substance that exceeds the ground water quality standards of ARSD Chapter 74:54:01;
 - f. The release or spill of any substance that exceeds the surface water quality standards of ARSD Chapter 74:51:01;
 - g. The release or spill of any substance that harms or threatens to harm wildlife or aquatic life;
 - h. The release or spill of crude oil in field activities under SDCL chapter 45-9 is greater than 1 barrel (42 gallons); or
 - i. The release or spill is required to be reported according to Superfund Amendments and Reauthorization Act (SARA) Title III List of Lists, Consolidated List of Chemicals Subject to Reporting Under the Emergency Planning and Community Right to Know Act, US Environmental Protection Agency.
2. To report a release or spill, call SDDENR at 605-773-3296 during regular office hours (8 a.m. to 5 p.m. Central Standard Time). To report the release after hours, on weekends or holidays, call South Dakota Emergency Management at 605-773-3231. Reporting the release to SDDENR does not meet any obligation for reporting to other state, local, or federal agencies. Therefore, you must also contact local authorities to determine the local reporting requirements for releases. A written report of the unauthorized release of any regulated substance, including quantity discharged and the location of the discharge shall be sent to SDDENR within 14 days of the discharge.

7.2 Planned Changes

You must notify SDDENR as soon as possible of any planned physical alterations or additions to your site. Notice is required only when the alteration or addition could significantly change the nature or increase the quantity of pollutant discharged, or could result in noncompliance with permit conditions. This notification also applies to pollutants that are not addressed by the effluent limits in Section 3.0.

7.3 Records Contents & Retention

1. You must maintain onsite, or make readily available to SDDENR, the following documents:
 - a. The SWPPP, including all certificates, reports, records, or other information required by this general permit.
 - b. A copy of the Notice of Intent (NOI) submitted to SDDENR, along with any correspondence related to coverage under this general permit.
 - c. A copy of the authorization letter you receive from SDDENR granting coverage under this general permit.
 - d. A copy of this general permit.
2. You must retain copies of the SWPPP, your inspection records, all reports required by this general permit, and records of the date you used to complete the NOI and NOT for a period of at least three (3) years from the date you terminate your coverage under the general permit. SDDENR may extend the time period for retaining your records with a written notification to you.
3. You must submit all reports and documents required to be submitted to SDDENR by this general permit by email (stormwater@state.sd.us), or to the address below:

SD Department of Environment and Natural Resources
Surface Water Quality Program
523 East Capitol
Pierre, SD 57501

7.4 Signatory Requirements

1. All applications submitted to SDDENR under this general permit must be signed by either a principal executive officer or ranking elected official.

2. All reports required by the general permit and other information requested by SDDENR shall be signed by the person described in Paragraph 1 above or by a duly authorized representative of that person. A person is a duly authorized representative if:
 - a. The authorization is made in writing by a person described in Paragraph 1 above and submitted to SDDENR; and
 - b. The authorized representative must have responsibility for the overall operation of the site, such as the superintendent, or have overall responsibility for environmental matters. A duly authorized representative may be either a named individual or any individual occupying a named position.
3. If the authorization under Paragraph 2 above is no longer accurate, you must submit a new authorization to SDDENR.
4. You must include the following certification statement with all documents signed under this section:

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware there are significant penalties for submitting false information, including the possibility of fines and imprisonment for knowing violations.

7.5 Duty to Provide Information

1. You must provide, within a reasonable period of time, any information SDDENR requests to determine whether cause exists for modifying, revoking and reissuing, or terminating this general permit, or to determine compliance with the general permit.
2. You must provide to SDDENR, upon request, copies of the records required to be kept by this general permit.
3. You must make your SWPPP available to SDDENR, U.S. EPA, or your local storm sewer operator upon request.
4. If you become aware that you failed to submit any relevant facts or submitted incorrect information in your NOI, you must promptly submit such facts or information.
5. You must provide SDDENR with an updated point of contact including a mailing address.

7.6 Availability of Information

1. Except for data determined to be confidential under ARSD Section 74:52:02:17, all reports you prepare and submit in accordance with the terms of this general permit must be available for public inspection at the offices of SDDENR.
2. Your name and address, the NOI and NOT, your SWPPP, and your inspection records will not be considered confidential.

8.0 COMPLIANCE REQUIREMENTS

8.1 Duty to Comply

1. You must comply with all conditions of this general permit. Any permit noncompliance is a violation of the South Dakota Water Pollution Control Act and the federal Clean Water Act. A violation is grounds for enforcement action; for permit termination, revocation and reissuance, or modification; or for denial of a permit renewal application.
2. If you violate a condition of the general permit or make any false statement, representation, or certification, you may be subject to enforcement action under South Dakota Codified Law, Chapter 34A-2.
3. You are responsible for complying with all local ordinance and requirements. Local governments may have additional or more stringent requirements than those included in this general permit.

8.2 Duty to Mitigate

You must take all reasonable steps to minimize or prevent any discharge of pollutants in violation of this general permit if it has a reasonable likelihood of adversely affecting human health or the environment.

8.3 Need to Halt or Reduce Activity Not a Defense

It is not a defense for you in an enforcement action that it would have been necessary to halt or reduce your construction activity to maintain compliance with the conditions of the general permit.

8.4 Upset Conditions

1. An upset constitutes an affirmative defense to an action brought for noncompliance with technology-based permit effluent limits if the requirements of Paragraph 2 of this section are met. You will have an opportunity for a judicial determination on any claim of an upset only if SDDENR or U.S EPA bring an enforcement action for noncompliance with technology-based effluent limits.
2. If you wish to establish an affirmative defense of any upset, you must demonstrate, through properly signed, contemporaneous operating logs, or other relevant evidence that:
 - a. An upset occurred and you can identify the cause of the upset;
 - b. You were properly operating the pollution controls at your site;

- c. You notified SDDENR within 24 hours of becoming aware of the upset. To report a release or spill, call SDDENR at 605-773-3296 during regular office hours (8 a.m. to 5 p.m. Central Standard Time). To report the release after hours, on weekends or holidays, call South Dakota Emergency Management at 605-773-3231.
 - d. You complied with the mitigation measures required under Section 8.2.
3. In any enforcement proceeding, you have the burden of proof to establish and document that an upset occurred.

8.5 Removed Substances

Collected solids, sludge, grit, or other pollutants removed in the course of treatment shall be properly disposed of in a manner to prevent any pollutant from entering surface waters of the state or creating a health hazard.

8.6 Inspections and Entry

You must allow SDDENR, U.S. EPA, or the operator of a municipal separate storm sewer system receiving your discharges to:

1. Enter your construction site and enter areas where you keep the records required by the general permit;
2. Have access to and copy, at reasonable times, any records that you must keep under the conditions of the general permit;
3. Inspect, at reasonable times, any facilities, equipment (including monitoring and control equipment), practices, or operations regulated under this general permit; and
4. At reasonable times, sample or monitor any substances or parameters at any location for the purpose of ensuring permit compliance or as otherwise authorized by the South Dakota Water Pollution Control Act (SDCL 34A-2).

8.7 Oil and Hazardous Substance Liability

Nothing in this general permit shall relieve you from any responsibilities, liabilities, or penalties you may be subject to under Section 311 of the federal Clean Water Act.

8.8 Penalties for Violations of general permit Conditions

1. If you violate a condition of the general permit, you are in violation of the provisions of SDCL 34A-2-36 and subject to penalties under SDCL 34A-2-75. In addition to a jail sentence authorized by SDCL 22-6-2, you can be subject to a criminal fine not to exceed \$10,000 per day per violation. You can also be subject to a civil penalty not to exceed \$10,000 per day per violation, or for damages to the environment of this state.

2. Except as provided above in the Upset Conditions in Section 8.4, nothing in this general permit relieves you of the civil or criminal penalties for noncompliance.

8.9 Penalties for Falsification of Reports

1. If you knowingly make any false statement, representation, or certification in any record or other document submitted or required to be maintained under this general permit, you are in violation of the provisions of SDCL 34A-2-77 and subject to penalties under SDCL 34A-2-75.
2. If you falsify, tamper with, or knowingly render inaccurate any monitoring device or method required to be maintained under this general permit, you are in violation of the provisions of SDCL 34A-2-77 and is subject to penalties under SDCL 34A-2-75.
3. In addition to a jail sentence authorized by SDCL 22-6-2, you can be subject to a criminal fine not to exceed \$10,000 per day per violation. You are also subject to a civil penalty not to exceed \$10,000 per day per violation, or for damages to the environment of this state.

Appendix A

NOTICE OF INTENT (NOI) FORM



DEPARTMENT OF ENVIRONMENT AND NATURAL RESOURCES
NOTICE OF INTENT (NOI)

to Obtain Coverage Under the SWD General Permit for
Stormwater Discharges Associated with Construction Activities

Submit form to: SD Department of Environment and Natural Resources
Surface Water Quality Program
523 East Capitol Avenue
Pierre, South Dakota 57501
stormwater@state.sd.us
Telephone: 1-800-SDSTORM

ALL QUESTIONS MUST BE ANSWERED COMPLETELY FOR THIS FORM TO BE VALID

I. Site Owner Contact Information:

Company Name: _____
Primary Contact Person: _____
Mailing Address: _____
City: _____ State: _____ Zip Code: _____
Phone Number: _____ Email Address: _____
Type of Ownership: ☐ Private ☐ Federal ☐ State ☐ Other (Municipal, County, etc.)
(any type not listed previously)

II. Contractor Information:

Will any contractors be responsible for erosion and sediment control practices: ☐ Yes ☐ No
(A contractor certification form must be submitted for each contractor that will have day to day responsibility for erosion and sediment control practices. If these contractors have not been identified at the time this NOI is submitted, the contractor certification form may be submitted after they have been identified, but before they begin construction work.)

III. Engineering Firm Contact Information (if applicable):

Contact Person: _____
Contact's Email Address: _____

IV. Construction Project Information:

Project Name: _____
Physical Project Address or Description of Construction Site Location: _____

City: _____ State: _____ Zip Code: _____
On-Site Contact Person: _____
Contact's Email Address: _____
Contact's Mailing Address: _____
City: _____ State: _____ Zip Code: _____
Phone Number: _____ County of Construction Site: _____
Latitude: _____ Longitude: _____ Source (GPS, Google, etc.): _____
Quarter(s): _____ Section(s): _____ Township(s): _____ Range(s): _____

FOR DENR USE ONLY

Permit Number: _____ Date Approved: _____ Approved by: _____

Construction Project Information (Continued):

Is this project on Tribal Lands? ☐ Yes ☐ No

Total area disturbed by the project (in acres): _____

Will this project encroach, damage, or destroy one of the historic sites identified at the following websites:

<http://history.sd.gov/Preservation/nationalregisterofhistoricplaces.aspx>

☐ Yes ☐ No

<http://www.nps.gov/nhl/find/statelists/sd/SD.pdf>

☐ Yes ☐ No

V. Stormwater Pollution Prevent Plan (SWPPP):

Has the SWPPP been developed as required? ☐ Yes ☐ No

(The plan must be developed **before** the NOI is submitted. DENR will not issue coverage before this has been developed.)

VI. Receiving Waters:

Please list all possible waters that may receive a discharge from this site. If discharging to a Municipal Storm Sewer System, indicate which municipality and the ultimate receiving water.

VII. Nature of Discharge:

Please include a brief description of the construction project:

Will construction dewatering be required? ☐ Yes ☐ No If yes, please complete section IX also.

VIII. Construction Dates:

Project Start Date (MM/DD/YYYY): _____

Estimated Completion Date (MM/DD/YYYY): _____

IX. Dewatering Activities (Complete this section if you answered yes in VII):

Date dewatering will commence (MM/DD/YYYY): _____

Date dewatering will end (MM/DD/YYYY): _____

Total volume of dewatering (gallons): _____ Average flow rate (gallons per minute): _____

Source of water to be discharged: _____

Receiving water: _____

Brief description of water treatment processes to be employed, if any: _____

Will the dewatering discharge contain anything other than uncontaminated groundwater and stormwater: ☐ Yes ☐ No

NOTE: If there will be dewatering activities, please place points of withdrawal and discharge on a topographic map, or other map if a topographic map is unavailable. This map should extend to one (1) square mile beyond the property boundaries of the facility and each of its discharge facilities, and those wells, springs, and other surface water bodies, drinking water wells, and surface water intake structures listed in public records, or otherwise known to the applicant in the map area.

X. Other Information

List other information you feel should be brought to the attention of the SDDENR regarding coverage under this general permit. Attach additional sheets if necessary.

BEFORE THE SECRETARY OF

**IN THE MATTER OF THE
APPLICATION OF**

STATE OF

COUNTY OF

CERTIFICATION OF

APPLICANT

I have read and understand South Dakota Codified Law Section 1-40-27 which provides:

(1) The applicant is unsuited or unqualified to perform the obligations of a permit holder based upon a finding that the applicant, any officer, director, partner, or resident general manager of the facility for which application has been made:

- (a) *Has intentionally misrepresented a material fact in applying for a permit;*
 (b) *Has been convicted of a felony or other crime involving moral turpitude;*
 (c) *Has habitually and intentionally violated environmental laws of any state or the United States which have caused significant and material environmental damage;*
 (d) *Has had any permit revoked under the environmental laws of any state or the United States; or*
 (e) *Has otherwise demonstrated through clear and convincing evidence of previous actions that the applicant lacks the necessary good character and competency to reliably carry out the obligations imposed by law upon the permit holder; or*

(2) The application substantially duplicates an application by the same applicant denied within the past five years which denial has not been reversed by a court of competent jurisdiction. Nothing in this subdivision may be construed to prohibit an applicant from submitting a new application for a permit previously denied, if the new application represents a good faith attempt by the applicant to correct the deficiencies that served as the basis for the denial in the original application.

All applications filed pursuant to Titles 34A and 45 shall include a certification, sworn to under oath and signed by the applicant, that he is not disqualified by reason of this section from obtaining a permit. In the absence of evidence to the contrary, that certification shall constitute a prima facie showing of the suitability and qualification of the applicant. If at any point in the application review, recommendation or hearing process, the secretary finds the applicant has intentionally made any material misrepresentation of fact in regard to this certification,

consideration of the application may be suspended and the application may be rejected as provided for under this section.

Applications rejected pursuant to this section constitute final agency action upon that application and may be appealed to circuit court as provided for under chapter 1-26."

I certify pursuant to 1-40-27, that as an applicant, officer, director, partner, or resident general manager of the activity or facility for which the application has been made that I; a) have not intentionally misrepresented a material fact in applying for a permit; b) have not been convicted of a felony or other crime of moral turpitude; c) have not habitually and intentionally violated environmental laws of any state or the United States which have caused significant and material environmental damage; (d) have not had any permit revoked under the environmental laws of any state or the United States; or e) have not otherwise demonstrated through clear and convincing evidence of previous actions that I lack the necessary good character and competency to reliably carry out the obligations imposed by law upon me. I also certify that this application does not substantially duplicate an application by the same applicant denied within the past five years which denial has not been reversed by a court of competent jurisdiction. Further;

"I declare and affirm under the penalties of perjury that this claim (petition, application, information) has been examined by me, and to the best of my knowledge and belief, is in all things true and correct."

Dated this _____ day of _____, 20____.

Applicant (print)

Applicant (signature)

Subscribed and sworn before me this _____ day of _____, 20____.

Notary Public (signature)

My commission expires: _____

(SEAL)

**PLEASE ATTACH ANY ADDITIONAL INFORMATION NECESSARY TO DISCLOSE
ALL FACTS AND DOCUMENTS PERTAINING TO
SDCL 1-40-27 (1) (a) THROUGH (e).
ALL VIOLATIONS MUST BE DISCLOSED, BUT WILL NOT
AUTOMATICALLY RESULT IN THE REJECTION OF AN APPLICATION**

Appendix B

NOTICE OF TERMINATION (NOT) FORM



DEPARTMENT OF ENVIRONMENT AND NATURAL RESOURCES
NOTICE OF TERMINATION (NOT)
of Coverage Under the SWD General Permit for
Stormwater Discharges Associated with Construction Activities

This form is required to be submitted when a discharge permit is no longer required or necessary. Submission of this form shall in no way relieve the permittee of permit obligations required prior to submission of this form. Please submit this form to the following address:

Submit form to: SD Department of Environment and Natural Resources
Surface Water Quality Program
523 East Capitol Avenue
Pierre, South Dakota 57501
stormwater@state.sd.us
Telephone: 1-800-SDSTORM

I. Permit Number: _____

II. Primary Contact Information:

Company Name: _____

Primary Contact Person: _____

Mailing Address: _____

City: _____ State: _____ Zip Code: _____

Phone Number: _____ Email Address: _____

III. Mailing Address for Facility/Site Location:

Project Name: _____

Primary Contact Person: _____

Contact's Email Address: _____

Contact's Mailing Address: _____

City: _____ State: _____ Zip Code: _____

I certify under penalty of law that all stormwater discharges associated with construction activity from the identified facility that are authorized by a SWD general permit have been eliminated. I understand that by submitting the Notice of Termination, I am no longer authorized to discharge stormwater associated with construction activity under this general permit, and that discharging pollutants in stormwater associated with construction activity to waters of the state is unlawful under the federal Clean Water Act and the South Dakota Water Pollution Control Act if the discharge is not authorized by a SWD permit. I also understand that the submittal of this Notice of Termination does not release an operator from liability for any violations of this permit or the South Dakota Water Pollution Control Act. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

NOTE: Notice of Termination shall be signed by the authorized chief elective or executive officer of the applicant, or by the applicant, if an individual.

Name: _____ Title: _____

Signature: _____ Date: _____

FOR DENR USE ONLY

Permit Number: _____ Date Approved: _____ Letter Date: _____ Approved by: _____

Appendix C

**CONTRACTOR AUTHORIZATION
FORM**



DEPARTMENT OF ENVIRONMENT AND NATURAL RESOURCES
CONTRACTOR AUTHORIZATION FORM
for Coverage Under the SWD General Permit for
Stormwater Discharges Associated with Construction Activities

This form is required to be submitted when a contractor will act as an operator and have day to day responsibility for erosion and sediment control measures. Submission of this form shall in no way relieve the permittee of permit obligations. Please submit this form to the following address:

Submit form to: SD Department of Environment and Natural Resources
Surface Water Quality Program
523 East Capitol Avenue
Pierre, South Dakota 57501
stormwater@state.sd.us
Telephone: 1-800-SDSTORM

ALL QUESTIONS MUST BE ANSWERED COMPLETELY FOR THIS FORM TO BE VALID

Project Name: _____ Permit Number (if available): _____

Project Site Legal Location: _____

Contractor Company Name: _____

Responsible Contact Person: _____

Contact's Email Address: _____

Contractor Mailing Address: _____

City: _____ State: _____ Zip Code: _____ Phone Number: _____

The contractor(s) responsible for the day to day operation of the construction site shall certify the following:

"I certify under penalty of law that I understand and will comply with the terms and conditions of the Surface Water Discharge General Permit for Stormwater Discharges Associated with Construction Activities for the project identified above."

South Dakota Codified Laws Section 1-40-27 provides:

"The secretary may reject an application for any permit filed pursuant to Titles 34A or 45, including any application by any concentrated swine feeding operation for authorization to operate under a general permit, upon making a specific finding that:

- (1) The applicant is unsuited or unqualified to perform the obligations of a permit holder based upon a finding that the applicant, any officer, director, partner or resident general manager of the facility for which application has been made:*
 - (a) Has intentionally misrepresented a material fact in applying for a permit;*
 - (b) Has been convicted of a felony or other crime involving moral turpitude;*
 - (c) Has habitually and intentionally violated environmental laws of any state or the United States which have caused significant and material environmental damage;*
 - (d) Has had any permit revoked under the environmental laws of any state or the United States; or*

FOR DENR USE ONLY

Permit Number: _____ Date Approved: _____ Approved by: _____

- (e) *Has otherwise demonstrated through clear and convincing evidence of previous actions that the applicant lacks the necessary good character and competency to reliably carry out the obligations imposed by law upon the permit holder; or*
- (2) *The application substantially duplicates an application by the same applicant denied within the past five years which denial has not been reversed by a court of competent jurisdiction. Nothing in this subdivision may be construed to prohibit an applicant from submitting a new application for a permit previously denied, if the new application represents a good faith attempt by the applicant to correct the deficiencies that served as the basis for the denial in the original application.*

All applications filed pursuant to Titles 34A and 45 shall include a certification, sworn to under oath and signed by the applicant, that he is not disqualified by reason of this section from obtaining a permit. In the absence of evidence to the contrary, that certification shall constitute a prima facie showing of the suitability and qualification of the applicant. If at any point in the application review, recommendation or hearing process, the secretary finds the applicant has intentionally made any material misrepresentation of fact in regard to this certification, consideration of the application may be suspended and the application may be rejected as provided for under this section.

Applications rejected pursuant to this section constitute final agency action upon that application and may be appealed to circuit court as provided for under chapter 1-26."

I certify pursuant to SDCL 1-40-27, that as an applicant, officer, partner, or resident general manager of the activity or facility for which the application has been made that I; a) have not intentionally misrepresented a material fact in applying for a permit; b) have not been convicted of a felony or other crime of moral turpitude; c) have not habitually and intentionally violated environmental laws of any state or the United States which have caused significant and material environmental damage; d) have not had any permit revoked under the environmental laws of any state or the United States; or e) have not otherwise demonstrated through clear and convincing evidence of previous actions that I lack the necessary good character and competency to reliably carry out the obligations imposed by law upon me. I also certify that this application does not substantially duplicate an application by the same applicant denied within the past five years which denial has not been reversed by a court of competent jurisdiction. Further;

"I declare and affirm under the penalties of perjury that this claim (petition, application, information) has been examined by me, and to the best of my knowledge and belief, is in all things true and correct."

Dated this _____ day of _____, 20____.

Applicant (print)

Applicant (signature)

Subscribed and sworn before me this _____ day of _____, 20____.

Notary Public (signature)

My commission expires: _____

(SEAL)

PLEASE ATTACH A SHEET DISCLOSING ALL FACTS PERTAINING TO SDCL 1-40-27 (1) (a) THROUGH (e). ALL VIOLATIONS MUST BE DISCLOSED, BUT WILL NOT AUTOMATICALLY RESULT IN THE REJECTION OF AN APPLICATION.

Appendix D

TRANSFER OF PERMIT COVERAGE FORM



DEPARTMENT OF ENVIRONMENT AND NATURAL RESOURCES
TRANSFER OF PERMIT COVERAGE FORM
for Coverage Under the SWD General Permit for
Stormwater Discharges Associated with Construction Activities

This form is required to be submitted when ownership of a construction project or an individual lot in a larger common plan of development has been transferred to a different owner. Please submit this form to the following address:

Submit form to: SD Department of Environment and Natural Resources
Surface Water Quality Program
523 East Capitol Avenue
Pierre, South Dakota 57501
stormwater@state.sd.us
Telephone: 1-800-SDSTORM

Project Name: _____ Permit Number: _____

Site (Lot) Legal Location: _____

Site (Lot) Description: _____

Previous Owner's Name: _____

New Owner's Name: _____

New Owner's Mailing Information:

City: _____ State: _____ Zip Code: _____

Phone Number: _____ Email: _____

Stabilization measures implemented prior to transfer: _____

Date transfer of property responsibility and liability becomes effective: _____

****NOTE: Any change in location, operation, and/or coverage area requires that the Stormwater Pollution Prevention Plan be updated and revised to reflect all changes.**

The site (lot) described about is covered under the General Permit for Stormwater Discharges Associated with Construction Activity. Temporary or permanent stabilization has been established on the site, which has now transferred ownership/responsibility as indicated above. The new owners, or operators, have been made aware of the importance of site stabilization in an effort to control pollutant runoff and/or sedimentation.

The new owner assumes responsibility for implementing best management practices to reduce or eliminate a discharge of pollutants to waters of the state. The new owner is aware that permit coverage for the site is required until all soil-disturbing activities at the site have been completed and one of the following conditions have been met:

- all portions of the site not covered by pavement or permanent structures have a uniform perennial vegetative cover over at least 70% of the site; or
- equivalent permanent stabilization measure have been employed, such as the use of riprap, gabions, or geotextiles.

New Owner/Operator Signature: _____

Date: _____

Previous Owner/Operator Signature: _____

Date: _____

FOR DENR USE ONLY

Permit Number: _____ Date Approved: _____ Approved by: _____

Appendix E

NOTICE OF INTENT FOR REAUTHORIZATION FORM



DEPARTMENT OF ENVIRONMENT AND NATURAL RESOURCES
NOTICE OF INTENT (NOI) for REAUTHORIZATION
of Coverage Under the SWD General Permit for
Stormwater Discharges Associated with Construction Activities

The following facility currently has coverage under the General Permit for Stormwater Discharges Associated with Construction Activities. ***This form must be submitted if you wish to continue coverage under the General Permit.*** Submission of this form shall in no way relieve the permittee of permit obligations required prior to submission of this form. Please submit this form to the following address:

Submit form to: SD Department of Environment and Natural Resources
Surface Water Quality Program
523 East Capitol Avenue
Pierre, South Dakota 57501
stormwater@state.sd.us
Telephone: 1-800-SDSTORM

Update information below as needed. Please print or type information.

I. Permit Number: _____

II. Owner Information:

Company Name: _____

Primary Contact Person: _____

Mailing Address: _____

City: _____ State: _____ Zip Code: _____

Phone Number: _____ Email Address: _____

III. Construction Project Information:

Project Name: _____

Project Description: _____

On-Site Contact Person: _____

Mailing Address: _____

City: _____ County: _____ State: _____ Zip Code: _____

Phone Number: _____ Total area disturbed by the project (in acres): _____

Project Start Date: _____ Estimated Completion Date: _____

IV. Signature of Applicant

By signing this form, you are requesting to continue permit coverage under the reissued General Permit. You are certifying you will comply with the new General Permit and update your Stormwater Pollution Prevention Plan if necessary to meet the reissued General Permit conditions.

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including revocation of the permit and the possibility of fine and imprisonment for knowing violations. In addition, I certify that I am aware of the terms and conditions of the General Stormwater permit and I agree to comply with those requirements.

NOTE: The NOI for Reauthorization must be signed by the authorized chief elective or executive officer of the applicant, or by the applicant, if an individual project.

Name (print): _____ Title: _____

Signature: _____ Date: _____


FOR DENR USE ONLY

Permit Number: _____ Date Reauthorized: _____ Approved by: _____

Appendix F

TWO YEAR, TWENTY-FOUR HOUR PRECIPITATION EVENT MAP

<ftp://hdsc.nws.noaa.gov/pub/hdsc/data/mw/nd2y24h.pdf>




NOAA Atlas 14, Volume 8, Version 2
Midwestern States

SOUTH DAKOTA

2-year 24-hour precipitation in inches



Prepared by U.S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL WEATHER SERVICE
OFFICE OF HYDROLOGIC DEVELOPMENT
HYDROMETEOROLOGICAL DESIGN STUDIES CENTER
April 2013



Legend based on actual Volume 8 project area

Attachment B

Permitting Documentation (NOI, Permit Card, Permit Letters, Blank NOT/MOD)



DEPARTMENT OF ENVIRONMENT AND NATURAL RESOURCES
CONTRACTOR AUTHORIZATION FORM
for Coverage Under the SWD General Permit for
Stormwater Discharges Associated with Construction Activities

This form is required to be submitted when a contractor will act as an operator and have day to day responsibility for erosion and sediment control measures. Submission of this form shall in no way relieve the permittee of permit obligations. Please submit this form to the following address:

Submit form to: SD Department of Environment and Natural Resources
Surface Water Quality Program
523 East Capitol Avenue
Pierre, South Dakota 57501
stormwater@state.sd.us
Telephone: 1-800-SDSTORM

ALL QUESTIONS MUST BE ANSWERED COMPLETELY FOR THIS FORM TO BE VALID

Project Name: _____ Permit Number (if available): _____

Project Site Legal Location: _____

Contractor Company Name: _____

Responsible Contact Person: _____

Contact's Email Address: _____

Contractor Mailing Address: _____

City: _____ State: _____ Zip Code: _____ Phone Number: _____

The contractor(s) responsible for the day to day operation of the construction site shall certify the following:

"I certify under penalty of law that I understand and will comply with the terms and conditions of the Surface Water Discharge General Permit for Stormwater Discharges Associated with Construction Activities for the project identified above."

South Dakota Codified Laws Section 1-40-27 provides:

"The secretary may reject an application for any permit filed pursuant to Titles 34A or 45, including any application by any concentrated swine feeding operation for authorization to operate under a general permit, upon making a specific finding that:

- (1) The applicant is unsuited or unqualified to perform the obligations of a permit holder based upon a finding that the applicant, any officer, director, partner or resident general manager of the facility for which application has been made:*
 - (a) Has intentionally misrepresented a material fact in applying for a permit;*
 - (b) Has been convicted of a felony or other crime involving moral turpitude;*
 - (c) Has habitually and intentionally violated environmental laws of any state or the United States which have caused significant and material environmental damage;*
 - (d) Has had any permit revoked under the environmental laws of any state or the United States; or*

FOR DENR USE ONLY

Permit Number: _____ Date Approved: _____ Approved by: _____

- (e) *Has otherwise demonstrated through clear and convincing evidence of previous actions that the applicant lacks the necessary good character and competency to reliably carry out the obligations imposed by law upon the permit holder; or*
- (2) *The application substantially duplicates an application by the same applicant denied within the past five years which denial has not been reversed by a court of competent jurisdiction. Nothing in this subdivision may be construed to prohibit an applicant from submitting a new application for a permit previously denied, if the new application represents a good faith attempt by the applicant to correct the deficiencies that served as the basis for the denial in the original application.*

All applications filed pursuant to Titles 34A and 45 shall include a certification, sworn to under oath and signed by the applicant, that he is not disqualified by reason of this section from obtaining a permit. In the absence of evidence to the contrary, that certification shall constitute a prima facie showing of the suitability and qualification of the applicant. If at any point in the application review, recommendation or hearing process, the secretary finds the applicant has intentionally made any material misrepresentation of fact in regard to this certification, consideration of the application may be suspended and the application may be rejected as provided for under this section.

Applications rejected pursuant to this section constitute final agency action upon that application and may be appealed to circuit court as provided for under chapter 1-26."

I certify pursuant to SDCL 1-40-27, that as an applicant, officer, partner, or resident general manager of the activity or facility for which the application has been made that I; a) have not intentionally misrepresented a material fact in applying for a permit; b) have not been convicted of a felony or other crime of moral turpitude; c) have not habitually and intentionally violated environmental laws of any state or the United States which have caused significant and material environmental damage; d) have not had any permit revoked under the environmental laws of any state or the United States; or e) have not otherwise demonstrated through clear and convincing evidence of previous actions that I lack the necessary good character and competency to reliably carry out the obligations imposed by law upon me. I also certify that this application does not substantially duplicate an application by the same applicant denied within the past five years which denial has not been reversed by a court of competent jurisdiction. Further;

"I declare and affirm under the penalties of perjury that this claim (petition, application, information) has been examined by me, and to the best of my knowledge and belief, is in all things true and correct."

Dated this _____ day of _____, 20____.

Applicant (print)

Applicant (signature)

Subscribed and sworn before me this _____ day of _____, 20____.

Notary Public (signature)

My commission expires: _____

(SEAL)

PLEASE ATTACH A SHEET DISCLOSING ALL FACTS PERTAINING TO SDCL 1-40-27 (1) (a) THROUGH (e). ALL VIOLATIONS MUST BE DISCLOSED, BUT WILL NOT AUTOMATICALLY RESULT IN THE REJECTION OF AN APPLICATION.



DEPARTMENT OF ENVIRONMENT AND NATURAL RESOURCES
NOTICE OF INTENT (NOI)

to Obtain Coverage Under the SWD General Permit for
Stormwater Discharges Associated with Construction Activities

Submit form to: SD Department of Environment and Natural Resources
Surface Water Quality Program
523 East Capitol Avenue
Pierre, South Dakota 57501
stormwater@state.sd.us
Telephone: 1-800-SDSTORM

ALL QUESTIONS MUST BE ANSWERED COMPLETELY FOR THIS FORM TO BE VALID

I. Site Owner Contact Information:

Company Name: _____
Primary Contact Person: _____
Mailing Address: _____
City: _____ State: _____ Zip Code: _____
Phone Number: _____ Email Address: _____
Type of Ownership: ☐ Private ☐ Federal ☐ State ☐ Other (Municipal, County, etc.)
(any type not listed previously)

II. Contractor Information:

Will any contractors be responsible for erosion and sediment control practices: ☐ Yes ☐ No
(A contractor certification form must be submitted for each contractor that will have day to day responsibility for erosion and sediment control practices. If these contractors have not been identified at the time this NOI is submitted, the contractor certification form may be submitted after they have been identified, but before they begin construction work.)

III. Engineering Firm Contact Information (if applicable):

Contact Person: _____
Contact's Email Address: _____

IV. Construction Project Information:

Project Name: _____
Physical Project Address or Description of Construction Site Location: _____

City: _____ State: _____ Zip Code: _____
On-Site Contact Person: _____
Contact's Email Address: _____
Contact's Mailing Address: _____
City: _____ State: _____ Zip Code: _____
Phone Number: _____ County of Construction Site: _____
Latitude: _____ Longitude: _____ Source (GPS, Google, etc.): _____
Quarter(s): _____ Section(s): _____ Township(s): _____ Range(s): _____

FOR DENR USE ONLY

Permit Number: _____ Date Approved: _____ Approved by: _____

Construction Project Information (Continued):

Is this project on Tribal Lands? ☐ Yes ☐ No

Total area disturbed by the project (in acres): _____

Will this project encroach, damage, or destroy one of the historic sites identified at the following websites:

<http://history.sd.gov/Preservation/nationalregisterofhistoricplaces.aspx>

☐ Yes ☐ No

<http://www.nps.gov/nhl/find/statelists/sd/SD.pdf>

☐ Yes ☐ No

V. Stormwater Pollution Prevent Plan (SWPPP):

Has the SWPPP been developed as required? ☐ Yes ☐ No

(The plan must be developed **before** the NOI is submitted. DENR will not issue coverage before this has been developed.)

VI. Receiving Waters:

Please list all possible waters that may receive a discharge from this site. If discharging to a Municipal Storm Sewer System, indicate which municipality and the ultimate receiving water.

VII. Nature of Discharge:

Please include a brief description of the construction project:

Will construction dewatering be required? ☐ Yes ☐ No If yes, please complete section IX also.

VIII. Construction Dates:

Project Start Date (MM/DD/YYYY): _____

Estimated Completion Date (MM/DD/YYYY): _____

IX. Dewatering Activities (Complete this section if you answered yes in VII):

Date dewatering will commence (MM/DD/YYYY): _____

Date dewatering will end (MM/DD/YYYY): _____

Total volume of dewatering (gallons): _____ Average flow rate (gallons per minute): _____

Source of water to be discharged: _____

Receiving water: _____

Brief description of water treatment processes to be employed, if any: _____

Will the dewatering discharge contain anything other than uncontaminated groundwater and stormwater: ☐ Yes ☐ No

NOTE: If there will be dewatering activities, please place points of withdrawal and discharge on a topographic map, or other map if a topographic map is unavailable. This map should extend to one (1) square mile beyond the property boundaries of the facility and each of its discharge facilities, and those wells, springs, and other surface water bodies, drinking water wells, and surface water intake structures listed in public records, or otherwise known to the applicant in the map area.

X. Other Information

List other information you feel should be brought to the attention of the SDDENR regarding coverage under this general permit. Attach additional sheets if necessary.

STATE OF SOUTH DAKOTA

BEFORE THE SECRETARY OF

THE DEPARTMENT OF ENVIRONMENT AND NATURAL RESOURCES

**IN THE MATTER OF THE
APPLICATION OF**

STATE OF

COUNTY OF

CERTIFICATION OF

APPLICANT

I, _____, the applicant in the above matter after being duly sworn upon oath hereby certify the following information in regard to this application:

I have read and understand South Dakota Codified Law Section 1-40-27 which provides:

"The secretary may reject an application for any permit filed pursuant to Titles 34A or 45, including any application by any concentrated swine feeding operation for authorization to operate under a general permit, upon making a specific finding that:

(1) The applicant is unsuited or unqualified to perform the obligations of a permit holder based upon a finding that the applicant, any officer, director, partner, or resident general manager of the facility for which application has been made:

(a) Has intentionally misrepresented a material fact in applying for a permit;

(b) Has been convicted of a felony or other crime involving moral turpitude;

(c) Has habitually and intentionally violated environmental laws of any state or the United States which have caused significant and material environmental damage;

(d) Has had any permit revoked under the environmental laws of any state or the United States; or

(e) Has otherwise demonstrated through clear and convincing evidence of previous actions that the applicant lacks the necessary good character and competency to reliably carry out the obligations imposed by law upon the permit holder; or

(2) The application substantially duplicates an application by the same applicant denied within the past five years which denial has not been reversed by a court of competent jurisdiction. Nothing in this subdivision may be construed to prohibit an applicant from submitting a new application for a permit previously denied, if the new application represents a good faith attempt by the applicant to correct the deficiencies that served as the basis for the denial in the original application.

All applications filed pursuant to Titles 34A and 45 shall include a certification, sworn to under oath and signed by the applicant, that he is not disqualified by reason of this section from obtaining a permit. In the absence of evidence to the contrary, that certification shall constitute a prima facie showing of the suitability and qualification of the applicant. If at any point in the application review, recommendation or hearing process, the secretary finds the applicant has intentionally made any material misrepresentation of fact in regard to this certification,

consideration of the application may be suspended and the application may be rejected as provided for under this section.

Applications rejected pursuant to this section constitute final agency action upon that application and may be appealed to circuit court as provided for under chapter 1-26."

I certify pursuant to 1-40-27, that as an applicant, officer, director, partner, or resident general manager of the activity or facility for which the application has been made that I; a) have not intentionally misrepresented a material fact in applying for a permit; b) have not been convicted of a felony or other crime of moral turpitude; c) have not habitually and intentionally violated environmental laws of any state or the United States which have caused significant and material environmental damage; (d) have not had any permit revoked under the environmental laws of any state or the United States; or e) have not otherwise demonstrated through clear and convincing evidence of previous actions that I lack the necessary good character and competency to reliably carry out the obligations imposed by law upon me. I also certify that this application does not substantially duplicate an application by the same applicant denied within the past five years which denial has not been reversed by a court of competent jurisdiction. Further;

"I declare and affirm under the penalties of perjury that this claim (petition, application, information) has been examined by me, and to the best of my knowledge and belief, is in all things true and correct."

Dated this _____ day of _____, 20____.

Applicant (print)

Applicant (signature)

Subscribed and sworn before me this _____ day of _____, 20____.

Notary Public (signature)

My commission expires: _____

(SEAL)

**PLEASE ATTACH ANY ADDITIONAL INFORMATION NECESSARY TO DISCLOSE
ALL FACTS AND DOCUMENTS PERTAINING TO
SDCL 1-40-27 (1) (a) THROUGH (e).
ALL VIOLATIONS MUST BE DISCLOSED, BUT WILL NOT
AUTOMATICALLY RESULT IN THE REJECTION OF AN APPLICATION**

V. Discharge Information:

Estimate the following information:

- A. Date water **withdrawal** will commence: _____
- B. Date water **withdrawal** will cease: _____
- C. Total volume of **withdrawal** (in gallons): _____
- D. Date water **discharge** will commence: _____
- E. Date water **discharge** will cease: _____
- F. Total volume of **discharge** (in gallons): _____
- G. Average flow rate of **discharge** (in gpm): _____

Source of water being withdrawn/discharged: _____

Name of receiving waters: _____

Treatment processes employed, if any: _____

Describe the discharge and type of wastewater from each discharge location (including overflows, bypasses or discharges from holding ponds, trenches, excavations, vessels, pipelines, etc.) Attach additional sheets if necessary.

- A. Discharge 1: _____
- B. Discharge 2: _____
- C. Discharge 3: _____

NOTE: Please place points of withdrawal and discharge on a topographic map, or other map if a topographic map is unavailable. This map should extend to one (1) square mile beyond the property boundaries of the facility and each of its discharge facilities, and those wells, springs, and other surface water bodies, drinking water wells, and surface water intake structures listed in public records, or otherwise known to the applicant in the map area.

VI. Stormwater Pollution Prevent Plan (SWPPP):

Is there any reason to believe the discharge may contain any pollutants other than those limited in the permit (i.e. TSS, pH, BTEX, Benzene, & TPH)? ☐ Yes ☐ No

Has the SWPPP been developed in lieu of sampling for TSS or TRC? ☐ Yes ☐ No

Describe the best management practices being used in lieu of, or along with, sampling:

VII. Hydrostatic Testing:

- A. Type of vessel being tested: _____
- B. Material vessel is constructed from: _____
- C. Check the appropriate box: ☐ Vessel has been previously used ☐ Vessel is virgin material

VIII. Other Information:

Please list other information you feel should be brought to the attention of the SDDENR regarding coverage under this general permit. Attach additional sheets if necessary.

Submit form to: stormwater@state.sd.us or SD DENR, 523 E Capitol Ave, Pierre SD 57501



DEPARTMENT OF ENVIRONMENT AND NATURAL RESOURCES
NOTICE OF TERMINATION (NOT)
of Coverage Under the SWD General Permit for
Stormwater Discharges Associated with Construction Activities

This form is required to be submitted when a discharge permit is no longer required or necessary. Submission of this form shall in no way relieve the permittee of permit obligations required prior to submission of this form. Please submit this form to the following address:

Submit form to: SD Department of Environment and Natural Resources
Surface Water Quality Program
523 East Capitol Avenue
Pierre, South Dakota 57501
stormwater@state.sd.us
Telephone: 1-800-SDSTORM

I. Permit Number: _____

II. Primary Contact Information:

Company Name: _____

Primary Contact Person: _____

Mailing Address: _____

City: _____ State: _____ Zip Code: _____

Phone Number: _____ Email Address: _____

III. Mailing Address for Facility/Site Location:

Project Name: _____

Primary Contact Person: _____

Contact's Email Address: _____

Contact's Mailing Address: _____

City: _____ State: _____ Zip Code: _____

I certify under penalty of law that all stormwater discharges associated with construction activity from the identified facility that are authorized by a SWD general permit have been eliminated. I understand that by submitting the Notice of Termination, I am no longer authorized to discharge stormwater associated with construction activity under this general permit, and that discharging pollutants in stormwater associated with construction activity to waters of the state is unlawful under the federal Clean Water Act and the South Dakota Water Pollution Control Act if the discharge is not authorized by a SWD permit. I also understand that the submittal of this Notice of Termination does not release an operator from liability for any violations of this permit or the South Dakota Water Pollution Control Act. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

NOTE: Notice of Termination shall be signed by the authorized chief elective or executive officer of the applicant, or by the applicant, if an individual.

Name: _____ Title: _____

Signature: _____ Date: _____

FOR DENR USE ONLY

Permit Number: _____ Date Approved: _____ Letter Date: _____ Approved by: _____



DEPARTMENT OF ENVIRONMENT AND NATURAL RESOURCES
TRANSFER OF PERMIT COVERAGE FORM
for Coverage Under the SWD General Permit for
Stormwater Discharges Associated with Construction Activities

This form is required to be submitted when ownership of a construction project or an individual lot in a larger common plan of development has been transferred to a different owner. Please submit this form to the following address:

Submit form to: SD Department of Environment and Natural Resources
Surface Water Quality Program
523 East Capitol Avenue
Pierre, South Dakota 57501
stormwater@state.sd.us
Telephone: 1-800-SDSTORM

Project Name: _____ Permit Number: _____

Site (Lot) Legal Location: _____

Site (Lot) Description: _____

Previous Owner's Name: _____

New Owner's Name: _____

New Owner's Mailing Information:

City: _____ State: _____ Zip Code: _____

Phone Number: _____ Email: _____

Stabilization measures implemented prior to transfer: _____

Date transfer of property responsibility and liability becomes effective: _____

****NOTE: Any change in location, operation, and/or coverage area requires that the Stormwater Pollution Prevention Plan be updated and revised to reflect all changes.**

The site (lot) described about is covered under the General Permit for Stormwater Discharges Associated with Construction Activity. Temporary or permanent stabilization has been established on the site, which has now transferred ownership/responsibility as indicated above. The new owners, or operators, have been made aware of the importance of site stabilization in an effort to control pollutant runoff and/or sedimentation.

The new owner assumes responsibility for implementing best management practices to reduce or eliminate a discharge of pollutants to waters of the state. The new owner is aware that permit coverage for the site is required until all soil-disturbing activities at the site have been completed and one of the following conditions have been met:

- all portions of the site not covered by pavement or permanent structures have a uniform perennial vegetative cover over at least 70% of the site; or
- equivalent permanent stabilization measure have been employed, such as the use of riprap, gabions, or geotextiles.

New Owner/Operator Signature: _____

Date: _____

Previous Owner/Operator Signature: _____

Date: _____


FOR DENR USE ONLY

Permit Number: _____ Date Approved: _____ Approved by: _____


Attachment C

Soil Maps

Soil Map—Grant County, South Dakota, and Roberts County, South Dakota
(Dakota Range III)
Index Sheet



Map Scale: 1:106,000 if printed on A portrait (8.5" x 11") sheet.



Map projection: Web Mercator Corner coordinates: WGS84 Edge tics: UTM Zone 14N WGS84




**Natural Resources
Conservation Service**

Web Soil Survey
National Cooperative Soil Survey

8/6/2019
Page 1 of 23


Soil Map—Grant County, South Dakota, and Roberts County, South Dakota
(Dakota Range III)
Map sheet 1 of 16



Map Scale: 1:24,000 if printed on A portrait (8.5" x 11") sheet.



Map projection: Web Mercator Corner coordinates: WGS84 Edge tics: UTM Zone 14N WGS84



Map Sheet Location




Natural Resources
Conservation Service

Web Soil Survey
National Cooperative Soil Survey

8/6/2019
Page 2 of 23

Soil Map—Grant County, South Dakota, and Roberts County, South Dakota
(Dakota Range III)
Map sheet 2 of 16



Natural Resources
Conservation Service

Web Soil Survey
National Cooperative Soil Survey


8/6/2019
Page 3 of 23

97° 6' 37" W



8/6/2019
Page 4 of 23

Soil Map—Grant County, South Dakota, and Roberts County, South Dakota
(Dakota Range III)
Map sheet 4 of 16



Joins sheet 7

97° 3' 46\"/>



Map Scale: 1:24,000 if printed on A portrait (8.5\"/>



Map projection: Web Mercator Corner coordinates: WGS84 Edge tics: UTM Zone 14N WGS84

Joins sheet 8

			4

Map Sheet Location






**Natural Resources
Conservation Service**

Web Soil Survey
National Cooperative Soil Survey

8/6/2019
Page 5 of 23

Soil Map—Grant County, South Dakota, and Roberts County, South Dakota
(Dakota Range III)
Map sheet 5 of 16
Joins sheet 1



Map Sheet Location




Natural Resources
Conservation Service

Web Soil Survey
National Cooperative Soil Survey


8/6/2019
Page 6 of 23

Soil Map—Grant County, South Dakota, and Roberts County, South Dakota
(Dakota Range III)
Map sheet 6 of 16
Joins sheet 2



Natural Resources
Conservation Service


Web Soil Survey
National Cooperative Soil Survey



Map Sheet Location

8/6/2019
Page 7 of 23

Soil Map—Grant County, South Dakota, and Roberts County, South Dakota
(Dakota Range III)
Map sheet 7 of 16
Joins sheet 3



Natural Resources
Conservation Service

Web Soil Survey
National Cooperative Soil Survey


8/6/2019
Page 8 of 23

Soil Map—Grant County, South Dakota, and Roberts County, South Dakota

(Dakota Range III)

Map sheet 8 of 16

Joins sheet 4




Map Scale: 1:24,000 if printed on A portrait (8.5" x 11") sheet.

0 350 700 1400 2100 Meters

0 1000 2000 4000 6000 Feet

Map projection: Web Mercator Corner coordinates: WGS84 Edge tics: UTM Zone 14N WGS84



Map Sheet Location




**Natural Resources
Conservation Service**

Web Soil Survey
National Cooperative Soil Survey

8/6/2019
Page 9 of 23

Joins sheet 6




Joins sheet 13




9			

Joins sheet 14

Soil Map—Grant County, South Dakota, and Roberts County, South Dakota
(Dakota Range III)
Map sheet 10 of 16
Joins sheet 6



Map Scale: 1:24,000 if printed on A portrait (8.5" x 11") sheet.




Map projection: Web Mercator Corner coordinates: WGS84 Edge tics: UTM Zone 14N WGS84



**Natural Resources
Conservation Service**

Web Soil Survey
National Cooperative Soil Survey



Map Sheet Location

8/6/2019
Page 11 of 23

Soil Map—Grant County, South Dakota, and Roberts County, South Dakota

(Dakota Range III)

Map sheet 11 of 16

Joins sheet 7




Map Scale: 1:24,000 if printed on A portrait (8.5" x 11") sheet.

0 350 700 1400 2100 Meters

0 1000 2000 4000 6000 Feet

Map projection: Web Mercator Corner coordinates: WGS84 Edge tics: UTM Zone 14N WGS84



Map Sheet Location




Natural Resources
Conservation Service

Web Soil Survey
National Cooperative Soil Survey

8/6/2019
Page 12 of 23


Soil Map—Grant County, South Dakota, and Roberts County, South Dakota
(Dakota Range III)
Map sheet 12 of 16
Joins sheet 8



Map Scale: 1:24,000 if printed on A portrait (8.5" x 11") sheet.



Map projection: Web Mercator Corner coordinates: WGS84 Edge tics: UTM Zone 14N WGS84



Map Sheet Location






**Natural Resources
Conservation Service**

Web Soil Survey
National Cooperative Soil Survey

8/6/2019
Page 13 of 23

Soil Map—Grant County, South Dakota, and Roberts County, South Dakota
(Dakota Range III)
Map sheet 13 of 16
Joins sheet 9



Joins sheet 9



45° 12' 59" N



0 1000 2000 4000 6000
Map projection: Web Mercator Corner coordinates: WGS84 Edge tics: UTM Zone 14N WGS84




Soil Map—Grant County, South Dakota, and Roberts County, South Dakota
(Dakota Range III)
Map sheet 15 of 16
Joins sheet 11






Natural Resources
Conservation Service

Web Soil Survey
National Cooperative Soil Survey



Map Sheet Location

Soil Map—Grant County, South Dakota, and Roberts County, South Dakota
(Dakota Range III)
Map sheet 16 of 16
Joins sheet 12



**Natural Resources
Conservation Service**

Web Soil Survey
National Cooperative Soil Survey

Map Sheet Location

8/6/2019
Page 17 of 23

Soil Map—Grant County, South Dakota, and Roberts County, South Dakota
(Dakota Range III)

MAP LEGEND

Area of Interest (AOI)

 Area of Interest (AOI)

Soils

 Soil Map Unit Polygons

 Soil Map Unit Lines

 Soil Map Unit Points

Special Point Features



Blowout



Borrow Pit



Clay Spot



Closed Depression



Gravel Pit



Gravelly Spot



Landfill



Lava Flow



Marsh or swamp



Mine or Quarry



Miscellaneous Water



Perennial Water



Rock Outcrop



Saline Spot



Sandy Spot



Severely Eroded Spot



Sinkhole



Slide or Slip



Sodic Spot



Spoil Area



Stony Spot



Very Stony Spot



Wet Spot



Other



Special Line Features

Water Features



Streams and Canals

Transportation



Rails



Interstate Highways



US Routes



Major Roads



Local Roads

Background



Aerial Photography

MAP INFORMATION

The soil surveys that comprise your AOI were mapped at 1:20,000.

Please rely on the bar scale on each map sheet for map measurements.

Source of Map: Natural Resources Conservation Service

Web Soil Survey URL:

Coordinate System: Web Mercator (EPSG:3857)

Maps from the Web Soil Survey are based on the Web Mercator projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more accurate calculations of distance or area are required.

This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.

Soil Survey Area: Grant County, South Dakota

Survey Area Data: Version 20, Sep 12, 2018

Soil Survey Area: Roberts County, South Dakota

Survey Area Data: Version 19, Sep 12, 2018

Your area of interest (AOI) includes more than one soil survey area. These survey areas may have been mapped at different scales, with a different land use in mind, at different times, or at different levels of detail. This may result in map unit symbols, soil properties, and interpretations that do not completely agree across soil survey area boundaries.

Soil map units are labeled (as space allows) for map scales 1:50,000 or larger.

Date(s) aerial images were photographed: Aug 22, 2013—Nov 14, 2016

The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.

Map Unit Legend

Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI
Ta	Tonka silty clay loam, 0 to 1 percent slopes	26.5	0.1%
W	Water	5.9	0.0%
Z102A	Badger-Tonka silty clay loams, coteau, 0 to 1 percent slopes	19.1	0.1%
Z107A	Parnell silty clay loam, coteau, 0 to 1 percent slopes	12.5	0.1%
Z112A	Vallers-Hamerly loams, coteau, 0 to 2 percent slopes	26.2	0.1%
Z114A	Hamerly-Tonka complex, coteau, 0 to 2 percent slopes	136.4	0.6%
Z115A	Hamerly-Badger complex, coteau, 0 to 2 percent slopes	86.5	0.3%
Z116A	McKranz-Hidewood, frequently flooded, silty clay loams, 0 to 2 percent slopes	90.4	0.4%
Z117A	McKranz-Badger silty clay loams, 0 to 2 percent slopes	489.4	2.0%
Z140F	Buse-Langhei complex, coteau, 15 to 40 percent slopes	7.6	0.0%
Z141A	Barnes-Svea loams, coteau, 0 to 2 percent slopes	65.2	0.3%
Z141B	Barnes-Svea loams, coteau, 1 to 6 percent slopes	53.2	0.2%
Z142B	Barnes-Buse-Svea loams, coteau, 1 to 6 percent slopes	391.8	1.6%
Z142C	Barnes-Buse-Svea loams, coteau, 2 to 9 percent slopes	181.2	0.7%
Z143C	Barnes-Buse loams, coteau, 6 to 9 percent slopes	6.5	0.0%
Z144E	Buse-Barnes loams, coteau, 9 to 20 percent slopes	74.0	0.3%
Z145D	Buse-Barnes loams, coteau, 2 to 15 percent slopes, very stony	83.6	0.3%
Z145F	Buse-Barnes loams, coteau, 9 to 40 percent slopes, very stony	88.9	0.4%
Z146F	Buse-Lamoure, channeled, frequently flooded, complex, 0 to 40 percent slopes	16.8	0.1%
Z150A	Rauville silty clay loam, coteau, 0 to 1 percent slopes, frequently flooded	165.9	0.7%

Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI
Z152A	Lamoure silty clay loam, coteau, 0 to 1 percent slopes, occasionally flooded	96.6	0.4%
Z153A	Lamoure-Rauville silty clay loams, channeled, 0 to 2 percent slopes, frequently flooded	688.6	2.8%
Z158A	Marysland loam, 0 to 1 percent slopes, occasionally flooded	320.9	1.3%
Z159A	Divide loam, 0 to 2 percent slopes, occasionally flooded	592.8	2.4%
Z160A	Moritz, occasionally flooded-Lamoure, frequently flooded, complex, 0 to 2 percent slopes	24.5	0.1%
Z161A	Spottswood loam, 0 to 2 percent slopes, occasionally flooded	38.9	0.2%
Z165B	Darnen loam, coteau, 2 to 6 percent slopes	9.9	0.0%
Z166A	Fordtown loam, 0 to 2 percent slopes, rarely flooded	49.6	0.2%
Z167A	Renwash loam, 0 to 2 percent slopes, rarely flooded	270.7	1.1%
Z168A	Allivar sandy loam, 0 to 2 percent slopes, rarely flooded	27.9	0.1%
Z171A	Renshaw-Fordville loams, coteau, 0 to 2 percent slopes	1,895.9	7.7%
Z171B	Renshaw-Fordville loams, coteau, 2 to 6 percent slopes	197.5	0.8%
Z173B	Renshaw-Sioux complex, coteau, 2 to 6 percent slopes	474.4	1.9%
Z173C	Renshaw-Sioux complex, coteau, 6 to 9 percent slopes	87.2	0.4%
Z174D	Sioux-Renshaw complex, coteau, 9 to 15 percent slopes	27.1	0.1%
Z174F	Sioux-Renshaw complex, coteau, 15 to 40 percent slopes	24.3	0.1%
Z177	Udorthents, coteau (gravel pits)	26.8	0.1%
Z178A	Rentill loam, coteau, 0 to 2 percent slopes	18.4	0.1%
Z182A	Estelline silt loam, coteau, 0 to 2 percent slopes	278.8	1.1%
Z185B	Egeland-Embden complex, coteau, 2 to 6 percent slopes	11.4	0.0%


Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI
Z186B	Maddock-Egeland sandy loams, coteau, 2 to 6 percent slopes	22.7	0.1%
Z188B	Lanona-Swenoda fine sandy loams, coteau, 2 to 6 percent slopes	12.7	0.1%
Z190A	Brookings silty clay loam, 0 to 2 percent slopes	132.7	0.5%
Z192A	Vienna-Brookings complex, 0 to 2 percent slopes	4,753.1	19.2%
Z192B	Vienna-Brookings complex, 1 to 6 percent slopes	2,716.9	11.0%
Z193C	Vienna-Buse complex, coteau, 6 to 9 percent slopes	133.4	0.5%
Z194A	Barnes clay loam, coteau, 0 to 2 percent slopes	1,018.5	4.1%
Z194B	Barnes clay loam, coteau, 2 to 6 percent slopes	387.1	1.6%
Z198A	Vienna-Forestville loams, coteau, 0 to 2 percent slopes	13.2	0.1%
Z199B	Vienna-Barnes-Forestville loams, 1 to 6 percent slopes	49.3	0.2%
Z217A	McKranz silty clay loam, 0 to 2 percent slopes	33.0	0.1%
Z250A	Rauville mucky silty clay loam, ponded, 0 to 1 percent slopes, frequently flooded	8.2	0.0%
Z252A	Hidewood silty clay loam, 0 to 2 percent slopes, frequently flooded	21.9	0.1%
Subtotals for Soil Survey Area		16,492.7	66.6%
Totals for Area of Interest		24,760.6	100.0%

Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI
FoB	Forman-Aastad loams, 2 to 6 percent slopes	40.1	0.2%
FoC	Forman-Aastad loams, 6 to 9 percent slopes	17.4	0.1%
FoD	Forman-Aastad loams, 9 to 15 percent slopes	0.2	0.0%
W	Water	111.3	0.4%
Z107A	Parnell silty clay loam, coteau, 0 to 1 percent slopes	3.0	0.0%
Z112A	Vallers-Hamerly loams, coteau, 0 to 2 percent slopes	170.8	0.7%
Z114A	Hamerly-Tonka complex, coteau, 0 to 2 percent slopes	85.1	0.3%


Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI
Z115A	Hamerly-Badger complex, coteau, 0 to 2 percent slopes	40.3	0.2%
Z117A	Mckranz-Badger silty clay loams, 0 to 2 percent slopes	105.0	0.4%
Z119A	Hamerly-Balaton loams, coteau, 0 to 3 percent slopes	31.0	0.1%
Z139	Udorthents, loamy, coteau (cut and fill land)	83.9	0.3%
Z141A	Barnes-Svea loams, coteau, 0 to 2 percent slopes	2.8	0.0%
Z141B	Barnes-Svea loams, coteau, 1 to 6 percent slopes	0.4	0.0%
Z142B	Barnes-Buse-Svea loams, coteau, 1 to 6 percent slopes	100.8	0.4%
Z142C	Barnes-Buse-Svea loams, coteau, 2 to 9 percent slopes	193.9	0.8%
Z143C	Barnes-Buse loams, coteau, 6 to 9 percent slopes	14.5	0.1%
Z144E	Buse-Barnes loams, coteau, 9 to 20 percent slopes	49.7	0.2%
Z145D	Buse-Barnes loams, coteau, 2 to 15 percent slopes, very stony	310.7	1.3%
Z150A	Rauville silty clay loam, coteau, 0 to 1 percent slopes, frequently flooded	119.0	0.5%
Z153A	Lamoure-Rauville silty clay loams, channeled, 0 to 2 percent slopes, frequently flooded	118.2	0.5%
Z157A	Fairdale loam, channeled, 0 to 2 percent slopes, frequently flooded	8.9	0.0%
Z158A	Marysland loam, 0 to 1 percent slopes, occasionally flooded	379.2	1.5%
Z159A	Divide loam, 0 to 2 percent slopes, occasionally flooded	682.8	2.8%
Z161A	Spottswood loam, 0 to 2 percent slopes, occasionally flooded	5.5	0.0%
Z171A	Renshaw-Fordville loams, coteau, 0 to 2 percent slopes	1,144.7	4.6%
Z171B	Renshaw-Fordville loams, coteau, 2 to 6 percent slopes	11.4	0.0%
Z173B	Renshaw-Sioux complex, coteau, 2 to 6 percent slopes	54.9	0.2%
Z173C	Renshaw-Sioux complex, coteau, 6 to 9 percent slopes	0.5	0.0%

Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI
Z175D	Renshaw-Sioux complex, 2 to 15 percent slopes, very stony	1.9	0.0%
Z177	Udorthents, coteau (gravel pits)	223.4	0.9%
Z192A	Vienna-Brookings complex, 0 to 2 percent slopes	1,197.5	4.8%
Z192B	Vienna-Brookings complex, 1 to 6 percent slopes	1,501.0	6.1%
Z193C	Vienna-Buse complex, coteau, 6 to 9 percent slopes	60.5	0.2%
Z198A	Vienna-Forestville loams, coteau, 0 to 2 percent slopes	15.6	0.1%
Z199B	Vienna-Barnes-Forestville loams, 1 to 6 percent slopes	1,278.0	5.2%
Z298B	Vienna-Barnes very stony-Forestville loams, 1 to 6 percent slopes	104.0	0.4%
Subtotals for Soil Survey Area		8,267.9	33.4%
Totals for Area of Interest		24,760.6	100.0%

Hydrologic Soil Group—Grant County, South Dakota, and Roberts County, South Dakota (Dakota Range III) Index Sheet



Map Scale: 1:106,000 if printed on A portrait (8.5" x 11") sheet.






**Natural Resources
Conservation Service**

Web Soil Survey
National Cooperative Soil Survey

8/6/2019
Page 1 of 25

Hydrologic Soil Group—Grant County, South Dakota, and Roberts County, South Dakota
(Dakota Range III)
Map sheet 1 of 16



Map Sheet Location




Natural Resources
Conservation Service


Web Soil Survey
National Cooperative Soil Survey

8/6/2019
Page 2 of 25

97° 6' 37" W



97° 3' 46" W



97° 0' 55" W



Joins sheet 8


N



Map Sheet Location

97° 0' 55" W


Joins sheet 2



Map projection: Web Mercator Corner coordinates: WGS84 Edge tics: UTM Zone 14N WGS84




Hydrologic Soil Group—Grant County, South Dakota, and Roberts County, South Dakota
(Dakota Range III)
Map sheet 6 of 16
Joins sheet 2



Natural Resources
Conservation Service


Web Soil Survey
National Cooperative Soil Survey



Map Sheet Location


8/6/2019
Page 7 of 25

Hydrologic Soil Group—Grant County, South Dakota, and Roberts County, South Dakota
(Dakota Range III)
Map sheet 7 of 16
Joins sheet 3



Natural Resources
Conservation Service


Web Soil Survey
National Cooperative Soil Survey



Map Sheet Location

8/6/2019
Page 8 of 25


Hydrologic Soil Group—Grant County, South Dakota, and Roberts County, South Dakota
(Dakota Range III)
Map sheet 8 of 16
Joins sheet 4



Map Scale: 1:24,000 if printed on A portrait (8.5" x 11") sheet.



Map projection: Web Mercator Corner coordinates: WGS84 Edge tics: UTM Zone 14N WGS84




Map Sheet Location



**Natural Resources
Conservation Service**

Web Soil Survey
National Cooperative Soil Survey


Joins sheet 6



Joins sheet 13


A horizontal scale bar with alternating black and white segments. The total length is labeled as 100 Meters at the right end.

Map projection: Web Mercator Corner coordinates: WGS84 Edge coordinates: Zone 18N WGS84




Map Sheet Location

Hydrologic Soil Group—Grant County, South Dakota, and Roberts County, South Dakota
(Dakota Range III)
Map sheet 10 of 16
Joins sheet 6



Natural Resources
Conservation Service

Web Soil Survey
National Cooperative Soil Survey





Map Sheet Location


8/6/2019
Page 11 of 25

Map sheet 11 of 16
Joins sheet 7


Joins sheet 7




Hydrologic Soil Group—Grant County, South Dakota, and Roberts County, South Dakota
(Dakota Range III)
Map sheet 12 of 16
Joins sheet 8



Map Scale: 1:24,000 if printed on A portrait (8.5" x 11") sheet.



Map projection: Web Mercator Corner coordinates: WGS84 Edge tics: UTM Zone 14N WGS84



Map Sheet Location



**Natural Resources
Conservation Service**

Web Soil Survey
National Cooperative Soil Survey

Map sheet 13 of 16
Joins sheet 9

Joins sheet 9



A horizontal scale bar with a black segment on the left and a white segment on the right. The black segment is labeled '0', '250', and '500'. The white segment is labeled '750' and '1000'. The word 'Meters' is at the right end.

0 1000 2000 4000 6000
Map projection: Web Mercator Corner coordinates: WGS84 Edge tics: UTM Zone 14N WGS84



13			

Map Sheet Location

8/6/2019
Page 14 of 25

Hydrologic Soil Group—Grant County, South Dakota, and Roberts County, South Dakota
(Dakota Range III)
Map sheet 14 of 16
Joins sheet 10






Figure 1 is a map of the study area. It shows a black square representing the study site, located in the center of the map. The map includes a scale bar at the bottom, ranging from 0 to 1000 meters, and a north arrow pointing upwards.

Map projection: WGS 1984 UTM Zone 18N
Corner coordinates: WGS 1984
Edge length: 3000 m
Zone 18N WGS 1984

Map Sheet Location


Hydrologic Soil Group—Grant County, South Dakota, and Roberts County, South Dakota
(Dakota Range III)
Map sheet 15 of 16
Joins sheet 11



Map Scale: 1:24,000 if printed on A portrait (8.5" x 11") sheet.



Map projection: Web Mercator Corner coordinates: WGS84 Edge tics: UTM Zone 14N WGS84



Map Sheet Location






Natural Resources
Conservation Service

Web Soil Survey
National Cooperative Soil Survey

8/6/2019
Page 16 of 25

Hydrologic Soil Group—Grant County, South Dakota, and Roberts County, South Dakota
(Dakota Range III)
Map sheet 16 of 16
Joins sheet 12



**Natural Resources
Conservation Service**

Web Soil Survey
National Cooperative Soil Survey

Map Sheet Location

8/6/2019
Page 17 of 25

Hydrologic Soil Group—Grant County, South Dakota, and Roberts County, South Dakota (Dakota Range III)

MAP LEGEND

Area of Interest (AOI)









 Area of Interest (AOI)

Soils

Soil Rating Polygons





 A
 A/D
 B
 B/D
 C
 C/D
 D
 Not rated or not available

Soil Rating Lines

 A
 A/D
 B
 B/D
 C
 C/D
 D
 Not rated or not available

Soil Rating Points





 A
 A/D
 B
 B/D

 C
 C/D
 D
 Not rated or not available


Water Features

 Streams and Canals

Transportation

 Rails
 Interstate Highways
 US Routes
 Major Roads
 Local Roads

Background

 Aerial Photography

MAP INFORMATION

The soil surveys that comprise your AOI were mapped at 1:20,000.

Please rely on the bar scale on each map sheet for map measurements.

Source of Map: Natural Resources Conservation Service
 Web Soil Survey URL:
 Coordinate System: Web Mercator (EPSG:3857)

Maps from the Web Soil Survey are based on the Web Mercator projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more accurate calculations of distance or area are required.

This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.

Soil Survey Area: Grant County, South Dakota
 Survey Area Data: Version 20, Sep 12, 2018

Soil Survey Area: Roberts County, South Dakota
 Survey Area Data: Version 19, Sep 12, 2018

Your area of interest (AOI) includes more than one soil survey area. These survey areas may have been mapped at different scales, with a different land use in mind, at different times, or at different levels of detail. This may result in map unit symbols, soil properties, and interpretations that do not completely agree across soil survey area boundaries.

Soil map units are labeled (as space allows) for map scales 1:50,000 or larger.

Date(s) aerial images were photographed: Aug 22, 2013—Nov 14, 2016

The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.

Hydrologic Soil Group

Map unit symbol	Map unit name	Rating	Acres in AOI	Percent of AOI
Ta	Tonka silty clay loam, 0 to 1 percent slopes	C/D	26.5	0.1%
W	Water		5.9	0.0%
Z102A	Badger-Tonka silty clay loams, coteau, 0 to 1 percent slopes	C/D	19.1	0.1%
Z107A	Parnell silty clay loam, coteau, 0 to 1 percent slopes	C/D	12.5	0.1%
Z112A	Vallers-Hamerly loams, coteau, 0 to 2 percent slopes	C/D	26.2	0.1%
Z114A	Hamerly-Tonka complex, coteau, 0 to 2 percent slopes	C/D	136.4	0.6%
Z115A	Hamerly-Badger complex, coteau, 0 to 2 percent slopes	C/D	86.5	0.3%
Z116A	McKranz-Hidewood, frequently flooded, silty clay loams, 0 to 2 percent slopes	C/D	90.4	0.4%
Z117A	McKranz-Badger silty clay loams, 0 to 2 percent slopes	C/D	489.4	2.0%
Z140F	Buse-Langhei complex, coteau, 15 to 40 percent slopes	C	7.6	0.0%
Z141A	Barnes-Svea loams, coteau, 0 to 2 percent slopes	C	65.2	0.3%
Z141B	Barnes-Svea loams, coteau, 1 to 6 percent slopes	C	53.2	0.2%
Z142B	Barnes-Buse-Svea loams, coteau, 1 to 6 percent slopes	C	391.8	1.6%
Z142C	Barnes-Buse-Svea loams, coteau, 2 to 9 percent slopes	C	181.2	0.7%
Z143C	Barnes-Buse loams, coteau, 6 to 9 percent slopes	C	6.5	0.0%
Z144E	Buse-Barnes loams, coteau, 9 to 20 percent slopes	C	74.0	0.3%

Map unit symbol	Map unit name	Rating	Acres in AOI	Percent of AOI
Z145D	Buse-Barnes loams, coteau, 2 to 15 percent slopes, very stony	C	83.6	0.3%
Z145F	Buse-Barnes loams, coteau, 9 to 40 percent slopes, very stony	C	88.9	0.4%
Z146F	Buse-Lamoure, channeled, frequently flooded, complex, 0 to 40 percent slopes	C	16.8	0.1%
Z150A	Rauville silty clay loam, coteau, 0 to 1 percent slopes, frequently flooded	B/D	165.9	0.7%
Z152A	Lamoure silty clay loam, coteau, 0 to 1 percent slopes, occasionally flooded	B/D	96.6	0.4%
Z153A	Lamoure-Rauville silty clay loams, channeled, 0 to 2 percent slopes, frequently flooded	B/D	688.6	2.8%
Z158A	Marysland loam, 0 to 1 percent slopes, occasionally flooded	B/D	320.9	1.3%
Z159A	Divide loam, 0 to 2 percent slopes, occasionally flooded	B/D	592.8	2.4%
Z160A	Moritz, occasionally flooded-Lamoure, frequently flooded, complex, 0 to 2 percent slopes	B/D	24.5	0.1%
Z161A	Spottswood loam, 0 to 2 percent slopes, occasionally flooded	B/D	38.9	0.2%
Z165B	Darnen loam, coteau, 2 to 6 percent slopes	C	9.9	0.0%
Z166A	Fordtown loam, 0 to 2 percent slopes, rarely flooded	B	49.6	0.2%
Z167A	Renwash loam, 0 to 2 percent slopes, rarely flooded	B	270.7	1.1%
Z168A	Allivar sandy loam, 0 to 2 percent slopes, rarely flooded	A	27.9	0.1%
Z171A	Renshaw-Fordville loams, coteau, 0 to 2 percent slopes	B	1,895.9	7.7%

Map unit symbol	Map unit name	Rating	Acres in AOI	Percent of AOI
Z171B	Renshaw-Fordville loams, coteau, 2 to 6 percent slopes	B	197.5	0.8%
Z173B	Renshaw-Sioux complex, coteau, 2 to 6 percent slopes	B	474.4	1.9%
Z173C	Renshaw-Sioux complex, coteau, 6 to 9 percent slopes	B	87.2	0.4%
Z174D	Sioux-Renshaw complex, coteau, 9 to 15 percent slopes	B	27.1	0.1%
Z174F	Sioux-Renshaw complex, coteau, 15 to 40 percent slopes	B	24.3	0.1%
Z177	Udorthents, coteau (gravel pits)	A	26.8	0.1%
Z178A	Rentill loam, coteau, 0 to 2 percent slopes	C	18.4	0.1%
Z182A	Estelline silt loam, coteau, 0 to 2 percent slopes	B	278.8	1.1%
Z185B	Egeland-Embden complex, coteau, 2 to 6 percent slopes	A	11.4	0.0%
Z186B	Maddock-Egeland sandy loams, coteau, 2 to 6 percent slopes	A	22.7	0.1%
Z188B	Lanona-Swenoda fine sandy loams, coteau, 2 to 6 percent slopes	B	12.7	0.1%
Z190A	Brookings silty clay loam, 0 to 2 percent slopes	C	132.7	0.5%
Z192A	Vienna-Brookings complex, 0 to 2 percent slopes	C	4,753.1	19.2%
Z192B	Vienna-Brookings complex, 1 to 6 percent slopes	C	2,716.9	11.0%
Z193C	Vienna-Buse complex, coteau, 6 to 9 percent slopes	C	133.4	0.5%
Z194A	Barnes clay loam, coteau, 0 to 2 percent slopes	C	1,018.5	4.1%
Z194B	Barnes clay loam, coteau, 2 to 6 percent slopes	C	387.1	1.6%
Z198A	Vienna-Forestville loams, coteau, 0 to 2 percent slopes	C	13.2	0.1%

Map unit symbol	Map unit name	Rating	Acres in AOI	Percent of AOI
Z199B	Vienna-Barnes-Forestville loams, 1 to 6 percent slopes	C	49.3	0.2%
Z217A	McKranz silty clay loam, 0 to 2 percent slopes	C/D	33.0	0.1%
Z250A	Rauville mucky silty clay loam, ponded, 0 to 1 percent slopes, frequently flooded	B/D	8.2	0.0%
Z252A	Hidewood silty clay loam, 0 to 2 percent slopes, frequently flooded	B/D	21.9	0.1%
Subtotals for Soil Survey Area			16,492.7	66.6%
Totals for Area of Interest			24,760.6	100.0%

Map unit symbol	Map unit name	Rating	Acres in AOI	Percent of AOI
FoB	Forman-Aastad loams, 2 to 6 percent slopes	C	40.1	0.2%
FoC	Forman-Aastad loams, 6 to 9 percent slopes	C	17.4	0.1%
FoD	Forman-Aastad loams, 9 to 15 percent slopes	C	0.2	0.0%
W	Water		111.3	0.4%
Z107A	Parnell silty clay loam, coteau, 0 to 1 percent slopes	C/D	3.0	0.0%
Z112A	Vallers-Hamerly loams, coteau, 0 to 2 percent slopes	C/D	170.8	0.7%
Z114A	Hamerly-Tonka complex, coteau, 0 to 2 percent slopes	C/D	85.1	0.3%
Z115A	Hamerly-Badger complex, coteau, 0 to 2 percent slopes	C/D	40.3	0.2%
Z117A	McKranz-Badger silty clay loams, 0 to 2 percent slopes	C/D	105.0	0.4%
Z119A	Hamerly-Balaton loams, coteau, 0 to 3 percent slopes	C/D	31.0	0.1%
Z139	Udorthents, loamy, coteau (cut and fill land)	C	83.9	0.3%
Z141A	Barnes-Svea loams, coteau, 0 to 2 percent slopes	C	2.8	0.0%

Map unit symbol	Map unit name	Rating	Acres in AOI	Percent of AOI
Z141B	Barnes-Svea loams, coteau, 1 to 6 percent slopes	C	0.4	0.0%
Z142B	Barnes-Buse-Svea loams, coteau, 1 to 6 percent slopes	C	100.8	0.4%
Z142C	Barnes-Buse-Svea loams, coteau, 2 to 9 percent slopes	C	193.9	0.8%
Z143C	Barnes-Buse loams, coteau, 6 to 9 percent slopes	C	14.5	0.1%
Z144E	Buse-Barnes loams, coteau, 9 to 20 percent slopes	C	49.7	0.2%
Z145D	Buse-Barnes loams, coteau, 2 to 15 percent slopes, very stony	C	310.7	1.3%
Z150A	Rauville silty clay loam, coteau, 0 to 1 percent slopes, frequently flooded	B/D	119.0	0.5%
Z153A	Lamoure-Rauville silty clay loams, channeled, 0 to 2 percent slopes, frequently flooded	B/D	118.2	0.5%
Z157A	Fairdale loam, channeled, 0 to 2 percent slopes, frequently flooded	C	8.9	0.0%
Z158A	Marysland loam, 0 to 1 percent slopes, occasionally flooded	B/D	379.2	1.5%
Z159A	Divide loam, 0 to 2 percent slopes, occasionally flooded	B/D	682.8	2.8%
Z161A	Spottswood loam, 0 to 2 percent slopes, occasionally flooded	B/D	5.5	0.0%
Z171A	Renshaw-Fordville loams, coteau, 0 to 2 percent slopes	B	1,144.7	4.6%
Z171B	Renshaw-Fordville loams, coteau, 2 to 6 percent slopes	B	11.4	0.0%
Z173B	Renshaw-Sioux complex, coteau, 2 to 6 percent slopes	B	54.9	0.2%
Z173C	Renshaw-Sioux complex, coteau, 6 to 9 percent slopes	B	0.5	0.0%

Map unit symbol	Map unit name	Rating	Acres in AOI	Percent of AOI
Z175D	Renshaw-Sioux complex, 2 to 15 percent slopes, very stony	B	1.9	0.0%
Z177	Udorthents, coteau (gravel pits)	A	223.4	0.9%
Z192A	Vienna-Brookings complex, 0 to 2 percent slopes	C	1,197.5	4.8%
Z192B	Vienna-Brookings complex, 1 to 6 percent slopes	C	1,501.0	6.1%
Z193C	Vienna-Buse complex, coteau, 6 to 9 percent slopes	C	60.5	0.2%
Z198A	Vienna-Forestville loams, coteau, 0 to 2 percent slopes	C	15.6	0.1%
Z199B	Vienna-Barnes-Forestville loams, 1 to 6 percent slopes	C	1,278.0	5.2%
Z298B	Vienna-Barnes very stony-Forestville loams, 1 to 6 percent slopes	C	104.0	0.4%
Subtotals for Soil Survey Area			8,267.9	33.4%
Totals for Area of Interest			24,760.6	100.0%

Description

Hydrologic soil groups are based on estimates of runoff potential. Soils are assigned to one of four groups according to the rate of water infiltration when the soils are not protected by vegetation, are thoroughly wet, and receive precipitation from long-duration storms.

The soils in the United States are assigned to four groups (A, B, C, and D) and three dual classes (A/D, B/D, and C/D). The groups are defined as follows:

Group A. Soils having a high infiltration rate (low runoff potential) when thoroughly wet. These consist mainly of deep, well drained to excessively drained sands or gravelly sands. These soils have a high rate of water transmission.

Group B. Soils having a moderate infiltration rate when thoroughly wet. These consist chiefly of moderately deep or deep, moderately well drained or well drained soils that have moderately fine texture to moderately coarse texture. These soils have a moderate rate of water transmission.

Group C. Soils having a slow infiltration rate when thoroughly wet. These consist chiefly of soils having a layer that impedes the downward movement of water or soils of moderately fine texture or fine texture. These soils have a slow rate of water transmission.

Group D. Soils having a very slow infiltration rate (high runoff potential) when thoroughly wet. These consist chiefly of clays that have a high shrink-swell potential, soils that have a high water table, soils that have a claypan or clay layer at or near the surface, and soils that are shallow over nearly impervious material. These soils have a very slow rate of water transmission.

If a soil is assigned to a dual hydrologic group (A/D, B/D, or C/D), the first letter is for drained areas and the second is for undrained areas. Only the soils that in their natural condition are in group D are assigned to dual classes.


Rating Options

Aggregation Method: Dominant Condition


Component Percent Cutoff: None Specified

Tie-break Rule: Higher

Erosion Hazard (Off-Road, Off-Trail)—Grant County, South Dakota, and Roberts County, South Dakota
(Dakota Range III)
Index Sheet



Map Scale: 1:106,000 if printed on A portrait (8.5" x 11") sheet.






**Natural Resources
Conservation Service**

Web Soil Survey
National Cooperative Soil Survey

8/6/2019
Page 1 of 38

Erosion Hazard (Off-Road, Off-Trail)—Grant County, South Dakota, and Roberts County, South Dakota
(Dakota Range III)
Map sheet 1 of 16




Map Sheet Location



Natural Resources
Conservation Service

Web Soil Survey
National Cooperative Soil Survey

Erosion Hazard (Off-Road, Off-Trail)—Grant County, South Dakota, and Roberts County, South Dakota
(Dakota Range III)
Map sheet 2 of 16




Natural Resources
Conservation Service

Web Soil Survey
National Cooperative Soil Survey

8/6/2019
Page 3 of 38

Erosion Hazard (Off-Road, Off-Trail)—Grant County, South Dakota, and Roberts County, South Dakota
(Dakota Range III)
Map sheet 3 of 16




Natural Resources
Conservation Service

Web Soil Survey
National Cooperative Soil Survey

8/6/2019
Page 4 of 38

Erosion Hazard (Off-Road, Off-Trail)—Grant County, South Dakota, and Roberts County, South Dakota
(Dakota Range III)
Map sheet 4 of 16



Joins sheet 7

97° 3' 46\"/>



Map Scale: 1:24,000 if printed on A portrait (8.5\"/>



Map projection: Web Mercator Corner coordinates: WGS84 Edge tics: UTM Zone 14N WGS84

Joins sheet 8

			4

Map Sheet Location






Natural Resources
Conservation Service

Web Soil Survey
National Cooperative Soil Survey

8/6/2019
Page 5 of 38

Erosion Hazard (Off-Road, Off-Trail)—Grant County, South Dakota, and Roberts County, South Dakota
(Dakota Range III)
Map sheet 5 of 16
Joins sheet 1



Natural Resources
Conservation Service


Web Soil Survey
National Cooperative Soil Survey

Map Sheet Location

8/6/2019
Page 6 of 38

8/6/2019
Page 7 of 38

Erosion Hazard (Off-Road, Off-Trail)—Grant County, South Dakota, and Roberts County, South Dakota
(Dakota Range III)
Map sheet 7 of 16
Joins sheet 3




Natural Resources
Conservation Service

Web Soil Survey
National Cooperative Soil Survey

8/6/2019
Page 8 of 38

Erosion Hazard (Off-Road, Off-Trail)—Grant County, South Dakota, and Roberts County, South Dakota
(Dakota Range III)
Map sheet 8 of 16
Joins sheet 4



Map Scale: 1:24,000 if printed on A portrait (8.5" x 11") sheet.




Map projection: Web Mercator Corner coordinates: WGS84 Edge ticks: UTM Zone 14N WGS84



Natural Resources
Conservation Service




Web Soil Survey
National Cooperative Soil Survey



Map Sheet Location

8/6/2019
Page 9 of 38

Erosion Hazard (Off-Road, Off-Trail)—Grant County, South Dakota, and Roberts County, South Dakota
(Dakota Range III)
Map sheet 9 of 16
Joins sheet 5



Map Sheet Location




Natural Resources
Conservation Service

Web Soil Survey
National Cooperative Soil Survey

8/6/2019
Page 10 of 38

Erosion Hazard (Off-Road, Off-Trail)—Grant County, South Dakota, and Roberts County, South Dakota
(Dakota Range III)
Map sheet 10 of 16
Joins sheet 6




Joins sheet 8




Map projection: Web Mercator Corner coordinates: WGS84 Edge tics: UTM Zone 14N WGS84




Erosion Hazard (Off-Road, Off-Trail)—Grant County, South Dakota, and Roberts County, South Dakota
(Dakota Range III)
Map sheet 12 of 16
Joins sheet 8



Map Scale: 1:24,000 if printed on A portrait (8.5" x 11") sheet.



Map projection: Web Mercator Corner coordinates: WGS84 Edge tics: UTM Zone 14N WGS84



Map Sheet Location




**Natural Resources
Conservation Service**

Web Soil Survey
National Cooperative Soil Survey

8/6/2019
Page 13 of 38

Joins sheet 10

0 1000 2000 4000 6000
Map projection: Web Mercator Corner coordinates: WGS84 Edge tics: UTM Zone 14N WGS84



8/6/2019
Page 14 of 38

Erosion Hazard (Off-Road, Off-Trail)—Grant County, South Dakota, and Roberts County, South Dakota
(Dakota Range III)
Map sheet 14 of 16
Joins sheet 10





Figure 1 is a map of the study area. It shows a black square representing the study site, located in the center of the map. The map includes a scale bar at the bottom, ranging from 0 to 1400 meters, and a north arrow pointing upwards.



**Natural Resources
Conservation Service**


Web Soil Survey
National Cooperative Soil Survey



Map Sheet Location

8/6/2019
Page 15 of 38


Erosion Hazard (Off-Road, Off-Trail)—Grant County, South Dakota, and Roberts County, South Dakota
(Dakota Range III)
Map sheet 15 of 16
Joins sheet 11



Map Scale: 1:24,000 if printed on A portrait (8.5" x 11") sheet.



Map projection: Web Mercator Corner coordinates: WGS84 Edge tics: UTM Zone 14N WGS84



Map Sheet Location






Natural Resources
Conservation Service

Web Soil Survey
National Cooperative Soil Survey

8/6/2019
Page 16 of 38

Erosion Hazard (Off-Road, Off-Trail)—Grant County, South Dakota, and Roberts County, South Dakota
(Dakota Range III)
Map sheet 16 of 16
Joins sheet 12



Map Sheet Location



**Natural Resources
Conservation Service**

Web Soil Survey
National Cooperative Soil Survey

8/6/2019
Page 17 of 38






MAP LEGEND

Area of Interest (AOI)






 Area of Interest (AOI)

Soils






Soil Rating Polygons

 Very severe
 Severe
 Moderate
 Slight
 Not rated or not available


Soil Rating Lines

 Very severe
 Severe
 Moderate
 Slight
 Not rated or not available

Soil Rating Points




 Very severe
 Severe
 Moderate
 Slight
 Not rated or not available

Water Features


 Streams and Canals

Transportation

 Rails
 Interstate Highways

 US Routes
 Major Roads
 Local Roads

Background

 Aerial Photography

MAP INFORMATION

The soil surveys that comprise your AOI were mapped at 1:20,000.

Please rely on the bar scale on each map sheet for map measurements.

Source of Map: Natural Resources Conservation Service
Web Soil Survey URL:
Coordinate System: Web Mercator (EPSG:3857)

Maps from the Web Soil Survey are based on the Web Mercator projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more accurate calculations of distance or area are required.

This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.

Soil Survey Area: Grant County, South Dakota
Survey Area Data: Version 20, Sep 12, 2018

Soil Survey Area: Roberts County, South Dakota
Survey Area Data: Version 19, Sep 12, 2018

Your area of interest (AOI) includes more than one soil survey area. These survey areas may have been mapped at different scales, with a different land use in mind, at different times, or at different levels of detail. This may result in map unit symbols, soil properties, and interpretations that do not completely agree across soil survey area boundaries.

Soil map units are labeled (as space allows) for map scales 1:50,000 or larger.

Date(s) aerial images were photographed: Aug 22, 2013—Nov 14, 2016

The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.

Erosion Hazard (Off-Road, Off-Trail)

Map unit symbol	Map unit name	Rating	Component name (percent)	Rating reasons (numeric values)	Acres in AOI	Percent of AOI
Ta	Tonka silty clay loam, 0 to 1 percent slopes	Slight	Tonka, undrained (90%)		26.5	0.1%
			Cubden (5%)			
			Vallers (2%)			
			Hamerly (2%)			
			Parnell (1%)			
W	Water	Not rated	Water (100%)		5.9	0.0%
Z102A	Badger-Tonka silty clay loams, coteau, 0 to 1 percent slopes	Slight	Badger (60%)		19.1	0.1%
			Tonka, undrained (30%)			
			Badger, poorly drained (3%)			
			Cubden (2%)			
			Mckranz (2%)			
			Hamerly (2%)			
			Parnell, undrained (1%)			
Z107A	Parnell silty clay loam, coteau, 0 to 1 percent slopes	Slight	Parnell (85%)		12.5	0.1%
			Vallers (10%)			
			Cubden (3%)			
			Hamerly (2%)			
Z112A	Vallers-Hamerly loams, coteau, 0 to 2 percent slopes	Slight	Vallers (60%)		26.2	0.1%
			Hamerly (30%)			
			Balaton (3%)			
			Parnell (2%)			
			Tonka (2%)			
			Svea (2%)			
			Hamerly, moderately saline (1%)			
Z114A	Hamerly-Tonka complex, coteau, 0 to 2 percent slopes	Slight	Hamerly (60%)		136.4	0.6%
			Tonka (25%)			
			Svea (7%)			
			Balaton (5%)			

Map unit symbol	Map unit name	Rating	Component name (percent)	Rating reasons (numeric values)	Acres in AOI	Percent of AOI
			Parnell (2%)			
			Hamerly, moderately saline (1%)			
Z115A	Hamerly-Badger complex, coteau, 0 to 2 percent slopes	Slight	Hamerly (65%)		86.5	0.3%
			Badger (25%)			
			Svea (4%)			
			Balaton (2%)			
			Tonka (2%)			
			Badger, poorly drained (2%)			
Z116A	Mckranz-Hidewood, frequently flooded, silty clay loams, 0 to 2 percent slopes	Slight	Mckranz (65%)		90.4	0.4%
			Hidewood, frequently flooded (25%)			
			Brookings (5%)			
			Badger (3%)			
			Rauville, frequently flooded (2%)			
Z117A	Mckranz-Badger silty clay loams, 0 to 2 percent slopes	Slight	Mckranz (55%)		489.4	2.0%
			Badger (30%)			
			Brookings (6%)			
			Hidewood, frequently flooded (4%)			
			Tonka, undrained (2%)			
			Badger, poorly drained (2%)			
			Mckranz, moderately saline (1%)			
Z140F	Buse-Langhei complex, coteau, 15 to 40 percent slopes	Moderate	Buse (50%)	Slope/erodibility (0.50)	7.6	0.0%
			Langhei (35%)	Slope/erodibility (0.50)		
			Barnes (5%)	Slope/erodibility (0.50)		
			Sioux (2%)	Slope/erodibility (0.50)		
			Buse, very stony (1%)	Slope/erodibility (0.50)		

Map unit symbol	Map unit name	Rating	Component name (percent)	Rating reasons (numeric values)	Acres in AOI	Percent of AOI
Z141A	Barnes-Svea loams, coteau, 0 to 2 percent slopes	Slight	Barnes, occasional saturation (55%)		65.2	0.3%
			Svea (35%)			
			Buse (4%)			
			Badger (2%)			
			Hamerly (2%)			
			Tonka (1%)			
			Barnes, very stony, occasional saturation (1%)			
Z141B	Barnes-Svea loams, coteau, 1 to 6 percent slopes	Slight	Barnes, occasional saturation (60%)		53.2	0.2%
			Svea (30%)			
			Buse (5%)			
			Tonka (2%)			
			Barnes, very stony, occasional saturation (1%)			
			Hamerly (1%)			
			Badger (1%)			
Z142B	Barnes-Buse-Svea loams, coteau, 1 to 6 percent slopes	Slight	Barnes, occasional saturation (40%)		391.8	1.6%
			Buse (30%)			
			Svea (20%)			
			Tonka (4%)			
			Badger (3%)			
			Hamerly (2%)			
			Buse, very stony (1%)			
Z142C	Barnes-Buse-Svea loams, coteau, 2 to 9 percent slopes	Slight	Barnes (40%)		181.2	0.7%
			Buse (35%)			
			Svea (20%)			
			Tonka (3%)			
			Buse, very stony (1%)			

Map unit symbol	Map unit name	Rating	Component name (percent)	Rating reasons (numeric values)	Acres in AOI	Percent of AOI
			Hamerly (1%)			
Z143C	Barnes-Buse loams, coteau, 6 to 9 percent slopes	Slight	Barnes (55%)		6.5	0.0%
			Buse (35%)			
			Svea (4%)			
			Tonka (3%)			
			Hamerly (2%)			
			Buse, very stony (1%)			
Z144E	Buse-Barnes loams, coteau, 9 to 20 percent slopes	Moderate	Buse (50%)	Slope/erodibility (0.50)	74.0	0.3%
			Sioux (2%)	Slope/erodibility (0.50)		
			Buse, very stony (1%)	Slope/erodibility (0.50)		
Z145D	Buse-Barnes loams, coteau, 2 to 15 percent slopes, very stony	Slight	Buse, very stony (50%)		83.6	0.3%
			Barnes, very stony (35%)			
			Svea (6%)			
			Hamerly (3%)			
			Sioux, very stony (2%)			
			Tonka (2%)			
			Parnell (1%)			
			Southam (1%)			
Z145F	Buse-Barnes loams, coteau, 9 to 40 percent slopes, very stony	Moderate	Buse, very stony (50%)	Slope/erodibility (0.50)	88.9	0.4%
			Barnes, very stony (40%)	Slope/erodibility (0.50)		
			Sioux, very stony (2%)	Slope/erodibility (0.50)		
Z146F	Buse-Lamoure, channeled, frequently flooded, complex, 0 to 40 percent slopes	Moderate	Buse (55%)	Slope/erodibility (0.50)	16.8	0.1%
			Barnes (6%)	Slope/erodibility (0.50)		
			Sioux (2%)	Slope/erodibility (0.50)		
			Buse, very stony (1%)	Slope/erodibility (0.50)		
Z150A	Rauville silty clay loam, coteau, 0 to 1 percent slopes, frequently flooded	Slight	Rauville, frequently flooded (85%)		165.9	0.7%

Map unit symbol	Map unit name	Rating	Component name (percent)	Rating reasons (numeric values)	Acres in AOI	Percent of AOI
			Marysland, occasionally flooded (7%)			
			Lamoure, occasionally flooded (5%)			
			Divide, occasionally flooded (3%)			
Z152A	Lamoure silty clay loam, coteau, 0 to 1 percent slopes, occasionally flooded	Slight	Lamoure, occasionally flooded (85%)		96.6	0.4%
			Rauville, frequently flooded (5%)			
			La Prairie, occasionally flooded (3%)			
			Lamoure, frequently flooded (3%)			
			Divide, occasionally flooded (2%)			
			Ludden, frequently flooded (2%)			
Z153A	Lamoure-Rauville silty clay loams, channeled, 0 to 2 percent slopes, frequently flooded	Slight	Lamoure, channeled, frequently flooded (65%)		688.6	2.8%
			Rauville, channeled, frequently flooded (25%)			
			Divide, occasionally flooded (5%)			
			Marysland, occasionally flooded (4%)			
Z158A	Marysland loam, 0 to 1 percent slopes, occasionally flooded	Slight	Marysland, occasionally flooded (80%)		320.9	1.3%
			Divide, occasionally flooded (10%)			
			Rauville, frequently flooded (8%)			

Map unit symbol	Map unit name	Rating	Component name (percent)	Rating reasons (numeric values)	Acres in AOI	Percent of AOI
			Lamoure, occasionally flooded (2%)			
Z159A	Divide loam, 0 to 2 percent slopes, occasionally flooded	Slight	Divide, occasionally flooded (80%)		592.8	2.4%
			Marysland, occasionally flooded (10%)			
			Moritz, occasionally flooded (5%)			
			Renwash, rarely flooded (3%)			
			Fordtown, rarely flooded (2%)			
Z160A	Moritz, occasionally flooded-Lamoure, frequently flooded, complex, 0 to 2 percent slopes	Slight	Moritz, occasionally flooded (50%)		24.5	0.1%
			Lamoure, frequently flooded (30%)			
			Divide, occasionally flooded (10%)			
			Rauville, frequently flooded (5%)			
			La Prairie, occasionally flooded (5%)			
Z161A	Spottswood loam, 0 to 2 percent slopes, occasionally flooded	Slight	Spottswood, occasionally flooded (85%)		38.9	0.2%
			Divide, occasionally flooded (8%)			
			Fordtown, rarely flooded (5%)			
			Lamoure, occasionally flooded (1%)			
			Castlewood, occasionally flooded (1%)			
Z165B	Darnen loam, coteau, 2 to 6 percent slopes	Slight	Darnen, occasional saturation (90%)		9.9	0.0%
			Svea (3%)			

Map unit symbol	Map unit name	Rating	Component name (percent)	Rating reasons (numeric values)	Acres in AOI	Percent of AOI
			Egeland (3%)			
			Fordville (2%)			
			Embden (2%)			
Z166A	Fordtown loam, 0 to 2 percent slopes, rarely flooded	Slight	Fordtown, rarely flooded (80%)		49.6	0.2%
			Renwash, rarely flooded (10%)			
			Spottswood, occasionally flooded (5%)			
			Divide, occasionally flooded (5%)			
Z167A	Renwash loam, 0 to 2 percent slopes, rarely flooded	Slight	Renwash, rarely flooded (85%)		270.7	1.1%
			Fordtown, rarely flooded (10%)			
			Divide, occasionally flooded (5%)			
Z168A	Allivar sandy loam, 0 to 2 percent slopes, rarely flooded	Slight	Allivar, rarely flooded (85%)		27.9	0.1%
			Divide, occasionally flooded (10%)			
			Fordtown, rarely flooded (5%)			
Z171A	Renshaw-Fordville loams, coteau, 0 to 2 percent slopes	Slight	Renshaw (55%)		1,895.9	7.7%
			Fordville (35%)			
			Sioux (5%)			
			Divide, occasionally flooded (3%)			
			Spottswood, occasionally flooded (2%)			
Z171B	Renshaw-Fordville loams, coteau, 2 to 6 percent slopes	Slight	Renshaw (60%)		197.5	0.8%
			Fordville (30%)			
			Sioux (6%)			
			Spottswood, occasionally flooded (2%)			
			Divide, occasionally flooded (2%)			
Z173B	Renshaw-Sioux complex,	Slight	Renshaw (60%)		474.4	1.9%

Map unit symbol	Map unit name	Rating	Component name (percent)	Rating reasons (numeric values)	Acres in AOI	Percent of AOI
	coteau, 2 to 6 percent slopes		Sioux (30%)			
			Fordville (7%)			
			Spottswood, occasionally flooded (3%)			
Z173C	Renshaw-Sioux complex, coteau, 6 to 9 percent slopes	Slight	Renshaw (50%)		87.2	0.4%
			Sioux (40%)			
			Fordville (7%)			
			Spottswood, occasionally flooded (3%)			
Z174D	Sioux-Renshaw complex, coteau, 9 to 15 percent slopes	Slight	Sioux (50%)		27.1	0.1%
			Renshaw (35%)			
			Everts (5%)			
			Fordville (5%)			
			Spottswood, occasionally flooded (3%)			
			Egeland (2%)			
Z174F	Sioux-Renshaw complex, coteau, 15 to 40 percent slopes	Moderate	Sioux (60%)	Slope/erodibility (0.50)	24.3	0.1%
			Renshaw (30%)	Slope/erodibility (0.50)		
			Buse (3%)	Slope/erodibility (0.50)		
Z177	Udorthents, coteau (gravel pits)	Moderate	Udorthents, gravelly (85%)	Slope/erodibility (0.50)	26.8	0.1%
			Sioux (4%)	Slope/erodibility (0.50)		
Z178A	Rentill loam, coteau, 0 to 2 percent slopes	Slight	Rentill (90%)		18.4	0.1%
			Renshaw (5%)			
			Fordville (5%)			
Z182A	Estelline silt loam, coteau, 0 to 2 percent slopes	Slight	Estelline (90%)		278.8	1.1%
			Renshaw (4%)			
			Kranzburg (3%)			
			Goldsmith (2%)			
			Badger (1%)			
Z185B	Egeland-Embsden complex, coteau, 2 to 6 percent slopes	Slight	Egeland (60%)		11.4	0.0%
			Embsden (30%)			
			Maddock (10%)			
Z186B	Maddock-Egeland sandy	Slight	Maddock (55%)		22.7	0.1%

Map unit symbol	Map unit name	Rating	Component name (percent)	Rating reasons (numeric values)	Acres in AOI	Percent of AOI
	loams, coteau, 2 to 6 percent slopes		Egeland (35%)			
			Embsden (10%)			
Z188B	Lanona-Swenoda fine sandy loams, coteau, 2 to 6 percent slopes	Slight	Lanona, occasional saturation (55%)		12.7	0.1%
			Swenoda (35%)			
			Doburg, occasional saturation (7%)			
			Maddock (3%)			
Z190A	Brookings silty clay loam, 0 to 2 percent slopes	Slight	Brookings (90%)		132.7	0.5%
			Kranzburg (4%)			
			Badger (3%)			
			Mckranz (2%)			
			Tonka, undrained (1%)			
Z192A	Vienna-Brookings complex, 0 to 2 percent slopes	Slight	Vienna (65%)		4,753.1	19.2%
			Brookings (25%)			
			Badger (4%)			
			Mckranz (4%)			
			Tonka, undrained (1%)			
			Estelline (1%)			
Z192B	Vienna-Brookings complex, 1 to 6 percent slopes	Slight	Vienna (70%)		2,716.9	11.0%
			Brookings (20%)			
			Mckranz (4%)			
			Badger (4%)			
			Tonka, undrained (1%)			
			Estelline (1%)			
Z193C	Vienna-Buse complex, coteau, 6 to 9 percent slopes	Slight	Vienna (65%)		133.4	0.5%
			Buse (25%)			
			Brookings (7%)			
			Mckranz (2%)			
			Badger (1%)			

Map unit symbol	Map unit name	Rating	Component name (percent)	Rating reasons (numeric values)	Acres in AOI	Percent of AOI
Z194A	Barnes clay loam, coteau, 0 to 2 percent slopes	Slight	Barnes, occasional saturation (80%)		1,018.5	4.1%
			Svea (11%)			
			Hamerly (3%)			
			Badger (3%)			
			Tonka (2%)			
			Barnes, very stony, occasional saturation (1%)			
Z194B	Barnes clay loam, coteau, 2 to 6 percent slopes	Slight	Barnes, occasional saturation (85%)		387.1	1.6%
			Svea (7%)			
			Buse (3%)			
			Badger (2%)			
			Tonka (2%)			
			Barnes, very stony, occasional saturation (1%)			
Z198A	Vienna-Forestville loams, coteau, 0 to 2 percent slopes	Slight	Vienna, occasional saturation (60%)		13.2	0.1%
			Forestville (25%)			
			Barnes, occasional saturation (11%)			
			Rentill (2%)			
			Tonka (2%)			
Z199B	Vienna-Barnes-Forestville loams, 1 to 6 percent slopes	Slight	Vienna, occasional saturation (40%)		49.3	0.2%
			Barnes, occasional saturation (30%)			
			Forestville (15%)			
			Rentill (6%)			

Map unit symbol	Map unit name	Rating	Component name (percent)	Rating reasons (numeric values)	Acres in AOI	Percent of AOI
			Buse (5%)			
			Hamerly (2%)			
			Tonka (2%)			
Z217A	McKranz silty clay loam, 0 to 2 percent slopes	Slight	Mckranz (70%)		33.0	0.1%
			Brookings (12%)			
			Vienna, occasional saturation (7%)			
			Kranzburg, occasional saturation (6%)			
			Tonka (5%)			
Z250A	Rauville mucky silty clay loam, ponded, 0 to 1 percent slopes, frequently flooded	Slight	Rauville, ponded, frequently flooded (85%)		8.2	0.0%
			Marysland, occasionally flooded (7%)			
			Lamoure, frequently flooded (5%)			
			Ludden, frequently flooded (3%)			
Z252A	Hidewood silty clay loam, 0 to 2 percent slopes, frequently flooded	Slight	Hidewood, frequently flooded (75%)		21.9	0.1%
			Rauville, frequently flooded (10%)			
			Mckranz (8%)			
			Cubden (7%)			
Subtotals for Soil Survey Area					16,492.7	66.6%
Totals for Area of Interest					24,760.6	100.0%

Map unit symbol	Map unit name	Rating	Component name (percent)	Rating reasons (numeric values)	Acres in AOI	Percent of AOI
FoB	Forman-Aastad loams, 2 to 6 percent slopes	Slight	Forman (60%)		40.1	0.2%
			Aastad (25%)			
			Buse (5%)			
			Peever (3%)			

Map unit symbol	Map unit name	Rating	Component name (percent)	Rating reasons (numeric values)	Acres in AOI	Percent of AOI
			Tonka (2%)			
			Vallers (2%)			
			Hamerly (2%)			
			Parnell (1%)			
FoC	Forman-Aastad loams, 6 to 9 percent slopes	Slight	Forman (60%)		17.4	0.1%
			Aastad (25%)			
			Buse (3%)			
			Hamerly (3%)			
			Parnell (3%)			
			Tonka (3%)			
			Vallers (3%)			
FoD	Forman-Aastad loams, 9 to 15 percent slopes	Slight	Forman (55%)		0.2	0.0%
			Aastad (25%)			
			Buse (9%)			
			Sinai (4%)			
			Tonka (3%)			
			Parnell (1%)			
W	Water	Not rated	Water (100%)		111.3	0.4%
Z107A	Parnell silty clay loam, coteau, 0 to 1 percent slopes	Slight	Parnell (85%)		3.0	0.0%
			Vallers (10%)			
			Cubden (3%)			
			Hamerly (2%)			
Z112A	Vallers-Hamerly loams, coteau, 0 to 2 percent slopes	Slight	Vallers (60%)		170.8	0.7%
			Hamerly (30%)			
			Balaton (3%)			
			Tonka (2%)			
			Svea (2%)			
			Parnell (2%)			
			Hamerly, moderately saline (1%)			
Z114A	Hamerly-Tonka complex, coteau, 0 to 2 percent slopes	Slight	Hamerly (60%)		85.1	0.3%
			Tonka (25%)			
			Svea (7%)			
			Balaton (5%)			
			Parnell (2%)			
			Hamerly, moderately saline (1%)			

Map unit symbol	Map unit name	Rating	Component name (percent)	Rating reasons (numeric values)	Acres in AOI	Percent of AOI
Z115A	Hamerly-Badger complex, coteau, 0 to 2 percent slopes	Slight	Hamerly (65%)		40.3	0.2%
			Badger (25%)			
			Svea (4%)			
			Balaton (2%)			
			Tonka (2%)			
			Badger, poorly drained (2%)			
Z117A	Mckranz-Badger silty clay loams, 0 to 2 percent slopes	Slight	Mckranz (55%)		105.0	0.4%
			Badger (30%)			
			Brookings (6%)			
			Hidewood, frequently flooded (4%)			
			Tonka, undrained (2%)			
			Badger, poorly drained (2%)			
			Mckranz, moderately saline (1%)			
Z119A	Hamerly-Balaton loams, coteau, 0 to 3 percent slopes	Slight	Hamerly (55%)		31.0	0.1%
			Balaton (35%)			
			Vallers (5%)			
			Svea (2%)			
			Tonka (2%)			
			Hamerly, moderately saline (1%)			
Z139	Udorthents, loamy, coteau (cut and fill land)	Slight	Udorthents, loamy (95%)		83.9	0.3%
			Barnes (5%)			
Z141A	Barnes-Svea loams, coteau, 0 to 2 percent slopes	Slight	Barnes, occasional saturation (55%)		2.8	0.0%
			Svea (35%)			
			Buse (4%)			
			Badger (2%)			
			Hamerly (2%)			
			Tonka (1%)			

Map unit symbol	Map unit name	Rating	Component name (percent)	Rating reasons (numeric values)	Acres in AOI	Percent of AOI
			Barnes, very stony, occasional saturation (1%)			
Z141B	Barnes-Svea loams, coteau, 1 to 6 percent slopes	Slight	Barnes, occasional saturation (60%)		0.4	0.0%
			Svea (30%)			
			Buse (5%)			
			Tonka (2%)			
			Barnes, very stony, occasional saturation (1%)			
			Hamerly (1%)			
			Badger (1%)			
Z142B	Barnes-Buse-Svea loams, coteau, 1 to 6 percent slopes	Slight	Barnes, occasional saturation (40%)		100.8	0.4%
			Buse (30%)			
			Svea (20%)			
			Tonka (4%)			
			Badger (3%)			
			Hamerly (2%)			
			Buse, very stony (1%)			
Z142C	Barnes-Buse-Svea loams, coteau, 2 to 9 percent slopes	Slight	Barnes (40%)		193.9	0.8%
			Buse (35%)			
			Svea (20%)			
			Tonka (3%)			
			Buse, very stony (1%)			
			Hamerly (1%)			
Z143C	Barnes-Buse loams, coteau, 6 to 9 percent slopes	Slight	Barnes (55%)		14.5	0.1%
			Buse (35%)			
			Svea (4%)			
			Tonka (3%)			
			Hamerly (2%)			
			Buse, very stony (1%)			

Map unit symbol	Map unit name	Rating	Component name (percent)	Rating reasons (numeric values)	Acres in AOI	Percent of AOI
Z144E	Buse-Barnes loams, coteau, 9 to 20 percent slopes	Moderate	Buse (50%)	Slope/erodibility (0.50)	49.7	0.2%
			Sioux (2%)	Slope/erodibility (0.50)		
			Buse, very stony (1%)	Slope/erodibility (0.50)		
Z145D	Buse-Barnes loams, coteau, 2 to 15 percent slopes, very stony	Slight	Buse, very stony (50%)		310.7	1.3%
			Barnes, very stony (35%)			
			Svea (6%)			
			Hamerly (3%)			
			Tonka (2%)			
			Sioux, very stony (2%)			
			Parnell (1%)			
			Southam (1%)			
Z150A	Rauville silty clay loam, coteau, 0 to 1 percent slopes, frequently flooded	Slight	Rauville, frequently flooded (85%)		119.0	0.5%
			Marysland, occasionally flooded (7%)			
			Lamoure, occasionally flooded (5%)			
			Divide, occasionally flooded (3%)			
Z153A	Lamoure-Rauville silty clay loams, channeled, 0 to 2 percent slopes, frequently flooded	Slight	Lamoure, channeled, frequently flooded (65%)		118.2	0.5%
			Rauville, channeled, frequently flooded (25%)			
			Divide, occasionally flooded (5%)			
			Marysland, occasionally flooded (4%)			
Z157A	Fairdale loam, channeled, 0 to 2 percent slopes, frequently flooded	Slight	Fairdale, channeled (70%)		8.9	0.0%

Map unit symbol	Map unit name	Rating	Component name (percent)	Rating reasons (numeric values)	Acres in AOI	Percent of AOI
			Lamoure, channeled, frequently flooded (10%)			
			La Prairie, occasionally flooded (10%)			
			Divide, occasionally flooded (5%)			
			Rauville, frequently flooded (4%)			
Z158A	Marysland loam, 0 to 1 percent slopes, occasionally flooded	Slight	Marysland, occasionally flooded (80%)		379.2	1.5%
			Divide, occasionally flooded (10%)			
			Rauville, frequently flooded (8%)			
			Lamoure, occasionally flooded (2%)			
Z159A	Divide loam, 0 to 2 percent slopes, occasionally flooded	Slight	Divide, occasionally flooded (80%)		682.8	2.8%
			Marysland, occasionally flooded (10%)			
			Moritz, occasionally flooded (5%)			
			Renwash, rarely flooded (3%)			
			Fordtown, rarely flooded (2%)			
Z161A	Spottswood loam, 0 to 2 percent slopes, occasionally flooded	Slight	Spottswood, occasionally flooded (85%)		5.5	0.0%
			Divide, occasionally flooded (8%)			
			Fordtown, rarely flooded (5%)			
			Lamoure, occasionally flooded (1%)			

Map unit symbol	Map unit name	Rating	Component name (percent)	Rating reasons (numeric values)	Acres in AOI	Percent of AOI
			Castlewood, occasionally flooded (1%)			
Z171A	Renshaw-Fordville loams, coteau, 0 to 2 percent slopes	Slight	Renshaw (55%)		1,144.7	4.6%
			Fordville (35%)			
			Sioux (5%)			
			Divide, occasionally flooded (3%)			
			Spottswood, occasionally flooded (2%)			
Z171B	Renshaw-Fordville loams, coteau, 2 to 6 percent slopes	Slight	Renshaw (60%)		11.4	0.0%
			Fordville (30%)			
			Sioux (6%)			
			Spottswood, occasionally flooded (2%)			
			Divide, occasionally flooded (2%)			
Z173B	Renshaw-Sioux complex, coteau, 2 to 6 percent slopes	Slight	Renshaw (60%)		54.9	0.2%
			Sioux (30%)			
			Fordville (7%)			
			Spottswood, occasionally flooded (3%)			
Z173C	Renshaw-Sioux complex, coteau, 6 to 9 percent slopes	Slight	Renshaw (50%)		0.5	0.0%
			Sioux (40%)			
			Fordville (7%)			
			Spottswood, occasionally flooded (3%)			
Z175D	Renshaw-Sioux complex, 2 to 15 percent slopes, very stony	Slight	Renshaw, very stony (60%)		1.9	0.0%
			Sioux, very stony (30%)			
			Fordville (10%)			
Z177	Udorthents, coteau (gravel pits)	Moderate	Udorthents, gravelly (85%)	Slope/erodibility (0.50)	223.4	0.9%
			Sioux (4%)	Slope/erodibility (0.50)		
Z192A	Vienna-Brookings complex, 0 to	Slight	Vienna (65%)		1,197.5	4.8%
			Brookings (25%)			

Map unit symbol	Map unit name	Rating	Component name (percent)	Rating reasons (numeric values)	Acres in AOI	Percent of AOI
	2 percent slopes		Badger (4%)			
			Mckranz (4%)			
			Tonka, undrained (1%)			
			Estelline (1%)			
Z192B	Vienna-Brookings complex, 1 to 6 percent slopes	Slight	Vienna (70%)		1,501.0	6.1%
			Brookings (20%)			
			Mckranz (4%)			
			Badger (4%)			
			Tonka, undrained (1%)			
			Estelline (1%)			
Z193C	Vienna-Buse complex, coteau, 6 to 9 percent slopes	Slight	Vienna (65%)		60.5	0.2%
			Buse (25%)			
			Brookings (7%)			
			Mckranz (2%)			
			Badger (1%)			
Z198A	Vienna-Forestville loams, coteau, 0 to 2 percent slopes	Slight	Vienna, occasional saturation (60%)		15.6	0.1%
			Forestville (25%)			
			Barnes, occasional saturation (11%)			
			Rentill (2%)			
			Tonka (2%)			
Z199B	Vienna-Barnes-Forestville loams, 1 to 6 percent slopes	Slight	Vienna, occasional saturation (40%)		1,278.0	5.2%
			Barnes, occasional saturation (30%)			
			Forestville (15%)			
			Rentill (6%)			
			Buse (5%)			
			Hamerly (2%)			
			Tonka (2%)			

Map unit symbol	Map unit name	Rating	Component name (percent)	Rating reasons (numeric values)	Acres in AOI	Percent of AOI
Z298B	Vienna-Barnes very stony-Forestville loams, 1 to 6 percent slopes	Slight	Vienna, occasional saturation, very stony (40%)		104.0	0.4%
			Barnes, very stony (30%)			
			Forestville (15%)			
			Rentill (6%)			
			Buse, very stony (5%)			
			Hamerly (2%)			
			Tonka (2%)			
Subtotals for Soil Survey Area					8,267.9	33.4%
Totals for Area of Interest					24,760.6	100.0%

Rating	Acres in AOI	Percent of AOI
Slight	24,132.0	97.5%
Moderate	511.4	2.1%
Null or Not Rated	117.2	0.5%
Totals for Area of Interest	24,760.6	100.0%

Description

The ratings in this interpretation indicate the hazard of soil loss from off-road and off-trail areas after disturbance activities that expose the soil surface. The ratings are based on slope and soil erosion factor K. The soil loss is caused by sheet or rill erosion in off-road or off-trail areas where 50 to 75 percent of the surface has been exposed by logging, grazing, mining, or other kinds of disturbance.

The ratings are both verbal and numerical. The hazard is described as "slight," "moderate," "severe," or "very severe." A rating of "slight" indicates that erosion is unlikely under ordinary climatic conditions; "moderate" indicates that some erosion is likely and that erosion-control measures may be needed; "severe" indicates that erosion is very likely and that erosion-control measures, including revegetation of bare areas, are advised; and "very severe" indicates that significant erosion is expected, loss of soil productivity and off-site damage are likely, and erosion-control measures are costly and generally impractical.

Numerical ratings indicate the severity of individual limitations. The ratings are shown as decimal fractions ranging from 0.01 to 1.00. They indicate gradations between the point at which a soil feature has the greatest negative impact on the specified aspect of forestland management (1.00) and the point at which the soil feature is not a limitation (0.00).

The map unit components listed for each map unit in the accompanying Summary by Map Unit table in Web Soil Survey or the Aggregation Report in Soil Data Viewer are determined by the aggregation method chosen. An aggregated rating class is shown for each map unit. The components listed for each map unit are only those that have the same rating class as listed for the map unit. The percent composition of each component in a particular map unit is presented to help the user better understand the percentage of each map unit that has the rating presented.

Other components with different ratings may be present in each map unit. The ratings for all components, regardless of the map unit aggregated rating, can be viewed by generating the equivalent report from the Soil Reports tab in Web Soil Survey or from the Soil Data Mart site. Onsite investigation may be needed to validate these interpretations and to confirm the identity of the soil on a given site.

Rating Options

Aggregation Method: Dominant Condition

Component Percent Cutoff: None Specified

Tie-break Rule: Higher

RUSLE2 Related Attributes

This report summarizes those soil attributes used by the Revised Universal Soil Loss Equation Version 2 (RUSLE2) for the map units in the selected area. The report includes the map unit symbol, the component name, and the percent of the component in the map unit. Soil property data for each map unit component include the hydrologic soil group, erosion factors Kf for the surface horizon, erosion factor T, and the representative percentage of sand, silt, and clay in the mineral surface horizon. Missing surface data may indicate the presence of an organic surface layer. .

Report—RUSLE2 Related Attributes

Soil properties and interpretations for erosion runoff calculations. The surface mineral horizon properties are displayed. Organic surface horizons are not displayed.

RUSLE2 Related Attributes—Grant County, South Dakota								
Map symbol and soil name	Pct. of map unit	Slope length (ft)	Hydrologic group	Kf	T factor	Representative value		
						% Sand	% Silt	% Clay
Ta—Tonka silty clay loam, 0 to 1 percent slopes								
Tonka, undrained	90	200	C/D	.28	5	7.0	64.0	29.0
Z102A—Badger-Tonka silty clay loams, coteau, 0 to 1 percent slopes								
Badger	60	200	C/D	.32	5	7.0	64.0	29.0
Tonka, undrained	30	—	C/D	.28	5	7.0	64.0	29.0
Z107A—Parnell silty clay loam, coteau, 0 to 1 percent slopes								
Parnell	85	200	C/D	.24	5	17.3	48.7	34.0
Z112A—Vallers-Hamerly loams, coteau, 0 to 2 percent slopes								
Vallers	60	200	C/D	.24	5	39.5	37.5	23.0
Hamerly	30	—	C/D	.20	5	39.1	36.9	24.0
Z114A—Hamerly-Tonka complex, coteau, 0 to 2 percent slopes								
Hamerly	60	200	C/D	.20	5	39.1	36.9	24.0
Tonka	25	—	C/D	.24	5	17.9	50.1	32.0
Z115A—Hamerly-Badger complex, coteau, 0 to 2 percent slopes								
Hamerly	65	200	C/D	.20	5	39.1	36.9	24.0
Badger	25	—	C/D	.28	5	18.1	50.9	31.0

RUSLE2 Related Attributes--Grant County, South Dakota								
Map symbol and soil name	Pct. of map unit	Slope length (ft)	Hydrologic group	Kf	T factor	Representative value		
						% Sand	% Silt	% Clay
Z116A—McKranz-Hidewood, frequently flooded, silty clay loams, 0 to 2 percent slopes								
McKranz	65	200	C/D	.28	5	7.0	65.0	28.0
Hidewood, frequently flooded	25	—	B/D	.24	5	6.7	62.3	31.0
Z117A—McKranz-Badger silty clay loams, 0 to 2 percent slopes								
McKranz	55	200	C/D	.32	5	7.0	64.0	29.0
Badger	30	—	C/D	.32	5	7.0	64.0	29.0
Z140F—Buse-Langhei complex, coteau, 15 to 40 percent slopes								
Buse	50	49	C	.28	5	39.5	37.5	23.0
Langhei	35	—	C	.24	5	33.5	36.5	30.0
Z141A—Barnes-Svea loams, coteau, 0 to 2 percent slopes								
Barnes, occasional saturation	55	200	C	.24	5	41.1	36.9	22.0
Svea	35	—	C	.20	5	41.1	36.9	22.0
Z141B—Barnes-Svea loams, coteau, 1 to 6 percent slopes								
Barnes, occasional saturation	60	180	C	.24	5	41.1	36.9	22.0
Svea	30	—	C	.20	5	41.1	36.9	22.0
Z142B—Barnes-Buse-Svea loams, coteau, 1 to 6 percent slopes								
Barnes, occasional saturation	40	180	C	.24	5	41.1	36.9	22.0
Buse	30	—	C	.28	5	39.5	37.5	23.0
Svea	20	—	C	.20	5	41.1	36.9	22.0
Z142C—Barnes-Buse-Svea loams, coteau, 2 to 9 percent slopes								
Barnes	40	141	C	.24	5	41.1	36.9	22.0
Buse	35	—	C	.28	5	39.5	37.5	23.0
Svea	20	—	C	.20	5	41.1	36.9	22.0
Z143C—Barnes-Buse loams, coteau, 6 to 9 percent slopes								
Barnes	55	141	C	.24	5	41.1	36.9	22.0
Buse	35	—	C	.28	5	39.5	37.5	23.0

RUSLE2 Related Attributes--Grant County, South Dakota								
Map symbol and soil name	Pct. of map unit	Slope length (ft)	Hydrologic group	Kf	T factor	Representative value		
						% Sand	% Silt	% Clay
Z144E—Buse-Barnes loams, coteau, 9 to 20 percent slopes								
Buse	50	49	C	.28	5	39.5	37.5	23.0
Barnes	40	—	C	.24	5	41.1	36.9	22.0
Z145D—Buse-Barnes loams, coteau, 2 to 15 percent slopes, very stony								
Buse, very stony	50	98	C	.28	5	39.5	37.5	23.0
Barnes, very stony	35	—	C	.24	5	41.1	36.9	22.0
Z145F—Buse-Barnes loams, coteau, 9 to 40 percent slopes, very stony								
Buse, very stony	50	49	C	.28	5	39.5	37.5	23.0
Barnes, very stony	40	—	C	.24	5	41.1	36.9	22.0
Z146F—Buse-Lamoure, channeled, frequently flooded, complex, 0 to 40 percent slopes								
Buse	55	49	C	.28	5	39.5	37.5	23.0
Lamoure, channeled, frequently flooded	30	—	B/D	.24	5	6.7	62.8	30.5
Z150A—Rauville silty clay loam, coteau, 0 to 1 percent slopes, frequently flooded								
Rauville, frequently flooded	85	200	B/D	.24	5	6.7	62.3	31.0
Z152A—Lamoure silty clay loam, coteau, 0 to 1 percent slopes, occasionally flooded								
Lamoure, occasionally flooded	85	200	B/D	.24	5	6.7	62.8	30.5
Z153A—Lamoure-Rauville silty clay loams, channeled, 0 to 2 percent slopes, frequently flooded								
Lamoure, channeled, frequently flooded	65	200	B/D	.24	5	6.7	62.8	30.5
Rauville, channeled, frequently flooded	25	—	B/D	.24	5	6.7	62.3	31.0
Z158A—Marysland loam, 0 to 1 percent slopes, occasionally flooded								
Marysland, occasionally flooded	80	200	B/D	.20	3	39.1	36.9	24.0

RUSLE2 Related Attributes--Grant County, South Dakota								
Map symbol and soil name	Pct. of map unit	Slope length (ft)	Hydrologic group	Kf	T factor	Representative value		
						% Sand	% Silt	% Clay
Z159A—Divide loam, 0 to 2 percent slopes, occasionally flooded								
Divide, occasionally flooded	80	200	B/D	.20	3	41.6	37.4	21.0
Z160A—Moritz, occasionally flooded-Lamoure, frequently flooded, complex, 0 to 2 percent slopes								
Moritz, occasionally flooded	50	200	B/D	.20	5	39.1	36.9	24.0
Lamoure, frequently flooded	30	—	B/D	.24	5	6.7	62.8	30.5
Z161A—Spottswood loam, 0 to 2 percent slopes, occasionally flooded								
Spottswood, occasionally flooded	85	200	B/D	.15	3	41.1	36.9	22.0
Z165B—Darnen loam, coteau, 2 to 6 percent slopes								
Darnen, occasional saturation	90	180	C	.20	5	39.5	37.5	23.0
Z166A—Fordtown loam, 0 to 2 percent slopes, rarely flooded								
Fordtown, rarely flooded	80	200	B	.17	3	41.1	36.9	22.0
Z167A—Renwash loam, 0 to 2 percent slopes, rarely flooded								
Renwash, rarely flooded	85	200	B	.24	2	39.5	37.5	23.0
Z168A—Allivar sandy loam, 0 to 2 percent slopes, rarely flooded								
Allivar, rarely flooded	85	200	A	.17	2	66.9	23.1	10.0
Z171A—Renshaw-Fordville loams, coteau, 0 to 2 percent slopes								
Renshaw	55	200	B	.20	2	42.0	37.0	21.0
Fordville	35	—	B	.17	3	42.0	37.0	21.0
Z171B—Renshaw-Fordville loams, coteau, 2 to 6 percent slopes								
Renshaw	60	180	B	.20	2	42.0	37.0	21.0
Fordville	30	—	B	.17	3	42.0	37.0	21.0
Z173B—Renshaw-Sioux complex, coteau, 2 to 6 percent slopes								
Renshaw	60	180	B	.20	2	42.0	37.0	21.0
Sioux	30	—	B	.28	2	45.0	40.0	15.0

RUSLE2 Related Attributes--Grant County, South Dakota								
Map symbol and soil name	Pct. of map unit	Slope length (ft)	Hydrologic group	Kf	T factor	Representative value		
						% Sand	% Silt	% Clay
Z173C—Renshaw-Sioux complex, coteau, 6 to 9 percent slopes								
Renshaw	50	141	B	.20	2	42.0	37.0	21.0
Sioux	40	—	B	.28	2	45.0	40.0	15.0
Z174D—Sioux-Renshaw complex, coteau, 9 to 15 percent slopes								
Sioux	50	89	B	.28	2	45.0	40.0	15.0
Renshaw	35	—	B	.20	2	42.0	37.0	21.0
Z174F—Sioux-Renshaw complex, coteau, 15 to 40 percent slopes								
Sioux	60	49	B	.28	2	45.0	40.0	15.0
Renshaw	30	—	B	.20	2	42.0	37.0	21.0
Z177—Udorthents, coteau (gravel pits)								
Udorthents, gravelly	85	49	A	.24	5	44.3	40.7	15.0
Z178A—Rentill loam, coteau, 0 to 2 percent slopes								
Rentill	90	200	C	.24	4	42.1	37.9	20.0
Z182A—Estelline silt loam, coteau, 0 to 2 percent slopes								
Estelline	90	200	B	.32	3	7.0	68.0	25.0
Z185B—Egeland-Embden complex, coteau, 2 to 6 percent slopes								
Egeland	60	180	A	.15	5	66.8	19.2	14.0
Embden	30	—	A	.10	5	69.6	16.4	14.0
Z186B—Maddock-Egeland sandy loams, coteau, 2 to 6 percent slopes								
Maddock	55	180	A	.15	5	66.9	23.1	10.0
Egeland	35	—	A	.15	5	66.8	19.2	14.0
Z188B—Lanona-Swenoda fine sandy loams, coteau, 2 to 6 percent slopes								
Lanona, occasional saturation	55	180	B	.15	5	68.8	16.2	15.0
Swenoda	35	—	B	.15	5	71.3	16.7	12.0
Z190A—Brookings silty clay loam, 0 to 2 percent slopes								
Brookings	90	200	C	.28	5	7.0	64.0	29.0

RUSLE2 Related Attributes--Grant County, South Dakota								
Map symbol and soil name	Pct. of map unit	Slope length (ft)	Hydrologic group	Kf	T factor	Representative value		
						% Sand	% Silt	% Clay
Z192A—Vienna-Brookings complex, 0 to 2 percent slopes								
Vienna	65	200	C	.37	5	7.0	68.0	25.0
Brookings	25	—	C	.28	5	7.0	64.0	29.0
Z192B—Vienna-Brookings complex, 1 to 6 percent slopes								
Vienna	70	180	C	.37	5	7.0	68.0	25.0
Brookings	20	—	C	.28	5	7.0	64.0	29.0
Z193C—Vienna-Buse complex, coteau, 6 to 9 percent slopes								
Vienna	65	141	C	.32	5	21.3	54.7	24.0
Buse	25	—	C	.28	5	39.5	37.5	23.0
Z194A—Barnes clay loam, coteau, 0 to 2 percent slopes								
Barnes, occasional saturation	80	200	C	.20	5	33.5	36.5	30.0
Z194B—Barnes clay loam, coteau, 2 to 6 percent slopes								
Barnes, occasional saturation	85	180	C	.20	5	33.5	36.5	30.0
Z198A—Vienna-Forestville loams, coteau, 0 to 2 percent slopes								
Vienna, occasional saturation	60	200	C	.24	5	39.1	36.9	24.0
Forestville	25	—	C	.17	5	39.5	37.5	23.0
Z199B—Vienna-Barnes-Forestville loams, 1 to 6 percent slopes								
Vienna, occasional saturation	40	180	C	.24	5	39.1	36.9	24.0
Barnes, occasional saturation	30	—	C	.24	5	41.1	36.9	22.0
Forestville	15	—	C	.17	5	39.5	37.5	23.0
Z217A—McKranz silty clay loam, 0 to 2 percent slopes								
McKranz	70	200	C/D	.28	5	7.0	65.0	28.0
Z250A—Rauville mucky silty clay loam, ponded, 0 to 1 percent slopes, frequently flooded								
Rauville, ponded, frequently flooded	85	200	B/D	.24	5	6.7	62.3	31.0

RUSLE2 Related Attributes--Grant County, South Dakota								
Map symbol and soil name	Pct. of map unit	Slope length (ft)	Hydrologic group	Kf	T factor	Representative value		
						% Sand	% Silt	% Clay
Z252A--Hidewood silty clay loam, 0 to 2 percent slopes, frequently flooded								
Hidewood, frequently flooded	75	200	B/D	.24	5	6.7	62.3	31.0

RUSLE2 Related Attributes--Roberts County, South Dakota								
Map symbol and soil name	Pct. of map unit	Slope length (ft)	Hydrologic group	Kf	T factor	Representative value		
						% Sand	% Silt	% Clay
FoB--Forman-Aastad loams, 2 to 6 percent slopes								
Forman	60	—	C	.24	5	39.8	37.7	22.5
Aastad	25	—	C	.20	5	38.1	36.4	25.5
FoC--Forman-Aastad loams, 6 to 9 percent slopes								
Forman	60	—	C	.24	5	39.8	37.7	22.5
Aastad	25	—	C	.20	5	38.1	36.4	25.5
FoD--Forman-Aastad loams, 9 to 15 percent slopes								
Forman	55	—	C	.24	5	39.8	37.7	22.5
Aastad	25	—	C	.20	5	38.1	36.4	25.5
Z107A--Parnell silty clay loam, coteau, 0 to 1 percent slopes								
Parnell	85	200	C/D	.24	5	17.3	48.7	34.0
Z112A--Vallers-Hamerly loams, coteau, 0 to 2 percent slopes								
Vallers	60	200	C/D	.24	5	39.5	37.5	23.0
Hamerly	30	—	C/D	.20	5	39.1	36.9	24.0
Z114A--Hamerly-Tonka complex, coteau, 0 to 2 percent slopes								
Hamerly	60	200	C/D	.20	5	39.1	36.9	24.0
Tonka	25	—	C/D	.24	5	17.9	50.1	32.0
Z115A--Hamerly-Badger complex, coteau, 0 to 2 percent slopes								
Hamerly	65	200	C/D	.20	5	39.1	36.9	24.0
Badger	25	—	C/D	.28	5	18.1	50.9	31.0

RUSLE2 Related Attributes--Roberts County, South Dakota								
Map symbol and soil name	Pct. of map unit	Slope length (ft)	Hydrologic group	Kf	T factor	Representative value		
						% Sand	% Silt	% Clay
Z117A—Mckranz-Badger silty clay loams, 0 to 2 percent slopes								
Mckranz	55	200	C/D	.32	5	7.0	64.0	29.0
Badger	30	—	C/D	.32	5	7.0	64.0	29.0
Z119A—Hamerly-Balaton loams, coteau, 0 to 3 percent slopes								
Hamerly	55	200	C/D	.20	5	39.1	36.9	24.0
Balaton	35	—	C	.17	5	38.8	36.7	24.5
Z139—Udorthents, loamy, coteau (cut and fill land)								
Udorthents, loamy	95	151	C	.28	5	39.1	36.9	24.0
Z141A—Barnes-Svea loams, coteau, 0 to 2 percent slopes								
Barnes, occasional saturation	55	200	C	.24	5	41.1	36.9	22.0
Svea	35	—	C	.20	5	41.1	36.9	22.0
Z141B—Barnes-Svea loams, coteau, 1 to 6 percent slopes								
Barnes, occasional saturation	60	180	C	.24	5	41.1	36.9	22.0
Svea	30	—	C	.20	5	41.1	36.9	22.0
Z142B—Barnes-Buse-Svea loams, coteau, 1 to 6 percent slopes								
Barnes, occasional saturation	40	180	C	.24	5	41.1	36.9	22.0
Buse	30	—	C	.28	5	39.5	37.5	23.0
Svea	20	—	C	.20	5	41.1	36.9	22.0
Z142C—Barnes-Buse-Svea loams, coteau, 2 to 9 percent slopes								
Barnes	40	141	C	.24	5	41.1	36.9	22.0
Buse	35	—	C	.28	5	39.5	37.5	23.0
Svea	20	—	C	.20	5	41.1	36.9	22.0
Z143C—Barnes-Buse loams, coteau, 6 to 9 percent slopes								
Barnes	55	141	C	.24	5	41.1	36.9	22.0
Buse	35	—	C	.28	5	39.5	37.5	23.0
Z144E—Buse-Barnes loams, coteau, 9 to 20 percent slopes								
Buse	50	49	C	.28	5	39.5	37.5	23.0
Barnes	40	—	C	.24	5	41.1	36.9	22.0

RUSLE2 Related Attributes--Roberts County, South Dakota								
Map symbol and soil name	Pct. of map unit	Slope length (ft)	Hydrologic group	Kf	T factor	Representative value		
						% Sand	% Silt	% Clay
Z145D—Buse-Barnes loams, coteau, 2 to 15 percent slopes, very stony								
Buse, very stony	50	98	C	.28	5	39.5	37.5	23.0
Barnes, very stony	35	—	C	.24	5	41.1	36.9	22.0
Z150A—Rauville silty clay loam, coteau, 0 to 1 percent slopes, frequently flooded								
Rauville, frequently flooded	85	200	B/D	.24	5	6.7	62.3	31.0
Z153A—Lamoure-Rauville silty clay loams, channeled, 0 to 2 percent slopes, frequently flooded								
Lamoure, channeled, frequently flooded	65	200	B/D	.24	5	6.7	62.8	30.5
Rauville, channeled, frequently flooded	25	—	B/D	.24	5	6.7	62.3	31.0
Z157A—Fairdale loam, channeled, 0 to 2 percent slopes, frequently flooded								
Fairdale, channeled	70	200	C	.28	5	39.5	37.5	23.0
Z158A—Marysland loam, 0 to 1 percent slopes, occasionally flooded								
Marysland, occasionally flooded	80	200	B/D	.20	3	39.1	36.9	24.0
Z159A—Divide loam, 0 to 2 percent slopes, occasionally flooded								
Divide, occasionally flooded	80	200	B/D	.20	3	41.6	37.4	21.0
Z161A—Spottswood loam, 0 to 2 percent slopes, occasionally flooded								
Spottswood, occasionally flooded	85	200	B/D	.15	3	41.1	36.9	22.0
Z171A—Renshaw-Fordville loams, coteau, 0 to 2 percent slopes								
Renshaw	55	200	B	.20	2	42.0	37.0	21.0
Fordville	35	—	B	.17	3	42.0	37.0	21.0
Z171B—Renshaw-Fordville loams, coteau, 2 to 6 percent slopes								
Renshaw	60	180	B	.20	2	42.0	37.0	21.0
Fordville	30	—	B	.17	3	42.0	37.0	21.0

RUSLE2 Related Attributes--Roberts County, South Dakota								
Map symbol and soil name	Pct. of map unit	Slope length (ft)	Hydrologic group	Kf	T factor	Representative value		
						% Sand	% Silt	% Clay
Z173B—Renshaw-Sioux complex, coteau, 2 to 6 percent slopes								
Renshaw	60	180	B	.20	2	42.0	37.0	21.0
Sioux	30	—	B	.28	2	45.0	40.0	15.0
Z173C—Renshaw-Sioux complex, coteau, 6 to 9 percent slopes								
Renshaw	50	141	B	.20	2	42.0	37.0	21.0
Sioux	40	—	B	.28	2	45.0	40.0	15.0
Z175D—Renshaw-Sioux complex, 2 to 15 percent slopes, very stony								
Renshaw, very stony	60	141	B	.20	2	39.5	37.5	23.0
Sioux, very stony	30	—	A	.24	3	44.3	40.7	15.0
Fordville	10	—	B	.17	3	41.1	36.9	22.0
Z177—Udorthents, coteau (gravel pits)								
Udorthents, gravelly	85	49	A	.24	5	44.3	40.7	15.0
Z192A—Vienna-Brookings complex, 0 to 2 percent slopes								
Vienna	65	200	C	.37	5	7.0	68.0	25.0
Brookings	25	—	C	.28	5	7.0	64.0	29.0
Z192B—Vienna-Brookings complex, 1 to 6 percent slopes								
Vienna	70	180	C	.37	5	7.0	68.0	25.0
Brookings	20	—	C	.28	5	7.0	64.0	29.0
Z193C—Vienna-Buse complex, coteau, 6 to 9 percent slopes								
Vienna	65	141	C	.32	5	21.3	54.7	24.0
Buse	25	—	C	.28	5	39.5	37.5	23.0
Z198A—Vienna-Forestville loams, coteau, 0 to 2 percent slopes								
Vienna, occasional saturation	60	200	C	.24	5	39.1	36.9	24.0
Forestville	25	—	C	.17	5	39.5	37.5	23.0

RUSLE2 Related Attributes--Roberts County, South Dakota								
Map symbol and soil name	Pct. of map unit	Slope length (ft)	Hydrologic group	Kf	T factor	Representative value		
						% Sand	% Silt	% Clay
Z199B--Vienna-Barnes-Forestville loams, 1 to 6 percent slopes								
Vienna, occasional saturation	40	180	C	.24	5	39.1	36.9	24.0
Barnes, occasional saturation	30	—	C	.24	5	41.1	36.9	22.0
Forestville	15	—	C	.17	5	39.5	37.5	23.0
Z298B--Vienna-Barnes very stony-Forestville loams, 1 to 6 percent slopes								
Vienna, occasional saturation, very stony	40	180	C	.24	5	39.1	36.9	24.0
Barnes, very stony	30	—	C	.24	5	41.1	36.9	22.0
Forestville	15	—	C	.17	5	39.5	37.5	23.0

Data Source Information

Soil Survey Area: Grant County, South Dakota


Survey Area Data: Version 20, Sep 12, 2018

Soil Survey Area: Roberts County, South Dakota

Survey Area Data: Version 19, Sep 12, 2018

Attachment D

Pre and Post Drainage Maps, Impaired Water Maps



Dakota Range III

N Roberts, Grant, and Codington Counties, South Dakota


Vicinity Map


July 18, 2019

Toll Free (888) 937-5150 westwoodps.com
Westwood Professional Services, Inc.

Project Boundary

County Boundary





Data Sources: Westwood (2019); Esri WMS
Basemap Imagery (Accessed 2019); USGS
(2019); FEMA (2019); USDA (2019)

Legend

Westwood

Toll Free (888) 937-5150 westwoodps.com
Westwood Professional Services, Inc.



Project Boundary



County Boundary

Dakota Range III


Roberts, Grant, and Codington Counties, South Dakota

USGS Topographic Map



0 2 Miles

July 17, 2019



Discharge ID	Latitude	Longitude	Discharge ID	Latitude	Longitude	Discharge ID	Latitude	Longitude
1	45.326337	-97.157527	30	45.304861	-97.084411	59	45.261498	-97.106639
2	45.324341	-97.141577	31	45.301224	-97.071434	60	45.261258	-97.103673
3	45.324297	-97.124686	32	45.301323	-97.070470	61	45.257491	-97.103641
4	45.323443	-97.125000	33	45.293130	-97.063280	62	45.257054	-97.095175
5	45.314473	-97.121277	34	45.302645	-97.066921	63	45.254554	-97.095860
6	45.314500	-97.119511	35	45.301506	-97.064085	64	45.254145	-97.100300
7	45.320783	-97.118666	36	45.301506	-97.061928	65	45.251365	-97.137881
8	45.319899	-97.106690	37	45.297186	-97.038621	66	45.249397	-97.109572
9	45.318658	-97.103767	38	45.311545	-97.156509	67	45.246274	-97.103538
10	45.315462	-97.100562	39	45.308133	-97.150563	68	45.245508	-97.097765
11	45.315477	-97.074129	40	45.297174	-97.156183	69	45.242927	-97.103530
12	45.313558	-97.074263	41	45.298929	-97.136208	70	45.240428	-97.097848
13	45.309382	-97.081802	42	45.297632	-97.134832	71	45.238142	-97.103571
14	45.308399	-97.100413	43	45.290843	-97.122006	72	45.235139	-97.097537
15	45.308219	-97.098652	44	45.289666	-97.120996	73	45.232310	-97.103528
16	45.307128	-97.100633	45	45.281882	-97.103535	74	45.226280	-97.093625
17	45.305304	-97.101061	46	45.279546	-97.108820	75	45.224376	-97.103000
18	45.304716	-97.097728	47	45.277126	-97.103492	76	45.212927	-97.103189
19	45.304484	-97.101172	48	45.274382	-97.120288	77	45.209869	-97.091114
20	45.303859	-97.097506	49	45.272634	-97.128342	78	45.209846	-97.086306
21	45.303431	-97.101401	50	45.270164	-97.110647	79	45.209839	-97.081278
22	45.301311	-97.101930	51	45.272569	-97.106854	80	45.209782	-97.063771
23	45.300339	-97.102132	52	45.274464	-97.087252	81	45.209731	-97.057327
24	45.296197	-97.103560	53	45.267796	-97.099979	82	45.209706	-97.053816
25	45.291917	-97.098092	54	45.267311	-97.100338	83	45.209693	-97.052019
26	45.299893	-97.097313	55	45.266689	-97.103507	84	45.209624	-97.049067
27	45.297656	-97.092531	56	45.266030	-97.104804	85	45.209320	-97.036794
28	45.300837	-97.086697	57	45.262806	-97.117077			
29	45.300353	-97.085567	58	45.262180	-97.108715			

Attachment E


Site Plans, Erosion and Sediment Control Plans, Details

Dakota Range III Wind Project


Grant County and Roberts County, South Dakota

Civil Construction Plans

REGIONAL MAP



VICINITY MAP



AERIAL IMAGE	NAIP_Aerial_DL_2019_05_07.jp2	NAIP	*
LAND CONTROL	SD03_DBO_SD03_landownership.shp	Wanzek	5/15/2019
ALTA SURVEY	*	*	*
TOPOGRAPHY	Dakota_Range_III_GND_FINAL	Wanzek	7/11/2019
TURBINE ARRAY	SD03_array_GW4p2-136_110HH_151p2MW_v5_noAlts_2019-08-12.shp	Wanzek	8/12/2019
UNDERGROUND COLLECTION	DKR-COL-SHP-RA.shp	Ulteig	7/19/2019
GEN-TIE	DAT_Interconnect_072419sb.shp	Engie	7/24/2019
STREAMS/WETLANDS	SD03_DBO_SD03_wetlands_USFW.shp	Engie	5/15/2019
CULTURAL RESOURCES	DAT_AvoidanceAreas_072419sb.shp	Engie	7/26/2019
FEMA INFO	46109C_20090720_metadata.xml	FEMA	7/29/2019

PROJECT CONTACT INFORMATION			
TITLE	COMPANY	NAME	CONTACT NUMBER
DIRECTOR OF OPERATIONS	Wanzek	Lucas Kreklau	701-433-5863
PROJECT MANAGER	Westwood	Dani Nygren	952-906-7493

Sheet List Table	
Sheet Number	Sheet Title
1	Cover
2	Overall
3	Delivery Flow Plan
4	Construction Details
5	Construction Details
6	Construction Details
7	Construction Details
8	Construction Details
9	Construction Details
10	Construction Details
11	Construction Notes
12	Construction Notes
13	Site Plan G01 - G02
14	Site Plan G03, G05, G06, G07
15	Site Plan G09 - G10
16	Site Plan
17	Site Plan
18	Site Plan
19	Site Plan F01 - F02
20	Site Plan F03
21	Site Plan F04, F06
22	Site Plan F07 - F09
23	Site Plan F10
24	Site Plan
25	Site Plan E01
26	Site Plan
27	Site Plan E02
28	Site Plan E03 - E04
29	Site Plan D01 - D02
30	Site Plan D03 - D04
31	Site Plan D05 - D06
32	Site Plan C01 - C02
33	Site Plan C03, ALT-C05
34	Site Plan C04
35	Site Plan B01
36	Site Plan B02, ALT-B03
37	Site Plan B04
38	Site Plan A03
39	Site Plan A04
40	Site Plan
41	Site Plan
42	Site Plan
43	Site Plan

Westwood

Phone (952) 937-5150 12701 Whitewater Drive, Suite #300
Fax (952) 937-5822 Minnetonka, MN 55343
Toll Free (888) 937-5150 westwoodps.com
Westwood Professional Services, Inc.

PREPARED FOR:



4850 32nd Avenue S
Fargo, ND 58104

REVISIONS:		
#	DATE	COMMENT
A	08/21/2019	60% CIVIL PLANS

DAKOTA RANGE III WIND PROJECT

GRANT COUNTY AND ROBERTS COUNTY, SOUTH DAKOTA

Cover

60% CIVIL PLANS
NOT FOR CONSTRUCTION

DATE: 08/21/2019

SHEET: 1



LEGEND:

- PROJECT BOUNDARY
- PENDING PROPERTIES
- TURBINE LOCATION
- TURBINE NUMBER
- PROPOSED ACCESS ROAD
- EXISTING HIGHWAY / INTERSTATE
- PROPOSED CRANE PATH
- PROJECT FACILITIES
- EXISTING ROAD
- SHEET NUMBER REFERENCE

ITEM	LENGTH
ACCESS ROAD	10.34 mi
CRANE PATH	22.61 mi*

*LENGTH OF THE CRANE PATHS ONLY INCLUDES THE LENGTHS NOT FOLLOWING THE ACCESS ROADS.

Westwood

Phone (952) 937-5150 12701 Whitewater Drive, Suite #300
Fax (952) 937-5822 Minnetonka, MN 55343
Toll Free (888) 937-5150 westwoodps.com
Westwood Professional Services, Inc.


PREPARED FOR:

WANZEK
a MasTec company

4850 32nd Avenue S
Fargo, ND 58104

REVISIONS:

#	DATE	COMMENT
A	08/21/2019	60% CIVIL PLANS



**DAKOTA RANGE III
WIND PROJECT**
GRANT COUNTY AND ROBERTS
COUNTY, SOUTH DAKOTA

Overall

60% CIVIL PLANS
NOT FOR CONSTRUCTION

DATE: 08/21/2019

SHEET: 2


PREPARED FOR:



1850 32nd Avenue S
Fargo, ND 58104

REVISIONS:

	DATE	COMMENT
A	08/21/2019	60% CIVIL PLANS



DAKOTA RANGE III WIND PROJECT

GRANT COUNTY AND ROBERTS
COUNTY, SOUTH DAKOTA

Delivery Flow Plan

60% CIVIL PLANS
NOT FOR CONSTRUCTION

DATE: 08/21/2019

SHEET: 3



N:\0023436-00\dwg\Civil\0023436 - 03 DFP.dwg 8/21/2019 11:07 AM All Lead

PREPARED FOR:



4850 32nd Avenue S
 Fargo, ND 58104

REVISIONS:

#	DATE	COMMENT
A	08/21/2019	60% CIVIL PLANS

DAKOTA RANGE III WIND PROJECT


GRANT COUNTY AND ROBERTS
COUNTY, SOUTH DAKOTA

Construction Details


60% CIVIL PLANS
NOT FOR CONSTRUCTION

DATE: 08/21/2019


SHEET: 4




PRIMARY ACCESS ROAD CROSS SECTION*




SPUR ROAD / MET TOWER ROAD CROSS SECTION



TEMPORARY TURNING IMPROVEMENTS CROSS SECTION



GRAVEL RING CROSS SECTION



LAYDOWN YARD CROSS SECTION


* CEMENT APPLICATION RATE MAY VARY BASED ON TEST STRIPS AND FIELD PERFORMANCE. SEE SHEET 12 FOR CEMENT STABILIZATION PROCEDURE AND DESIGN BASIS.

NOTES:

STRUCTURAL SECTIONS SHOWN ARE THE MINIMUM THICKNESS REQUIREMENTS DURING NORMAL FIELD CONDITIONS. THE SECTIONS MAY NEED TO BE INCREASED BASED ON ACTUAL FIELD CONDITIONS AT THE TIME OF CONSTRUCTION. CONDITIONS INCLUDE BUT ARE NOT LIMITED TO CONSTRUCTION DURING THE FREEZE/THAW CYCLE, UNUSUALLY WET PERIODS, OR IN LOW/WET AREAS. SEE SHEET 12 FOR TESTING REQUIREMENTS AND SPECIFICATIONS.

Westwood

TYPICAL STRUCTURAL CROSS SECTIONS




NOTES:

1. CONTRACTOR SHALL CONSTRUCT CROSS-SLOPE ROAD SECTION WHERE ACCESS ROADS ARE CONSTRUCTED ON A SIDE SLOPE, AND WHERE OTHERWISE NOTED ON PLANS, TO ENSURE THAT ROADS AND SHOULDERS REMAIN WELL DRAINED AT ALL TIMES.
2. MAXIMUM CROSS SLOPE FOR CRANE TRAVEL IS 1.0%.
3. WHEN CRANE PATH IS NOT NEEDED, MATCH THE ACCESS ROAD DIRECTLY INTO EXISTING GROUND SURFACE.
4. ROADS TO GENERALLY FOLLOW EXISTING CONTOURS EXCEPT IF GRADES EXCEED TURBINE DELIVERY VEHICLE CAPABILITIES, IF THIS OCCURS GENERAL CONTRACTOR MAY PROVIDE ASSIST VEHICLE OR MODIFY GRADE.

Westwood

TYPICAL TURBINE ACCESS ROAD AND CRANE PATH

LAST REVISED:
04/08/09
RD01




NOTES:

1. CONTRACTOR SHALL CONSTRUCT CROSS-SLOPE WHERE CRANE PATHS ARE CONSTRUCTED ON A SIDE SLOPE, AND WHERE OTHERWISE NOTED ON PLANS, TO ENSURE THAT CRANE PATH REMAINS WELL DRAINED AT ALL TIMES.
2. MAXIMUM CROSS SLOPE FOR CRANE TRAVEL IS 2.0%.

Westwood

TYPICAL CRANE PATH

LAST REVISED:
04/20/11
RD01-C




NOTES:

1. CONTRACTOR SHALL CONSTRUCT CROSS-SLOPE ROAD SECTION WHERE ACCESS ROADS ARE CONSTRUCTED ON A SIDE SLOPE, AND WHERE OTHERWISE NOTED ON PLANS, TO ENSURE THAT ROADS AND SHOULDERS REMAIN WELL DRAINED AT ALL TIMES.
2. ROADS TO GENERALLY FOLLOW EXISTING CONTOURS EXCEPT IF GRADES EXCEED TURBINE DELIVERY VEHICLE CAPABILITIES, IF THIS OCCURS GENERAL CONTRACTOR MAY PROVIDE ASSIST VEHICLE OR MODIFY GRADE.

Westwood

TYPICAL TURBINE ACCESS ROAD SECTION

LAST REVISED:
3/19/12
RD01-B



NOTES:

1. CONTRACTOR SHALL CONSTRUCT CROSS-SLOPE ROAD SECTION WHERE ACCESS ROADS ARE CONSTRUCTED ON A SIDE SLOPE, AND WHERE OTHERWISE NOTED ON PLANS, TO ENSURE THAT ROADS AND SHOULDERS REMAIN WELL DRAINED AT ALL TIMES.
2. MAXIMUM CROSS SLOPE FOR CRANE TRAVEL IS 2.0%.
3. WHEN CRANE PATH IS NOT NEEDED, MATCH THE EDGE OF COMPACTED SHOULDER DIRECTLY INTO EXISTING GROUND SURFACE.
4. ROADS TO GENERALLY FOLLOW EXISTING CONTOURS EXCEPT IF GRADES EXCEED TURBINE DELIVERY VEHICLE CAPABILITIES, IF THIS OCCURS GENERAL CONTRACTOR MAY PROVIDE ASSIST VEHICLE OR MODIFY GRADE.


Westwood

TYPICAL TURBINE ACCESS ROAD AND OFFSET CRANE PATH

LAST REVISED:
04/29/11
RD01-D

WANZEK
a MasTec company 

#	DATE	COMMENT
A	08/21/2019	60% CIVIL PLANS



SEE MAXIMUM DEFLECTION FOR
TURBINE ACCESS ROAD DETAIL

ROAD
SURFACE

8% MAX.

MAX ROAD SLOPE

The diagrams illustrate the maximum allowable dip and bump for a 100-foot wide area. The top row shows the maximum allowable dip, and the bottom row shows the maximum allowable bump. The left column is for flat terrain, and the right column is for sloped terrain. In all cases, the maximum allowable dip or bump is 9 inches.

- Top Left (Flat Terrain):** A diagram showing a 100-foot wide area with a maximum allowable dip of 9 inches.
- Top Right (Sloped Terrain):** A diagram showing a 100-foot wide area on a slope with a maximum allowable dip of 9 inches.
- Bottom Left (Flat Terrain):** A diagram showing a 100-foot wide area with a maximum allowable bump of 9 inches.
- Bottom Right (Sloped Terrain):** A diagram showing a 100-foot wide area on a slope with a maximum allowable bump of 9 inches.

Diagram illustrating the cross-section of an access road and compacted shoulder. The diagram shows a vertical cross-section with the following dimensions and labels:

- 16'**: Width of the access road.
- 20'**: Width of the compacted shoulder.
- 5' TYP. NO MIN**: Typical width of the gravel area adjacent to the access road.
- EXISTING FENCE LINE OR PROPERTY/CROP LINE**: Line indicating the boundary of the property or crop.
- ACCESS ROAD**: The paved or gravel surface of the road.
- ACCESS ROAD CENTERLINE**: The centerline of the access road.
- EDGE OF GRAVEL**: The boundary between the gravel area and the compacted shoulder.
- EDGE OF COMPACTED SHOULDER**: The outer edge of the compacted shoulder.
- REFER TO DETAIL TS05 AND RD01-d FOR ACCESS ROAD DESIGN**: Reference to other design details for the access road.

Diagram illustrating the 190' Radius Obstacle Free Area for a 200' wide road. The diagram shows a 200' wide road (EXISTING ROAD/ACCESS ROAD) and a 190' radius obstacle free area. The road width is 200'. The obstacle free area is defined by a 190' radius curve. The distance from the center of the curve to the edge of the road surface is 103'. The distance from the center of the curve to the edge of the temporary road surface is 68'. The distance from the center of the curve to the edge of the road surface is 44'. The distance from the center of the curve to the edge of the temporary road surface is 27'. The distance from the center of the curve to the edge of the road surface is 14.5'. The distance from the center of the curve to the edge of the temporary road surface is 6'. The distance from the center of the curve to the edge of the road surface is 1.5'. The diagram also shows a 90° angle and a 200' dimension.

EDGE OF GRAVEL

TEMPORARY INTERSECTION WIDENING (SEE PLANS FOR LOCATION)

190' RADIUS OBSTACLE FREE AREA

200' TEMPORARY RADIUS

TEMPORARY CULVERT

INSTALL SILT FENCE OR FIBER ROLLS AT EXPOSED EDGE BETWEEN ROAD AND DITCH

EXISTING ROAD

ACCESS ROAD

PERMANENT CULVERT

SILT FENCE OR BIOROLL

FLOW DO NOT DISTURB DITCH

25' PERMANENT RADIUS

INSTALL NEW CULVERT AND EXTEND BEYOND TEMPORARY INTERSECTION WIDENING AS REQUIRED, SIZE TO BE VERIFIED WITH THE LOCAL GOVERNING UNIT

PERMANENT CULVERT

TEMPORARY CULVERT

EXISTING/PROPOSED ROAD

PERIMETER SEDIMENT CONTROL

200' INTERIOR RADIUS

25' PERMANENT RADIUS (*SEE DETAIL RD07)

10' OBSTACLE FREE AREA FROM GRAVEL EDGE

24' WIDE TRUCK TURNING LANE

REFER TO DETAIL TS05 FOR SECTION DESIGN

200' INTERIOR RADIUS

EDGE OF GRAVEL

INSTALL SILT FENCE OR FIBER ROLLS AT EXPOSED EDGE BETWEEN ROAD AND DITCH

RESTRICTED ACCESS

NOTE:

- UPON DELIVERY VEHICLE COMPLETION, TEMPORARY INTERSECTION WIDENING AND TEMPORARY CULVERT TO BE REMOVED AND ALL DISTURBED AREA RESTORED TO NATIVE CONDITIONS
- CULVERTS AND SILT FENCE SHALL BE INSTALLED AND MAINTAINED AT INTERSECTIONS WHERE THE ACCESS ROAD IS CROSSING AN EXISTING COUNTY DITCH. POST CONSTRUCTION GRAVEL LIMITS

10' OBSTACLE FREE AREA FROM GRAVEL EDGE

PROTECT EXISTING OBSTRUCTION

PERMANENT CULVERT

TEMPORARY CULVERT

EXISTING/PROPOSED ROAD

25' PERMANENT RADIUS

INSTALL SILT FENCE OR FIBER ROLLS AT EXPOSED EDGE BETWEEN ROAD AND DITCH

SEE PLANS FOR INSIDE RADIUS DIMENSION (200')

24'-WIDE TRUCK TURNING LANE

REFER TO DETAIL TS05 FOR SECTION DESIGN

EDGE OF GRAVEL

EXISTING/PROPOSED ROAD

NOTE:

5

PREPARED FOR:



4850 32nd Avenue S
Fargo, ND 58104

REVISIONS:

#	DATE	COMMENT
A	08/21/2019	60% CIVIL PLANS

DAKOTA RANGE III WIND PROJECT

GRANT COUNTY AND ROBERTS
COUNTY, SOUTH DAKOTA





Construction Details

60% CIVIL PLANS
NOT FOR CONSTRUCTION


DATE: 08/21/2019

SHEET:

6



#	DATE	COMMENT
A	08/21/2019	60% CIVIL PLANS




Westwood	ARMORED SURFACE TREATMENTS AT LOW WATER CROSSINGS	LAST REVISED: 06/04/19
		RD11-B




1. ARMORED SURFACE TREATMENT OPTIONS ARE DESIGNED BASED OFF THE SHEAR STRESS FROM THE 10 YEAR HYDRAULIC ANALYSIS. SHEAR STRESS IS CALCULATED BASED ON THE EXISTING SLOPE AND THE 10 YEAR FLOOD DEPTH.


Westwood	ARMORED SURFACE TREATMENTS AT LOW WATER CROSSINGS	LAST REVISED: 06/04/19
		RD11-B



6. GRAVEL BAG BERMS MAY BE NECESSARY IF FLOWS AND DRAINAGE AREAS REQUIRE. SEE DETAIL RUTS FOR GRAVEL BAG BERM INSTALLATION.		LAST REVISED: 11/30/17
Westwood	STREAM/WATERBODY/DRAINAGE SWALE TIMBER MAT CRANE CROSSING	RD12



6. GRAVEL BAG BERMS MAY BE NECESSARY IF FLOWS AND DRAINAGE AREAS REQUIRE. SEE DETAIL RUTS FOR GRAVEL BAG BERM INSTALLATION.		LAST REVISED: 11/30/17
Westwood	STREAM/WATERBODY/DRAINAGE SWALE TIMBER MAT CRANE CROSSING	RD12




DAKOTA RANGE III WIND PROJECT


Construction Details

SHEET: 7


NOTE – DETAILS PROVIDED ON SHEET 8 ARE TO BE USED AT CONTRACTOR'S DISCRETION OR AS SPECIFIED IN THE PROJECT SWPPP. IT IS THE CONTRACTOR'S/OPERATOR'S RESPONSIBILITY TO MAINTAIN COMPLIANCE.




Westwood	SURFACE ROUGHENING FOR ALL SLOPES GREATER THAN 4:1	LAST REVISED: 03/03/08 GD09




Westwood	ROCK CONSTRUCTION ENTRANCE	LAST REVISED: 11/24/08 GD05




Westwood	TYPICAL LAYDOWN/STAGING AREA EROSION AND SEDIMENT CONTROL	LAST REVISED: 01/15/16 GD30




Westwood	TEMPORARY EROSION BLANKETS TURF REINFORCEMENT MATS FOR CHANNELS	LAST REVISED: 03/03/08 GD22




Westwood	CONCRETE WASHOUT AREA	LAST REVISED: 11/24/08 GD08




Westwood	SILT FENCE	LAST REVISED: 11/24/08 GD03



Westwood	TYPICAL SLOPE STABILIZATION – TEMPORARY EROSION BLANKETS TURF REINFORCEMENT MATS FOR SLOPES	LAST REVISED: 5/22/03 GD21



Westwood	TEMPORARY BIOROLL BLANKET SYSTEM (DITCH APPLICATION)	LAST REVISED: 03/03/08 GD23



Westwood	TYPICAL FIBER ROLLS FOR PERIMETER CONTROL OF CONSTRUCTION AREA LIMIT	LAST REVISED: 09/09/13 GD42

PREPARED FOR:

4850 32nd Avenue S
 Fargo, ND 58104

REVISIONS:		
#	DATE	COMMENT
A	08/21/2019	60% CIVIL PLANS

DAKOTA RANGE III WIND PROJECT

GRANT COUNTY AND ROBERTS
COUNTY, SOUTH DAKOTA

Construction Details




60% CIVIL PLANS
NOT FOR CONSTRUCTION

DATE: 08/21/2019



SHEET:

WANZEK
a MasTec company 

	DATE	COMMENT
A	08/21/2019	60% CIVIL PLANS



9



\\002948-000\proj\Civil\002948.dwg, 08/27/2019 11:08 AM, All Layers

TURBINE COORDINATES

Turbine ID	Latitude	Longitude	NSRS 2011 South Dakota State Planes, North Zone, US Foot	
			Northing	Easting
A03	45.22932	-97.10764	522255.79388	2713513.21082
A04	45.23072	-97.09726	522858.86727	2716166.97080
B01	45.24541	-97.13861	527833.55398	2705332.45180
B02	45.24993	-97.11872	529663.19817	2710392.38113
B04	45.24236	-97.09799	527092.63387	2715828.22065
C01	45.25734	-97.13702	532196.46454	2705586.42589
C02	45.26302	-97.13021	534324.95073	2707267.00983
C03	45.25773	-97.10825	532599.59285	2712987.44487
C04	45.26210	-97.09761	534288.90640	2715667.28395
D01	45.27721	-97.13692	539434.10269	2705357.42863
D02	45.27618	-97.12853	539135.88118	2707528.29549
D03	45.27319	-97.11509	538169.58521	2711025.85062
D04	45.27862	-97.10851	540209.11733	2712648.40859
D05	45.27133	-97.08744	537746.07450	2718162.80964
D06	45.27817	-97.08705	540243.81505	2718174.89248
E01	45.29381	-97.15618	545310.68173	2700189.12683
E02	45.28659	-97.11134	543086.15091	2711816.68377
E03	45.28715	-97.09744	543420.10710	2715382.55397
E04	45.29356	-97.09737	545756.25113	2715318.37597
F01	45.30218	-97.15798	548344.18426	2699618.54313
F02	45.30936	-97.15256	551008.30096	2700922.20750
F03	45.30538	-97.14126	549661.20908	2703877.96896
F04	45.30715	-97.09829	550698.08672	2714903.76263
F06	45.30150	-97.08556	548757.24579	2718251.76408
F07	45.30035	-97.07862	548402.27258	2720051.69914
F08	45.30924	-97.07603	551665.36071	2720600.02901
F09	45.30150	-97.06860	548916.92201	2722611.88545
G01	45.31585	-97.16193	553290.38672	2698428.44241
G02	45.32257	-97.15784	555776.10527	2699394.23633
G03	45.32434	-97.14071	556574.85055	2703776.68509
G05	45.32438	-97.13286	556662.10401	2705793.45661
G06	45.31452	-97.13260	553070.79298	2705986.91814
G07	45.32381	-97.12665	556507.85505	2707397.31702
G09	45.32120	-97.11481	555668.31333	2710473.07363
G10	45.31458	-97.11407	553261.93470	2710751.22710
G11	45.31763	-97.10050	554498.12264	2714199.23496

Westwood

Phone (952) 937-5150 12701 Whitewater Drive, Suite #300
Fax (952) 937-5822 Minnetonka, MN 55343
Toll Free (888) 937-5150 westwoodps.com
Westwood Professional Services, Inc.

PREPARED FOR:



4850 32nd Avenue S
Fargo, ND 58104

REVISIONS:		
#	DATE	COMMENT
A	08/21/2019	60% CIVIL PLANS

DAKOTA RANGE III
WIND PROJECT

GRANT COUNTY AND ROBERTS
COUNTY, SOUTH DAKOTA

Construction Notes

60% CIVIL PLANS
NOT FOR CONSTRUCTION

DATE: 08/21/2019

SHEET: 11

ROAD DESIGN PARAMETERS

1. THE ROAD HAS BEEN DESIGNED TO ACCOMMODATE LOADS DURING CONSTRUCTION AND LIGHT DUTY TRUCKS FOR LOW VOLUME USE IN NORMAL OPERATING CONDITIONS. THE ROAD DESIGN SPECIFIED IS NOT INTENDED FOR ALL WEATHER USE FOR HEAVY DUTY, HIGH VOLUME, CONSTRUCTION LOADS.
2. ROAD MAINTENANCE CAN BE EXPECTED DURING CONSTRUCTION AND OVER THE LIFE OF THE PERMANENT FACILITY.
3. ROAD SECTION AND SPECIFICATION SHOWN ON THE PLANS WERE PREPARED BY WESTWOOD PROFESSIONAL SERVICES BASED ON GEOTECHNICAL RECOMMENDATIONS FROM BARR ENGINEERING.

PRODUCTS

1. ACCESS ROAD AGGREGATE SHALL CONSIST OF CRUSHED CLASS 5 AGGREGATE BASE MEETING MNDOT SPEC 3138 AND THE GRADATION PROVIDED IN TABLE 1.
2. CULVERTS: SEE PLAN FOR DRAINAGE CULVERT LOCATIONS. ACCESS ROAD CULVERTS SHALL MEET THE MINIMUM SPECIFICATIONS SET FORTH BY THE MINNESOTA DEPARTMENT OF TRANSPORTATION AND/OR BENTON COUNTY. ALL CULVERTS SHALL BE HELICAL CORRUGATED 12 GAUGE OR APPROVED EQUAL AND MANUFACTURED OF CORRUGATED METAL PIPE.
3. GEOTEXTILE FABRIC SHALL BE MIRAFI HP270 OR APPROVED EQUAL.
4. EXCAVATED SOILS THROUGHOUT PROJECT SHALL BE UTILIZED AS FILL. SOILS SHALL BE CLEAN OF DEBRIS AND ORGANIC MATERIAL.

EXECUTION

1. SITE PREPARATION
 - A. THE CONTRACTOR SHALL BE REQUIRED TO CLEAR AND GRUB AREAS DESIGNATED ON THE PLANS REMOVING ALL TREES, STUMPS, BRUSH AND DEBRIS. TREES AND BRUSH LOCATED OUTSIDE OF THE PROJECT DEVELOPMENT AREA SHALL NOT BE DISTURBED.
 - B. AREAS THAT ARE NOT TO BE CLEARED AND GRUBBED SHALL HAVE ANY EXISTING VEGETATION MOWED TO A MINIMUM HEIGHT OF 3 INCHES.
 - C. IF THE SITE WAS PREVIOUSLY FARMED, THE CONTRACTOR MIGHT NEED TO LEVEL FALLOW GROUND BY DISCING/Dragging FIELD AND COMPACTING NATIVE SOILS USING A SMOOTH DRUM ROLLER TO REMOVE FALLOW. THE SITE WILL HAVE FINAL STABILIZATION MEASURES ESTABLISHED SO COMPACTION SHOULD ONLY BE TO SMOOTH THE SURFACE.
 - D. THE CONTRACTOR SHALL PRESERVE OTHER EXISTING VEGETATION TO THE MAXIMUM EXTENT PRACTICABLE. ANY VEGETATION THAT IS REMOVED SHALL ONLY BE ALLOWED WITHIN THE PROJECT BOUNDARY. THE CONTRACTOR IS TO REMOVE ONLY THAT VEGETATION WHICH SHALL BE DESIGNATED BY THE OWNERS REPRESENTATIVE FOR REMOVAL AND SHALL EXERCISE EXTREME CARE AROUND EXISTING VEGETATION TO BE SAVED. CONSTRUCTION FENCING MAY BE INSTALLED TO PROTECT AREAS THAT ARE NOT TO BE DISTURBED.
 - F. NO BURNING OF DEBRIS IS ALLOWED WITHOUT THE NECESSARY PERMITS FROM JURISDICTIONAL GOVERNING AUTHORITIES AND APPROVAL BY THE OWNER.
2. FILL MATERIALS AND PLACEMENT
 - A. ALL FILL MATERIALS SHALL BE INORGANIC SOILS FREE OF VEGETATION, DEBRIS, AND FRAGMENTS LARGER THAN THREE (3) INCHES IN SIZE. PEA GRAVEL OR OTHER SIMILAR NON-CEMENTITIOUS, POORLY-GRADED MATERIALS SHALL NOT BE USED AS FILL OR BACKFILL WITHOUT THE PRIOR APPROVAL OF THE GEOTECHNICAL ENGINEER.
 - B. CLEAN ON-SITE SOILS OR APPROVED IMPORTED MATERIAL MAY BE USED AS FILL MATERIAL FOR GENERAL SITE GRADING.THIS MATERIAL SHALL BE PLACED IN LOOSE LIFTS NOT TO EXCEED 8".
 - C. ANY IMPORTED SOILS MUST HAVE EXPANSION VALUES IN THE "VERY LOW" RANGE.

ACCESS ROAD CONSTRUCTION AND SITE GRADING

1. TOPSOIL MANAGEMENT

- A. TOPSOIL SHALL BE STRIPPED FROM ALL ROADWAY AREAS A MINIMUM OF 8". TOPSOIL STRIPPING AREAS (AS IDENTIFIED ON THE PLANS) SHALL BE STRIPPED THROUGH THE TOPSOIL DEPTH. TOPSOIL SHALL NOT BE STRIPPED OUTSIDE OF THESE DESIGNATED AREAS.
- B. STRIPPED MATERIALS CONSISTING OF VEGETATION AND ORGANIC MATERIALS SHALL BE STOCKPILED ON THE SITE. STOCKPILES WITHIN THE SITE SHALL HAVE TEMPORARY EROSION AND SEDIMENT CONTROL APPLIED IN ACCORDANCE WITH THE PROJECT SWPPP OR USED TO REVEGETATE LANDSCAPED AREAS OR EXPOSED SLOPES AFTER COMPLETION OF GRADING OPERATIONS. IF IT IS NECESSARY TO DISPOSE OF ORGANIC MATERIALS ON-SITE THEY SHALL BE PLACED IN NON-STRUCTURAL AREAS.

2. INTERNAL ROAD EMBANKMENT

- A. EMBANKMENT CONSTRUCTION SHALL CONSIST OF THE PLACING OF SUITABLE FILL MATERIAL, AFTER TOPSOIL STRIPPING, ABOVE THE EXISTING GRADE AS INDICATED ON CIVIL PLANS. GENERALLY, THE INTERNAL ROAD EMBANKMENT SHALL HAVE COMPACTED SUPPORT SLOPES OF THREE FEET HORIZONTAL TO ONE FOOT VERTICAL.
- B. THE MATERIAL FOR EMBANKMENT CONSTRUCTION SHALL BE GENERATED ON SITE BY THE CONTRACTOR FROM THE IDENTIFIED BORROW AREA. THIS MATERIAL SHALL BE PLACED IN LOOSE LIFTS NOT TO EXCEED 8".
- C. ALL SLOPES SHALL BE CONSTRUCTED IN ACCORDANCE WITH THE GRADING SHOWN ON THE PLANS.
- D. EXPOSED SURFACES SHALL BE FREE OF MOUNDS AND DEPRESSIONS WHICH COULD PREVENT UNIFORM COMPACTION. SEE TABLE 2 FOR TESTING REQUIREMENTS AND TABLE 3 FOR COMPACTION REQUIREMENTS.

3. SITE GRADING

- A. SUBSEQUENT TO THE SURFACE CLEARING, GRUBBING AND TOPSOIL REMOVAL IN AREAS SHOWN ON THE PLANS, THE SUBSURFACE SOILS SHALL HAVE THE GRADES AND ELEVATIONS MODIFIED AS SHOWN ON THE PLANS. THE PROPOSED CONTOURS AND ELEVATIONS SHOWN ON THE PLANS ARE TO FINISHED GRADE.
- B. SUBSURFACE SOILS SHALL BE MOISTURE CONDITIONED AND COMPACTED TO THE SPECIFICATIONS OF TABLE 3.
- C. ANY CUT MATERIAL THAT CANNOT BE USED FOR STRUCTURAL BACKFILL THROUGHOUT THE PROJECT SHALL BE USED IN FILL AREAS IDENTIFIED ON THE PLANS. THE FILL AREA SHALL HAVE TOPSOIL REMOVED AND MANAGED AS IDENTIFIED ABOVE IN "TOPSOIL MANAGEMENT".
- D. CLEAN, ORGANIC FREE, ON-SITE SOILS OR APPROVED IMPORTED MATERIAL MAY BE USED AS SUBGRADE MATERIAL FOR GENERAL SITE GRADING.

3. SUBGRADE PREPARATION

- A. SUBSEQUENT TO THE SURFACE CLEARING, GRUBBING, TOPSOIL REMOVAL AND EMBANKMENT CONSTRUCTION, THE EXPOSED SUBGRADE SOILS SHALL BE SCARIFIED TO A MINIMUM DEPTH OF EIGHT (8) INCHES, MOISTURE CONDITIONED AND COMPACTED TO THE SPECIFICATIONS OF TABLE 3. THE COMPACTED EXPOSED SUBGRADES SHALL BE PROOF ROLLED AND OBSERVED BY A GEOTECHNICAL ENGINEER TO DETERMINE IF SOFT SOILS EXIST. IF SOFT SOILS EXIST THEY SHALL BE SCARIFIED AND ALLOWED TO DRY, RECOMPACTED AND TESTED AGAIN, IF THEY CONTINUE TO REMAIN SOFT, FOLLOWING SCARIFICATION, DRYING AND RECOMPACTION EFFORTS ADDITIONAL AGGREGATE MAY BE ADDED FOR STABILITY.
- B. ROAD SUBGRADE AND COMPACTION SHALL EXTEND HORIZONTALLY AT LEAST TWO FEET BEYOND THE OUTSIDE EDGE OF THE DRIVABLE SURFACE.
- C. THE MOISTURE CONTENT AND COMPACTION OF ROAD SUBGRADE SOILS SHALL BE MAINTAINED UNTIL PAVEMENT CONSTRUCTION.
- D. CLEAN, ORGANIC FREE, ON-SITE SOILS OR APPROVED IMPORTED MATERIAL MAY BE USED AS SUBGRADE MATERIAL FOR GENERAL SITE GRADING AND ROADWAY AREAS.

4. AGGREGATE PLACEMENT

- A. ACCESS ROADS - SUBSEQUENT TO THE SUBGRADE PREPARATION THE ROAD AGGREGATE BASE SHALL BE PLACED AND COMPACTED TO THE SPECIFICATIONS IDENTIFIED IN TABLE 3.

5. TOPSOIL REDISTRIBUTION AND STABILIZATION

- A. FOLLOWING THE PLACEMENT OF THE AGGREGATE BASE AND APPROVAL OF THE TESTING, TOPSOIL SHALL BE DISTRIBUTED OVER THE EXPOSED DISTURBED AREAS, EXCLUDING THE AGGREGATE DRIVING SURFACE.
- B. FOLLOWING SITE GRADING OPERATIONS, TOPSOIL CAN BE USED TO BRING THE GROUND ELEVATIONS UP TO THE DESIGNED FINISHED GRADE ELEVATIONS.
- C. THE TOPSOIL SHALL HAVE TEMPORARY AND PERMANENT STABILIZATION MEASURES ESTABLISHED IN ACCORDANCE WITH THE PROJECT SWPPP.

TEMPORARY LAYDOWN/STORAGE YARD

1. PREPARATION

- A. THE LAYDOWN/STORAGE YARD SHALL CONSIST OF COMPACTED NATIVE MATERIAL OVERLAID WITH A GEOTEXTILE FABRIC AND AGGREGATE MATERIAL.
- B. THE COMPACTED NATIVE MATERIAL SHALL BE MOISTURE CONDITIONED AND COMPACTED TO THE SPECIFICATIONS OF TABLE 3 (NON-STRUCTURAL AREA).
- C. GEOTEXTILE FABRIC SHALL BE PLACED ON TOP OF COMPACTED NATIVE MATERIAL AND THEN AGGREGATE PLACED AND COMPACTED.
- D. FOLLOWING CONSTRUCTION AND REMOVAL OF PROJECT INVENTORY THE COMPACTED NATIVE MATERIAL SHALL BE DECOMPACTED AND PERMANENTLY STABILIZED IN ACCORDANCE WITH THE PROJECT SWPPP SPECIFICATIONS.

EXECUTION (CONTINUED)

ELECTRICAL TRENCHES

- A. TRENCH'S SHALL BE EXCAVATED TO THE DEPTH IDENTIFIED IN THE ELECTRICAL DRAWINGS/DETAILS.
- B. TRENCH BACKFILL SHALL CONSIST OF APPROVED, ONSITE OR IMPORT SOILS. SOILS SHALL BE FREE OF VEGETATION, DEBRIS, AND FRAGMENTS LARGER THAN 3 INCHES.
- C. INITIAL BACKFILL LIFT SHALL BE 18", ADDITIONAL BACKFILL LIFTS SHALL NOT EXCEED 8 INCHES OF LOOSE MATERIAL. IF TESTING OF THE INITIAL LIFT DOES NOT PROVIDE THE REQUIRED DENSITY THE INITIAL BACKFILL LIFT WILL BE REDUCED TO A 8 INCH LOOSE THICKNESS.
- D. BACKFILL SHALL BE COMPACTED TO AT LEAST 90% OF MAXIMUM DRY DENSITY IN NON-STRUCTURAL AREAS AND 95% OF MAXIMUM DRY DENSITY UNDER STRUCTURAL AREA OR WITHIN 18" OF SOLAR POST FOUNDATION, AND WITHIN 3% OF OPTIMUM MOISTURE.
- E. TRENCH BACKFILL SHALL BE MECHANICALLY COMPACTED.

TABLE 1: MNDOT CLASS 5, MNDOT SPEC 3138	
SIEVE SIZE	PERCENT PASSING
1"	(100)
3/4"	(90-100)
3/8"	(50-90)
#4	(35-80)
#10	(20-65)
#40	(10-35)
#200	(3.0-10.0)

TABLE 2: TESTING SCHEDULE SUMMARY		
LOCATION	TEST	FREQUENCY
STRUCTURAL FILL	GRAIN SIZE ANALYSIS, MOISTURE CONTENT, ATTERBERG LIMITS ON FINES CONTENT, AND PROCTOR	1 PER MAJOR SOIL TYPE
	MOISTURE DENSITY TEST (NUCLEAR DENSITY)	1 EVERY 500 LF OF ROAD
	PROOF-ROLL	ENTIRE LENGTH
COMPACTED SUBGRADE	DYNAMIC CONE PENTROMETER TEST (DCP)	1 EVERY 500 LF OF ROAD
	MOISTURE DENSITY TEST (NUCLEAR DENSITY)	1 EVERY 500 LF OF ROAD
	PROOF-ROLL	ENTIRE LENGTH
AGGREGATE BASE	SIEVE ANALYSIS	1 PER 2000 CY
	MOISTURE DENSITY TEST (NUCLEAR DENSITY)	1 PER 2 FOOT VERTICAL LIFTS AND/OR 500 C.Y. OF MATERIAL
	MOISTURE DENSITY TEST (NUCLEAR DENSITY)	1 EVERY 500 LF OF TRENCH, ALTERNATE TEST DEPTHS OF 18" AND AT GRADE

TABLE 3: COMPACTION AND MOISTURE CONTENT REQUIREMENTS			
MATERIAL TYPE AND LOCATION	MINIMUM COMPACTION REQUIREMENT (%)	RANGE OF MOISTURE CONTENTS FOR COMPACTION (% OVER OPTIMUM)	
		MINIMUM	MAXIMUM
AGGREGATE BASE:	95	-2%	+2%
STRUCTURAL FILL:	95	-2%	+2%
SUBGRADE (BENEATH EQUIPMENT PADS, NATIVE MATERIAL)	95	-1%	+3%
SUBGRADE (BENEATH EQUIPMENT PADS, IMPORT NON-EXPANSIVE SOILS)	95	-3%	+3%
TRENCH BACKFILL (NON-STRUCTURAL AREAS)	90	-4%	+4%
TRENCH BACKFILL (STRUCTURAL AREAS)	95	-3%	+3%
NON-STRUCTURAL FILL	90	-4%	+4%

TESTING REQUIREMENTS:

DEFINITIONS

1. THE CONTRACTOR SHALL SUBMIT MATERIAL TESTING REPORTS AS SHOWN ON THE DRAWINGS AS WELL AS GEOTEXTILE MATERIAL TO BE USED DURING CONSTRUCTION.
2. TESTING SHALL BE PERFORMED BY A DESIGNATED INDEPENDENT TESTING AGENCY.
3. SUBMIT TESTING AND INSPECTION RECORDS SPECIFIED TO THE CIVIL ENGINEER OF RECORD FOR REVIEW.
 - A. THE ENGINEER WILL REVIEW THE TESTING AND INSPECTION RECORDS TO CHECK CONFORMANCE WITH THE DRAWINGS AND SPECIFICATIONS. THE ENGINEER'S REVIEW DOES NOT RELIEVE THE CONSTRUCTION CONTRACTOR FROM THE RESPONSIBILITY FOR CORRECTING DEFECTIVE WORK.
3. PROOF ROLLING SHALL BE PERFORMED IN THE PRESENCE OF THE GEOTECHNICAL ENGINEER OR QUALIFIED GEOTECHNICAL REPRESENTATIVE USING A FULLY LOADED TANDEM AXLE DUMP TRUCK WITH A MINIMUM GROSS WEIGHT OF 25 TONS OR A FULLY LOADED WATER TRUCK WITH AN EQUIVALENT AXLE LOADING. "PROOF-ROLLING" ACCEPTANCE STANDARDS INCLUDE NO RUTTING GREATER THAN 1.5 INCHES, AND NO "PUMPING" OF THE SOIL BEHIND THE LOADED TRUCK.
4. SIEVE ANALYSIS SHALL BE CONDUCTED IN ACCORDANCE WITH ASTM C136
5. PROCTOR'S SHALL BE DETERMINED IN ACCORDANCE WITH ASTM D698
6. ATTERBERG LIMITS SHALL BE DETERMINED IN ACCORDANCE WITH ASTM D4318
7. MOISTURE DENSITY (NUCLEAR DENSITY) TESTING SHALL BE DONE IN ACCORDANCE WITH ASTM D2922
8. DYNAMIC CONE PENETROMETER (DCP) TESTING SHALL BE DONE IN ACCORDANCE WITH ASTM D6951-03

REQUIREMENTS

1. COMPACTION:
 - A. REFER TO TABLE 3 FOR COMPACTION REQUIREMENTS AND ACCEPTABLE MOISTURE CONTENTS.
2. IMPORT FILL MATERIAL:
 - A. IMPORT SOILS USED AS FILL MATERIAL SHALL BE TESTED FOR GRAIN SIZE ANALYSIS, MOISTURE CONTENT, ATTERBERG LIMITS ON FINES CONTENT, PROCTOR TESTS, R-VALUES, SAND EQUIVALENTS, DURABILITY INDEX, LIQUID LIMIT, PLASTICITY INDEX, AND MAXIMUM EXPANSION INDEX.
3. COMPACTED SUBGRADE:
 - A. PROVIDE 1 MOISTURE DENSITY COMPACTION TEST FOR EVERY 500 L.F. OF ROAD LENGTH
 - B. THE ENTIRE INTERNAL/ACCESS ROAD SUBGRADE SHALL BE PROOF-ROLLED PRIOR TO THE PLACEMENT OF THE AGGREGATE BASE TO IDENTIFY AREAS OF UNSTABLE SUBGRADE. IF UNSTABLE SUBGRADE IS ENCOUNTERED SCARIFY, MOISTURE CONDITION, AND RECOMPACT SOILS TO ACHIEVE COMPACTION.
 - C. PROVIDE 1 DYNAMIC CONE PENETROMETER (DCP) TEST FOR EVERY 500 L.F. OF ROAD LENGTH
4. AGGREGATE BASE:
 - A. PROVIDE 1 MOISTURE DENSITY COMPACTION TEST FOR EVERY 500 L.F. OF ROAD LENGTH.
 - B. AGGREGATE BASE SHALL BE PROOF-ROLLED OVER THE ENTIRE LENGTH. IF PROOF ROLLING DETERMINES THAT THE ROAD IS UNSTABLE, ADDITIONAL AGGREGATE SHALL BE ADDED UNTIL THE UNSTABLE SECTION IS ABLE TO PASS A PROOF ROLL FOR ALL ROAD CLASSIFICATIONS.
 - C. PROVIDE 1 SIEVE ANALYSIS PER 2000 CY OF ROAD AGGREGATE BASE PLACED.
5. MISCELLANEOUS FILL:
 - A. PROVIDE MOISTURE DENSITY COMPACTION TESTS ONCE PER 2 FOOT VERTICAL LIFTS AND/OR 500 C.Y. OF COMPACTED FILL MATERIAL.

TRAFFIC CONTROL:

1. THE CONTRACTOR SHALL BE RESPONSIBLE FOR PROVIDING AND MAINTAINING TRAFFIC CONTROL DEVICES SUCH AS BARRICADES, WARNING SIGNS, DIRECTIONAL SIGNS, FLAGGERS AND LIGHTS TO CONTROL THE MOVEMENT OF TRAFFIC WHERE NECESSARY. PLACEMENT OF THESE DEVICES SHALL BE APPROVED BY THE CITY/COUNTY AND ENGINEER PRIOR TO PLACEMENT. TRAFFIC CONTROL DEVICES SHALL CONFORM TO THE LATEST VERSION OF THE MINNESOTA MANUAL OF UNIFORM TRAFFIC CONTROL DEVICES (MUTCD).

GENERAL NOTES:

1. CONSTRUCTION PLANS ARE BASED OFF THE BENTON COUNTY COORDINATE SYSTEM, US FOOT.
2. PROPOSED SOLAR LAYOUT FOR THIS PROJECT PROVIDED BY WESTWOOD PROFESSIONAL SERVICES.
3. THE ALTA SURVEY AND EXISTING PLANIMETRIC DATA WAS PROVIDED BY WESTWOOD PROFESSIONAL SERVICES.
4. ALL DIMENSIONS ARE TO PROJECT BOUNDARY, EDGE OF GRAVEL, FENCE LINES AND SOLAR PANELS UNLESS OTHERWISE NOTED.
5. THE GROUND SURFACE CONTOURS (AT ONE-FOOT VERTICAL INTERVALS) AND ELEVATIONS ARE BASED ON A LIDAR DATA FROM THE STATE OF MINNESOTA.
6. WHERE SECTION OR SUBSECTION MONUMENTS ARE ENCOUNTERED, THE OWNER SHALL BE NOTIFIED AND ARE NOT TO BE REMOVED WITHOUT PERMISSION FROM THE OWNER. THE CONTRACTOR SHALL PROTECT AND CAREFULLY PRESERVE ALL PROPERTY MARKERS AND MONUMENTS UNTIL THE OWNER, AN AUTHORIZED SURVEYOR OR AGENT HAS WITNESSED OR OTHERWISE REFERENCED THEIR LOCATION.
7. THE CONTRACTOR SHALL NOTIFY MINNESOTA DIG ALERT (811 ONE CALL) AT LEAST 48 HOURS BEFORE EXCAVATION ACTIVITIES COMMENCE.
8. ELECTRONIC FILES ARE AVAILABLE FOR CONSTRUCTION OPERATIONS.

EROSION AND SEDIMENT CONTROL / STORMWATER POLLUTION PREVENTION PLAN (SWPPP):

1. THE CONTRACTOR SHALL PROVIDE EROSION CONTROL MEASURES AS PLANNED AND SPECIFIED FOLLOWING BEST MANAGEMENT PRACTICES AS OUTLINED BY THE MINNESOTA POLLUTION CONTROL AGENCY (MPCA) AND BEING IN CONFORMANCE WITH THE NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) GENERAL STORMWATER PERMIT. SEE THE PROJECT SITE PLANS AND ASSOCIATED STORMWATER POLLUTION PREVENTION PLAN (SWPPP) FOR EROSION CONTROL AND RESTORATION LOCATIONS AND SPECIFICATIONS. UNLESS OTHERWISE NOTED OR MODIFIED IN THE SWPPP/HEREIN, ALL SECTIONS OF THE GENERAL CONDITIONS SHALL APPLY.
2. THE CONTRACTOR SHALL BE RESPONSIBLE FOR MAINTAINING THE SWPPP'S AVAILABILITY.
3. ALL FIBER ROLLS AND OTHER EROSION CONTROL FEATURES SHALL BE IN-PLACE PRIOR TO ANY EXCAVATION/CONSTRUCTION AND SHALL BE MAINTAINED UNTIL VIABLE TURF OR GROUND COVER HAS BEEN ESTABLISHED.
4. ALL DRAINAGE SWALES DISTURBED DURING CONSTRUCTION ACTIVITIES AND NOT COVERED BY ROAD SURFACING MATERIALS, SHALL BE STABILIZED IN ACCORDANCE WITH THE SWPP PLAN.

PREPARED FOR:



4850 32nd Avenue S
 Fargo, ND 58104

REVISIONS:		
#	DATE	COMMENT
A	08/21/2019	60% CIVIL PLANS

DAKOTA RANGE III
WIND PROJECT

GRANT COUNTY AND ROBERTS
COUNTY, SOUTH DAKOTA


Construction Notes

60% CIVIL PLANS
NOT FOR CONSTRUCTION

DATE: 08/21/2019

SHEET: 12

\\0025486-000\dwg\civil\0025486 - 08 SP.dwg 8/21/2019 11:09 AM All Users



LEGEND:

- T-#** TURBINE LOCATION
- M-#** MET TOWER LOCATION
- PROPOSED ACCESS ROAD
- PROPOSED CRANE PATH
- UNDERGROUND COLLECTION
- OVERHEAD TRANSMISSION
- PROPOSED SILT FENCE
- EX. INDEX CONTOUR
- EX. INTERVAL CONTOUR
- EX. TREELINE
- EX. ROAD EDGE
- EX. ROAD CENTERLINE
- EX. FENCE
- EX. OVERHEAD POWER
- EX. STREAM CHANNEL
- EX. WATERBODY
- EX. WETLAND
- WATER FOWL PROTECTION AREA
- NON-PARTICIPATING LAND
- PENDING PROPERTIES
- CULTURAL AVOIDANCE AREAS

Westwood

Phone (952) 937-5150 12701 Whitewater Drive, Suite #300
Fax (952) 937-5822 Minnetonka, MN 55343
Toll Free (888) 937-5150 westwoodps.com
Westwood Professional Services, Inc.

PREPARED FOR:

WANZEK

a MasTec company

4850 32nd Avenue S
Fargo, ND 58104

REVISIONS:

#	DATE	COMMENT
A	08/21/2019	60% CIVIL PLANS

DAKOTA RANGE III WIND PROJECT


GRANT COUNTY AND ROBERTS COUNTY, SOUTH DAKOTA

Site Plan G01 - G02


60% CIVIL PLANS
NOT FOR CONSTRUCTION

DATE: 08/21/2019

SHEET: 13




SEE SHEET 13



SEE SHEET 20

SEE SHEET 15

- LEGEND:
- T-# TURBINE LOCATION
 - M-# MET TOWER LOCATION
 - PROPOSED ACCESS ROAD
 - PROPOSED CRANE PATH
 - UNDERGROUND COLLECTION
 - OVERHEAD TRANSMISSION
 - PROPOSED SILT FENCE
 - EX. INDEX CONTOUR
 - EX. INTERVAL CONTOUR
 - EX. TREELINE
 - EX. ROAD EDGE
 - EX. ROAD CENTERLINE
 - EX. FENCE
 - EX. OVERHEAD POWER
 - EX. STREAM CHANNEL
 - EX. WATERBODY
 - EX. WETLAND
 - WATER FOWL PROTECTION AREA
 - NON-PARTICIPATING LAND
 - PENDING PROPERTIES
 - CULTURAL AVOIDANCE AREAS




KEY MAP

PREPARED FOR:



4850 32nd Avenue S
Fargo, ND 58104

REVISIONS:		
#	DATE	COMMENT
A	08/21/2019	60% CIVIL PLANS



DAKOTA RANGE III
WIND PROJECT

GRANT COUNTY AND ROBERTS
COUNTY, SOUTH DAKOTA


Site Plan G03, G05,
G06, G07

60% CIVIL PLANS
NOT FOR CONSTRUCTION

DATE: 08/21/2019

SHEET: 14

SEE SHEET 14



SEE SHEET 16

- LEGEND:**
- T-# TURBINE LOCATION
 - M-# MET TOWER LOCATION
 - PROPOSED ACCESS ROAD
 - PROPOSED CRANE PATH
 - UNDERGROUND COLLECTION
 - OVERHEAD TRANSMISSION
 - PROPOSED SILT FENCE
 - EX. INDEX CONTOUR
 - EX. INTERVAL CONTOUR
 - EX. TREELINE
 - EX. ROAD EDGE
 - EX. ROAD CENTERLINE
 - EX. FENCE
 - EX. OVERHEAD POWER
 - EX. STREAM CHANNEL
 - EX. WATERBODY
 - EX. WETLAND
 - WATER FOWL PROTECTION AREA
 - NON-PARTICIPATING LAND
 - PENDING PROPERTIES
 - CULTURAL AVOIDANCE AREAS



PREPARED FOR:

WANZEK
a MasTec company

4850 32nd Avenue S
Fargo, ND 58104

REVISIONS:

#	DATE	COMMENT
A	08/21/2019	60% CIVIL PLANS



DAKOTA RANGE III WIND PROJECT

GRANT COUNTY AND ROBERTS COUNTY, SOUTH DAKOTA


Site Plan G09 -G10

60% CIVIL PLANS
NOT FOR CONSTRUCTION

DATE: 08/21/2019

SHEET: 15


SEE SHEET 15



SEE SHEET 21

SEE SHEET 17

- LEGEND:**
- T-# TURBINE LOCATION
 - M-# MET TOWER LOCATION
 - PROPOSED ACCESS ROAD
 - PROPOSED CRANE PATH
 - UNDERGROUND COLLECTION
 - OVERHEAD TRANSMISSION
 - PROPOSED SILT FENCE
 - EX. INDEX CONTOUR
 - EX. INTERVAL CONTOUR
 - EX. TREELINE
 - EX. ROAD EDGE
 - EX. ROAD CENTERLINE
 - EX. FENCE
 - EX. OVERHEAD POWER
 - EX. STREAM CHANNEL
 - EX. WATERBODY
 - EX. WETLAND
 - WATER FOWL PROTECTION AREA
 - NON-PARTICIPATING LAND
 - PENDING PROPERTIES
 - CULTURAL AVOIDANCE AREAS



KEY MAP

Westwood


Phone (952) 937-5150 12701 Whitewater Drive, Suite #300
Fax (952) 937-5822 Minnetonka, MN 55343
Toll Free (888) 937-5150 westwoodps.com
Westwood Professional Services, Inc.

PREPARED FOR:

WANZEK
a MasTec company

4850 32nd Avenue S
Fargo, ND 58104

REVISIONS:		
#	DATE	COMMENT
A	08/21/2019	60% CIVIL PLANS



DAKOTA RANGE III WIND PROJECT

GRANT COUNTY AND ROBERTS
COUNTY, SOUTH DAKOTA


Site Plan

60% CIVIL PLANS
NOT FOR CONSTRUCTION

DATE: 08/21/2019


SHEET: 16

SEE SHEET 16



SEE SHEET 22

- LEGEND:**
- T-# TURBINE LOCATION
 - M-# MET TOWER LOCATION
 - PROPOSED ACCESS ROAD
 - PROPOSED CRANE PATH
 - UNDERGROUND COLLECTION
 - OVERHEAD TRANSMISSION
 - PROPOSED SILT FENCE
 - EX. INDEX CONTOUR
 - EX. INTERVAL CONTOUR
 - EX. TREELINE
 - EX. ROAD EDGE
 - EX. ROAD CENTERLINE
 - EX. FENCE
 - EX. OVERHEAD POWER
 - EX. STREAM CHANNEL
 - EX. WATERBODY
 - EX. WETLAND
 - WATER FOWL PROTECTION AREA
 - NON-PARTICIPATING LAND
 - PENDING PROPERTIES
 - CULTURAL AVOIDANCE AREAS



KEY MAP

Westwood


Phone (952) 937-5150 12701 Whitewater Drive, Suite #300
Fax (952) 937-5822 Minnetonka, MN 55343
Toll Free (888) 937-5150 westwoodps.com
Westwood Professional Services, Inc.

PREPARED FOR:

WANZEK
a MasTec company

4850 32nd Avenue S
 Fargo, ND 58104

REVISIONS:		
#	DATE	COMMENT
A	08/21/2019	60% CIVIL PLANS



DAKOTA RANGE III WIND PROJECT


GRANT COUNTY AND ROBERTS
COUNTY, SOUTH DAKOTA

Site Plan

60% CIVIL PLANS
NOT FOR CONSTRUCTION

DATE: 08/21/2019

SHEET: 17



- LEGEND:
- T-# TURBINE LOCATION
 - M-# MET TOWER LOCATION
 - PROPOSED ACCESS ROAD
 - PROPOSED CRANE PATH
 - UNDERGROUND COLLECTION
 - OVERHEAD TRANSMISSION
 - PROPOSED SILT FENCE
 - EX. INDEX CONTOUR
 - EX. INTERVAL CONTOUR
 - EX. TREELINE
 - EX. ROAD EDGE
 - EX. ROAD CENTERLINE
 - EX. FENCE
 - EX. OVERHEAD POWER
 - EX. STREAM CHANNEL
 - EX. WATERBODY
 - EX. WETLAND
 - WATER FOWL PROTECTION AREA
 - NON-PARTICIPATING LAND
 - PENDING PROPERTIES
 - CULTURAL AVOIDANCE AREAS

Westwood

Phone (952) 937-5150 12701 Whitewater Drive, Suite #300
Fax (952) 937-5822 Minnetonka, MN 55343
Toll Free (888) 937-5150 westwoodps.com
Westwood Professional Services, Inc.



PREPARED FOR:

WANZEK
a MasTec company

4850 32nd Avenue S
Fargo, ND 58104

REVISIONS:

#	DATE	COMMENT
A	08/21/2019	60% CIVIL PLANS




**DAKOTA RANGE III
WIND PROJECT**
GRANT COUNTY AND ROBERTS
COUNTY, SOUTH DAKOTA

Site Plan

60% CIVIL PLANS
NOT FOR CONSTRUCTION

DATE: 08/21/2019
SHEET: 18



Westwood

Phone (952) 937-5150 12701 Whitewater Drive, Suite #300
Fax (952) 937-5822 Minnetonka, MN 55343
Toll Free (888) 937-5150 westwoodps.com
Westwood Professional Services, Inc.

PREPARED FOR:

WANZEK

a MasTec company

4850 32nd Avenue S
Fargo, ND 58104

REVISIONS:

#	DATE	COMMENT
A	08/21/2019	60% CIVIL PLANS

DAKOTA RANGE III WIND PROJECT

GRANT COUNTY AND ROBERTS COUNTY, SOUTH DAKOTA


Site Plan F01 - F02

60% CIVIL PLANS
NOT FOR CONSTRUCTION

DATE: 08/21/2019

SHEET: 19

0:0029486-000.dwg/C:\0029486-00.dwg 8/21/2019 11:13 AM All Users



LEGEND:

- T-# TURBINE LOCATION
- M-# MET TOWER LOCATION
- PROPOSED ACCESS ROAD
- PROPOSED CRANE PATH
- UNDERGROUND COLLECTION
- OVERHEAD TRANSMISSION
- PROPOSED SILT FENCE
- EX. INDEX CONTOUR
- EX. INTERVAL CONTOUR
- EX. TREELINE
- EX. ROAD EDGE
- EX. ROAD CENTERLINE
- EX. FENCE
- EX. OVERHEAD POWER
- EX. STREAM CHANNEL
- EX. WATERBODY
- EX. WETLAND
- WATER FOWL PROTECTION AREA
- NON-PARTICIPATING LAND
- PENDING PROPERTIES
- CULTURAL AVOIDANCE AREAS

Westwood

Phone (952) 937-5150 12701 Whitewater Drive, Suite #300
Fax (952) 937-5822 Minnetonka, MN 55343
Toll Free (888) 937-5150 westwoodps.com
Westwood Professional Services, Inc.


PREPARED FOR:

WANZEK
a MasTec company

4850 32nd Avenue S
Fargo, ND 58104

REVISIONS:

#	DATE	COMMENT
A	08/21/2019	60% CIVIL PLANS




**DAKOTA RANGE III
WIND PROJECT**
GRANT COUNTY AND ROBERTS
COUNTY, SOUTH DAKOTA

Site Plan F03

60% CIVIL PLANS
NOT FOR CONSTRUCTION

DATE: 08/21/2019

SHEET: 20



- LEGEND:**
- T-# TURBINE LOCATION
 - M-# MET TOWER LOCATION
 - PROPOSED ACCESS ROAD
 - PROPOSED CRANE PATH
 - UNDERGROUND COLLECTION
 - OVERHEAD TRANSMISSION
 - PROPOSED SILT FENCE
 - EX. INDEX CONTOUR
 - EX. INTERVAL CONTOUR
 - EX. TREELINE
 - EX. ROAD EDGE
 - EX. ROAD CENTERLINE
 - EX. FENCE
 - EX. OVERHEAD POWER
 - EX. STREAM CHANNEL
 - EX. WATERBODY
 - EX. WETLAND
 - WATER FOWL PROTECTION AREA
 - NON-PARTICIPATING LAND
 - PENDING PROPERTIES
 - CULTURAL AVOIDANCE AREAS

Westwood



Phone (952) 937-5150 12701 Whitewater Drive, Suite #300
Fax (952) 937-5822 Minnetonka, MN 55343
Toll Free (888) 937-5150 westwoodps.com
Westwood Professional Services, Inc.

PREPARED FOR:

WANZEK
a MasTec company

4850 32nd Avenue S
Fargo, ND 58104

REVISIONS:		
#	DATE	COMMENT
A	08/21/2019	60% CIVIL PLANS



DAKOTA RANGE III WIND PROJECT


GRANT COUNTY AND ROBERTS
COUNTY, SOUTH DAKOTA

Site Plan F04, F06

60% CIVIL PLANS
NOT FOR CONSTRUCTION

DATE: 08/21/2019

SHEET: 21



Westwood

Phone (952) 937-5150 12701 Whitewater Drive, Suite #300

Fax (952) 937-5822 Minnetonka, MN 55343

Toll Free (888) 937-5150 westwoodps.com

Westwood Professional Services, Inc.

PREPARED FOR:

WANZEK

a MasTec company

4850 32nd Avenue S
 Fargo, ND 58104

REVISIONS:

#	DATE	COMMENT
A	08/21/2019	60% CIVIL PLANS

**DAKOTA RANGE III
WIND PROJECT**

GRANT COUNTY AND ROBERTS
COUNTY, SOUTH DAKOTA


Site Plan F07 - F09

60% CIVIL PLANS
NOT FOR CONSTRUCTION

DATE: 08/21/2019

SHEET: 22

SEE SHEET 22



SEE SHEET 24

- LEGEND:**
- T-# TURBINE LOCATION
 - M-# MET TOWER LOCATION
 - PROPOSED ACCESS ROAD
 - PROPOSED CRANE PATH
 - UNDERGROUND COLLECTION
 - OVERHEAD TRANSMISSION
 - PROPOSED SILT FENCE
 - EX. INDEX CONTOUR
 - EX. INTERVAL CONTOUR
 - EX. TREELINE
 - EX. ROAD EDGE
 - EX. ROAD CENTERLINE
 - EX. FENCE
 - EX. OVERHEAD POWER
 - EX. STREAM CHANNEL
 - EX. WATERBODY
 - EX. WETLAND
 - WATER FOWL PROTECTION AREA
 - NON-PARTICIPATING LAND
 - PENDING PROPERTIES
 - CULTURAL AVOIDANCE AREAS

Westwood



Phone (952) 937-5150 12701 Whitewater Drive, Suite #300
Fax (952) 937-5822 Minnetonka, MN 55343
Toll Free (888) 937-5150 westwoodps.com
Westwood Professional Services, Inc.

PREPARED FOR:



4850 32nd Avenue S
Fargo, ND 58104

REVISIONS:		
#	DATE	COMMENT
A	08/21/2019	60% CIVIL PLANS



KEY MAP

DAKOTA RANGE III WIND PROJECT


GRANT COUNTY AND ROBERTS
COUNTY, SOUTH DAKOTA

Site Plan F10

60% CIVIL PLANS
NOT FOR CONSTRUCTION

DATE: 08/21/2019

SHEET: 23



LEGEND:

- T-# TURBINE LOCATION
- M-# MET TOWER LOCATION
- PROPOSED ACCESS ROAD
- PROPOSED CRANE PATH
- UNDERGROUND COLLECTION
- OVERHEAD TRANSMISSION
- PROPOSED SILT FENCE
- EX. INDEX CONTOUR
- EX. INTERVAL CONTOUR
- EX. TREELINE
- EX. ROAD EDGE
- EX. ROAD CENTERLINE
- EX. FENCE
- EX. OVERHEAD POWER
- EX. STREAM CHANNEL
- EX. WATERBODY
- EX. WETLAND
- WATER FOWL PROTECTION AREA
- NON-PARTICIPATING LAND
- PENDING PROPERTIES
- CULTURAL AVOIDANCE AREAS

Westwood

Phone: (952) 937-5150 12701 Whitewater Drive, Suite #300
Fax: (952) 937-5822 Minnetonka, MN 55343
Toll Free: (888) 937-5150 westwoodps.com
Westwood Professional Services, Inc.



PREPARED FOR:

WANZEK
a MasTec company

4850 32nd Avenue S
 Fargo, ND 58104

REVISIONS:

#	DATE	COMMENT
A	08/21/2019	60% CIVIL PLANS



**DAKOTA RANGE III
WIND PROJECT**
GRANT COUNTY AND ROBERTS
COUNTY, SOUTH DAKOTA

Site Plan

60% CIVIL PLANS
NOT FOR CONSTRUCTION


DATE: 08/21/2019

SHEET: 24


SEE SHEET 23

\\0025456.com\proj\CD\0025456 - 02 SP.dwg 8/21/2019 11:13 AM All Users

\\002446-000\proj\Civil\002446-10-SP.dwg 6/21/2019 11:13 AM All Users



- LEGEND:**
- T-# TURBINE LOCATION
 - M-# MET TOWER LOCATION
 - PROPOSED ACCESS ROAD
 - PROPOSED CRANE PATH
 - UNDERGROUND COLLECTION
 - OVERHEAD TRANSMISSION
 - PROPOSED SILT FENCE
 - EX. INDEX CONTOUR
 - EX. INTERVAL CONTOUR
 - EX. TREELINE
 - EX. ROAD EDGE
 - EX. ROAD CENTERLINE
 - EX. FENCE
 - EX. OVERHEAD POWER
 - EX. STREAM CHANNEL
 - EX. WATERBODY
 - EX. WETLAND
 - WATER FOWL PROTECTION AREA
 - NON-PARTICIPATING LAND
 - PENDING PROPERTIES
 - CULTURAL AVOIDANCE AREAS



KEY MAP

Westwood

Phone (952) 937-5150 12701 Whitewater Drive, Suite #300
 Fax (952) 937-5822 Minnetonka, MN 55343
 Toll Free (888) 937-5150 westwoodps.com
 Westwood Professional Services, Inc.


PREPARED FOR:



4850 32nd Avenue S
 Fargo, ND 58104

REVISIONS:

#	DATE	COMMENT
A	08/21/2019	60% CIVIL PLANS



DAKOTA RANGE III WIND PROJECT


GRANT COUNTY AND ROBERTS COUNTY, SOUTH DAKOTA

Site Plan E01

60% CIVIL PLANS
 NOT FOR CONSTRUCTION

DATE: 08/21/2019

SHEET: 25



- LEGEND:**
- T-# TURBINE LOCATION
 - M-# MET TOWER LOCATION
 - PROPOSED ACCESS ROAD
 - PROPOSED CRANE PATH
 - UNDERGROUND COLLECTION
 - OVERHEAD TRANSMISSION
 - PROPOSED SILT FENCE
 - EX. INDEX CONTOUR
 - EX. INTERVAL CONTOUR
 - EX. TREELINE
 - EX. ROAD EDGE
 - EX. ROAD CENTERLINE
 - EX. FENCE
 - EX. OVERHEAD POWER
 - EX. STREAM CHANNEL
 - EX. WATERBODY
 - EX. WETLAND
 - WATER FOWL PROTECTION AREA
 - NON-PARTICIPATING LAND
 - PENDING PROPERTIES
 - CULTURAL AVOIDANCE AREAS

Westwood

Phone (952) 937-5150 12701 Whitewater Drive, Suite #300
Fax (952) 937-5822 Minnetonka, MN 55343
Toll Free (888) 937-5150 westwoodps.com
Westwood Professional Services, Inc.



PREPARED FOR:

WANZEK
a MasTec company

4850 32nd Avenue S
Fargo, ND 58104

REVISIONS:

#	DATE	COMMENT
A	08/21/2019	60% CIVIL PLANS



DAKOTA RANGE III WIND PROJECT

GRANT COUNTY AND ROBERTS
COUNTY, SOUTH DAKOTA


Site Plan

60% CIVIL PLANS
NOT FOR CONSTRUCTION

DATE: 08/21/2019
SHEET: 26

SEE SHEET 26

\\002446-000\proj\CD\002446-00-SP.dwg 6/21/2019 11:14 AM All Users



LEGEND:

- T-# TURBINE LOCATION
- M-# MET TOWER LOCATION
- PROPOSED ACCESS ROAD
- PROPOSED CRANE PATH
- UNDERGROUND COLLECTION
- OVERHEAD TRANSMISSION
- PROPOSED SILT FENCE
- EX. INDEX CONTOUR
- EX. INTERVAL CONTOUR
- EX. TREELINE
- EX. ROAD EDGE
- EX. ROAD CENTERLINE
- EX. FENCE
- EX. OVERHEAD POWER
- EX. STREAM CHANNEL
- EX. WATERBODY
- EX. WETLAND
- WATER FOWL PROTECTION AREA
- NON-PARTICIPATING LAND
- PENDING PROPERTIES
- CULTURAL AVOIDANCE AREAS

Westwood

Phone (952) 937-5150 12701 Whitewater Drive, Suite #300
Fax (952) 937-5822 Minnetonka, MN 55343
Toll Free (888) 937-5150 westwoodps.com
Westwood Professional Services, Inc.



PREPARED FOR:

WANZEK
a MasTec company

4850 32nd Avenue S
Fargo, ND 58104

REVISIONS:

#	DATE	COMMENT
A	08/21/2019	60% CIVIL PLANS



KEY MAP

DAKOTA RANGE III WIND PROJECT


GRANT COUNTY AND ROBERTS
COUNTY, SOUTH DAKOTA

Site Plan E02

60% CIVIL PLANS
NOT FOR CONSTRUCTION

DATE: 08/21/2019

SHEET: 27



LEGEND:

- T-# TURBINE LOCATION
- M-# MET TOWER LOCATION
- PROPOSED ACCESS ROAD
- PROPOSED CRANE PATH
- UNDERGROUND COLLECTION
- OVERHEAD TRANSMISSION
- PROPOSED SILT FENCE
- EX. INDEX CONTOUR
- EX. INTERVAL CONTOUR
- EX. TREELINE
- EX. ROAD EDGE
- EX. ROAD CENTERLINE
- EX. FENCE
- EX. OVERHEAD POWER
- EX. STREAM CHANNEL
- EX. WATERBODY
- EX. WETLAND
- WATER FOWL PROTECTION AREA
- NON-PARTICIPATING LAND
- PENDING PROPERTIES
- CULTURAL AVOIDANCE AREAS

Westwood

Phone: (952) 937-5150 12701 Whitewater Drive, Suite #300
Fax: (952) 937-5822 Minnetonka, MN 55343
Toll Free: (888) 937-5150 westwoodps.com
Westwood Professional Services, Inc.

PREPARED FOR:

WANZEK
a MasTec company

4850 32nd Avenue S
Fargo, ND 58104

REVISIONS:

#	DATE	COMMENT
A	08/21/2019	60% CIVIL PLANS

**DAKOTA RANGE III
WIND PROJECT**


GRANT COUNTY AND ROBERTS
COUNTY, SOUTH DAKOTA

Site Plan E03 - E04


60% CIVIL PLANS
NOT FOR CONSTRUCTION

DATE: 08/21/2019

SHEET: 28



\\0029486-000\proj\Civil\0029486 - 06 SP\Draw 6/21/2019 11:54 AM\11.dwg



Westwood

Phone (952) 937-5150 12701 Whitewater Drive, Suite #300
Fax (952) 937-5822 Minnetonka, MN 55343
Toll Free (888) 937-5150 westwoodps.com
Westwood Professional Services, Inc.

PREPARED FOR:

WANZEK

a MasTec company

4850 32nd Avenue S
 Fargo, ND 58104

REVISIONS:

#	DATE	COMMENT
A	08/21/2019	60% CIVIL PLANS

0' 300' 600' 900'

0' 300' 600' 900'

DAKOTA RANGE III

WIND PROJECT

GRANT COUNTY AND ROBERTS

COUNTY, SOUTH DAKOTA

Site Plan D01 - D02

60% CIVIL PLANS
NOT FOR CONSTRUCTION

DATE: 08/21/2019

SHEET: 29

131415161718

192021222324

25262728

293031


323334

353637


3839

40414243

KEY MAP



- LEGEND:**
- T-# TURBINE LOCATION
 - M-# MET TOWER LOCATION
 - PROPOSED ACCESS ROAD
 - PROPOSED CRANE PATH
 - UNDERGROUND COLLECTION
 - OVERHEAD TRANSMISSION
 - PROPOSED SILT FENCE
 - EX. INDEX CONTOUR
 - EX. INTERVAL CONTOUR
 - EX. TREELINE
 - EX. ROAD EDGE
 - EX. ROAD CENTERLINE
 - EX. FENCE
 - EX. OVERHEAD POWER
 - EX. STREAM CHANNEL
 - EX. WATERBODY
 - EX. WETLAND
 - WATER FOWL PROTECTION AREA
 - NON-PARTICIPATING LAND
 - PENDING PROPERTIES
 - CULTURAL AVOIDANCE AREAS



Westwood

Phone (952) 937-5150 12701 Whitewater Drive, Suite #300
Fax (952) 937-5822 Minnetonka, MN 55343
Toll Free (888) 937-5150 westwoodps.com
Westwood Professional Services, Inc.


PREPARED FOR:

WANZEK
a MasTec company

4850 32nd Avenue S
Fargo, ND 58104

REVISIONS:

#	DATE	COMMENT
A	08/21/2019	60% CIVIL PLANS



DAKOTA RANGE III WIND PROJECT


GRANT COUNTY AND ROBERTS COUNTY, SOUTH DAKOTA

Site Plan D03 - D04


60% CIVIL PLANS
NOT FOR CONSTRUCTION

DATE: 08/21/2019

SHEET: 30



- LEGEND:
- T-# TURBINE LOCATION
 - M-# MET TOWER LOCATION
 - PROPOSED ACCESS ROAD
 - PROPOSED CRANE PATH
 - UNDERGROUND COLLECTION
 - OVERHEAD TRANSMISSION
 - PROPOSED SILT FENCE
 - EX. INDEX CONTOUR
 - EX. INTERVAL CONTOUR
 - EX. TREELINE
 - EX. ROAD EDGE
 - EX. ROAD CENTERLINE
 - EX. FENCE
 - EX. OVERHEAD POWER
 - EX. STREAM CHANNEL
 - EX. WATERBODY
 - EX. WETLAND
 - WATER FOWL PROTECTION AREA
 - NON-PARTICIPATING LAND
 - PENDING PROPERTIES
 - CULTURAL AVOIDANCE AREAS



Westwood

Phone (952) 937-5150 12701 Whitewater Drive, Suite #300
Fax (952) 937-5822 Minnetonka, MN 55343
Toll Free (888) 937-5150 westwoodps.com
Westwood Professional Services, Inc.

PREPARED FOR:

WANZEK
a MasTec company

4850 32nd Avenue S
Fargo, ND 58104

REVISIONS:

#	DATE	COMMENT
A	08/21/2019	60% CIVIL PLANS

**DAKOTA RANGE III
WIND PROJECT**

GRANT COUNTY AND ROBERTS
COUNTY, SOUTH DAKOTA

Site Plan D05 - D06

60% CIVIL PLANS
NOT FOR CONSTRUCTION

DATE: 08/21/2019


SHEET: 31

SEE SHEET 28

SEE SHEET 30

SEE SHEET 34

0:\025486\000\wp\G:\0025486 - 08 SP\DWG 6/21/2019 11:15 AM\11.dwg



Westwood

Phone (952) 937-5150 12701 Whitewater Drive, Suite #300
Fax (952) 937-5822 Minnetonka, MN 55343
Toll Free (888) 937-5150 westwoodps.com
Westwood Professional Services, Inc.

PREPARED FOR:

WANZEK

a MasTec company

4850 32nd Avenue S
Fargo, ND 58104

REVISIONS:

#	DATE	COMMENT
A	08/21/2019	60% CIVIL PLANS

DAKOTA RANGE III WIND PROJECT

GRANT COUNTY AND ROBERTS COUNTY, SOUTH DAKOTA


Site Plan C01 - C02

60% CIVIL PLANS
NOT FOR CONSTRUCTION

DATE: 08/21/2019

SHEET: 32

\\0025486-000\dwg\Civil\0025486 - 00 3P.dwg 8/21/2019 11:15 AM All Users



- LEGEND:
- T-# TURBINE LOCATION
 - M-# MET TOWER LOCATION
 - PROPOSED ACCESS ROAD
 - PROPOSED CRANE PATH
 - UNDERGROUND COLLECTION
 - OVERHEAD TRANSMISSION
 - PROPOSED SILT FENCE
 - EX. INDEX CONTOUR
 - EX. INTERVAL CONTOUR
 - EX. TREELINE
 - EX. ROAD EDGE
 - EX. ROAD CENTERLINE
 - EX. FENCE
 - EX. OVERHEAD POWER
 - EX. STREAM CHANNEL
 - EX. WATERBODY
 - EX. WETLAND
 - WATER FOWL PROTECTION AREA
 - NON-PARTICIPATING LAND
 - PENDING PROPERTIES
 - CULTURAL AVOIDANCE AREAS

Phone (952) 937-5150 12701 Whitewater Drive, Suite #300
 Fax (952) 937-5822 Minnetonka, MN 55343
 Toll Free (888) 937-5150 westwoodps.com
 Westwood Professional Services, Inc.

PREPARED FOR:

4850 32nd Avenue S
 Fargo, ND 58104

REVISIONS:

#	DATE	COMMENT
A	08/21/2019	60% CIVIL PLANS

DAKOTA RANGE III WIND PROJECT


GRANT COUNTY AND ROBERTS COUNTY, SOUTH DAKOTA


Site Plan C03, ALT-C05

60% CIVIL PLANS
 NOT FOR CONSTRUCTION

DATE: 08/21/2019


SHEET: 33





LEGEND:

- T-#** TURBINE LOCATION
- M-#** MET TOWER LOCATION
- PROPOSED ACCESS ROAD
- PROPOSED CRANE PATH
- UNDERGROUND COLLECTION
- OVERHEAD TRANSMISSION
- PROPOSED SILT FENCE
- EX. INDEX CONTOUR
- EX. INTERVAL CONTOUR
- EX. TREELINE
- EX. ROAD EDGE
- EX. ROAD CENTERLINE
- EX. FENCE
- EX. OVERHEAD POWER
- EX. STREAM CHANNEL
- EX. WATERBODY
- EX. WETLAND
- WATER FOWL PROTECTION AREA
- NON-PARTICIPATING LAND
- PENDING PROPERTIES
- CULTURAL AVOIDANCE AREAS



Westwood

Phone: (952) 937-5150 12701 Whitewater Drive, Suite #300
Fax: (952) 937-5822 Minnetonka, MN 55343
Toll Free: (888) 937-5150 westwoodps.com
Westwood Professional Services, Inc.

PREPARED FOR:

WANZEK
a MasTec company

4850 32nd Avenue S
Fargo, ND 58104

REVISIONS:

#	DATE	COMMENT
A	08/21/2019	60% CIVIL PLANS

**DAKOTA RANGE III
WIND PROJECT**

GRANT COUNTY AND ROBERTS
COUNTY, SOUTH DAKOTA

Site Plan C04

60% CIVIL PLANS
NOT FOR CONSTRUCTION

DATE: 08/21/2019


SHEET: 34

PREPARED FOR:



850 32nd Avenue S
Fargo, ND 58104

REVISIONS:		
REV	DATE	COMMENT
1	08/21/2019	60% CIVIL PLANS



DAKOTA RANGE III WIND PROJECT



GRANT COUNTY AND ROBERTS
COUNTY, SOUTH DAKOTA

Site Plan B02, ALT-B03


60% CIVIL PLANS NOT FOR CONSTRUCTION

DATE: 08/21/2019

SHEET: 36



KEY MAP



- LEGEND:**
- T-# TURBINE LOCATION
 - M-# MET TOWER LOCATION
 - PROPOSED ACCESS ROAD
 - PROPOSED CRANE PATH
 - UNDERGROUND COLLECTION
 - OVERHEAD TRANSMISSION
 - PROPOSED SILT FENCE
 - EX. INDEX CONTOUR
 - EX. INTERVAL CONTOUR
 - EX. TREELINE
 - EX. ROAD EDGE
 - EX. ROAD CENTERLINE
 - EX. FENCE
 - EX. OVERHEAD POWER
 - EX. STREAM CHANNEL
 - EX. WATERBODY
 - EX. WETLAND
 - WATER FOWL PROTECTION AREA
 - NON-PARTICIPATING LAND
 - PENDING PROPERTIES
 - CULTURAL AVOIDANCE AREAS

Westwood

Phone (952) 937-5150 12701 Whitewater Drive, Suite #300
Fax (952) 937-5822 Minnetonka, MN 55343
Toll Free (888) 937-5150 westwoodps.com
Westwood Professional Services, Inc.

PREPARED FOR:

WANZEK
a MasTec company

4850 32nd Avenue S
Fargo, ND 58104

REVISIONS:

#	DATE	COMMENT
A	08/21/2019	60% CIVIL PLANS


**DAKOTA RANGE III
WIND PROJECT**
GRANT COUNTY AND ROBERTS
COUNTY, SOUTH DAKOTA

Site Plan B04

60% CIVIL PLANS
NOT FOR CONSTRUCTION


DATE: 08/21/2019

SHEET: 37




\\002446-000\proj\civil\002446-00-3P.dwg 6/21/2019 11:18 AM All Users

SEE SHEET 36



SEE SHEET 39

- LEGEND:**
- T-# TURBINE LOCATION
 - M-# MET TOWER LOCATION
 - PROPOSED ACCESS ROAD
 - PROPOSED CRANE PATH
 - UNDERGROUND COLLECTION
 - OVERHEAD TRANSMISSION
 - PROPOSED SILT FENCE
 - EX. INDEX CONTOUR
 - EX. INTERVAL CONTOUR
 - EX. TREELINE
 - EX. ROAD EDGE
 - EX. ROAD CENTERLINE
 - EX. FENCE
 - EX. OVERHEAD POWER
 - EX. STREAM CHANNEL
 - EX. WATERBODY
 - EX. WETLAND
 - WATER FOWL PROTECTION AREA
 - NON-PARTICIPATING LAND
 - PENDING PROPERTIES
 - CULTURAL AVOIDANCE AREAS



KEY MAP

Westwood


Phone (952) 937-5150 12701 Whitewater Drive, Suite #300
Fax (952) 937-5822 Minnetonka, MN 55343
Toll Free (888) 937-5150 westwoodps.com
Westwood Professional Services, Inc.

PREPARED FOR:

WANZEK
a MasTec company

4850 32nd Avenue S
Fargo, ND 58104

REVISIONS:		
#	DATE	COMMENT
A	08/21/2019	60% CIVIL PLANS



DAKOTA RANGE III WIND PROJECT


GRANT COUNTY AND ROBERTS
COUNTY, SOUTH DAKOTA

Site Plan A03

60% CIVIL PLANS
NOT FOR CONSTRUCTION

DATE: 08/21/2019

SHEET: 38



SEE SHEET 37

SEE SHEET 40

SEE SHEET 38

- LEGEND:**
- T-#** TURBINE LOCATION
 - M-#** MET TOWER LOCATION
 - PROPOSED ACCESS ROAD
 - PROPOSED CRANE PATH
 - UNDERGROUND COLLECTION
 - OVERHEAD TRANSMISSION
 - PROPOSED SILT FENCE
 - EX. INDEX CONTOUR
 - EX. INTERVAL CONTOUR
 - EX. TREELINE
 - EX. ROAD EDGE
 - EX. ROAD CENTERLINE
 - EX. FENCE
 - EX. OVERHEAD POWER
 - EX. STREAM CHANNEL
 - EX. WATERBODY
 - EX. WETLAND
 - WATER FOWL PROTECTION AREA
 - NON-PARTICIPATING LAND
 - PENDING PROPERTIES
 - CULTURAL AVOIDANCE AREAS

Westwood



Phone (952) 937-5150 12701 Whitewater Drive, Suite #300
Fax (952) 937-5822 Minnetonka, MN 55343
Toll Free (888) 937-5150 westwoodps.com
Westwood Professional Services, Inc.

PREPARED FOR:

WANZEK
a MasTec company

4850 32nd Avenue S
 Fargo, ND 58104

REVISIONS:		
#	DATE	COMMENT
A	08/21/2019	60% CIVIL PLANS



KEY MAP

DAKOTA RANGE III WIND PROJECT


GRANT COUNTY AND ROBERTS
COUNTY, SOUTH DAKOTA

Site Plan A04

60% CIVIL PLANS
NOT FOR CONSTRUCTION

DATE: 08/21/2019

SHEET: 39



- LEGEND:
- T-# TURBINE LOCATION
 - M-# MET TOWER LOCATION
 - PROPOSED ACCESS ROAD
 - PROPOSED CRANE PATH
 - UNDERGROUND COLLECTION
 - OVERHEAD TRANSMISSION
 - PROPOSED SILT FENCE
 - EX. INDEX CONTOUR
 - EX. INTERVAL CONTOUR
 - EX. TREELINE
 - EX. ROAD EDGE
 - EX. ROAD CENTERLINE
 - EX. FENCE
 - EX. OVERHEAD POWER
 - EX. STREAM CHANNEL
 - EX. WATERBODY
 - EX. WETLAND
 - WATER FOWL PROTECTION AREA
 - NON-PARTICIPATING LAND
 - PENDING PROPERTIES
 - CULTURAL AVOIDANCE AREAS

Phone (952) 937-5150 12701 Whitewater Drive, Suite #300
Fax (952) 937-5822 Minnetonka, MN 55343
Toll Free (888) 937-5150 westwoodps.com
Westwood Professional Services, Inc.

PREPARED FOR:

4850 32nd Avenue S
Fargo, ND 58104

REVISIONS:

#	DATE	COMMENT
A	08/21/2019	60% CIVIL PLANS

DAKOTA RANGE III WIND PROJECT


GRANT COUNTY AND ROBERTS COUNTY, SOUTH DAKOTA

Site Plan

60% CIVIL PLANS
NOT FOR CONSTRUCTION

DATE: 08/21/2019


SHEET: 40



SEE SHEET 40

SEE SHEET 42

\\002446-000\proj\CD\1002446-00-SP.dwg 6/21/2019 11:59 AM All Users



- LEGEND:**
- T-#** TURBINE LOCATION
 - M-#** MET TOWER LOCATION
 - PROPOSED ACCESS ROAD
 - PROPOSED CRANE PATH
 - UNDERGROUND COLLECTION
 - OVERHEAD TRANSMISSION
 - PROPOSED SILT FENCE
 - EX. INDEX CONTOUR
 - EX. INTERVAL CONTOUR
 - EX. TREELINE
 - EX. ROAD EDGE
 - EX. ROAD CENTERLINE
 - EX. FENCE
 - EX. OVERHEAD POWER
 - EX. STREAM CHANNEL
 - EX. WATERBODY
 - EX. WETLAND
 - WATER FOWL PROTECTION AREA
 - NON-PARTICIPATING LAND
 - PENDING PROPERTIES
 - CULTURAL AVOIDANCE AREAS

Westwood

Phone (952) 937-5150 12701 Whitewater Drive, Suite #300
Fax (952) 937-5822 Minnetonka, MN 55343
Toll Free (888) 937-5150 westwoodps.com
Westwood Professional Services, Inc.



PREPARED FOR:

WANZEK
a MasTec company

4850 32nd Avenue S
Fargo, ND 58104

REVISIONS:

#	DATE	COMMENT
A	08/21/2019	60% CIVIL PLANS



KEY MAP

DAKOTA RANGE III WIND PROJECT

GRANT COUNTY AND ROBERTS
COUNTY, SOUTH DAKOTA

Site Plan

60% CIVIL PLANS
NOT FOR CONSTRUCTION


DATE: 08/21/2019

SHEET: 41


SEE SHEET 41

SEE SHEET 43

\\002446-000\proj\CA11002446-00 08/21/2019 11:19 AM All Users



- LEGEND:**
- T-#** TURBINE LOCATION
 - M-#** MET TOWER LOCATION
 - PROPOSED ACCESS ROAD
 - PROPOSED CRANE PATH
 - UNDERGROUND COLLECTION
 - OVERHEAD TRANSMISSION
 - PROPOSED SILT FENCE
 - EX. INDEX CONTOUR
 - EX. INTERVAL CONTOUR
 - EX. TREELINE
 - EX. ROAD EDGE
 - EX. ROAD CENTERLINE
 - EX. FENCE
 - EX. OVERHEAD POWER
 - EX. STREAM CHANNEL
 - EX. WATERBODY
 - EX. WETLAND
 - WATER FOWL PROTECTION AREA
 - NON-PARTICIPATING LAND
 - PENDING PROPERTIES
 - CULTURAL AVOIDANCE AREAS



KEY MAP

Westwood


Phone (952) 937-5150 12701 Whitewater Drive, Suite #300
Fax (952) 937-5822 Minnetonka, MN 55343
Toll Free (888) 937-5150 westwoodps.com
Westwood Professional Services, Inc.

PREPARED FOR:



4850 32nd Avenue S
Fargo, ND 58104

REVISIONS:		
#	DATE	COMMENT
A	08/21/2019	60% CIVIL PLANS



DAKOTA RANGE III WIND PROJECT

GRANT COUNTY AND ROBERTS
COUNTY, SOUTH DAKOTA


Site Plan

60% CIVIL PLANS
NOT FOR CONSTRUCTION

DATE: 08/21/2019

SHEET: 42

SEE SHEET 42



- LEGEND:
- T-# TURBINE LOCATION
 - M-# MET TOWER LOCATION
 - PROPOSED ACCESS ROAD
 - PROPOSED CRANE PATH
 - UNDERGROUND COLLECTION
 - OVERHEAD TRANSMISSION
 - PROPOSED SILT FENCE
 - EX. INDEX CONTOUR
 - EX. INTERVAL CONTOUR
 - EX. TREELINE
 - EX. ROAD EDGE
 - EX. ROAD CENTERLINE
 - EX. FENCE
 - EX. OVERHEAD POWER
 - EX. STREAM CHANNEL
 - EX. WATERBODY
 - EX. WETLAND
 - WATER FOWL PROTECTION AREA
 - NON-PARTICIPATING LAND
 - PENDING PROPERTIES
 - CULTURAL AVOIDANCE AREAS

Westwood


Phone: (952) 937-5150 12701 Whitewater Drive, Suite #300
Fax: (952) 937-5822 Minnetonka, MN 55343
Toll Free: (888) 937-5150 westwoodps.com
Westwood Professional Services, Inc.

PREPARED FOR:

WANZEK
a MasTec company

4850 32nd Avenue S
 Fargo, ND 58104

REVISIONS:		
#	DATE	COMMENT
A	08/21/2019	60% CIVIL PLANS



KEY MAP

DAKOTA RANGE III WIND PROJECT

GRANT COUNTY AND ROBERTS
COUNTY, SOUTH DAKOTA

Site Plan

60% CIVIL PLANS
NOT FOR CONSTRUCTION

DATE: 08/21/2019

SHEET: 43

Attachment F

Inspection and Maintenance Forms

STORMWATER CONSTRUCTION SITE INSPECTION REPORT

GENERAL INFORMATION

Project Name:

Location:

Date of Inspection:

Start/End Time:

Inspector's Name:

Inspector's Title:

Inspector's Contact Information:

Describe present phase of construction:

Type of Inspection:

☐ Regular ☐ Pre-storm event ☐ During storm event ☐ Post-storm event

WEATHER INFORMATION

Has there been a storm event since the last inspection? ☐ Yes ☐ No

If yes, provide:

Storm Start Date & Time:

Storm Duration (hrs):

Approximate Amount of Precipitation (in):

Weather at time of this inspection?

☐ Clear ☐ Cloudy ☐ Rain ☐ Sleet ☐ Fog ☐ Snowing ☐ High Winds
☐ Other: Temperature:

Have any discharges occurred since the last inspection? ☐ Yes ☐ No

If yes, describe:

Are there any discharges at the time of inspection? ☐ Yes ☐ No

If yes, describe:

CERTIFICATION STATEMENT

"I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."

Signature of Inspector

Printed Name and Title

Date

OVERALL SITE ISSUES

Below are some general site issues that should be assessed during inspections. Customize this list as needed for conditions at your site.

BMP/activity	Implemented?	Maintenance Required?	Corrective Action Needed and Notes
1. All inactive slopes and disturbed areas have been stabilized.	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	
2. Are natural resource areas (e.g., streams, wetlands, mature trees, etc.) protected with barriers or similar BMPs?	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	
3. Are all sanitary waste receptacles placed in secondary containment and free of leaks?	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	
4. Are perimeter controls and sediment barriers adequately installed (keyed into substrate) and maintained?	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	
5. Are discharge points and receiving waters free of any sediment deposits?	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	
6. Are storm drain inlets properly protected?	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	
7. Is the construction exit preventing sediment from being tracked into the street?	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	
8. Is trash/litter from work areas collected and placed in covered dumpsters?	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	
9. Are washout facilities (e.g., paint, stucco, concrete) available, clearly marked, and maintained?	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	
10. Are vehicle and equipment fueling, cleaning, and maintenance areas free of spills, leaks, or any other deleterious material?	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	
11. Are materials that are potential stormwater contaminants stored inside or under cover?	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	
12. Are non-stormwater discharges (e.g., wash water, dewatering) properly controlled?	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	
13. (Other)	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	