

**BEFORE THE PUBLIC UTILITIES COMMISSION
OF THE STATE OF SOUTH DAKOTA**

IN THE MATTER OF THE APPLICATION)	
BY CROWNED RIDGE WIND, LLC FOR A)	EL19-003
PERMIT OF A WIND ENERGY FACILITY)	
IN GRANT AND CODINGTON COUNTIES)	CERTIFICATE OF SERVICE
)	

I hereby certify that a true and correct copy of a letter to the PUC with attached responses and Attachments 1-4 were served electronically to the parties listed below on the 11th day of May, 2022, addressed to:

Ms. Patricia Van Gerpen
Executive Director
patty.vangerpen@state.sd.us

Ms. Kristen Edwards
Staff Attorney
Kristen.Edwards@state.sd.us

Ms. Amanda Reiss
Staff Attorney
Amanda.reiss@state.sd.us

Mr. Darren Kearney
Staff Analyst
Darren.kearney@state.sd.us

Mr. Jon Thurber
Staff Analyst
Jon.thurber@state.sd.us

Mr. Eric Paulson
Staff Analyst
Eric.paulson@state.sd.us

Mr. Brian J. Murphy
Senior Attorney
NextEra Energy Resources, LLC
Brian.j.murphy@nee.com

Mr. Tyler Wilhelm
Associate Project Manager
NextEra Energy Resources, LLC
Tyler.Wilhelm@nexteraenergy.com

Ms. Cindy Brugman
Auditor
Codington County
14 First Ave. SE
Watertown, SD 57201
cbrugman@codington.org

Ms. Karen Layher
Auditor
Grant County
210 E. Fifth Ave.
Milbank, SD 57252
Karen.Layher@grantcountysd.us

Mr. Allen Robish
47278 161st St.
Strandburg, SD 57265
allen.robish@gmail.com

Ms. Amber Christenson
16217 466th Ave.
Strandburg, SD 57265
amber.christenson@yahoo.com

Ms. Kristi Mogen
15160 471st Ave.
Twin Brooks, SD 57269
silversagehomestead@gmail.com

Ms. Melissa Lynch
45971 162nd St.
Watertown, SD 57201
melissamarie1010@yahoo.com

Mr. R. Shawn Tornow
Tornow Law Office, P.C.
PO Box 90748
Sioux Falls, South Dakota 57109-0748
rst.tlo@midconetwork.com

Mr. Patrick Lynch
45971 162nd St.
Watertown, SD 57201
Patrick.Lynch_m@hotmail.com

A handwritten signature in black ink, appearing to read 'Mies F. Schumacher', is written over a horizontal line. The signature is stylized and cursive.

Mies F. Schumacher
Attorneys for Applicant
Lynn, Jackson, Shultz & Lebrun, PC
110 N. Minnesota Ave., Suite 400
Sioux Falls, SD 57104