

From: crystal reuter [REDACTED]
Sent: Saturday, March 18, 2023 7:38 AM
To: PUC <PUCPF@state.sd.us>
Subject: [EXT] Bill for March for xcel rate hike issues. Docket number EL22-017

Here is my bill from March. The interim rate adjustment was over \$60.00. This is not a rate that any of us middle class families can sustain. I emailed the governor and messaged xcel energy about my concerns but no response from either. Please 🙏 consider either no rate increase or a very small one. With all the increases it's just not affordable and we don't have a choice of who we use for electric.
Thank you,
Crystal Reuter

| SERVICE ADDRESS | ACCOUNT NUMBER | DUE DATE | |
|---|-------------------------|-----------------------|-------------------|
| CRYSTAL BRIDGE 7520 S HUGHES SIOUX FALLS, SD 57108-5917 | 51-8610756-2 | 04/12/2023 | |
| | STATEMENT NUMBER | STATEMENT DATE | AMOUNT DUE |
| | 820190414 | 03/16/2023 | \$185.70 |

SERVICE ADDRESS: 7520 S HUGHES AVE SIOUX FALLS, SD 57108-5917
NEXT READ DATE: 04/17/23

ELECTRICITY SERVICE DETAILS

INVOICE NUMBER: 1024843658

| METER READING INFORMATION | | | |
|---------------------------|---|------------------|----------|
| METER 35953579 | Read Dates: 02/13/23 - 03/15/23 (30 Days) | | |
| DESCRIPTION | CURRENT READING | PREVIOUS READING | USAGE |
| Total Energy | 75155 Actual | 73810 Actual | 1345 kWh |

ELECTRICITY CHARGES

RATE: Residential

| DESCRIPTION | USAGE UNITS | RATE | CHARGE |
|----------------------|-------------|-------------|-----------------|
| Basic Service Chg | | | \$8.25 |
| Energy Charge Winter | 345 kWh | \$0.072350 | \$24.96 |
| Energy Charge Winter | 1000 kWh | \$0.075030 | \$75.03 |
| TmissnCostRecovery | 1345 kWh | -\$0.000389 | -\$0.52 CR |
| Fuel Cost Charge | 1345 kWh | \$0.005242 | \$7.05 |
| DSM Factor | 1345 kWh | \$0.000479 | \$0.64 |
| Infrastructure Rider | 1345 kWh | -\$0.001100 | -\$1.48 CR |
| Interim Rate Adj | | | \$60.43 |
| Subtotal | | | \$174.36 |
| City Tax | | 2.00% | \$3.49 |
| State Tax | | 4.50% | \$7.85 |
| Total | | | \$185.70 |