2025 South Dakota Grasslands Planner

Thank you for your passion for healthy grasslands.

"And, the really interesting thing about ranchers on working ranches is they're constantly looking to improve things and looking to learn. And, it's like this lifetime of learning thing that you see from our producers...I mean, it's for our economy, it's wildlife habitat, it's water quality, it's bio-diversity, it's pollinators, it's all these things that these folks who are managing it, these working ranches, are providing behind the scenes with very little fanfare. That is something that has struck me as being important and profound."

- Mitch Faulkner, NRCS Range Specialist

To some, pulling a plant – a weed, let's say – is a mundane task. Give it a short but effective tug, and hopefully that plant will come out root still attached. Gone! Have you ever examined the roots as you pull those "weeds"? What type of structure do the roots boast? Perhaps a long taproot that's mangled from compaction or a fibrous system with tiny soil aggregates still attached? How was that plant holding the soil together? What impact did that plant's roots play on the ecosystem below ground?

Now, think of the perennial grasses, flowers, and shrubs of the grasslands. What happens when you attempt to pull a stem of big bluestem or western wheatgrass? If you're lucky-you might get a smidgen of root, but typically you only get the top end of the plant. Why? Because perennial grasses of the prairie have DEEP roots, and a lot of them. And they are ALIVE!

These living roots are the lifeline of the prairie. In healthy, well-managed grasslands, roots hold the soil in place, increase infiltration, reduce runoff, increase water holding capacity, etc. It's not only the above ground portion of the plant that is important for grasslands managers, but the below ground portion as well!

The above ground production of the grasslands does not compare to the amazing below ground production of roots that keeps the prairie alive. One would think that the height of the above ground portion of the plant would equal that of the below ground portion. For grasses, the roots can outweigh the leaves by up to four times! No wonder it's so difficult to pull these plants from the ground!

These roots interact with each other for resources, but also with the microbial ecosystem below ground. The plant produces sugars through photosynthesis above, while below the roots "leak" sugars to share with different microbes – fungi, bacteria. These microbes "trade" the sugar for needed plant resources – water molecules and nutrients. As the plants used those "traded" resources, the plants continue to grow above and below. As the roots continue to grow and trade, they eventually die. So specific microbes reprocess those dead roots into useable nutrients that can be used by the plants in the future. It's quite a cooperative system they have going!

Some species of grasses have specific microbes by which they rely on. So, a diverse plant community above ground leads to a diverse plant community below ground as well! This ecosystem has evolved over thousands of years resulting in complex relationships among plants, animals, microbes, and soils.

Because specific plant species have specific microbial associations, keeping the grasslands greenside up is very important. Once a prairie has been tilled, those associations are lost. A soil teeming with microbial life is killed – we can't ever get that back. We might be able to restore some semblance of the plant community, but if it took thousands of years for the prairie to evolve to where it is today, it's going to take a long time for a tilled landscape to recover as well.

The grassland loving (root-loving) producers – farmers, ranchers, grassland managers – showcased in this planner recognize the importance of keeping the grasslands in grass, and how important it is to manage them properly not only for the above ground production, but the below ground production as well. These folks have learned through trial and error, mentors, and Mother Nature how to best manage their grasslands and keep their roots running deep. We hope you enjoy their stories and insights.

Tony Sunseri State Conservationist USDA Natural Resources Conservation Service Board of Directors and Members South Dakota Grassland Coalition









They were tilling up so much land. The winds started, and the drought came, and it created its own dust bowl. It's important to remember that this was created as a result of agricultural practices that just weren't sustainable. If you think about dust storms — large enough from the Dakotas that they reached all the way to Washington, DC — it gives you a sense of the amount of soil loss that happens if the land isn't taken care of.

- Barry H. Dunn, President, South Dakota State University

JANUARY

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
S M T W T F S 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31	Februarie S M T W T F S 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28	 YouTube 	1 New Year's Day	2	3	4
5	• 6	7	8	9	10	11
		 New Year means n	ew conservation plan! Get s	l started with NRCS.		
12	<mark>·</mark> 13	14	15	16	17	18
	If your operation r	needs improvements on you	ır grazing lands, consider ap	pplying for EQIP or CSP. Sign-u	ıp is continuous.	
19	20	• 21	22	23	24	25
	Martin Luther King Jr. Day					
26	27	28	• 29	30	31	
				hile protecting the grassland options and payment rates.	resource.	



In the past ten years, we've lost over 2 million acres of grassland in the United States. We're really at a pivotal point here; where, if we don't stop, slow the green glacier, slow urban encroachment, and slow down the tilling of the fields, we're in big trouble.

I love the grasslands, it's like an ocean, except its grass. To the point where if you're on a hillside on a windy day, it's like you can see the waves.

- Liz Larson, South Dakota State Senator



FEBRUARY

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
12 13 14 15 16 17 18	Image: Im	 YouTube 				1
C Groundhog Day World Wetlands Day	3	4 Looking to make improv one-on-one conservation	vements in your grassland h on advice. Farm Bill Program	6 nealth? See NRCS for free ns sign-up is continuous.	7	8
9	10	11	Lincoln's Birthday	13	14 Valentine's Day	15 Great Horned Owl begins nesting
16	17 Presidents' Day Washington's Birthday	18	19	• 20	21	22
23	24	25	26	• 27	28	

I think there are enough people that realize that we're doing things wrong and that we need to fix them. And if enough of those people actually start doing proper practices, I think we can turn it around. We just have to catch it before it's too late. I do think there are a lot of young people out there that do care and will help try to make a difference.

- Johnathon Neuharth



MARCH

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
Februarie S M T W T F S 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28	M T W T F S 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30	 YouTube 				Male Sage Grouse begin attending leks to perform courtship and strutting displays.
2	3	4 Mardi Gras	5	• 6	7	8
	ainfall amounts received last evelop and/or revise action i					
9	10	11	12	13	0 14	15
Daylight Savings Begins			 owlarks migrate through the eight grassland habitat beg			
16	17	18	19	20	21	• 22
	St. Patrick's Day			First Day of Spring		and begin calling from retlands
23	24	25	26	27	28	• 29
30	31			l ite preparation are on schec nilkweeds near your home t		





The Leopold Award is a prestigious recognition for ranchers who demonstrate exceptional efforts in land management and environmental stewardship. The Blioux River Ranch near Castlewood won the 2024 Leopold Award, which signifies its commitment to sustainable ranching practices and dedication to maintaining and improving the land for current and future generations.

APRIL

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
		1	2	3	• 4	5
				hes. Report Whooping Crane r the U.S. Fish and Wildlife Se		
6	7	8	9	10	11	<mark>· 12</mark>
			bugh the state, passing thro is a common nesting warbl			
13	14	15	16	17	18	19
		Tax Day	Mallard and Pintail ducks begin nesting.		Good Friday	Average nest initiation for prairie grouse in central SD.
• 20	21	22	23	24	25	26
	Be proud	of the difference volunteers	make in your community -	National Volunteer Week, A	pril 20-26	
Easter		Earth Day				
• 27	28	29	30	March S M T W T F S 2 3 4 5 6 7 8	May S M T W T F S 1 2 3 3 3 3 10 <	
	Grass is greening up. Do you need to adjust your mineral program?			9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31	18 19 20 21 22 23 24	YouTube

When you ask people about the most endangered ecosystem in the world, oftentimes they'll come up with the rainforest. And actually, native grasslands in North America are way more threatened than the rainforests. If grassland producers aren't profitable, they're probably going to change their practices, often with conversion to crops. So, we're all about making producers more profitable with grasslands and educating people about the importance of it.

- Jim Faulstich, South Dakota Grassland Coalition

MAY

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
	S M T W T F S 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30	 YouTube 		1	2	Peak nest initiation for pheasants in Eastern SD.
• 4	5 Watch for Monarch butterflies.	flight 20-30 feet above	ground. He then flutters to	8 ack-and-white male's courts the ground while singing. T	he Bobolink is similar in	10
			The male does low display f	flights, singing while flutteri	i	
Mother's Day	· 12	13	14	15	16	17
	Pla	·	· · ·	ide for better range utilizatio	i	
18	19	▶ 20	21	22	23	24
				Peak of Whi	l ite-tailed deer fawn births in	Eastern SD.
25	• 26	27	28	29	30	31
	Memorial Day		l nember to enter informatio ur Record of Livestock Grazi			

Pre-European settlement, we would have seen a lot of native forbs and native grasses. We kind of abused the ground by overgrazing or undergrazing, and then we introduced grasses that took over many of our native grasslands. Smooth brome helped a lot with erosion control, but it didn't do anything for soil health. It's very aggressive in nature as far as taking over an area, and it lends itself really to kind of crowd out our native species. So now we're trying to get back to a more diverse mix of species on the ground, a better water cycling system, and a better nutrient cycling system in the area.

- Jay Hermann, NRCS Rangeland Management Specialist



JUNE

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
1	• 2	3	4	5 World Environment Day	6	7 Begin to seed summer annual forages.
8	9	10	0 11	12	13	14
Pentecost			 inable harvesting when gatl (prairie turnip) on the prairie			Flag Day
15	16	17	• 18	19	20	21
Father's Day				Juneteenth	First Day of Summer	
22	23	24	• 25	26	27	28
		Peak of pheasant and duck hatch.	Move anima	ls based on plant height NC)T calendar dates.	Watch grazing heights and rest periods carefully.
29	30	 Graze annual forages at Watch pasture for weed Remember to enter info Livestock Grazing. Evaluate shade/water n year. 	s and invasive species. ormation in your Record of	May S M T W T F S 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31	July S M T W T F S 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31	 YouTube



We're doing what we can to restore grasslands. And we are doing what we can to enhance existing grasslands even if they're not fully restored. We've got organizations like NRCS, Game Fish and Parks here in South Dakota, all of our NGOs, and SDSU Extension. We all play a part in that, either active participation in the restoration process, or the education process that makes a producer aware that there are options and opportunities.

- Pete Bauman



JULY

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
S M T W T F S 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30	10 11 12 13 14 15 16	1	• 2	3	4	5
29 30	24 25 26 27 28 29 30 31				Independence Day	
6	7	8	9	<mark>·</mark> 10	11	12
	nditions occurred in the spr r herd management and ad				World Population Day	
13	14	15	16	• 17	18	19
	Thistles are best controlled at boot stage.	Check wa	ater sources frequently for c	ondition, i.e., sediment or al	gae can reduce an animal's v	water intake.
20	21	22	23	• 24	25	26
		Collect flower seed	s from annuals for next year	r's butterfly garden.		National Day of the Cowboy
27	28	29	30	31		■ ■ ■ VouTube



It is simply amazing how quickly grassland birds find and occupy a grassland restoration project. I truly feel it is Mother Nature's way of showing her gratitude in restoring some sort of balance to the landscape.

- Owen McElroy

AUGUST

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
	Set	 YouTube 			to ripen, their fruit color will re a hard pit inside that can r proper preparation.	
3	4	S Remember to ent Record of Live		7	8 Contact the SD Gra about the South Dak	
10	11 Start planing for native seed harvest.	12	13	14 Continue to implement	15 Drought Contingency Plan a	• 16
17	18 s alternative forage; plant in	19	20	21	Plan winter feed supply.	• 23
24 • 31	25	26	27	28	29	30



You know, you can't do something for 30 years and not have it affect you. It affects you in a good way. We moved out to the Black Hills because of our grandchildren, and we're not ready to stop farming at this point. We can take what we've learned over the years and really make a difference just with our own little yard. You spend your life learning and educating. You can't change that overnight. That's not going to happen. You're going to continue to do that. Whether that's talking to somebody on the street or in a formal presentation, you're going to do that, whether you like it or not.

- Jeffrey Hemenway, Retired Soil Quality Specialist, USDA-NRCS



SEPTEMBER

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
	1 Labor Day	2	3	4 Remember to enter details in your Record of Livestock Grazing.	5	6
	7 8	9	10	11	12	13
			Continue to implemen	t Drought Contingency Plan	action items as needed.	
• 1	4 15	16	17	18	19	20
	Watch for migrating	g Monarch butterflies			hated by cool-season specie reduce pressure on native	
• 2	1 22	23	24	25	26	27
	First Day of Autumn	neotropical migra	hrough the state on their w ints that winter in Central ar n stops in the Dakotas critica	nd South America,	National Native American Day	
2	8 🔍 29	30		August	October	
				S M T W T F S 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23	19 20 21 22 23 24 25	
				24 25 26 27 28 29 30 31	26 27 28 29 30 31	YouTube



According to the Central Grasslands Roadmap Initiative, more than 50 million acres of grassland have been lost in a 10-year period, 2009-2019. Emmy Award-winning videographers Joe and Charlie Dickie, along with two-time Pulitzer Prize-nominated photographer Mitch Kezar have been capturing conservation stories across the state of South Dakota since Joe's initial work on the 2014 South Dakota Leopold Conservation Award. Through their lenses, we are able to see hope for the future of "Our Amazing Grasslands". Thank you Big World Films!



OCTOBER

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
S M T W T F S 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30		 YouTube 		our management! Plan an c eer, or duck hunting and intr conservation looks like.		4 Conduct annual soil tests on fertilized pasture.
5			8 ds, get free one-on-one adv ce for a Conservation Plan th			11
12	• 13	14	15	16	17	18
National Farmer's Day	Native American Day (SD) Columbus Day				se Payments are often due a te to ensure you're preparec	
19	20	• 21	22	23	24	25
		Continue to implement	Drought Contingency Plan	action items as needed.		
26	27	28	• 29	30	31	
					Halloween	

The collaboration between our conservation partners is phenomenal. You know, when any one of us succeeds, we all succeed. We're all out there with the same things in mind. Providing clean water, clean air, quality habitat, and all of the things that benefit our society as a whole.

> - Matt Gottlob, Pheasants Forever South Dakota State Coordinator

NOVEMBER

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
S M T W T F S 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31	N T W T F S 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31	 YouTube 	Allow livest cover crops	ock to graze alternative fora or cornstalks, to allow a rest	age sources, such as period for pastures.	Try strip grazing corn stalks to reduce trampling.
2 Daylight Savings Ends	B Prepare water systems and equipment for freezing temperatures.	4 Election Day		f r Snowy Owls as they move ng years when food may be		8
9	10	11 Veterans' Day	Evaluate end of year pasture use.	13	14 Prepare your fina for your lende	
16	17	18 Test forages and hay before arate animals by nutritional	19 feeding; results can improvineeds; lactating or gestating	e winter feeding efficiency. g stock needs your best fora	21	22
23 30	24 Start the tax planning process.	25	26	27 Thanksgiving	28	29

I am hopeful for the grasslands, and I'm hopeful, I think out of my own blind desire, to see that there is hope. But I also stand in rooms like this here in South Dakota, of people filled to the brim with hope who are working really hard. And if that isn't the future that I want to be a part of, I don't know what is. You know, whether or not we can move the needle in the way we need to, I can't say for sure, but I do know that there are a lot of people who care deeply and who are going to do hard work.

> - Maggie Hanna, Director of Central Grasslands Roadmap Initiative

DECEMBER

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
	1	2	3	4	5	6
	Charly party was and the	5D Drought Tool for 2026 for	and production forecast		World Soil Day	
7	8	9	10	▶ 11	12	13
Pearl Harbor Remembrance Day		I Nudubon Society's Christmas rformed since 1901, making				
14	15	16	17	18	• 19	20
	Monitor body condition	score trends of your herd.				
21	22	23	24	25	26	• 27
First Day of Winter			Christmas Eve	Christmas Day	Did you remember to ta Plan for r	
28	29	30	31	November	January 2026	
20	29	50	51	SMTWTFS	S M T W T F S 1 2 3	
				2 3 4 5 6 7 8 9 10 11 12 13 14 15	4 5 6 7 8 9 10 11 12 13 14 15 16 17	
				16 17 18 19 20 21 22	18 19 20 21 22 23 24	
			New Year's Eve	23 24 25 26 27 28 29 30	25 26 27 28 29 30 31	YouTube

HOLISTIC MANAGEMENT

SAVORY FRAMEWORK FOR HOLISTIC MANAGEMENT


WHOLE UNDER MANAGEMENT	DEC		RESOURCE BASE			MONEY			
Holistic Context	Statement of Purpose Quality of Life Forms of Production Future Resource Base								
Eco system Processes		imunity namics	Water Cy	cle	$\rightarrow \sim$	Mineral Cycle	>	Energy	Flow
Conventional Decision Making		Objectives	Goals		V	ision		Mission	
Tools	Human Creativity	Technology	Fire	Rest	Gra		Animal Impact	Living Organisms	Money & Labor
One or More Factors	Past Experience	Expert Opinion	Research Results		Expediency	Comprom	lise	Cultural Norms	Cost, Etc.
Testing Questions Objectives and Actions	Cause & Effect	Weak Link • Social • Biological • Financial	Marginal Reaction		Gross Profit Analysis	Energy/Mo Source Patt Of Use	ney tern	Sustainability	Gut Check
Management Guidelines	Learning & Practice	Organization & Leadership	Marketing	Time		Density d Effect C	ropping	Burning	Population management
Processes Unique to Holistic Management	tic Financial Planning	Holistic Planned Holistic Land Holistic Ecolo Grazing Planning Monitori							
Feedback Loop		(Assume Wrong with Environment & Financials) Control							

"Agriculture is not crop production as popular belief holds - it's the production of food and fiber from the world's land and waters. Without agriculture it is not possible to have a city, stock market, banks, university, church, or army. Agriculture is the foundation of civilization and any stable economy." - Allan Savory


Grassland Planning Tools Available from SD NRCS

SD NRCS has developed Excel-based tools that can be useful to managers when planning management for their grasslands.

The **South Dakota Drought Tool** utilizes weather station data, historical averages, and state-wide clipping data to determine a percent of normal calculation for grassland managers to use for determining the production status of



The **SD Grazing Tool** includes instructions on how to build a forage inventory based on Web Soil Survey soils data, create an animal inventory, and match the forage resources to the animal resources in order to build a balanced grazing plan. The tool also provides multiple grazing plan formats depending on the grazer's experience.







These tools are available on the SD NRCS website. Search "SD NRCS". Click on "Range & Drought Information" on the right hand side of webpage under "Popular Topics" to find the SD Drought Tool, SD Grazing Tool, and other useful planning documents.

Grassland Planning Tools and other useful information are taught at the SD Grassland Management School, the SD Grazing School and the SD Soil Health School. These schools provide producers the opportunity to network and learn new ways to increase efficiency and improve their operations. Visit www.sdgrass.org or the www.sdsoilhealth.org web sites for event updates.

The contents of the South Dakota Grassland Planner calendar pages are now available online as a Google Calendar. Find the new calendar with the latest updates and events on Google Calendar at https://bit.ly/SDGrasslandCalendar.

Grassland Planning

Through this Grassland Planner, the U.S. Department of Agriculture NRCS is working with the South Dakota Grassland Coalition (SDGC) and other partners to improve the health of grassland resources. The NRCS, SDGC, and South Dakota State University Extension Service and other entities can assist you to determine and formulate resource protection and enhancement options that fit your operation. Depending upon the area of expertise and need for financial assistance, staff are available through NRCS and SD Conservation Districts, and other partners such as the SD Grassland Coalition and SDSU Extension specialists, the U.S. Fish and Wildlife Service, the South Dakota Departments of Agriculture and Game, Fish and Parks, and private organizations, such as Pheasants Forever, Ltd.

Many resources are available to help you determine and formulate resource protection and enhancement options that fit your operation. Technical help is available for:

- Soil health
- Water quality and quantity
- Fencing
- Monitoring techniques
- Drought management
- Grasses for forage production
- and more!



Depending upon the area of expertise and/or need of financial assistance, staff are available through the following conservation partners.

USDA Natural Resources Conservation Service

www.sd.nrcs.usda.gov South Dakota State Office (605) 352-1200

SD Department of Agriculture and Natural Resources www.danr.sd.gov (605) 773-3375

Ducks Unlimited www.ducks.org/southdakota

South Dakota Grassland Coalition www.sdgrass.org

South Dakota Department of Game, Fish and Parks Wildlife Division www.gfp.sd.gov (605) 223-7700

Pheasants Forever www.peasantsforever.org (605) 692-6006

South Dakota Conservation Districts www.sdconservation.org (605) 895-4099

U.S. Fish and Wildlife Service -SD Partners for Fish and Wildlife www.fws.gov/partners (605) 697-2500

South Dakota Soil Health Coalition www.sdsoilhealthcoalition.org sdsoilhealth@gmail.com

South Dakota State University (SDSU) Extension Service extension.sdstate.edu

(605) 688-4792 Special distribution provided by

Cattle Business Weekly and Tri-State Livestock News

Photography Joe Dickie

Design Beth Bird

The USDA is an equal opportunity provider, employer, and lender.

South Dakota Grasslands eCalendar

An eCalendar that can help you take your ranch management to the next level by providing helpful tips and reminders right at your fingertips!



How to integrate within an existing platform:

Google Calendar

- 1. On your computer, open your Google Calendar.
- 2. On the left, next to Other Calendars, Click Add+ From URL.
- 3. Visit <u>www.indianag.org/ncalendar</u> and copy the Google Calendar URL.
- 4. Enter the Calendar URL in the field provided.
- 5. Click Add Calendar. The calendar will appear on the left side under Other Calendars.

Outlook Calendar

- 1. Go to <u>www.indianag.org/21calendar</u> and copy the iCal URL for the Outlook Calendar.
- 2. Go to your personal Outlook Calendar and right-click Shared Calendars > Add Calendar > From Internet
- 3. Paste the iCal URL.
- 4. Choose Yes when asked to subscribe to updates.
- 5. The SD Grasslands eCalendar will now be integrated within your personal outlook calendar.

iPhone Calendar

- 1. On your iPhone, go to <u>www.indianag.org/ncalendar</u> and copy the iCal URL for your iPhone Calendar.
- 2. Go to Settings > Mail > Accounts > Add Account > Other > Add Subscribed Calendar.
- 3. Paste the iCal URL.
- 4. The SD Grasslands eCalendar will now be integrated within your personal iPhone Calendar.

For questions, please contact Sha'Teal Pearman, IAC Natural Resources Program Assistant, at shateal@indianag.org.

South Dakota Grassland Planner Featured Operators



The video stories of the "Our Amazing Grasslands" families and operations that have been featured in the 2018-2025 South Dakota Grassland Planners can be viewed on the USDA NRCS South Dakota YouTube channel at www.youtube.com/

NRCSSouthDakota. Search "Amazing Grasslands" to see all of the stories or search for the last name for a particular story.



YouTube

2018

Schell Ranch, Wasta Steve & Paula Livermont, Martin Sara & Rich Grim. Bonesteel Darin & Jessica Michalski, Willow Lake Ron & Carol Brownotter, Bullhead Tracy Rosenberg, Marvin Sharon & Dan Anderson, Meadow Candice & Dean Lockner, **Ree Heights** Chad & Heidi Schooley, Castlewood Mimi Hillenbrand & Moritz Espy, Rapid City Jorgenson Land & Cattle, Ideal Hamann Family, Clear Lake

2019

Jody & JoAnn Brown, Faith Bart & Shannon Carmichael, Faith Dan & Cindi Conner. Belle Fourche Stuart & Lisa Schmidt, Keldron Sandy & Jacki Limpert, Buffalo Gary & Amy Cammack, Union Center Ausland Family, Webster Rittberger Family, Hermosa Charlie & Tanya Totton, Chamberlain Suelflow Family, White Lake Rohrbach Family, Roscoe Little Family, Castlewood

2020

Chuck & Koreen Anderson, Lemmon Jeannie Franceus, Wessington Springs George & Suzanne England, Midland Jeff & Marci Dell, Nisland Lance Vilhauer, Mina Johnson Family, Frankfort Hove Family, Sisseton Fran Fritz, Iroquois Rick & Karen Smith, Hayti Slovek Ranch, Philip Gilbert Family, Buffalo Perman Family, Lowry

2021

Erickson Family Ranch, Langford Bendigo Family Ranch. Howes Turtle Peak Ranch, Wessington Springs Summit Lake Partnership, Summit Shubeck Family, Centerville Blair Bros. Angus Ranch, Vale and Belle Fourche Mizera Family, McLaughlin Grandview Angus Ranch, Chamberlain Davis Family Ranch, Forestburg Bohlander Family, Mobridge The Wind Ranch, Newell Cain Creek, Beadle Co. Conservation Dist., Huron

2022

Smikle Family, Herrick Bad Warrior Family, Dupree Moore Family, Artesian Hanson Family, Artesian Hanson Family, Letcher Boyland Family, Newell Neuharth Family, Ft. Pierre Thompson Family, McLaughlin Effling Family, Britton Hollenbeck Family, Edgemont Haerter Family, Hosmer Magness Family, Miller Lower Brule Tribal Ranch, Ft. Pierre

2023

Ollila Family, Newell Breyer and Wollschlager Families, Strandburg Sander Family, Custer Jean & Dennis Fagerland, Langford Dutton Family, Faith Bien Family, Veblen Holt Family, Wecota Rasmussen-Lehman 33 Ranch, Belvidere Mary & Dave Walkes, Avon Kammerer Family, Piedmont Blaalid Family, Mitchell Anderson

South Dakota Grazing Exchange

sdgrazingexchange.com

Connecting Crop and Livestock Producers to Improve Soil Health

Do you have pasture, native grass, crop residue or cover crops available to be grazed?

Do you need extra grazing land or forage for your livestock?

The South Dakota Grazing Exchange website, created by the South Dakota Soil Health Coalition, is a free, publicly accessible map that offers a platform for producers to connect throughout the state and region, with information categorized based on forage and livestock grazing opportunities.

Integrating livestock onto cropland and proper management of grasslands are a key part of increasing overall soil health, so we created an online portal to help livestock producers find the right land for their herd, or landowners and operators find the right herd to graze their land.







When the landowner and tenant are on the same page, soil health advances come more quickly and are longer lasting.



My sons weren't interested in farming so when the opportunity came to rent out I picked Mike. I could see the job he was doing and how beneficial it was to the ground.

Learn how non-operator landowner (NOLO) Barry Ploog and tenant Mike Beer's pathway to soil health is working out. Their story, and stories of 6 more NOLO/tenant partnerships, are being told in their own words through video and short stories online. Check them out, as well as thoughts on soil health from women landowners, at www.nolosd.org. P5 Page 33

South Dakota Grasslands valuable in so many ways

Food, Water, Wildlife to Way of Life



Privately owned range and pasture lands makes up over 27% (528 million acres) of the total acreage of the contiguous 48 states, and these lands constitute the largest private lands use category, exceeding both forest land (21%) and crop land (18%). South Dakota's working rangelands help provide food and fiber for the entire country, and also have recreation opportunities like hunting, bird viewing, hiking, riding, and exploring historical landmarks. The grasses and forbs are also home to a wide variety of wildlife species.

"It's the plants that feed the livestock and offer food and nesting for wildlife, and the soil that supports and feeds those plants, that are the foundation for profitable agriculture and a sustainable environment," says NRCS State Conservationist Tony Sunseri. "If you think about it, everything from storing water and carbon in the ground to supporting everything above ground depends on the health of our soil and grasslands. Really, making a decent living, sustaining surroundings with a diversity of both plants and animals, clean water, the very way of life comes back to healthy grasslands. And that starts with healthy soil."







Agriculture is the life blood of South Dakota. Part of the reason: the state's grasslands support nearly 4 million head of cattle and calves and hundreds of producers.

About 40 species of birds are considered grassland specialists, and more than 300 species either live permanently in grasslands or migrate through them.

A broad diversity of wildlife inhabits the Great Plains region! You'll find badger, prairie chicken, burrowing owl, pronghorn, scaled quail, dung beetle, ornate box turtle, and scissor-tailed flycatcher in this grasslands region.





Rangelands store 12% of global terrestrial carbon stocks. Healthy native plants in rangelands send their roots deep into the soil to help store carbon. There is growing evidence that soils on agricultural lands, especially grasslands like those in South Dakota, can store a considerable amount of carbon dioxide.

Healthy grasslands favorably impact both water quality and quantity. They build healthy soils to infiltrate rainfall, reduce susceptibility to drought and flooding, and fill underground reservoirs. It's been said that well-protected soil is the greatest storage of fresh water--more than all the lakes and rivers in the world.


From Canada to Mexico

Grasslands, habitat are being lost at an alarming rate

Fewer than 40 percent of the 550 million acres of historical grasslands that once stretched from Alberta to Mexico remain today. Most of these grassland acres were converted to cropland, others to energy development or other uses. As these tallgrass, mixed grass, shortgrass prairies, and desert grasslands are lost, so are the wildlife that depend on them.

Not surprisingly, grassland species are among the most imperiled group of birds in the United States: Total populations have declined more than 40 percent since 1966, and some species, like the Lesser Prairie-Chicken, hover at the brink of extinction. Bison, antelope, and monarch butterflies are only a few examples of the other wildlife that face a diminished future if we allow remaining grasslands to disappear or degrade. Human health and livelihoods are also entwined with the fate of grasslands. Pollinating insects thrived in fields of wildflowers and native grasses, while the deep roots of native plants trapped nutrients and water—and keep prairies resilient through natural cycles of drought, fire, grazing, and storms.

CENTRAL GRASSLANDS ROADMAP GRASSLANDS RISK MAP



Central Grasslands Roadmap

Working Together Towards Resilient, Connected Grasslands and Communities

If you're concerned about South Dakota's grasslands, you're not alone. As a matter of fact, you're invited to join in a grassland and community improvement collaborative effort that involves dozens of organizations and agencies across 3 countries.

The Central Grasslands span across more than 500 million acres of North America, from Mexico through Canada, where the health of grasslands continues to decline.

Roadmap Launch in 2020

The Central Grasslands Roadmap was launched in 2020 with a virtual summit. Its focus was to define a vision and set high level priorities to guide innovative conservation for the benefit of grassland birds, pollinators and mammals, and to ensure viable human communities across North America's grassland landscape. For two years, Roadmap working groups have been collaborating on policy. communications, and tools needed to help save and sustain our grassland landscapes and connected communities for generations to come. In May of 2022, a second summit was held in Ft. Collins Representatives from South Dakota organizations and agencies with an interest in grasslands were among the more than 200 organizations from Mexico, Canada, the U.S., and Indigenous Nations, that came together for two days.

The Grassland Roadmap Vision

The vision over the next 10 years for the Central Grasslands Roadmap is to witness thriving Indigenous and rural communities and economies, with flourishing ecosystems of soil, plants, and wildlife on millions of acres of working lands that have healthy grazing populations, with resilient and connected habitat. That will come about in part through dynamic and multifaceted approaches to sustainable grasslands management, supported by public policies and investments.. The vision includes a sustainable agriculture, energy development, and rivers and wetlands that support habitat, aquifers, production and people.

Scorecard Goals

"The Central Grasslands Roadmap is all about bringing together all the stakeholders who have an interest in grasslands, to boost conservation of North America's Central Grasslands through more collaboration," says Tony Sunseri, state conservationist for the USDA Natural Resources Conservation Service in South Dakota. NRCS is one of the two dozen planning partners for the effort.

The Roadmap's participating organizations have agreed on 7 broad goals:

1. Community Support: Each year, Indigenous/First Nation, ejido, and rancher communities across the biome will report on their ability to sustain their working operations and access sufficient financial and technical assistance resources to support their land stewardship decisions.

2. Landscape Conservation: By 2032, hundreds of millions of acres of grass will be improved, restored, or kept intact across the biome.

3. Species: By 2032, wildlife populations will remain stable if common, become stabilized if declining, and have population trends reversed and recovering if in steep decline, understood through a chosen suite of insects, birds, herpetofauna, and mammals.

4. Water: By 2032, extractions from groundwater and surface water sources will be reduced as necessary to sustain dynamically stable groundwater levels, baseflows, and lake levels.

5. Soil: By 2032, comprehensive soil health will be improved to increase drought resilience, availability of livestock forage and wildlife habitat, and net carbon sequestration.

6. Food Supply: Food companies, agribusinesses, and supply chain actors, immediately work to increase the positive impacts of agricultural production and stop grassland conversion.

7. Low-Impact Production: Transportation and energy industry companies immediately work to ensure intentional siting of energy, transportation, and other commercial or industry developments for all projects including wind, solar, oil, gas, coal, and transmission.

For much more detailed information on the Central Grasslands Roadmap activities, including how you can become involved, visit *www.grasslandsroadmap.org/.*

Central Grasslands Roadmap

Educational materials available


You can help inform and inspire people of all backgrounds about the many benefits that grasslands provide for human and wildlife communities.

Join the Roadmap's Grasslands and You Campaign. Visit the campaign resources page for downloadable images, posters and information that can be shared with friends, family and supporters.

Download materials, including the poster shown at right, at *www.grasslandsroadmap.org/grasslandsandyou*.

$\mathbf{G}_{\mathsf{RASSLANDS}}$ and \mathbf{Y}_{OU}

Grasslands contribute to the air you breathe, the water you drink, the food you enjoy, and the landscapes you explore. They offer natural beauty and rich cultural heritage. They help feed millions and support livelihoods and rural economies.



Woody encroachment: Major Threat to Grasslands

Best advice: Burn before they get big



South Dakota grasslands—vital to cattle, birds and ranch resiliency—are losing out to an eastern red cedar invasion from the South. In fact, ranchers are losing 30 to 75 percent of their rangeland in areas along the Missouri River. "Absolutely nothing will grow under those thick canopied cedar trees," says Brule County rancher Doug Feltman. "We've lost over half of our cattle grazing." Eastern red cedar encroachment is often overlooked because the pasture takeover is slow. But once established it can reduce forage for livestock and wildlife by 75 percent or more. Some ranchers, including Feltman, are turning to prescribed burning to reclaim pasture for their cattle and their economic livelihood.

"It will take less work, less equipment, and there's less danger if you burn small trees," Feltman says. "You have to respect fire, but you don't have to be afraid of it. If you write a prescribed burn plan and then follow that plan, you're going to reduce your risk."

"If you have a pasture that is full of just little cedar trees that are just starting to come, then, fire will take care of that and it'd be much more cost-effective with a fire then versus trying to go out and clip all the little cedar trees that are one, two, three foot," says Sean Kelly, SDSU Extension Range Management Field Specialist at Winner.



A burn of invasive red cedars in 2011 near Chamberlain (above) resulted in reclaiming some grassland for grazing (below). Thousands of Eastern red cedar trees continue to impair grazing on private grasslands along the Missouri River corridor in southern and central South Dakota.



Doug Feltman



Fire is an ecological process and recognized control method, but many ranchers are hesitant to use it because of the fear of a runaway fire.

Good planning with professional help can substantially reduce risks of runaway fires. A burn plan that carefully details what will be done, when, and under what conditions, is essential to a safe burn. NRCS and SDSU Extension can help.

From Mexico to Canada:

Grasslands are increasingly at risk


"The data is really clear on this. The two biggest threats to grasslands biome in the Great Plains are land use conversion and woody species invasion," says Dr. Dirac Twidwell, Associate Professor at the University of Nebraska.

"They are now occurring at the same rate. We're talking 130 million acres of grassland at risk from conversion with tractors or expansion of tree cover. We're suffering from biodiversity loss from these—and we're likely to really struggle with this. There's no doubt about it, no group of rangeland professionals have had to deal with this scale of conversion and woody species pressure."

Prevent Woody Encroachment

Twidwell says it's very important to prevent woody encroachment rather than let it become a problem to address after spread. "Instead of really expensive treatments after we have a major concern, we need to get out in front of it, and anchor in intact grasslands, rather than constantly trying to manage reinvasion," he says.

"We're starting to better understand that the approach of trying to restore grasslands that have been overrun with woody species is doomed to fail," Twidwell says. "The number one predictability factor for woody encroachment



is proximity to the seed source.


If you clear even small Cedar trees from grasslands mechanically, there are seeds left all over that rangeland. So that's going to grow new trees, which will have to be cut again. Instead of restoring areas that have been lost to woody encroachment, It's been proven it's better to reduce that risk in the first place. We have to manage to disrupt seeds, rather than waiting to remove trees."

South Dakota

Rangeland Production Lost to Tree Encroachment

Rangeland Production Losses Map

Click any county on the map below to access its report.



The map above depicts percent production loss in 2022 relative to what would have been achievable had tree cover not changed since 1990.

Tree encroachment is a dominant change agent in western U.S. rangelands; tree cover has increased by 50% (77,323 km2) over 30 years, with more than 25% of U.S. rangelands experiencing sustained tree cover expansion. Since 1990, roughly 300 Tg of herbaceous biomass has been lost, totaling \$5 billion in foregone revenue to small agricultural producers.

Rangeland Production and Tree Cover Summary, South Dakota

Rangeland production in 2022	19,159,117 tons
Rangeland production losses in 2022	209,671 tons (1.08%)
Cumulative rangeland production losses since 1990	5,604,349 tons
Tree cover in 2022	736,354 acres
Tree cover change since 1990	+191,925 acres
Tree cover percent in 2022	2.90%

Report generated on 2023-12-21 from the Working Lands for Wildlife (WLFW) science team. The team maintains a woodland expansion database to track annual tree encroachment and resulting losses of herbaceous production in rangelands. Visit wlfw.org/yieldgap to learn more.

Land Use Conversion: Major Threat to Grasslands


Grasslands are the most endangered ecosystem in the world

The loss of Amazon forestland has been widely publicized, and many people recognize that imposing loss of an important resource. Yet, the 20 percent of Amazon forests that have been lost pale in comparison to the loss of temperate grasslands worldwide. Roughly half the world's grasslands have been lost! Conversion to cropland or other uses is one of the primary reasons; in 2019 alone, 2.6 million acres of North American grasslands were plowed under, according to a World Wildlife Fund report. According to the World Wildlife Fund, only 53 percent of the Great Plains area's grassland remains intact – about 42 percent of the grasslands have been converted to crops or other uses.

That loss has been felt within South Dakota. A 2015 study based on manually-interpreted digital aerial photography found a net grassland loss of 4.6 million acres resulting from cropland expansion in the state of South Dakota over the six years from 2006 to 2012.


Tyler Lark, a scientist at the University of Wisconsin's Center for Sustainability and the Global Environment, estimates more than a million acres of grasslands in the United States are continuing to be converted to cropland each year.

Figure 2.2.1: Map Showing Absolute Change Rate from Grassland in 2006 to Corn or Soybean in 2011.



Source: (Wright & Wimberly, 2013).

Between 2008 and 2016, as corn prices spiked, U.S. farmers responded by converting more than 10 million acres to crops. Eastern South Dakota has been among the leading areas for rate of conversion from grassland to corn and soybeans, as shown by the rate of change from grassland to corn or soybeans from 2006 to 2011 (graphic on left).



Much of the grassland in eastern South Dakota has been converted to cropland or another use, or encroached upon with invasive woody species (purple). Most of the remaining grassland is at risk. In the west, much of the native grassland is still intact (green), but many acres are at risk (yellow).

The Opposite Approach to Converting Grass into Croplands:

Return Marginal Croplands to more suitable Grasslands land use

Highmore, South Dakota rancher Jim Faulstich believes all that conversion to crops is a big mistake. For more than 30 years, he's been taking the opposite approach, seeding more than 700 acres of what was marginal cropland on his Daybreak Ranch back to native grasses. It now grows lush grass for his cow herd as well as habitat for wildlife.

He says profitability on his ranch turned around when he began focusing on his land as a natural resource with the best use being growing grassland. "Converting the land back to grassland made our operation more drought resistant," Faulstich says. His priority has been to manage the grassland resource so it can bounce back after a drought. He's liquidated cow herds to the point necessary to protect his grasslands.Faulstich uses grazing practices that include keeping good ground cover, and rotationally grazing or management intensive grazing versus season-long grazing, and timing and rest.

"All those things are so key to managing your grass to where you have a strong and diverse mix out there," Faulstich says. "One of the things we've emphasized is increasing our warm season grasses. They're a lot deeper rooted than cool



Jim Faulstich

season grasses, and they can really shine in a dry year. So, if you have a diverse mix out there, warm and cool seasons, and a lot of forbs and legumes, it just makes your operation a lot more resilient."



Returning cropland to grassland at Daybreak Ranch and managing to optimize the grassland resource has returned dividends to Jim Faulstich in the form of productive pastures for both cattle and hunting operations.

RECORD FOR LIVESTOCK GRAZING

Name:

Year: _____ Farm No: _____ Tract No: _____

Field/ Pasture	Acres	Livestock Species/ Class	Livestock Wt.*	Livestock No.	Key Forage Species	Date Livestock In	Begin Graze Ht."	Date Livestock Out	End Graze Ht.*	Days Grazed	Days Rest	Precip. Type/ Inches	Remarks/Observation Weed Pressure Wildlife Use etc.
		-											

Note: Livestock weight estimated; Beginning Graze HI, estimated (for accuracy measure at least 10 plant locations); Ending Graze HI, estimated (For accuracy Measure at least 10 plant locations); Be sure to measure same species for grazed and un-grazed pastures. These notes may be suitable as documentation for conservation programs including the Environmental Quality Incentives Program (EQIP) or the Conservation Stewardship Program (CSP).

RECORD FOR LIVESTOCK GRAZING

Name:

Year: _____ Farm No: _____ Tract No: _____

Field/ Pasture	Acres	Livestock Species/ Class	Livestock Wt.*	Livestock No.	Key Forage Species	Date Livestock In	Begin Graze Ht."	Date Livestock Out	End Graze Ht.*	Days Grazed	Days Rest	Precip. Type/ Inches	Remarks/Observation Weed Pressure Wildlife Use etc.
	-					5				-	-		
										(
		1											
										7			

Note: Livestock weight estimated; Beginning Graze HI, estimated (for accuracy measure at least 10 plant locations); Ending Graze HI, estimated (For accuracy Measure at least 10 plant locations); Be sure to measure same species for grazed and un-grazed pastures. These notes may be suitable as documentation for conservation programs including the Environmental Quality Incentives Program (EQIP) or the Conservation Stewardship Program (CSP).

"The grassland is a big life, but it's thinner than people's eyelids. If you rupture its grassy surface, you blind it, and dust storms are more lethal than the white-hair blizzards. If the grassland dies, so will the cows and sheep and horses, as well as the wolves and the people, all the little lives."

- Jiang Rong, Author of Wolf Totem