

MidAmerican Energy Company  
 South Dakota Energy Efficiency  
 2012 Annual Report  
 Measure Level Statistics by Program  
 Exhibit A

**RESIDENTIAL EQUIPMENT PROGRAM - ELECTRIC MEASURES**

| MEASURE DESCRIPTION           | UNITS     | ANNUAL kWh      | PEAK kW     | INCENTIVE           |
|-------------------------------|-----------|-----------------|-------------|---------------------|
| A/C <65 MBTU Total            | 26        | 5,351.9         | 6.1         | \$ 3,800.00         |
| AIR SOURCE HP < 65 Total      | 25        | 22,602.5        | 8.1         | \$ 9,200.00         |
| FURNACE FAN Total             | 20        | 13,774.5        | -           | \$ 1,000.00         |
| GSHP-CLOSED LOOP Total        | 6         | 41,674.8        | 17.6        | \$ 12,000.00        |
| <b>HVAC SUBTOTAL</b>          | <b>77</b> | <b>83,403.7</b> | <b>31.9</b> | <b>\$ 26,000.00</b> |
| DESUPERHEATER Total           | 6         | 4,836.0         | 0.5         | \$ 600.00           |
| <b>WATER HEATING SUBTOTAL</b> | <b>6</b>  | <b>4,836.0</b>  | <b>0.5</b>  | <b>\$ 600.00</b>    |
| <b>Grand Total</b>            | <b>83</b> | <b>88,239.7</b> | <b>32.4</b> | <b>\$ 26,600.00</b> |

MidAmerican Energy Company  
 South Dakota Energy Efficiency  
 2012 Annual Report  
 Measure Level Statistics by Program  
 Exhibit A

**RESIDENTIAL EQUIPMENT PROGRAM - GAS MEASURES**

| <b>MEASURE DESCRIPTION</b>                    | <b>UNITS</b> | <b>ANNUAL THERMS</b> | <b>PEAK THERMS</b> | <b>INCENTIVE</b>     |
|---|--------------|----------------------|--------------------|----------------------|
| <b>BOILER &lt; 300 Total</b>                  | 2            | 318.8                | 4.5                | \$ 800.00            |
| <b>HIGH EFFICIENCY FURNACE &lt; 225 Total</b> | 994          | 89,555.5             | 1,273.1            | \$ 343,825.00        |
| <b>HVAC SUBTOTAL</b>                          | <b>996</b>   | <b>89,874.4</b>      | <b>1,277.6</b>     | <b>\$ 344,625.00</b> |
| <b>NAT GAS WH Total</b>                       | 64           | 1,087.8              | 2.9                | \$ 4,575.00          |
| <b>WATER HEATING SUBTOTAL</b>                 | <b>64</b>    | <b>1,087.8</b>       | <b>2.9</b>         | <b>\$ 4,575.00</b>   |
| <b>THERMOSTAT GAS FURNACE ONLY</b>            | 2            | 39.4                 | 0.6                | \$ 50.00             |
| <b>THERMOSTAT SUBTOTAL</b>                    | <b>2</b>     | <b>39.4</b>          | <b>0.6</b>         | <b>\$ 50.00</b>      |
| <b>Grand Total</b>                            | <b>1,062</b> | <b>91,001.6</b>      | <b>1,281.1</b>     | <b>\$ 349,250.00</b> |

MidAmerican Energy Company  
 South Dakota Energy Efficiency  
 2012 Annual Report  
 Measure Level Statistics by Program  
 Exhibit A

**RESIDENTIAL AUDIT PROGRAM - ELECTRIC MEASURES**

| MEASURE DESCRIPTION                     | UNITS     | ANNUAL kWh      | PEAK kW    | INCENTIVE          |
|---|-----------|-----------------|------------|--------------------|
| AUDIT Total                             | 6         | -               | -          | \$ 859.01          |
| <b>AUDITS SUBTOTAL</b>                  | <b>6</b>  | <b>-</b>        | <b>-</b>   | <b>\$ 859.01</b>   |
| <br>                                    |           |                 |            |                    |
| ATTIC/ROOF/CEILING INSULATION Total     | 7         | 5,259.4         | 1.9        | \$ 3,382.74        |
| WALL INSULATION Total                   | 2         | 4,182.6         | 0.1        | \$ 1,012.50        |
| INSULATION - CRAWL SPACE Total          | 2         | 2,904.3         | 0.4        | \$ 802.50          |
| INSULATION - FOUNDATION Total           | 1         | 520.9           | 0.1        | \$ 571.20          |
| INSULATION - RIM/BAND/JOIST Total       | 3         | 287.7           | 0.3        | \$ 265.85          |
| <b>INSULATION SUBTOTAL</b>              | <b>15</b> | <b>13,154.9</b> | <b>2.7</b> | <b>\$ 6,034.79</b> |
| <br>                                    |           |                 |            |                    |
| FAUCET AERATOR Total                    | 6         | 364.2           | 0.0        | \$ 33.66           |
| KITCHEN AERATOR Total                   | 1         | 60.7            | 0.0        | \$ 6.12            |
| LOW FLOW SHOWERHEAD Total               | 5         | 1,428.5         | 0.2        | \$ 45.90           |
| PIPE INSULATION DIRECT INSTALL Total    | 6         | 193.4           | 0.0        | \$ 31.80           |
| PROGRAMMABLE THERMOSTAT Total           | 1         | 72.8            | 0.1        | \$ 40.00           |
| <b>DIRECT INSTALL MEASURES SUBTOTAL</b> | <b>19</b> | <b>2,119.6</b>  | <b>0.3</b> | <b>\$ 157.48</b>   |
| <br>                                    |           |                 |            |                    |
| <b>Grand Total</b>                      | <b>40</b> | <b>15,274.5</b> | <b>3.0</b> | <b>\$ 7,051.28</b> |

MidAmerican Energy Company  
 South Dakota Energy Efficiency  
 2012 Annual Report  
 Measure Level Statistics by Program  
 Exhibit A

**RESIDENTIAL AUDIT PROGRAM - GAS MEASURES**

| MEASURE DESCRIPTION                         | UNITS        | ANNUAL THERMS   | PEAK THERMS  | INCENTIVE            |
|---|--------------|-----------------|--------------|----------------------|
| <b>AUDIT Total</b>                          | 408          | -               | -            | \$ 67,607.98         |
| <b>AUDITS SUBTOTAL</b>                      | <b>408</b>   | <b>-</b>        | <b>-</b>     | <b>\$ 67,607.98</b>  |
| <b>ATTIC/ROOF/CEILING INSULATION Total</b>  | 267          | 18,313.8        | 254.1        | \$ 168,003.26        |
| <b>WALL INSULATION Total</b>                | 32           | 2,245.5         | 31.9         | \$ 18,805.61         |
| <b>INSULATION - CRAWL SPACE Total</b>       | 21           | 1,333.2         | 19.0         | \$ 8,839.89          |
| <b>INSULATION - FOUNDATION Total</b>        | 17           | 1,107.2         | 15.8         | \$ 6,917.37          |
| <b>INSULATION - RIM/BAND/JOIST Total</b>    | 25           | 415.4           | 5.9          | \$ 1,807.20          |
| <b>INSULATION SUBTOTAL</b>                  | <b>362</b>   | <b>23,415.1</b> | <b>326.7</b> | <b>\$ 204,373.33</b> |
| <b>FAUCET AERATOR Total</b>                 | 486          | 2,473.9         | 6.6          | \$ 2,243.25          |
| <b>KITCHEN AERATOR Total</b>                | 295          | 1,486.1         | 4.0          | \$ 1,580.72          |
| <b>LOW FLOW SHOWERHEAD Total</b>            | 468          | 9,561.3         | 25.5         | \$ 4,946.76          |
| <b>PIPE INSULATION DIRECT INSTALL Total</b> | 312          | 675.9           | 1.8          | \$ 1,653.60          |
| <b>PROGRAMMABLE THERMOSTAT Total</b>        | 140          | 2,767.6         | 39.4         | \$ 13,960.00         |
| <b>WH BLANKET Total</b>                     | 2            | 23.4            | 0.1          | \$ 50.88             |
| <b>DIRECT INSTALL MEASURES SUBTOTAL</b>     | <b>1,703</b> | <b>16,988.3</b> | <b>77.4</b>  | <b>\$ 24,435.21</b>  |
| <b>SUPPLEMENTAL PMT Total</b>               | 9            | -               | -            | \$ 1,347.59          |
| <b>Thermostat Co-Pay Credits Total</b>      | 73           | -               | -            | \$ (3,807.00)        |
| <b>Adjustments Total</b>                    | 4            | -               | -            | \$ 1,342.98          |
| <b>OTHER SUBTOTAL</b>                       | <b>86</b>    | <b>-</b>        | <b>-</b>     | <b>\$ (1,116.43)</b> |
| <b>Grand Total</b>                          | <b>2,559</b> | <b>40,403.3</b> | <b>404.0</b> | <b>\$ 295,300.09</b> |

MidAmerican Energy Company  
South Dakota Energy Efficiency  
2012 Annual Report  
Measure Level Statistics by Program  
Exhibit A

**RESIDENTIAL LOAD MANAGEMENT PROGRAM - ELECTRIC MEASURES**

| <b>MEASURE DESCRIPTION</b>      | <b>UNITS</b> | <b>ANNUAL kWh</b> | <b>PEAK kW</b> | <b>INCENTIVE</b>  |
|---------------------------------|--------------|-------------------|----------------|-------------------|
| <b>LOAD MANAGEMENT SUBTOTAL</b> | <b>138</b>   | <b>4,029.0</b>    | <b>169.0</b>   | <b>\$4,732.50</b> |
| <b>Grand Total</b>              | <b>138</b>   | <b>4,029.0</b>    | <b>169.0</b>   | <b>\$4,732.50</b> |

MidAmerican Energy Company  
 South Dakota Energy Efficiency  
 2012 Annual Report  
 Measure Level Statistics by Program  
 Exhibit A

**NONRESIDENTIAL EQUIPMENT PROGRAM - ELECTRIC MEASURES**

| MEASURE DESCRIPTION                   | UNITS     | ANNUAL kWh         | PEAK kW     | INCENTIVE           |
|---------------------------------------|-----------|--------------------|-------------|---------------------|
| AIR SOURCE HP < 65 Total              | 1         | 748.6              | 0.2         | \$ 200.00           |
| <b>HVAC SUBTOTAL</b>                  | <b>1</b>  | <b>748.6</b>       | <b>0.2</b>  | <b>\$ 200.00</b>    |
| VARIABLE SPEED DRIVE - HVAC Total     | 5         | 1,176,716.7        | -           | \$ 18,750.00        |
| VARIABLE SPEED DRIVE - non-HVAC Total | 2         | 323,779.1          | 56.5        | \$ 8,700.00         |
| <b>VSD SUBTOTAL</b>                   | <b>7</b>  | <b>1,500,495.8</b> | <b>56.5</b> | <b>\$ 27,450.00</b> |
| T-5 HIGH BAY - HIGH OUTPUT Total      | 24        | 22,495.7           | 4.3         | \$ 2,160.00         |
| T8 4X6 HB RE Total                    | 12        | 6,876.5            | 1.3         | \$ 1,008.00         |
| <b>LIGHTING SUBTOTAL</b>              | <b>36</b> | <b>29,372.2</b>    | <b>5.6</b>  | <b>\$ 3,168.00</b>  |
| <b>Grand Total</b>                    | <b>44</b> | <b>1,530,616.6</b> | <b>62.2</b> | <b>\$ 30,818.00</b> |

MidAmerican Energy Company  
 South Dakota Energy Efficiency  
 2012 Annual Report  
 Measure Level Statistics by Program  
 Exhibit A

**NONRESIDENTIAL EQUIPMENT PROGRAM - GAS MEASURES**

| <b>MEASURE DESCRIPTION</b>                    | <b>UNITS</b> | <b>ANNUAL THERMS</b> | <b>PEAK</b> | <b>INCENTIVE</b>    |
|---|--------------|----------------------|-------------|---------------------|
| <b>BOILER &lt; 300 MBTu Total</b>             | 3            | 1,092.8              | 10.1        | \$ 1,200.00         |
| <b>BOILER &gt;= 300 MBTu Total</b>            | 1            | 727.3                | 4.3         | \$ 1,223.69         |
| <b>HIGH EFFICIENCY FURNACE &lt; 225 Total</b> | 56           | 6,524.2              | 81.6        | \$ 18,575.00        |
| <b>HVAC SUBTOTAL</b>                          | <b>60</b>    | <b>8,344.3</b>       | <b>96.0</b> | <b>\$ 20,998.69</b> |
| <b>ATTIC INSULATION/GAS HT Total</b>          | 1            | 130.4                | 1.6         | \$ 896.40           |
| <b>INSULATION SUBTOTAL</b>                    | <b>1</b>     | <b>130.4</b>         | <b>1.6</b>  | <b>\$ 896.40</b>    |
| <b>NATURAL GAS WATER HEATER Total</b>         | 1            | 2.7                  | 0.0         | \$ 75.00            |
| <b>WATER HEATING SUBTOTAL</b>                 | <b>1</b>     | <b>2.7</b>           | <b>0.0</b>  | <b>\$ 75.00</b>     |
| <b>Grand Total</b>                            | <b>62</b>    | <b>8,477.4</b>       | <b>97.6</b> | <b>\$ 21,970.09</b> |

MidAmerican Energy Company  
South Dakota Energy Efficiency  
2012 Annual Report  
Measure Level Statistics by Program  
Exhibit A

**NONRESIDENTIAL CUSTOM PROGRAM - ELECTRIC MEASURES**

| <b>MEASURE DESCRIPTION</b>   | <b>UNITS</b> | <b>ANNUAL kWh</b> | <b>PEAK kW</b> | <b>INCENTIVE</b> |
|--|--------------|-------------------|----------------|------------------|
| <b>There were no 2012 custom electric measures installed / incentives paid</b> |              |                   |                |                  |
| <b>Grand Total</b>   | -            | -                 | -              | -                |



MidAmerican Energy Company  
 South Dakota Energy Efficiency  
 2012 Annual Report  
 Measure Level Statistics by Program  
 Exhibit A

**NONRESIDENTIAL CUSTOM PROGRAM - GAS MEASURES**

| <b>MEASURE DESCRIPTION</b>               | <b>UNITS</b> | <b>ANNUAL THERMS</b> | <b>PEAK</b> | <b>INCENTIVE</b>    |
|--|--------------|----------------------|-------------|---------------------|
| <b>BOILER STACK DRAFT CONTROLS Total</b> | 20           | 16,124.0             | 95.0        | \$ 34,013.00        |
| <b>BOILER SUBTOTAL</b>                   | <b>20</b>    | <b>16,124.0</b>      | <b>95.0</b> | <b>\$ 34,013.00</b> |
| <b>Grand Total</b>                       | <b>20</b>    | <b>16,124.0</b>      | <b>95.0</b> | <b>\$ 34,013.00</b> |

MidAmerican Energy Company  
 South Dakota Energy Efficiency  
 2012 Annual Report  
 Measure Level Statistics by Program  
 Exhibit A

**SMALL COMMERCIAL AUDIT PROGRAM - ELECTRIC MEASURES**

| <b>MEASURE DESCRIPTION</b>              | <b>UNITS</b> | <b>ANNUAL kWh</b> | <b>PEAK kW</b> | <b>INCENTIVE</b>   |
|---|--------------|-------------------|----------------|--------------------|
| <b>AUDITS Total</b>                     | 2            | -                 | -              | \$ 249.40          |
| <b>AUDITS SUBTOTAL</b>                  | <b>2</b>     | <b>-</b>          | <b>-</b>       | <b>\$ 249.40</b>   |
| <b>LED EXIT SIGN Total</b>              | 6            | 2,028.0           | 0.2            | \$ 164.28          |
| <b>DIRECT INSTALL MEASURES SUBTOTAL</b> | <b>6</b>     | <b>2,028.0</b>    | <b>0.2</b>     | <b>\$ 164.28</b>   |
| <b>T-8 Total</b>                        | 28           | 2,213.1           | 0.4            | \$ 1,176.00        |
| <b>LIGHTING SUBTOTAL</b>                | <b>28</b>    | <b>2,213.1</b>    | <b>0.4</b>     | <b>\$ 1,176.00</b> |
| <b>Adjustments Total</b>                | 2            | -                 | -              | \$ 17.46           |
| <b>OTHER SUBTOTAL</b>                   | <b>2</b>     | <b>-</b>          | <b>-</b>       | <b>\$ 17.46</b>    |
| <b>Grand Total</b>                      | <b>38</b>    | <b>4,241.1</b>    | <b>0.7</b>     | <b>\$ 1,607.14</b> |

MidAmerican Energy Company  
 South Dakota Energy Efficiency  
 2012 Annual Report  
 Measure Level Statistics by Program  
 Exhibit A

**SMALL COMMERCIAL AUDIT PROGRAM - GAS MEASURES**

| MEASURE DESCRIPTION                     | UNITS        | ANNUAL THERMS   | PEAK THERMS  | INCENTIVE           |
|---|--------------|-----------------|--------------|---------------------|
| AUDITS Total                            | 49           | -               | -            | \$ 15,704.40        |
| <b>AUDITS SUBTOTAL</b>                  | <b>49</b>    | <b>-</b>        | <b>-</b>     | <b>\$ 15,704.40</b> |
| HIGH EFFICIENCY FURNACE < 225 Total     | 6            | 689.7           | 8.6          | \$ 1,800.00         |
| <b>HVAC SUBTOTAL</b>                    | <b>6</b>     | <b>689.7</b>    | <b>8.6</b>   | <b>\$ 1,800.00</b>  |
| ATTIC INSULATION/GAS HEAT Total         | 22           | 7,301.3         | 231.1        | \$ 47,286.43        |
| WALL INSUL/GAS HT Total                 | 1            | 271.0           | 3.4          | \$ 74.00            |
| <b>INSULATION SUBTOTAL</b>              | <b>23</b>    | <b>7,572.3</b>  | <b>234.5</b> | <b>\$ 47,360.43</b> |
| FAUCET AERATOR Total                    | 443          | 1,751.8         | 4.7          | \$ 1,275.84         |
| KITCHEN AERATOR Total                   | 332          | 1,578.0         | 4.2          | \$ 1,487.36         |
| LOW FLOW SHOWERHEAD Total               | 378          | 8,113.8         | 21.6         | \$ 5,239.08         |
| LOW FLOW HAND-HELD SHOWERHEAD Total     | 20           | 467.2           | 1.2          | \$ 277.20           |
| PIPE INSULATION/AUDIT Total             | 2            | 0.2             | 0.0          | \$ 8.28             |
| <b>DIRECT INSTALL MEASURES SUBTOTAL</b> | <b>1,175</b> | <b>11,911.0</b> | <b>31.7</b>  | <b>\$ 8,287.76</b>  |
| SUPPLEMENTAL PMT Total                  | 3            | -               | -            | \$ 446.74           |
| Adjustments Total                       | 5            | -               | -            | \$ 2,258.17         |
| <b>OTHER SUBTOTAL</b>                   | <b>8</b>     | <b>-</b>        | <b>-</b>     | <b>\$ 2,704.91</b>  |
| <b>Grand Total</b>                      | <b>1,261</b> | <b>20,173.0</b> | <b>274.8</b> | <b>\$ 75,857.50</b> |