

1 **I. WITNESS INTRODUCTION**

2
3 **Q. PLEASE STATE YOUR NAME AND BUSINESS ADDRESS.**

4
5 A. My name is William Walsh. My business address is 7135 Janes Avenue, Woodridge,
6 Illinois, 60517.

7
8 **Q. BY WHOM ARE YOU EMPLOYED AND IN WHAT CAPACITY?**

9
10 A. I am employed as a Senior Project Manager by EN Engineering, an engineering and
11 consulting firm specializing in pipeline design services for the oil and gas industry.

12
13 **Q. PLEASE DESCRIBE YOUR EDUCATIONAL BACKGROUND AND**
14 **PROFESSIONAL EXPERIENCE.**

15
16 A. I hold a Ph. D. in Theoretical and Applied Mechanics from Northwestern University
17 (Evanston, Illinois). In addition, I hold an M.S. degree in Metallurgical Engineering and
18 a B.S. degree in Engineering Mechanics from the University of Illinois at Urbana-
19 Champaign. I am a registered professional engineer in the state of Illinois. My
20 professional experience consists of employment in the pipeline industry with EN
21 Engineering and with Natural Gas Pipeline Company of America, both in the Metallurgy
22 groups. My responsibilities in these positions range from material specification for pipe
23 and components, welding procedure development, investigation and root cause analysis
24 of failures, non-destructive testing, and fitness-for-service evaluations. In addition, I
25 have worked in the manufacturing industries with Rexam Beverage Can and Snap-on
26 Tools, and as a Research Scientist at Battelle Columbus Laboratories. My resume is
27 included in Exhibit A.

28
29 **Q. ON WHOSE BEHALF WAS THIS TESTIMONY PREPARED?**

30
31 A. This testimony was prepared on behalf of the Staff of the South Dakota Public
32 Utilities Commission (Staff).

33
34 **II. PURPOSE OF THE TESTIMONY**

35
36 **Q. PLEASE STATE THE PURPOSE OF YOUR TESTIMONY IN THIS**
37 **PROCEEDING.**

38
39 A. The main objective of the Staff in this testimony is to ensure that TransCanada
40 Keystone Pipeline, LP (Keystone) has met the requirements of the Federal Pipeline
41 Safety Regulations 49CFR 195, Transportation of Hazardous Liquids by Pipeline, with
42 respect to Keystone's application for a permit (Permit) to construct and operate a crude
43 oil pipeline in South Dakota as well as additional filings. This testimony deals
44 specifically with the areas of Design Requirements (Subpart C), Construction (Subpart
45 D), Pressure Testing (Subpart E), and Operation and Maintenance (Subpart F).
46 Additional requirements in these areas have been placed upon Keystone as a condition of
47 being granted a special permit to operate the pipeline at a hoop stress level of 80% of the

1 specified minimum yield strength (SMYS) of the pipe material. These additional
2 requirements will be noted in the appropriate portions of this testimony.

4 **Q. HOW WILL YOUR TESTIMONY BE ORGANIZED?**

6 A. The testimony will address the relevant portions of the Federal requirements related to
7 Keystone's application and supplemental filings. Since the conditions of the special
8 permit to operate at 80% of SMYS affect the requirements of the Federal regulations, an
9 overview of the permit provisions will be presented first. Each subpart of the Federal
10 requirements will then be addressed separately. At the conclusion of the testimony, I will
11 present an overall assessment of the pipeline design, construction, and operation practices
12 and their relative risk to the environment and safety.

14 **III. EVALUATION OF THE APPLICATION**

16 **a. Special Permit Considerations**

18 **Q. HOW DOES THE SPECIAL PERMIT TO OPERATE THE KEYSTONE 19 PIPELINE AT 80% OF SMYS RELATE TO THE FEDERAL SAFETY 20 REGULATIONS?**

22 A. The internal design pressure section of the Federal Regulation section 195.106
23 requires that pipelines be designed to operate at maximum pressures that result in hoop
24 stresses in the pipe of 72% of Specified Minimum Yield Strength (SMYS). The granting
25 of the special permit, attached as Exhibit B, allows Keystone to operate the majority of
26 the pipeline at 80% of SMYS. Pipe at pump stations, road crossings, railroad crossings,
27 launcher/receiver fabrications, population High Consequence Areas (HCA's) and
28 navigable waterways must be designed at 72% SMYS. The special permit places more
29 stringent conditions on other parts of the Federal Safety Regulations in order to maintain
30 or exceed the level of safety of the pipeline operation. These additional safety measures
31 will be addressed in other sections of this testimony.

33 **Q. WHAT IS THE PHYSICAL DIFFERENCE BETWEEN THE PIPELINE 34 DESIGN AT 72% OF SMYS AND AT 80% OF SMYS?**

36 A. Comparing two pipe designs, each with the same strength steel and outside diameter
37 (OD), the pipe at 80% SMYS design will have a 10% thinner wall than the 72% SMYS
38 design. This is illustrated in the following example. Using the design formula in section
39 195.106:

40 80% SMYS design

- 41 • SMYS of the steel = 80,000 pound per square inch (psi)
- 42 • OD = 30 inches
- 43 • Maximum Operating Pressure (MOP) = 1440 psi
- 44 • Design Factor F = 0.80
- 45 • Pipe Wall Thickness = 0.338 inches

72% SMYS design

- SMYS of the steel = 80,000 pound per square inch (psi)
- OD = 30 inches
- Maximum Operating Pressure (MOP) = 1440 psi
- Design Factor F = 0.72
- Pipe Wall Thickness = 0.375 inches

$(0.338'' - 0.375'') / 0.375'' = -0.10 = 10\%$ wall thickness reduction

Q. WHAT AREAS OF THE FEDERAL SAFETY REGULATIONS ARE MADE MORE STRINGENT IN ORDER TO MAINTAIN OR EXCEED THE LEVEL OF SAFETY AFFORDED THE PIPELINE AT A 72% SMYS DESIGN?

A. A total of 51 additional conditions are required of Keystone in order to operate under the provisions of the special permit. More stringent requirements are applied to:

- Pipe steel mechanical and chemical properties
- Inspection and pressure testing
- Depth of cover over the buried pipe
- Leak detection through Supervisory Control and Data Acquisition (SCADA) system
- Internal and external corrosion prevention procedures
- Integrity management.

b. 49CFR 195 Requirements

Q. WHAT ASPECTS OF PIPELINE SAFETY ARE ADDRESSED IN SUBPART C - DESIGN REQUIREMENTS?

A. Subpart C addresses the aspects of pipeline design pertaining to pipe materials and manufacture, pipeline components such as fittings and valves, design requirements for external loading, and leak detection systems. Many of the requirements for pipe and pipeline components are included in external specifications and are incorporated by reference into 49 CFR 195. These documents are listed in 195.3.

Q. 195.102 – WHAT IS THE DESIGN TEMPERATURE FOR THE PIPELINE SYSTEM?

A. The special permit condition (16) stipulates that the pipeline temperature shall not exceed 150° F. Keystone uses a design temperature of 167° F for choosing pipeline components (Data Response 6-16). The pipeline will operate at a minimum temperature of 45.5-degrees F, and a maximum temperature of 100.4-degrees F. The design temperatures therefore result in a conservative design. Since the actual temperature will be maintained below the design temperature, components will undergo less deformation under operating conditions. The stiffness of steel components decreases as temperature

1 increases, so maintaining actual temperature below the design temperature increases
2 stiffness and eliminates excessive deformation.

3
4 The minimum temperature specifications of -50° F for above ground piping and -45° F
5 for equipment are consistent for expected minimum temperatures for South Dakota
6 winters. Fracture toughness specifications for pipe required in the special permit
7 condition (4) ensure adequate fracture initiation and propagation at the minimum design
8 temperature.

9
10 **Q. 195.110 – WHAT EXTERNAL LOADS HAVE BEEN CONSIDERED IN THE**
11 **DESIGN OF THE PIPELINE SYSTEM?**

12
13 A. All crossings will utilize thicker pipe instead of cased crossings. This is generally the
14 preferred design method due to the increased risk of corrosion occurring on the carrier
15 pipe inside the casings. The design of the crossings is discussed in more detail regarding
16 part 195.256 in this testimony.

17
18 External loadings from blasting at the Spencer Quarry near milepost 376 were brought up
19 as concerns in a public hearing on the Keystone pipeline. Keystone has indicated the
20 blasting at the quarry will not affect the pipeline (Data Response 6-18). The effect of
21 loads on pipelines from blasting was studied in a Pipeline Research Committee
22 International (PRCI) report titled Pipeline Response to Blasting in Rock published in
23 1991. The models in this report suggest that even large blasts of 32 tons result in only an
24 additional 1300 psi stress on the line or about 2% additional stress. This result is
25 insignificant on the operational integrity of the pipeline.

26
27 **Q. 195.112 – WHAT PROVISIONS FOR PIPE MATERIAL QUALITY ARE**
28 **BEING USED IN THE KEYSTONE PIPELINE?**

29
30 A. CFR 49 195 requirements are modified by the special permit conditions
31 1,2,4,5,6,8,and 9.

32
33 Condition 1 – Steel Properties: The requirements in this section state the steel is to be
34 made to the highest steelmaking technology standards in use for making pipe currently
35 available. This requirement is typically in most pipeline operator pipe specifications.
36 This condition ensures that the practice must be used for the Keystone pipeline.

37
38 Condition 2 – Manufacturing Standards: The pipe must be made to API 5L Product
39 Specification Level 2. This is the highest specification and is typically specified for oil
40 and gas applications. The carbon equivalent in the steel is specified to be held below 0.23
41 (Pcm formula). Carbon equivalent is a measure of susceptibility to cracking during
42 welding; the lower the carbon equivalent, the less susceptibility to cracking. The 0.23
43 level required in this condition is adequate to minimize risk of cracking.

44
45 Condition 4 – Fracture Control: The fracture control conditions specify shear areas for
46 Charpy V-Notch and Drop Weight Tear Testing in excess of 80% (all heat average). This
47 stipulation should ensure that ductile fracture propagation will not occur in the Keystone
48 crude oil pipeline. Keystone has also indicated in the application for the special permit

1 that absorbed energy during the Charpy V-Notch test will maintain an all heat average
2 above 74 ft.-lbs. This steel toughness level will provide sufficient protection against the
3 initiation of a fracture.

4
5 Condition 5 – Steel Plate Quality Control: The steel mills supplying pipe must have a
6 quality program in place to monitor for laminations by ultrasonic testing and for
7 centerline segregation by macro etch testing. Both of these monitoring requirements are
8 typically not included in the production of line pipe so they provide a higher level of pipe
9 steel quality.

10
11 Condition 6 – Pipe Seam Quality Control: Cross section samples for each heat of steel
12 are monitored for excessive hardness which may lead to cracking. This quality measure
13 is required by API 5L - PSL 2 pipe.

14
15 Condition 8 – Puncture Resistance: An excavator size of 65 tons is required for a tooth
16 size of 3.54 inches by 0.137 inches wide. The strength of the steel and wall thickness of
17 the pipe are enough to satisfy this requirement.

18
19 Condition 9 – Mill Hydrostatic Test: The required test of 95% of SMYS for 10 seconds
20 is greater than the typically applied 90%, again resulting in a conservative design.

21
22 The stipulations in place on steel quality manufacture, properties, and inspection ensure
23 that the pipe used on this project is of very high quality. These requirements have been
24 evolving, becoming steadily more stringent, as PHMSA has reviewed more special
25 permit applications for 80% SMYS pipeline applications.

26
27 **Q. 195.120 – WHAT PROVISIONS FOR INTERNAL INSPECTION DEVICES**
28 **ARE INCLUDED IN THE KEYSTONE PIPELINE?**

29
30 A. First, I will provide additional information of the capabilities of internal inspection
31 devices. Internal inspection devices, often referred to as pigs or in-line inspection tools,
32 are tools used to non-destructively test the pipe from the inside by using sensors. Internal
33 inspection tools have various capabilities such as detecting metal loss, cracks and dents.
34 In order for a pipeline to accept internal inspection devices, the pipeline must be
35 equipped with pig launchers and receivers.

36
37 In the Keystone pipeline design, pig launchers and receivers are spaced at about 230 mile
38 intervals to accommodate internal inspection tools. This is generally adequate to ensure
39 the line has the capability for proper in-line inspection.

40
41 **Q. 195.134 – WHAT PLANS FOR LEAK DETECTION ARE INCLUDED IN**
42 **THE KEYSTONE PIPELINE?**

43
44 A. Special Permit Conditions 25-33 outline requirements that essentially state that
45 Keystone's Supervisory Control and Data Acquisition (SCADA) Systems must employ
46 state of the art technology for leak detection. The system must be approved by PHMSA
47 prior to operation.

1 **Q. WHAT ASPECTS OF PIPELINE SAFETY ARE ADDRESSED IN SUBPART**
2 **D - CONSTRUCTION?**

3
4 A. Subpart D provides the minimum requirements for construction practices for
5 hazardous liquid pipelines. The areas addressed are inspection of pipe on the right of
6 way, welding practices including repair and removal of defects, installation of pipes in
7 the ditch, backfill, crossing of roads and railroads, valves, pumping equipment, and
8 facility security. The granting of the special permit places additional stringent
9 requirements on construction practices.

10
11 **Q. 195.202 – HAS KEYSTONE WRITTEN A SET OF COMPREHENSIVE**
12 **CONSTRUCTION SPECIFICATIONS FOR THE EXECUTION OF THIS**
13 **PROJECT?**

14
15 A. The special permit requires that construction plans, schedules, and specifications be
16 submitted to PHMSA for review two months prior to start of construction (Condition 18).
17 In addition, a construction quality assurance plan is required to be maintained throughout
18 the construction process (Condition 21). A draft of the Construction Specifications is
19 currently being prepared by Keystone for this project (Data Response 6-25). The
20 document will be finalized upon receipt of applicable Federal and State permits required
21 to construct the project.

22
23 **Q. 195.212 – WHAT IS THE SPECIFICATION FOR FIELD BENDING OF PIPE?**

24
25 A. For 30" diameter line pipe, the specification is 1.5° per 30" length of pipe. This
26 specification is typical in the pipeline industry and will likely result in pipe bends free of
27 wrinkles. (Data Response 6-27). Wrinkle free bends are desired to maintain the pipe steel
28 integrity.

29
30 **Q. 195.214 – HAVE WELDING PROCEDURES BEEN PREPARED FOR THIS**
31 **PIPELINE PROJECT?**

32
33 A. Welding procedures are typically developed prior to the commencement of
34 construction. Keystone is required by Condition (19) of the special permit to notify
35 PHMSA within 14 days of the beginning of the welding qualification activities.

36
37 **Q. 195.246 – WILL KEYSTONE'S PROCEDURE FOR LOWERING THE PIPE**
38 **INTO THE DITCH RESULT IN LOW STRESSES AND A MINIMAL CHANCE**
39 **OF COATING DAMAGE?**

40
41 A. In Data Response 6-29, Keystone indicated that a minimum of four side booms and a
42 backhoe, spaced 60 to 80 feet apart, will be used for lowering the pipe into the ditch. The
43 bending stress resulting from this procedure is only about 5% of SMYS. Select fine
44 material will be used to provide a uniform and padded ditch bottom for pipe support.
45 Also, the coating will be inspected with an electronic holiday detector (a holiday is a
46 small hole in the pipe coating) prior to being placed in the ditch. This procedure is
47 typical during pipeline construction.

Q. 195.248 – IS THE DEPTH OF COVER FOR THE PIPELINE ADEQUATE TO PROTECT AGAINST THIRD PARTY DAMAGE?

A. Special Permit Condition (20) requires that the depth of cover over the pipeline be increased from the values in 195.248 to add an increased measure of protection against third party damage. Keystone will use 48” of cover, increased from 36” required in 195.428 in all areas except in consolidated rock. The requirement for extra cover is a very good measure of protection against the possibility of damage to the pipeline.

In addition, where pipeline is buried less than 42” (consolidated rock), additional markers must be placed along the pipeline.

Q. 195.256 – WHAT ARE THE DESIGN REQUIREMENTS FOR PIPELINES CROSSING ROAD AND RAIL CROSSINGS?

A. Section 195.256 requires that the pipeline must be designed to withstand vehicular loads at crossings. Keystone will use pipe with 0.515 inch wall thickness at all crossings. This wall thickness provides adequate protection when analyzed using the methodology developed at Cornell University by Stewart and O’Rourke, commonly referred to as ‘PC Picses’ in the pipeline industry. The wall thickness was adequate at rail crossings for depths ranging from 6 feet to 14 feet deep, and highway crossings from 3 feet to 10 feet deep. Typically the wall thickness is determined by the stresses during installation by boring rather than the requirement for withstanding vehicular loads (Data Response 6-19).

Q. 195.260 – WHAT CONSIDERATIONS ARE REQUIRED FOR PLACEMENT OF VALVES ALONG THE PIPELINE?

A. Section 195.260 requires valves be placed at the following:

(a) On the suction end and the discharge end of a pump station in a manner that permits isolation of the pump station equipment in the event of an emergency.

(b) On each line entering or leaving a breakout storage tank area in a manner that permits isolation of the tank area from other facilities.

(c) On each mainline at locations along the pipeline system that will minimize damage or pollution from accidental hazardous liquid discharge, as appropriate for the terrain in open country, for offshore areas, or for populated areas.

(d) On each lateral takeoff from a trunk line in a manner that permits shutting off the lateral without interrupting the flow in the trunk line.


(e) On each side of a water crossing that is more than 100 feet (30 meters) wide from high-water mark to high-water mark unless the Administrator finds in a particular case that valves are not justified.

(f) On each side of a reservoir holding water for human consumption.

Sub sections (b), (d), and (f) are not applicable to the Keystone pipeline. The Keystone pipeline system has 14 valves planned within the state of South Dakota. From Data Response 6-33, Keystone complies with valve placement requirements at all pumping stations, sub section (a). Valves V13 and V15 are in compliance with sub section (e) pertaining to the James River for both V13 and V15, and the Missouri River for V 15. All other valves are listed as sub section (c), minimizing damage and pollution.

The placement of valves along the Keystone pipeline is discussed in the Pipeline Risk Assessment and Environmental Consequence Analysis which was filed with the Keystone Site Application as Exhibit C. The document and its appendices, A – Frequency-Volume Study of Keystone Pipeline, and B – Preliminary Evaluation of Risk to High Consequence Areas, discuss the rationale for the placement of valves along the pipeline route.


The plot below shows the pipeline segments between valves and their volume capacity in barrels of oil. The Barrels per Section is the volume the segment can hold upstream of the valve. For example, if all the valves on the system were closed, the pipeline segment between valves V52 and V08 would hold about 75,000 barrels. The graph could also be plotted as miles instead of barrels (17 miles for the example segment), but the volume of oil emphasizes the risk of a spill.



Assessing the valve placement with the aid of the elevation profile of the pipeline helps to reveal some patterns for managing risk. The primary pattern is that segments with less than 60,000 barrel capacity are typically protecting HCAs against large volumes of oil in the event of a release. Those segments with capacities above 60,000 barrels tend to have very uniform elevation profiles, typically less than a 100 feet difference between any two points along the line. Those longer segments were chosen with small drain down volumes, most having very localized, if any, low elevation regions.

The exceptions are the two large capacity segments in the north, V48 and PS 20. Both segments have long (6 and 10 mile respectively), continuous elevation differences of 100 feet with large drain down volumes. The segments could result in spill volumes of over 40,000 barrels in the unlikely event of a large hole (10" diameter from the Frequency – Volume Study of Keystone Pipeline) resulting in a release near the bottom of the slope.

Data Response 2-14 presents a plot (Figure 2, shown below) of calculated spill volumes along the pipeline route in South Dakota. The large volume (over 25,000 barrels) on the north portion corresponds to these valve segments. Using the equations for the flow rates from the Frequency – Volume Study of Keystone Pipeline, the large diameter hole (10") releases approximately 19,500 barrels before detection and isolation (11.5 minutes). After isolation, the balance of the 25,000 would take approximately 45 minutes to drain down from a 100 foot elevation difference. The emergency response team would have to have the leak excavated and clamped within 45 minutes to keep the spill at 25,000 barrels. From the drain down calculation, a 2 hour response time to clamp the leak would result in a total spill volume of 37,000 barrels, 3 hours – 46,000 barrels.



The response time that Keystone indicates for the high volume area with tier 1 resources is 6 hours (Data Response 2-12). It seems unlikely that the calculated spill volume could

1 be contained to just over 25,000 barrels based on this response time. For completeness of
2 available information regarding the risks for this project, we request that Keystone
3 present the assumptions and justifications for the calculated spill volumes.
4

5 With the above considerations noted, the overall selection of valve placement appears to
6 provide a rational, risk-based approach to protecting populated areas, the environment,
7 and drinking water supplies. As the requirements for HCAs are re-evaluated for the
8 region in the vicinity of the pipeline, the location of valves installed to protect these areas
9 should be continually re-assessed.
10

11 **Q. 195.262 – WHAT SAFETY AND EMERGENCY POWER SUPPLY**
12 **CONSIDERATIONS ARE INCLUDED AT PUMPING STATIONS?**
13

14 A. Data Response 6-34 indicates that Keystone pumping stations will include safety
15 devices that will prevent over-pressure of pumping equipment. Auxiliary power will be
16 provided by an uninterruptible power supply (UPS) system.
17

18 **Q. WHAT ASPECTS OF PIPELINE SAFETY ARE ADDRESSED IN SUBPART**
19 **E - PRESSURE TESTING?**
20

21 A. The Federal Safety Regulations require that the pipeline be pressure tested to 1.25
22 times the maximum operating pressure (MOP) for a duration of 8 hours. The pressure
23 testing is performed to ensure the integrity of the pipeline design and construction prior to
24 placing the line in operation.
25

26 **Q. 195.304 – HOW DOES KEYSTONE PLAN TO PRESSURE TEST THE**
27 **PIPELINE IN ORDER TO SATISFY THE FEDERAL REGULATION?**
28

29 A. Keystone's initial plan was submitted in Data Response 6-35 as a draft entitled 'KPP-
30 901 Specification for Cleaning, Filling, Hydrostatic Testing, Dewatering and Drying Rev.
31 0, dated August 13, 2007.' Also included were hydraulic profile sheets of the pipeline
32 with proposed elevations and test pressures. The final plan is expected to be completed
33 in April, 2008 when all permits have been received.
34

35 The plan includes using 9 test segments within South Dakota. Each segment will have a
36 minimum pressure of 1800 psi (1.25 times the 1440 psi MOP). Sections at lower
37 elevations will be tested at higher pressure. The highest pressure in the proposed plan is
38 1981 psi in the directional drill section of the Missouri River crossing. The wall
39 thickness of the pipe in river crossings is 0.611 inches so the stress in the pipe wall
40 resulting from the 1981 psi pressure from the test is only 60% of SMYS.
41

42 Execution of the submitted hydrostatic test plan will be in compliance with the Federal
43 Safety Regulations.
44
45
46
47

1 **Q. WHAT ASPECTS OF PIPELINE SAFETY ARE ADDRESSED IN SUBPART**
2 **F - OPERATIONS AND MAINTAINENCE?**

3
4 A. Subpart F provides the minimum requirements for performing operation and
5 maintenance on hazardous liquid pipelines. Addressed in this subpart are procedural
6 manuals, emergency response training, maximum operating pressure, communications,
7 line markers, security of facilities, public awareness, and damage prevention programs.
8

9 **Q. 195.402 – HAS KEYSTONE DEVELOPED A PROCEDURAL MANUAL FOR**
10 **OPERATIONS, MAINTENANCE, AND EMERGENCIES?**

11 A. The manuals will be developed in 2008 and completed prior to commencing
12 operations in 2009 as stated in Data Response 3-36. The Emergency Response Plan
13 presented in the Siting Application Exhibit C is reviewed in other testimony prepared by
14 Staff.
15

16 **Q. 195.406 – WHAT PROVISIONS ARE PLANNED TO MAINTAIN LINE**
17 **PRESSURE FROM EXCEEDING 110% OF MOP DURING SURGES?**

18
19 A. Keystone has performed a preliminary surge analysis using a transient hydraulic
20 pipeline model as stated in Data Response 6-38. Safety devices at the station to prevent
21 the pipeline from over-pressuring include safety relief systems, pump station discharge
22 pressure control valve or pump speed control, automated flow rate or suction pressure
23 control set points, and automatic pump station shut down if pressure exceeds a preset
24 limit.
25

26 The importance of minimizing pressure surges is increased with the granting of the 80%
27 SMYS special permit. The decrease in wall thickness results in higher hoop stress and a
28 higher percentage of SMYS being utilized during a pressure surge.
29

30 We would request that Keystone include the effects of unexpected, instantaneous loss of
31 pumping equipment in the surge analysis to ensure that the pipe stress remain with the
32 acceptable limit.
33

34 **Q. 195.430 – WHAT FIREFIGHTING EQUIPMENT WILL BE AVAIALBLE AT**
35 **PUMPING STATIONS?**

36
37 A. Fire and lower explosive level (LEL) gas detectors will be installed in electrical
38 buildings at each pump station as indicated in Data Response 6-41. Electrical buildings
39 will be equipped with high and low temperature alarms and intrusion switches. Fire
40 extinguishers will be installed inside buildings near the entrance. These fire safety
41 measures should provide adequate protection for the pumping stations.
42

43 **Q. 195.436 – WHAT PROVISIONS ARE PLANNED FOR SECURITY OF**
44 **FACILITIES FROM UNAUTHORIZED ENTRY AND VANDALISM?**

45
46 A. Pump stations will be enclosed by a security fence and gates will be kept locked as
47 stated in Data Response 6-42. The pump stations will also be remotely monitored 24

1 hours a day from the operations control center. Other above ground facilities, such as
2 valve sites, will be fenced.

3
4 These security measures are adequate for protecting the pipeline facilities from
5 unauthorized entry.

6
7 **Q. TO THE EXTENT THAT DATA IS AVAILABLE, DOES IT APPEAR THAT**
8 **TRANSCANADA KEYSTONE PIPELINE, LP IS IN COMPLIANCE WITH**
9 **PART 195 AND THE SPECIAL PERMIT CONDITIONS?**

10
11 A. The data that has been presented through the siting application, the granting of the
12 special permit, testimony from Keystone, and responses to data requests provide
13 sufficient information to conclude that Keystone is in compliance with Part 195, Subparts
14 C, D, and F as presented in this testimony. The Integrity Management Plan of Subpart F
15 and Subpart H, Corrosion Control, are examined in other testimony.

16
17 **Q. ARE THERE ANY OTHER RECOMMENDATIONS THAT YOU HAVE**
18 **REGARDING THIS PROJECT?**

19
20 A. I recommend clarification on two points:

21
22 1. As discussed in the section regarding Valve Location (195.260), I recommend that
23 Keystone should provide justification and assumptions for limiting the maximum spill
24 volumes to 25,000 barrels from a 10 inch diameter hole. Isolation times and field
25 response times suggest that the volumes could exceed 40,000 barrels.

26
27 2. I recommend that Keystone present the final surge mitigation design including surge
28 analysis and validation results for review. The granting of the 80% SMYS special permit
29 removes some of the safety factor in line pipe that the current CFR 49 195 requirement of
30 72% SMYS affords.

William J. Walsh, Ph.D., PE
Senior Project Manager

Education	Ph.D. Theoretical and Applied Mechanics, Northwestern University, 2004 M.S. Metallurgical Engineering, Univ. of Illinois at Urbana-Champaign, 1986 B.S. Engineering Mechanics, Univ. of Illinois at Urbana-Champaign, 1984
Professional Registrations	Registered Professional Engineer – Illinois
Affiliations	American Society of Mechanical Engineers (ASME)
Summary of Experience	Engineering Project Manager skilled in applying principles of mechanics and material science to the solution of industrial problems in pipeline, manufacturing and research environments. Certified Six-Sigma Black Belt. Proficient in the use of ABAQUS TM and other finite element codes.
Project Experience	<p>EN Engineering, Woodridge, Illinois <u>Fracture Control Plan Development – 80% SMYS Special Permits</u> – Perform engineering assessment of fracture initiation and ductile fracture propagation properties in support of clients permit requests from PHMSA.</p> <p><u>Pipe Buckling Failure Analysis of HDD Installation</u> – Root cause determination of pipe failure resulting from severe overstress by contractor. Mechanics analysis and metallography were critical aspects of determining sequence of loading and ultimate cause.</p> <p><u>Girth Weld Crack Analysis</u> – Verification of rail crossing case design for a girth weld crack immediately outside of casing pipe. Crack initiation and growth determined to be unrelated to rail traffic loads.</p> <p><u>Microbiologically Influenced Corrosion (MIC) Leak in Pipeline Drip</u> – High strength fitting leak determined to be caused by MIC through liquids analysis and metallographic corrosion pattern identification.</p> <p>Rexam Beverage Can North America, Elk Grove Village, Illinois <u>Aluminum Bottle Development and Commercialization</u> – Coordinate technical activities between team members at Rexam and outside vendors to bring drawn-and-ironed aluminum bottles to the North American market by 2Q07. Responsibilities include solid modeling of potential bottle shapes for marketing and engineering evaluation, establishing metalworking parameters for bottle performs, coordinating commercial manufacturing facility development, budgeting and scheduling project activities.</p> <p><u>24 oz. Down Gauging / Light Weighting</u> – Implemented program in 3 can plants by installing new cupping press die sets and bottom dome profile tooling. Worked with plant personnel bring plant to full production with minimal downtime. Metal savings resulted in \$3,000,000 annually.</p> <p><u>Engineering Database Implementation (SAP)</u> – Coordinated the conversion of 3 separate engineering group's drawing databases into a centralized database system. Responsible for guiding consultant activities, developing training materials, and instructing database users on procedures for new system.</p>

ENEngineering

William J. Walsh, Ph.D., PE
Senior Project Manager

Project Experience (cont'd)

Standardize Finite Element Process for Designing Can Bottom Dome Profile – Implemented web based system for performing routine finite element runs for bottom dome designs. Prepared ABAQUS™ script in Python programming language to automate material selection, boundary condition application, and pressure loading. Analysis time reduced from 1 hour to 8 minutes.

12 oz Light Weighting – Assisted with program to reduce metal volume in can wall. This six-sigma black belt program resulted in annual savings of \$7,000,000.

Snap-on Tools, Bensenville, Illinois

Room Temperature Forming Process Development – Snap Ring Pliers – Lead engineer on project to develop novel room temperature forming process for snap ring pliers. Designed progressive die sequence for Grabner ten station press utilizing properties of low temperature flow stresses. Finite element analyses performed to eliminate die fracture using DEFORM™ and ANSYS™ software.

Powder Metal Forging Program – Responsible for design of press-fit tooling for hot impact powder forging resulting in increased die life under large forging stresses. Die stresses verified with strain gages and accelerometers using LabView™ data acquisition software

Natural Gas Pipeline Company of America, Lombard, Illinois

Press-fit Flywheel Design – Discovered cracking in crankshaft of natural gas compression using NDE techniques. Designed press-fit flywheel hub repair for the shaft, extending flywheel life for more than 10 years.

Strain Gauges for Service Critical Piping – Directed the strain gauge placement and data acquisition monitoring of stresses for critical gas storage piping subjected to excessive bending during service.

Pipeline Integrity Assessment – Development of integrity management procedures, integrity management database and risk based threat assessment algorithm PIMAR

Station Piping Design – Lead on design of header piping for compressor station cooling unit to achieve increased horsepower capacity.

Failure Analysis Investigations – Responsible for investigating pipeline and component failures including:

- corrosion leak failures in underground storage main gathering laterals and wellhead leads
- weld cracking on compressor station heat exchanger unit

Material and Welding Specifications – Developed company pipe material and welding procedure specifications. Represented company at pipe mill pre-production meetings for new pipeline construction.

ENEngineering

William J. Walsh, Ph.D., PE
Senior Project Manager

**Project
Experience
(cont'd)**

Battelle Columbus Laboratories, Columbus, Ohio

Metals and Ceramics Group

Tungsten Extrusion – Developed thermo-mechanical processing methods resulting in 5% performance increase for anti-tank kinetic energy penetrators.

Beryllium Technology – Prepared summary paper on beryllium alloy processing and properties for Metals and Ceramic Information Center.

Mechanics Group

Gas Industry Projects – Contributed to the development of mechanics based model for predicting stress corrosion cracking in steel pipelines. Developed ANSYSTM analyses procedures for estimating corrosion allowance for operation of pressurized line pipe.

Fatigue of Weldments – Developed prediction schemes for fatigue of weldments containing porosity for use in Coast Guard design criteria.



U.S. Department
of Transportation

**Pipeline and Hazardous
Materials Safety Administration**

400 Seventh Street, S.W.
Washington, D.C. 20590

CERTIFIED MAIL - RETURN RECEIPT REQUESTED

APR 30 2007

Mr. Robert Jones
Vice President
TransCanada Keystone Pipeline, LP
450 1st Street, SW
Calgary, Alberta, T2P 5H1
Canada

Dear Mr. Jones:

On November 17, 2006 you wrote to the Pipeline and Hazardous Materials Safety Administration (PHMSA) requesting a waiver of compliance from PHMSA's pipeline safety regulation 49 CFR 195.106 for two pipelines. The regulation specifies the design factor used in the design pressure formula to establish the maximum operating pressure for a hazardous liquid pipeline.

The PHMSA is granting this waiver through the enclosed special permit. This special permit will allow TransCanada Keystone Pipeline, LP (Keystone) to establish a maximum operating pressure for two pipelines using a 0.80 design factor in lieu of 0.72, with conditions and limitations. The proposed pipelines covered by this special permit are the 1,025-mile, 30-inch, mainline from the Canadian border at Cavalier County, North Dakota, to Wood River, Illinois; and, the 291-mile, 36-inch, Cushing Extension from Jefferson County, Nebraska, to Cushing (Marion County), Oklahoma. The special permit provides some relief from the Federal pipeline safety regulations for Keystone while ensuring that pipeline safety is not compromised.

If necessary, my staff would be pleased to discuss this special permit or any other regulatory matter with you. Florence Hamn, Director, Office of Regulations (202-366-4595) would be pleased to assist you.

Sincerely,

Jeffrey D. Wiese
Acting Associate Administrator
for Pipeline Safety

Enclosure

DEPARTMENT OF TRANSPORTATION
PIPELINE AND HAZARDOUS MATERIALS SAFETY ADMINISTRATION (PHMSA)
SPECIAL PERMIT

Docket Number: PHMSA-2006-26617
Pipeline Operator: TransCanada Keystone Pipeline, L.P.
Date Requested: November 17, 2006
Code Section(s): 49 CFR 195.106

Grant of Special Permit:

Based on the findings set forth below, the Pipeline and Hazardous Materials Safety Administration (PHMSA) grants this special permit to TransCanada Keystone Pipeline, L.P. (Keystone). This special permit allows Keystone to design, construct and operate two new crude oil pipelines using a design factor and operating stress level of 80 percent of the steel pipe's specified minimum yield strength (SMYS) in rural areas. The current regulations in 49 CFR 195.106 limit the design factor and operating stress level for hazardous liquids pipelines to 72 percent of SMYS. This special permit is subject to the conditions set forth below.

Except for the non-covered portions of the pipelines described below, this special permit covers two proposed pipelines in the United States:

- The 1,025-mile, 30-inch, Mainline from the Canadian border at Cavalier County, North Dakota, traversing the States of South Dakota, Nebraska, Kansas and Missouri, to Wood River, Illinois; and
- The 291-mile, 36-inch, Cushing Extension from Jefferson County, Nebraska, through Kansas, to Cushing (Marion County), Oklahoma.

This special permit does not cover certain portions of the Mainline and Cushing Extension pipelines. These non-covered portions are the following:

- Pipeline segments operating in high consequence areas (HCAs) described as commercially navigable waterways in 49 CFR 195.450;
- Pipeline segments operating in HCAs described as high population areas in 49 CFR 195.450;

- Pipeline segments operating at highway, railroad and road crossings; and
- Piping located within pump stations, mainline valve assemblies, pigging facilities and measurement facilities.

For the purpose of this special permit, the “special permit area” means the area consisting of the entire pipeline right-of-way for those segments of the pipeline that will operate above 72 percent of SMYS.

Findings:

PHMSA finds that granting this special permit to Keystone to operate two new crude oil pipelines at a pressure corresponding to a hoop stress of up to 80 percent SMYS is not inconsistent with pipeline safety. Doing so will provide a level of safety equal to, or greater than, that which would be provided if the pipelines were operated under existing regulations.

We do so because the special permit analysis shows the following:

- Keystone’s special permit application describes actions for the life cycle of each proposed pipeline addressing pipe and material quality, construction quality control, pre-in service strength testing, the Supervisory Control and Data Acquisition (SCADA) system inclusive of leak detection, operations and maintenance and integrity management. The aggregate affect of these actions and PHMSA’s conditions provide for more inspections and oversight than would occur on pipelines installed under existing regulations; and
- The conditions contained in this special permit grant require Keystone to more closely inspect and monitor the pipelines over its operational life than similar pipelines installed without a special permit.

Conditions:

The grant of this special permit is subject to the following conditions:

- 1) Steel Properties: The skelp/plate must be micro alloyed, fine grain, fully killed steel with calcium treatment and continuous casting.
- 2) Manufacturing Standards: The pipe must be manufactured according to American Petroleum Institute Specification 5L, *Specification for Line Pipe* (API 5L), product

specification level 2 (PSL 2), supplementary requirements (SR) for maximum operating pressures and minimum operating temperatures. Pipe carbon equivalents must be at or below 0.23 percent based on the material chemistry parameter (Pcm) formula.

- 3) Transportation Standards: The pipe delivered by rail car must be transported according to the API Recommended Practice 5L1, *Recommended Practice for Railroad Transportation of Line Pipe* (API 5L1).
- 4) Fracture Control: API 5L and other specifications and standards address the steel pipe toughness properties needed to resist crack initiation. Keystone must institute an overall fracture control plan addressing steel pipe properties necessary to resist crack initiation and propagation. The plan must include acceptable Charpy Impact and Drop Weight Tear Test values, which are measures of a steel pipeline's toughness and resistance to fracture. The fracture control plan, which must be submitted to PHMSA headquarters, must be in accordance with API 5L, Appendix F and must include the following tests:
 - a) SR 5A - Fracture Toughness Testing for Shear Area: Test results must indicate at least 85 percent minimum average shear area for all X-70 heats and 80 percent minimum shear area for all X-80 heats with a minimum result of 80 percent shear area for any single test. The test results must also ensure a ductile fracture;
 - b) SR 5B - Fracture Toughness Testing for Absorbed Energy; and
 - c) SR 6 - Fracture Toughness Testing by Drop Weight Tear Test: Test results must be at least 80 percent of the average shear area for all heats with a minimum result of 60 percent of the shear area for any single test. The test results must also ensure a ductile fracture.

The above fracture initiation, propagation and arrest plan must account for the entire range of pipeline operating temperatures, pressures and product compositions planned for the pipeline diameter, grade and operating stress levels, including maximum pressures and minimum temperatures for start up and shut down conditions associated with the special permit area. If the fracture control plan for the pipe in the special permit area does not meet these specifications, Keystone must submit to PHMSA headquarters an alternative plan providing an acceptable method to resist crack initiation, crack propagation and to arrest ductile fractures in the special permit area.

- 5) Steel Plate Quality Control: The steel mill and/or pipe rolling mill must incorporate a comprehensive plate/coil mill and pipe mill inspection program to check for defects and

inclusions that could affect the pipe quality. This program must include a plate or rolled pipe (body and all ends) ultrasonic testing (UT) inspection program per ASTM A578 to check for imperfections such as laminations. An inspection protocol for centerline segregation evaluation using a test method referred to as slab macro-etching must be employed to check for inclusions that may form as the steel plate cools after it has been cast. A minimum of one macro-etch or a suitable alternative test must be performed from the first or second heat (manufacturing run) of each sequence (approximately four heats) and graded on the Mannesmann scale or equivalent. Test results with a Mannesmann scale rating of one or two out of a possible five scale are acceptable.

- 6) Pipe Seam Quality Control: A quality assurance program must be instituted for pipe weld seams. The pipe weld seam tests must meet the minimum requirements for tensile strength in API 5L for the appropriate pipe grade properties. A pipe weld seam hardness test using the Vickers hardness testing of a cross-section from the weld seam must be performed on one length of pipe from each heat. The maximum weld seam and heat affected zone hardness must be a maximum of 280 Vickers hardness (Hv10). The hardness tests must include a minimum of two readings for each heat affected zone, two readings in the weld metal and two readings in each section of pipe base metal for a total of 10 readings. The pipe weld seam must be 100 percent UT inspected after expansion and hydrostatic testing per APL 5L.
- 7) Monitoring for Seam Fatigue from Transportation: Keystone must inspect the double submerged arc welded pipe seams of the delivered pipe using properly calibrated manual or automatic UT techniques. For each lay down area, a minimum of one pipe section from the bottom layer of pipes of the first five rail car shipments from each pipe mill must be inspected. The entire longitudinal weld seam must be tested and the results appropriately documented. For helical seam submerged arc welded pipe, Keystone must test and document the weld seam in the area along the transportation bearing surfaces and all other exposed weld areas during the test. Each pipe section test record must be traceable to the pipe section tested. PHMSA headquarters must be notified of any flaws that exceeded specifications and needed to be removed. Keystone's findings will determine if PHMSA will require the testing program be expanded to include a larger sampling population for seam defects originating during pipeline transportation.

- 8) Puncture Resistance: Steel pipe must be puncture resistant to an excavator weighing up to 65 tons with a general purpose tooth size of 3.54 inches by 0.137 inches. Puncture resistance will be calculated based on industry established calculations such as the Pipeline Research Council International's *Reliability Based Prevention of Mechanical Damage to Pipelines* calculation method.
- 9) Mill Hydrostatic Test: The pipe must be subjected to a mill hydrostatic test pressure of 95 percent of SMYS or greater for 10 seconds. Any mill hydrostatic test failures must be reported to PHMSA headquarters with the reason for the test failure.
- 10) Pipe Coating: The application of a corrosion resistant coating to the steel pipe must be subject to a coating application quality control program. The program must address pipe surface cleanliness standards, blast cleaning, application temperature control, adhesion, cathodic disbondment, moisture permeation, bending, minimum coating thickness, coating imperfections and coating repair.
- 11) Field Coating: Keystone must implement a field girth weld joint coating application specification and quality standards to ensure pipe surface cleanliness, application temperature control, adhesion quality, cathodic disbondment, moisture permeation, bending, minimum coating thickness, holiday detection and repair quality must be implemented in field conditions. Field joint coatings must be non-shielding to cathodic protection (CP). Field coating applicators must use valid coating procedures and be trained to use these procedures. Keystone will perform follow-up tests on field-applied coating to confirm adequate adhesion to metal and mill coating.
- 12) Coatings for Trenchless Installation: Coatings used for directional bore, slick bore and other trenchless installation methods must resist abrasions and other damages that may occur due to rocks and other obstructions encountered in this installation technique.
- 13) Bends Quality: Certification records of factory induction bends and/or factory weld bends must be obtained and retained. All bends, flanges and fittings must have carbon equivalents (CE) equal to or below 0.42 or a pre-heat procedure must be applied prior to welding for CE above 0.42.
- 14) Fittings: All pressure rated fittings and components (including flanges, valves, gaskets, pressure vessels and pumps) must be rated for a pressure rating commensurate with the MOP of the pipeline.

- 15) Design Factor - Pipelines: Pipe installed under this special permit may use a 0.80 design factor. Pipe installed in pump stations, road crossings, railroad crossings, launcher/receiver fabrications, population HCAs and navigable waters must comply with the design factor in 49 CFR 195.106. If portions of the pipeline become population HCAs during the operational life of the pipeline, Keystone will apply to PHMSA headquarters for a special permit for the affected pipeline sections.
- 16) Temperature Control: The pipeline operating temperatures must be less than 150 degrees Fahrenheit.
- 17) Overpressure Protection Control: Mainline pipeline overpressure protection must be limited to a maximum of 110 percent MOP consistent with 49 CFR 195.406(b).
- 18) Construction Plans and Schedule: The construction plans, schedule and specifications must be submitted to the appropriate PHMSA regional office for review within two months of the anticipated construction start date. Subsequent plans and schedule revisions must also be submitted to the PHMSA regional office.
- 19) Welding Procedures: The appropriate PHMSA regional office must be notified within 14 days of the beginning of welding procedure qualification activities. Automated or manual welding procedure documentation must be submitted to the same PHMSA regional office for review. For X-80 pipe, Keystone must conform to revised procedures contained in the 20th edition of API Standard 1104, *Welding of Pipelines and Related Facilities* (API 1104), Appendix A, or by an alternative procedure approved by PHMSA headquarters.
- 20) Depth of Cover: The soil cover must be maintained at a minimum depth of 48 inches in all areas except consolidated rock. In areas where conditions prevent the maintenance of 42 inches of cover, Keystone must employ additional protective measures to alert the public and excavators to the presence of the pipeline. The additional measures shall include placing warning tape and additional pipeline markers along the affected pipeline segment. In areas where the pipeline is susceptible to threats from chisel plowing or other activities, the top of the pipeline must be installed at least one foot below the deepest penetration above the pipeline. If routine patrols indicate the possible loss of cover over the pipeline, Keystone must perform a depth of cover study and replace cover as necessary to meet the minimum depth of cover requirements specified herein. If the replacement of cover is impractical or not possible, Keystone must install other protective measures including warning tape and closely spaced signs.

- 21) Construction Quality: A construction quality assurance plan for quality standards and controls must be maintained throughout the construction phase with respect to: inspection, pipe hauling and stringing, field bending, welding, non-destructive examination (NDE) of girth welds, field joint coating, pipeline coating integrity tests, lowering of the pipeline in the ditch, padding materials to protect the pipeline, backfilling, alternating current (AC) interference mitigation and CP systems. All girth welds must be NDE by radiography or alternative means. The NDE examiner must have all current required certifications.
- 22) Interference Currents Control: Control of induced alternating current from parallel electric transmission lines and other interference issues that may affect the pipeline must be incorporated into the design of the pipeline and addressed during the construction phase. Issues identified and not originally addressed in the design phase must be brought to PHMSA headquarters' attention. An induced AC program to protect the pipeline from corrosion caused by stray currents must be in place and functioning within six months after placing the pipeline in service.
- 23) Test Level: The pre-in service hydrostatic test must be to a pressure producing a hoop stress of 100 percent SMYS and 1.25 X MOP in areas to operate to 80 percent SMYS. The hydrostatic test results from each test after completion of each pipeline must be submitted to PHMSA headquarters.
- 24) Assessment of Test Failures: Any pipe failure occurring during the pre-in service hydrostatic test must undergo a root cause failure analysis to include a metallurgical examination of the failed pipe. The results of this examination must preclude a systemic pipeline material issue and the results must be reported to PHMSA headquarters and the appropriate PHMSA regional office.
- 25) Supervisory Control and Data Acquisition (SCADA) System: A SCADA system to provide remote monitoring and control of the entire pipeline system must be employed.
- 26) SCADA System – General:
 - a) Scan rate shall be fast enough to minimize overpressure conditions (overpressure control system), provide very responsive abnormal operation indications to controllers and detect small leaks within technology limitations;
 - b) Must meet the requirements of regulations developed as a result of the findings of the National Transportation Safety Board, *Supervisory Control and Data Acquisition (SCADA) in Liquid Pipelines*, Safety Study, NTSB/SS-05/02 specifically including:

- Operator displays shall adhere to guidance provided in API Recommended Practice 1165, *Recommended Practice for Pipeline SCADA Display* (API RP 1165)
 - Operators must have a policy for the review/audit of alarms for false alarm reduction and near miss or lessons learned criteria
 - SCADA controller training shall include simulator for controller recognition of abnormal operating conditions, in particular leak events
 - See item 27b below on fatigue management
 - Install computer-based leak detection system on all lines unless an engineering analysis determines that such a system is not necessary
- c) Develop and implement shift change procedures for controllers;
 - d) Verify point-to-point display screens and SCADA system inputs before placing the line in service;
 - e) Implement individual controller log-in provisions;
 - f) Establish and maintain a secure operating control room environment;
 - g) Establish controls to functionally test the pipeline in an off-line mode prior to beginning the line fill and placing the pipeline in service; and
 - h) Provide SCADA computer process load information tracking.
- 27) SCADA – Alarm Management: Alarm Management Policy and Procedures shall address:
- a) Alarm priorities determination;
 - b) Controllers' authority and responsibility;
 - c) Clear alarm and event descriptors that are understood by controllers;
 - d) Number of alarms;
 - e) Potential systemic system issues;
 - f) Unnecessary alarms;
 - g) Controllers' performance regarding alarm or event response;
 - h) Alarm indication of abnormal operating conditions (AOCs);
 - i) Combination AOCs or sequential alarms and events; and
 - j) Workload concerns.
- 28) SCADA – Leak Detection System (LDS): The LDS Plan shall include provisions for:
- a) Implementing applicable provisions in API Recommended Practice 1130, *Computational Pipeline Monitoring for Liquid Pipelines* (API RP 1130), as appropriate;

- b) Addressing the following leak detection system testing and validation issues:
 - Routine testing to ensure degradation has not affected functionality
 - Validation of the ability of the LDS to detect small leaks and modification of the LDS as necessary to enhance its accuracy to detect small leaks
 - Conduct a risk analysis of pipeline segments to identify additional actions that would enhance public safety or environmental protection
 - c) Developing data validation plan (ensure input data to SCADA is valid);
 - d) Defining leak detection criteria in the following areas:
 - Minimum size of leak to be detected regardless of pipeline operating conditions including slack and transient conditions
 - Leak location accuracy for various pipeline conditions
 - Response time for various pipeline conditions
 - e) Providing redundancy plans for hardware and software and a periodic test requirement for equipment to be used live (also applies to SCADA equipment).
- 29) SCADA – Pipeline Model and Simulator: The Thermal-Hydraulic Pipeline Model/ Simulator including pressure control system shall include a Model Validation/Verification Plan.
- 30) SCADA – Training: The training and qualification plan (including simulator training) for controllers shall:
- a) Emphasize procedures for detecting and mitigating leaks;
 - b) Include a fatigue management plan and implementation of a shift rotation schedule that minimizes possible fatigue concerns;
 - c) Define controller maximum hours of service limitations;
 - d) Meet the requirements of regulations developed as a result of the guidance provided in the American Society of Mechanical Engineers Standard B31Q, *Pipeline Personnel Qualification Standard* (ASME B31Q), September 2006 for developing qualification program plans;
 - e) Include and implement a full training simulator capable of replaying near miss or lesson learned scenarios for training purposes;
 - f) Implement tabletop exercises periodically that allow controllers to provide feedback to the exercises, participate in exercise scenario development and actively participate in the exercise;

- g) Include field visits for controllers accompanied by field personnel who will respond to call-outs for that specific facility location;
 - h) Provide facility specifics in regard to the position certain equipment devices will default to upon power loss;
 - i) Include color blind and hearing provisions and testing if these are required to identify alarm priority or equipment status;
 - j) Training components for task specific abnormal operating conditions and generic abnormal operating conditions;
 - k) If controllers are required to respond to "800" calls, include a training program conveying proper procedures for responding to emergency calls, notification of other pipeline operators in the area when affecting a common pipeline corridor and education on the types of communications supplied to emergency responders and the public using API Recommended Practice 1162, *Public Awareness Programs for Pipeline Operators* (API RP 1162);
 - l) Implement on-the-job training component intervals established by performance review to include thorough documentation of all items covered during oral communication instruction; and
 - m) Implement a substantiated qualification program for re-qualification intervals addressing program requirements for circumstances resulting in disqualification, procedure documentation for maximum controller absences before a period of review, shadowing, retraining, and addressing interim performance verification measures between re-qualification intervals.
- 31) SCADA – Calibration and Maintenance: The calibration and maintenance plan for the instrumentation and SCADA system shall be developed using guidance provided in API 1130. Instrumentation repairs shall be tracked and documentation provided regarding prioritization of these repairs. Controller log notes shall periodically be reviewed for concerns regarding mechanical problems. This information will be tracked and prioritized.
- 32) SCADA – Leak Detection Manual: The Leak Detection Manual shall be prepared using guidance provided in Canadian Standards Association, *Oil and Gas Pipeline Systems*, CSA Z662-03, Annex E, Section E.5.2, Leak Detection Manual.
- 33) Mainline Valve Control: Mainline valves located on either side of a pipeline segment containing an HCA where personnel response time to the valve exceeds one hour must be

remotely controlled by the SCADA system. The SCADA system must be capable of opening and closing the valve and monitoring the valve position, upstream pressure and downstream pressure.

- 34) Pipeline Inspection: The pipeline must be capable of passing in line inspection (ILI) tools. All headers and other segments covered under this special permit that do not allow the passage of an ILI device must have a corrosion mitigation plan.
- 35) Internal Corrosion: Keystone shall limit sediment and water (S&W) to 0.5 percent by volume and report S&W testing results to PHMSA in the 180-day and annual reports. Keystone shall also report upset conditions causing S&W level excursions above the limit. This report shall also contain remedial measures Keystone has taken to prevent a recurrence of excursions above the S&W limits. Keystone must run cleaning pigs twice in the first full year of operation and as necessary in succeeding years based on the analysis of oil constituents, weight loss coupons located in areas with the greatest internal corrosion threat and other internal corrosion threats. Keystone will send their analyses and further actions, if any, to PHMSA.
- 36) Cathodic Protection (CP): The initial CP system must be operational within six months of placing a pipeline segment in service.
- 37) Interference Current Surveys: Interference surveys must be performed within six months of placing the pipeline in service to ensure compliance with applicable NACE International Standard Recommended Practices 0169 and 0177 (NACE RP 0169 and NACE RP 0177) for interference current levels. If interference currents are found, Keystone will determine if there have been any adverse affects to the pipeline and mitigate the affects as necessary. Keystone will report the results of any negative finding and the associated mitigative efforts to the appropriate PHMSA regional office.
- 38) Corrosion Surveys: Corrosion surveys of the affected pipeline must be completed within six months of placing the respective CP system(s) in operation to ensure adequate external corrosion protection per NACE RP 0169. The survey will also address the proper number and location of CP test stations as well as AC interference mitigation and AC grounding programs per NACE RP 0177. At least one CP test station must be located within each HCA with a maximum spacing between test stations of one-half mile within the HCA. If placement of a test station within an HCA is impractical, the test station must be placed at the nearest practical location. If any annual test station reading fails to meet 49 CFR 195,

Subpart H requirements, remedial actions must occur within six months. Remedial actions must include a close interval survey on each side of the affected test station and all modifications to the CP system necessary to ensure adequate external corrosion control.

- 39) Initial Close Interval Survey (CIS) - Initial: A CIS must be performed on the pipeline within two years of the pipeline in-service date. The CIS results must be integrated with the baseline ILI to determine whether further action is needed.
- 40) Pipeline Markers: Keystone must employ line-of-sight markings on the pipeline in the special permit area except in agricultural areas or large water crossings such as lakes where line of sight markers are impractical. The marking of pipelines is also subject to Federal Energy Regulatory Commission orders or environmental permits and local restrictions. Additional markers must be placed along the pipeline in areas where the pipeline is buried less than 42 inches.
- 41) Monitoring of Ground Movement: An effective monitoring/mitigation plan must be in place to monitor for and mitigate issues of unstable soil and ground movement.
- 42) Initial In-Line Inspection (ILI): Keystone must perform a baseline ILI in association with the construction of the pipeline using a high-resolution Magnetic Flux Leakage (MFL) tool to be completed within three years of placing a pipeline segment in service. The high-resolution MFL tool must be capable of gouge detection. Keystone must perform a baseline geometry tool run after completion of the hydrostatic strength test and backfill of the pipeline, but no later than six months after placing the pipeline in service under a special permit. The ILI data summary sheets and planned digs with associated ILI tool readings will be sent to the PHMSA regional office. The PHMSA regional office will be given at least 14 days notice before confirmation digs are executed on site. The dimensional data and other characteristics extracted from these digs will be shared with the PHMSA regional office. Keystone will also compare dimensional data and other characteristics extracted from the digs and compare them with ILI tool data. If there are large variations between dig data and ILI tool data, Keystone will submit PHMSA a plan on further actions, inclusive of more digs, to calibrate their analysis and remediation process.
- 43) Future ILI: Future ILI inspection must be performed on the entire pipeline subject to the special permit, on a frequency consistent with 49 CFR 195.452(j)(3), assessment intervals,

or on a frequency determined by fatigue studies based on actual operating conditions, inclusive of flaw and corrosion growth models.

- 44) Verification of Reassessment Interval: Keystone must submit a new fatigue analysis to validate the pipeline reassessment interval annually for the first five years after placing the pipeline subject to this special permit in service. The analysis must be performed on the segment experiencing the most severe historical pressure cycling conditions using actual pipeline pressure data.
- 45) Two years after the pipeline in-service date, Keystone will use all data gathered on pipeline section experiencing the most pressure cycles to determine effect on flaw growth that passed manufacturing standards and installation specifications. This study will be performed by an independent party agreed to by Keystone and PHMSA headquarters. Furthermore, this study will be shared with PHMSA headquarters as soon as practical after its completion, preferably before baseline assessment begins. These findings will determine if an ultrasonic crack detection tool must be launched in that pipeline section to confirm crack growth with Keystone's crack growth predictive models.
- 46) Direct Assessment Plan: Headers, mainline valve bypasses and other sections covered by this special permit that cannot accommodate ILI tools must be part of a Direct Assessment (DA) plan or other acceptable integrity monitoring method using External and Internal Corrosion Direct Assessment criteria (ECDA/ICDA).
- 47) Damage Prevention Program: The Common Ground Alliance (CGA) damage prevention best practices applicable to pipelines must be incorporated into the Keystone's damage prevention program.
- 48) Anomaly Evaluation and Repair: Anomaly evaluations and repairs in the special permit area must be performed based upon the following:
 - a) Immediate Repair Conditions: Follow 195.452(h)(4)(i) except designate the calculated remaining strength failure pressure ratio (FPR) = < 1.16 ;
 - b) 60-Day Conditions: No changes to 195.452(h)(4)(ii);
 - c) 180-Day Conditions: Follow 195.452(H)(4)(iii) with exceptions for the following conditions which must be scheduled for repair within 180 days:
 - Calculated FPR = < 1.32
 - Areas of general corrosion with predicted metal loss greater than 40 percent

- Predicted metal loss is greater than 40 percent of nominal wall that is located at a crossing of another pipeline
 - Gouge or groove greater than 8 percent of nominal wall
 - d) Each anomaly not repaired under the immediate repair requirements must have a corrosion growth rate and ILI tool tolerance assigned per the Integrity Management Program (IMP) to determine the maximum re-inspection interval.
 - e) Anomaly Assessment Methods: Keystone must confirm the remaining strength (R-STRENG) effective area, R-STRENG - 0.85dL and ASME B31G assessment methods are valid for the pipe diameter, wall thickness, grade, operating pressure, operating stress level and operating temperature. Keystone must also use the most conservative method until confirmation of the proper method is made to PHMSA headquarters.
 - f) Flow Stress: Remaining strength calculations for X-80 pipe must use a flow stress equal to the average of the ultimate (tensile) strength and the SMYS.
 - g) Dents: For initial construction and the initial geometry tool run, any dent with a depth greater than 2 percent of the nominal pipe diameter must be removed unless the dent is repaired by a method that reliable engineering tests and analyses show can permanently restore the serviceability of the pipe. For the purposes of this condition, a "dent" is a depression that produces a gross disturbance in the curvature of the pipe wall without reducing the pipe wall thickness. The depth of the dent is measured as the gap between the lowest point of the dent and the prolongation of the original contour of the pipe.
- 49) Reporting - Immediate: Keystone must notify the appropriate PHMSA regional office within 24 hours of any non-reportable leaks originating in the pipe body in the special permit area.
- 50) Reporting – 180 Day: Within 180 days of the pipeline in-service date under a special permit, Keystone shall report on its compliance with special permit conditions to PHMSA headquarters and the appropriate regional office. The report must also include pipeline operating pressure data, including all pressures and pressure cycles versus time. The data format must include both raw data in a tabular format and a graphical format. Any alternative formats must be approved by PHMSA headquarters.
- 51) Annual Reporting: Following approval of the special permit, Keystone must annually report the following:

- a) The results of any ILI or direct assessment results performed within the special permit area during the previous year;
- b) The results of all internal corrosion management programs including the results of:
 - S&W analyses
 - Report of processing plant upset conditions where elevated levels of S&W are introduced into the pipeline
 - Corrosion inhibitor and biocide injection
 - Internal cleaning program
 - Wall loss coupon tests
- c) Any new integrity threats identified within the special permit area during the previous year;
- d) Any encroachment in the special permit area, including the number of new residences or public gathering areas;
- e) Any HCA changes in the special permit area during the previous year;
- f) Any reportable incidents associated with the special permit area that occurred during the previous year;
- g) Any leaks on the pipeline in the special permit area that occurred during the previous year;
- h) A list of all repairs on the pipeline in the special permit area during the previous year;
- i) On-going damage prevention initiatives on the pipeline in the special permit area and a discussion of their success or failure;
- j) Any changes in procedures used to assess and/or monitor the pipeline operating under this special permit;
- k) Any company mergers, acquisitions, transfers of assets, or other events affecting the regulatory responsibility of the company operating the pipeline to which this special permit applies; and
- l) A report of pipeline operating pressure data to include all pressures and pressure cycles versus time. The data format must include both raw data in a tabular format and a graphical format. Any alternative formats must be approved by PHMSA headquarters.

Limitations:

Should Keystone fail to comply with any conditions of this special permit, or should PHMSA determine this special permit is no longer appropriate or that this special permit is inconsistent with pipeline safety, PHMSA may revoke this special permit and require Keystone to comply with the regulatory requirements in 49 CFR 195.106.

Background and process:

The Keystone Pipeline is a 1,845-mile international and interstate crude oil pipeline project developed by TransCanada Keystone Pipeline L.P., a wholly owned subsidiary of TransCanada Pipelines Limited. The Keystone Pipeline will transport a nominal capacity of 435,000 barrels per day of crude oil from western Canada's sedimentary basin producing areas in Alberta to refineries in the United States. Keystone indicates it has filed an application with the U.S. Department of State for a Presidential Permit for the Keystone Pipeline since the project involves construction, operation and maintenance of facilities for the importation of petroleum from a foreign country. Keystone anticipates receiving all necessary government approvals by November 2007 and beginning construction in late 2007. The targeted in-service date is during the fourth quarter of 2009.

The existing regulations in 49 CFR 195.106 provide the method used by pipeline operators to establish the MOP of a proposed pipeline by using the design formula contained in that section. The formula incorporates a design factor, also called a de-rating factor, which is fixed at 0.72 for an onshore pipeline. Keystone requests the use of a 0.80 design factor in the formula instead of 0.72 design factor.

PHMSA previously granted waivers to four natural gas pipeline operators to operate certain pipelines at a hoop stresses up to 80 percent SMYS. The Keystone pipeline project represents the first request by an operator in the United States for approval to design and operate a hazardous liquid (crude oil) pipeline beyond the existing regulatory maximum level. Canadian standards already allow operators to design and operate hazardous liquids pipelines at 80 percent SMYS.

On January 15, March 27, and April 17, 2006, PHMSA conducted technical meetings to learn more about the technical merits of Keystone's proposal to operate at 80 percent SMYS and to

answer questions posed by internal and external subject matter experts. The meetings resulted in numerous technical information requests and deliverables, to which Keystone satisfactorily responded.

PHMSA also secured the services of experts in the field of steel pipeline fracture mechanics, leak detection and SCADA systems to assist in the review of appropriate areas of Keystone's application. The experts' reports are included in the public docket.

On February 8, 2007, PHMSA posted a notice of this special permit request in the Federal Register (FR) (72 FR 6042). In the same FR notice we informed the public that we have changed the name granting such a request to a special permit. The request letter, the FR notice, supplemental information and all other pertinent documents are available for review under Docket Number PHMSA-2006-26617, in the DOT's Document Management System.

Two comments were received and posted to the public docket concerning the Keystone pipeline project request for a special permit. One commenter listed a number of recommended and relevant conditions for hazardous liquid pipelines to operate at 80 percent SMYS. The conditions developed by PHMSA and incorporated into the grant of special permit include the concerns of the commenter. The second commenter did not provide substantive comments relevant to the special permit request.

AUTHORITY: 49 U.S.C. 60118(c) and 49 CFR 1.53.

Issued in Washington, DC on APR 30 2007.

A handwritten signature in black ink, appearing to read "J. Wiese", with a stylized flourish at the end.

Jeffrey D. Wiese,

Acting Associate Administrator for Pipeline Safety.