



Division of Operations

Operations Support
700 E Broadway Ave
Pierre, SD 57501
O: 605.773.4391 | F: 605.773.2804
dot.sd.gov

February 25, 2022

Darren Kearney
Utility Analyst
South Dakota Public Utilities Commission
500 East Capitol Avenue
Pierre, SD 57501-5070

Subject: SDDOT Comments on Proposed Carbon Dioxide Pipeline (SD PUC Docket HP22-001)


Dear Mr. Kearney:

South Dakota Department of Transportation appreciates the opportunity to provide comments regarding the proposed carbon dioxide pipeline. Installation of the pipeline crossing State Highways or Interstates will need to comply with South Dakota Administrative Rule 70:04:05. The pipeline owner will be required to submit an Application for Utility Permit for each crossing location to the responsible Area Office. A copy of the permit can be found on our website dot.sd.gov. Prior to submitting any permits, DOT would recommend contacting Craig Smith, Director of Operations, to have a coordination meeting with the DOT field offices involved in reviewing and approving the permit.

If you have any questions or need clarification on any comments let me know.

Sincerely,

A handwritten signature in blue ink, appearing to read "Craig Smith".



Craig Smith, PE
Director of Operations | South Dakota Department of Transportation
Better Lives Through Better Transportation
700 E Broadway Ave Pierre, SD 57501
O: 605.773.5155 | C: 605.201.5535 | dot.sd.gov