

## 2020 South Dakota Pipeline Safety Field Inspection Form

| I. GENERAL INFORMATION                                |  |                     |  |
|---|--|---------------------|--|
| <b>Operator Evaluated</b>                             |  |                     |  |
| <b>Operator IOCS ID</b>                               |  |                     |  |
| <b>Inspection Unit IOCS ID</b>                        |  |                     |  |
| <b>Portions of Unit Inspected</b>                     |  |                     |  |
| <b>Contact Person / Title</b><br>(person interviewed) |  | <b>Phone Number</b> |  |
| <b>Responsible Party/Title</b>                        |  | <b>Phone Number</b> |  |
| <b>Mailing Address</b>                                |  |                     |  |
| <b>Inspection Date</b>                                |  |                     |  |
| <b>Location of Inspection</b>                         |  |                     |  |
| <b>Inspector Name</b>                                 |  |                     |  |

**II. CUSTOMER METER AND REGULATORS Meters and Regulators**

|  |             |  |  |  |  |  |  |  |
|--|-------------|--|--|--|--|--|--|--|
| Location (city or street)  |             |  |  |  |  |  |  |  |
| Readily accessible and protected from corrosion and other damage | 192.353 a   |  |  |  |  |  |  |  |
| Vents terminate outdoors and are:                                | 192.355 b   |  |  |  |  |  |  |  |
| Rain and insect resistant  | 192.355 b 1 |  |  |  |  |  |  |  |
| Away from building opening                                       | 192.355 b 2 |  |  |  |  |  |  |  |
| Protected from submergence                                       | 192.355 b 3 |  |  |  |  |  |  |  |
| Installed to minimize piping stress                              | 192.357 a   |  |  |  |  |  |  |  |
| Regulator vented outside   | 192.357 d   |  |  |  |  |  |  |  |
| Atmospheric corrosion present                                    |             |  |  |  |  |  |  |  |
| Gas odor   |             |  |  |  |  |  |  |  |
| Rigid support piping   |             |  |  |  |  |  |  |  |
| Vent screen open   |             |  |  |  |  |  |  |  |
| Surface rust present   |             |  |  |  |  |  |  |  |

| <b>III. REGULATOR STATION</b>   |  |  |  |  |  |  |
|---|--|--|--|--|--|--|
| Station ID  |  |  |  |  |  |  |
| Location ( <i>city</i> )  |  |  |  |  |  |  |
| Location ( <i>street</i> )  |  |  |  |  |  |  |
| Station Type ( <i>SCSR, DCSR, MS, GFSNR, FT</i> )                     |  |  |  |  |  |  |
| Atmospheric Corrosion occurring ( <i>pitting</i> ) (§192.481)         |  |  |  |  |  |  |
| Surface Rust occurring (§192.479)                                     |  |  |  |  |  |  |
| Protective coating used on soil/air interface (§192.481)              |  |  |  |  |  |  |
| Condition of soil/air interface (§192.481)                            |  |  |  |  |  |  |
| Relief Type ( <i>PV, DO, PO, Int, WOU, WOD</i> )                      |  |  |  |  |  |  |
| Overpressure relief pipe directed to atmosphere (§192.199(e))         |  |  |  |  |  |  |
| Vent pipe opening protected from bugs/weather (§192.739 & 192.199(e)) |  |  |  |  |  |  |
| Pipeline markers/sign present (§192.707)                              |  |  |  |  |  |  |
| Emergency phone number listed ( <i>yes/no</i> ) (§192.707)            |  |  |  |  |  |  |
| Operational ( <i>yes/no</i> ) (§192.707)                              |  |  |  |  |  |  |
| Location of station ( <i>inside/outside</i> )                         |  |  |  |  |  |  |
| Type of building ventilation  |  |  |  |  |  |  |
| Pipe is isolated from contact with building & ground (§192.481)       |  |  |  |  |  |  |
| Barricades necessary and installed (§192.199(g))                      |  |  |  |  |  |  |
| Are supports made of non-combustible material (§192.199(d))           |  |  |  |  |  |  |
| Flange bolts through nuts (§192.147)                                  |  |  |  |  |  |  |
| Leaks detected audibly or through smell                               |  |  |  |  |  |  |
| System gauge pressure ( <i>psi</i> )                                  |  |  |  |  |  |  |
| Regulator set point ( <i>psi</i> )                                    |  |  |  |  |  |  |
| Relief vent pressure ( <i>psi</i> )                                   |  |  |  |  |  |  |
| Relief vent set point ( <i>psi</i> )                                  |  |  |  |  |  |  |
| Inlet valve at safe distance (192.181(b))                             |  |  |  |  |  |  |
| Comment number  |  |  |  |  |  |  |